

STATE OF COLORADO

John W. Hickenlooper, Governor
Christopher E. Urbina, MD, MPH
Executive Director and Chief Medical Officer

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory Services Division
Denver, Colorado 80246-1530 8100 Lowry Blvd.
Phone (303) 692-2000 Denver, Colorado 80230-6928
Located in Glendale, Colorado (303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

APR 14 2011

Mr. John S. Hamrick
Cotter Cañon City Milling Facility
P. O. Box 1750
Cañon City, Colorado 81215-1750

RE: Nature and extent of VOCs in Ground Water

Dear Mr. Hamrick:

A work plan entitled Nature and extent Investigation for Volatile Organic Compounds Cotter Corporation (N.S.L.) Canon city Milling Facility dated April 5, 2011 (the Workplan) was received by the Colorado Department of Public Health and Environment (the Department) on April 5, 2011. The Workplan has been reviewed.

The Department approves the Workplan with the following conditions.

1. The low flow sampling technique is preferred if at all possible.
2. VOA vials will be examined on arrival at the laboratory for void spaces. The condition of the vials shall be noted in the lab report.
3. Monitoring wells 042, 346, 348, and 802 will be added to this sampling and analysis program.

If you have any questions or would like to set up a meeting, please call Edgar Ethington at (303) 692-3438, me at (303) 692-3371.

Sincerely,

James H. Grice III, Licensing Lead
Radiation Management Unit
Hazardous Materials and Waste Management Division

CC Edgar Ethington; CDPHE
File: Cotter, 369-01; 3.2