Table 1C (1)

2005 Pediatric Nutrition Surveillance Colorado

Summary of Demographic Indicators Children Aged < 5 Years

(2,3)

Total Records	Number
Individual Children	94,142
Total Records (All Visits)	169,048

Source of	Data		Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other			94,142 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0
Total Excluded Unknown: 0	0.0	%	94,142	100.0

Page:

Run Date: 1/16/07

Race/Ethnic Distribution	Number	%
White, Not Hispanic Black, Not Hispanic Hispanic American Indian/Alaskan Native Asian/Pacific Islander Multiple Races All Other	26,108 4,571 46,863 691 1,154 1,694 779	31.9 5.6 57.2 0.8 1.4 2.1 1.0
Total Excluded Unknown: 12,282 13.0 %	81,860	100.0

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	24,391 15,309 18,287 13,758 22,397	25.9 16.3 19.4 14.6 23.8
Total	94,142	100.0

% of Poverty Level	Number	%
0-50	0	0.0
51-100	0	0.0
101-130	0	0.0
131-150	0	0.0
151-185	0	0.0
186-200	0	0.0
Over 200	0	0.0
Adjunctive Eligibility	0	0.0
Total	0	0.0
Excluded Unknown 94,142100.0%		

Program Participation	Number	%
WIC	0	0.0
FoodStamps	0	0.0
Medicaid	0	0.0
TANF	0	0.0
Excluded Unknown: WIC FoodStamps Medicaid TANF	94,142 94,142 94,142 94,142	100.0 100.0 100.0 100.0

Migrant Status	Number	%
Yes	0	0.0
No	0	0.0
Total	0	0.0
Excluded Unknown 94,142100.0%		

CDC

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Health Indicators Children Aged < 5 Years (2)

5	Summary of Healt	h Indicators	(3)		
		Colora Prevale		Nation Prevaler (Prior Ye	nce
		Number	%	Number	%
Birthweight (4) Low High	< 2500 g > 4000 g	25,116 25,116	10.2 4.4	1,633,363 1,633,363	9.3 6.8
Height and Weight Short Stature (5)	< 5th < 10th	93,218 93,218	8.1 14.7	6,600,078 6,600,078	6.4 11.4
Underweight (6)	< 5th < 10th	93,218 93,218	3.4 6.9	6,600,078 6,600,078	4.7 8.0
Overweight (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	93,218 35,758 35,758	8.5 15.0 9.7	6,600,078 2,822,660 2,822,660	14.1 16.1 14.8
Anemia (7) Low Hb Low Hct Low Hb/Hct		29,777 19,295 49,072	13.1 5.9 10.2	3,744,224 506,123 4,020,684	14.2 9.0 13.7
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Mon		25,138 20,393 14,346	73.5 28.5 19.0	1,469,572 718,598 792,792	56.1 23.4 17.6
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	0 0	*	389,446 64,128	20.1 40.5

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- * Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Run Date: 1/16/07

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of Breas	stfeeding	Indicate	ors ⁽³⁾	
	Colorado Prevalence		Nationa Prevaler (Prior Ye	ice
	Number	%	Number	%
Breastfeeding Duration (4,5)				
Ever Breastfed	25,138	73.5	1,469,572	56.1
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	24,890 22,830 20,763 19,366 18,037	73.6 67.7 62.6 59.4 51.4	1,074,221 862,442 714,332 626,309 536,440	52.1 49.1 46.7 44.5 39.6
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	17,765 18,543 19,041 19,853 20,393	46.0 40.2 35.0 30.9 28.5	509,857 549,816 623,490 688,285 718,598	35.1 30.0 27.0 24.9 23.4
Breastfed 9+ Months Breastfed 12+ Months	15,713 14,346	22.6 19.0	752,987 792,792	19.0 17.6
Breastfed 18+ Months	12,199	10.2	595,234	12.2
Exclusive Breastfeeding (6)				
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	0	*	37,398 39,388	9.8 6.7

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 1 / 16 / 07

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

⁽⁵⁾ It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2005 Pediatric Nutrition Surveillance (1)

Colorado

Comparison of Racial and Ethnic Distribution by Contributor Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Contributor American Contributor White, Not Black, Not Asian/Pacific Multiple Races All Other / Number Hispanic Indian/Alaskan Included in Hispanic Hispanic Islander Unknown Native Analysis (3) % % % % % % % 0.7 27.7 4.9 49.8 1.2 1.8 13.9 94,142 Colorado Nation 6,948,667 35.6 20.3 37.1 1.2 2.9 0.1 2.9 (Prior Year)



Page:

Run Date: 1 / 16 / 07

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C 2005 Pediatric Nutrition Surveillance (1)

Page: Run Date: 1 / 16 / 07

Comparison of Age Distribution by Contributor Children Aged < 5 Years (2)

Comparison of Age Distribution by Contributor								
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %				
Colorado	94,142	42.2	19.4	38.4				
Nation (Prior Year)	6,948,667	35.4	22.2	42.4				

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with unknown data or errors.
 Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 1 / 16 / 07

Comparison of Growth and Anemia Indicators by Contributor Children Aged < 5 Years (2)

		Comp	arison of	Growth a	and Ane	mia Ind	icators	by Contributor (3)	
		Birthweigh	nt (4)			He	ight and V	Veight	
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					Anemia Low Hb/Hct (7)			
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% >95th	Number % % 85th- <95th <u>></u> 95th	Number %
Colorado	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758 15.0 9.7	49,072 10.2
Nation (Prior Year)	1,633,363	9.3	6.8	6,600,078	3 6.4	4.7	14.1	2,822,660 16.1 14.8	4,020,684 13.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 1/16/07 Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor Children Aged < 5 Years (3)

		Breastfeeding (5)				Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household			
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Colorado	25,138	73.5	20,393	28.5	14,346	19.0	0	*	0	*	0	*	0	*
Nation (Prior Year)	1,469,5	72 56.1	718,598	23.4	792,792	2 17.6	37,398	9.8	39,388	6.7	64,128	40.5	389,446	20.1

Children ages 2 years and older included in the analyses.

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Page: 1 Run Date: 1 / 16 / 07

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years (2)

	Growth	and An	emia In	dicators	by Rac	e/Ethr	nicity o	r Age 🤃	3)			
	Bi	rthweight (4	1)			Hei	ght and W	eight /				
		Low High % %			Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Ane Low H	lb/Hct
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	6,682	10.8	4.4	25,878	9.0	3.8	6.5	10,461	13.9	7.1	13,293	9.0
Black, Not Hispanic	1,484	15.7	3.2	4,501	9.8	5.6	7.6	1,457	12.8	6.7	2,082	13.6
Hispanic	12,831	9.0	4.5	46,400	7.4	2.7	9.5	18,384	16.2	11.0	25,657	10.1
American Indian/Alaskan Native	182	8.8	6.0	678	5.6	2.5	14.3	288	12.2	16.7	395	8.6
Asian/Pacific Islander	358	14.0	3.6	1,143	9.3	5.0	8.0	385	14.0	11.4	553	11.2
Multiple Races	573	11.5	4.5	1,675	10.2	4.4	7.6	624	13.6	8.7	831	10.8
All Other	3,006	10.1	5.0	12,943	8.1	3.7	8.9	4,159	13.8	10.6	6,261	12.2
Total	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2
Age												
0 - 11 Months	-	-	_	39,401	10.9	3.1	7.3	_	*	*	5,954	12.1
12 - 23 Months	_	-	-	18,059	8.3	4.6	8.8	-	*	*	18,182	11.4
24 - 35 Months	-	-	-	13,598	5.3	3.1	8.3	13,598	14.6	8.3	9,862	11.8
36 - 47 Months	-	-	-	11,662	5.0	3.0	9.9	11,662	15.3	9.9	8,644	8.5
48 - 59 Months	-	-	-	10,498	4.4	3.1	11.1	10,498	15.2	11.1	6,430	5.2
Total	-	-	-	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Page: 1 Run Date: 1 / 16 / 07

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age
Children Aged < 5 Years
(2)

			Breastfe (5)		<2 Ho TV/Vio Viewing/E	leo	Smoking in Household			
	Number % Num Ever Breastfed		ı	umber % Breastfed At Least 6 Months		Number % Breastfed At Least 12 Months		%	Number	%
ace/Ethnicity										
White, Not Hispanic	6,686	74.7	4,902	28.9	3,784	19.6	0	*	0	
Black, Not Hispanic	1,484	64.1	981	21.5	697	15.1	0	*	0	
Hispanic	12,843	74.4	9,033	29.0	7,215	18.9	0	*	0	
American Indian/Alaskan Native	182	78.6	116	24.1	101	24.8	0	*	0	
Asian/Pacific Islander	358	59.8	240	23.8	168	17.3	0	*	0	
Multiple Races	574	72.5	331	25.4	260	14.6	0	*	0	
All Other	3,011	72.8	4,790	29.1	2,121	19.8	0	*	0	
Total	25,138	73.5	20,393	28.5	14,346	19.0	0	*	0	,
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	
12 - 23 Months	-	-	-	-	-	-	0	*	0	
24 - 35 Months	-	-	-	-	-	-	0	*	0	
36 - 47 Months	-	-	-	-	-	-	0	*	0	,
48 - 59 Months	-	-	-	-	-	-	0	*	0	•
Total	25,138	73.5	20,393	28.5	14,346	19.0	0	*	0	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 1 / 16 / 07

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	Analysis (3)	%	%	%	%	%	%	%					
2005	94,142	27.7	4.9	49.8	0.7	1.2	1.8	13.9					
2004	94,244	36.1	5.9	52.4	0.6	1.4	0.0	3.6					
2003	120,249	36.7	5.7	52.9	0.6	1.4	0.0	2.7					
2002	82,178	38.9	6.0	50.7	0.7	1.4	0.0	2.3					
2001	77,024	40.8	6.4	48.6	0.8	1.5	0.0	2.0					
2000	73,197	43.4	6.9	45.6	0.7	1.5	0.0	1.8					
1999	22,628	46.0	6.9	44.8	0.6	1.6	0.0	0.0					
1998	77,442	50.0	7.5	39.9	0.8	1.8	0.0	0.0					
1997	69,306	51.3	8.0	37.9	0.9	1.8	0.0	0.0					
1996	65,146	52.7	8.3	36.2	0.9	1.9	0.0	0.0					
1995	72,545	54.4	8.6	34.1	0.8	2.0	0.0	0.0					
1994	75,458	56.7	8.8	31.5	0.8	2.1	0.0	0.0					
1993	67,445	57.8	8.6	30.8	0.8	2.1	0.0	0.0					
1992	59,856	57.3	8.4	31.4	0.9	1.9	0.0	0.0					
1991	52,209	57.8	8.4	30.8	0.9	2.0	0.0	0.0					
1990	51,166	57.9	8.4	30.8	0.9	1.9	0.0	0.0					
1989	53,698	58.7	8.0	30.4	0.8	2.0	0.0	0.0					
1988	47,847	59.4	6.8	30.8	0.8	2.2	0.0	0.0					
1987	45,926	60.0	6.0	31.2	0.7	2.0	0.0	0.1					

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 1 / 16 / 07

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	Analysis (3)	%	%	%	%	%	%	%					
1986	41,244	59.2	5.1	32.8	0.6	2.2	0.0	0.1					
1985	38,737	58.1	4.8	33.9	0.5	2.6	0.0	0.1					
1984	35,850	56.5	4.4	35.4	0.5	3.1	0.0	0.1					
1983	31,074	55.4	4.2	36.9	0.5	3.1	0.0	0.0					
1982	27,860	52.0	4.1	40.0	0.5	3.3	0.0	0.0					
1981	23,610	50.5	3.9	42.1	0.4	3.1	0.0	0.1					
1980	23,983	51.6	4.0	42.0	0.4	2.0	0.0	0.1					
1979	16,489	50.4	3.9	43.9	0.4	1.4	0.0	0.0					
1978	3,106	57.6	1.7	38.4	0.3	1.4	0.0	0.5					
1977	5	*	*	*	*	*	*	*					
1976	1	*	*	*	*	*	*	*					
1975	3	*	*	*	*	*	*	*					

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with errors.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summary of Trends in Age Distribution (3)											
Year	Number Included in Analysis	0-11 Months	12-23 Months %	24-59 Months %								
	(4)											
2005	94,142	42.2	19.4	38.4								
2004	94,244	41.0	19.9	39.0								
2003	120,249	36.2	21.1	42.7								
2002	82,178	38.5	21.2	40.4								
2001	77,024	38.0	21.7	40.3								
2000	73,197	36.8	22.6	40.6								
1999	22,628	31.7	22.6	45.7								
1998	77,442	36.8	21.3	41.8								
1997	69,306	37.8	20.5	41.7								
1996	65,146	36.2	20.6	43.2								
1995	72,545	31.4	23.3	45.3								
1994	75,458	33.9	22.6	43.5								
1993	67,445	35.0	23.4	41.6								
1992	59,856	38.3	24.6	37.1								
1991	52,209	41.4	25.9	32.7								
1990	51,166	36.4	23.4	40.2								
1989	53,698	34.1	23.3	42.7								
1988	47,847	35.3	25.0	39.7								



Page:

Run Date: 1 / 16 / 07

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summary of Trends in Age Distribution (3)											
Year	Number	0-11 Months	12-23 Months	24-59 Months								
	Included in Analysis (4)	%	%	%								
1987	45,926	38.3	22.7	39.0								
1986	41,244	39.7	21.6	38.8								
1985	38,737	36.7	20.0	43.3								
1984	35,850	36.0	21.8	42.3								
1983	31,074	38.4	22.3	39.3								
1982	27,860	36.9	20.8	42.3								
1981	23,610	37.8	21.7	40.6								
1980	23,983	36.8	20.8	42.4								
1979	16,489	37.4	20.7	41.9								
1978	3,106	34.7	21.9	43.4								
1977	5	*	*	*								
1976	1	*	*	*								
1975	3	*	*	*								



Page:

Run Date: 1 / 16 / 07

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 1/16/2007

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Heiç	ght and V	V eight			Anemia Low Hb/Hct		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	>_2 Yrs Overweight (6)			(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%	
2005	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2	
2004	24,576	10.0	4.7	92,708	7.9	3.5	8.7	36,113	14.6	9.6	50,135	7.5	
2003	32,258	10.2	4.9	118,648	7.9	4.2	8.6	50,773	13.6	9.4	51,116	7.8	
2002	23,891	9.8	5.0	81,231	8.4	4.5	8.0	32,878	13.3	8.7	45,253	7.4	
2001	22,099	9.9	4.9	76,133	8.4	4.4	7.7	30,790	12.8	8.5	41,667	7.1	
2000	21,128	9.8	5.1	72,143	12.9	3.4	12.8	29,384	16.2	11.0	39,934	6.6	
1999	5,964	9.4	4.8	22,379	12.7	3.2	12.7	10,258	15.8	11.8	10,612	6.5	
1998	20,952	9.7	5.3	76,331	12.8	3.5	11.8	32,142	15.5	9.9	44,640	6.4	
1997	16,185	10.3	5.1	68,172	12.4	3.6	11.8	28,622	15.0	9.7	44,668	7.0	
1996	14,920	11.3	5.0	63,333	12.7	3.6	11.6	27,381	14.7	9.0	39,531	7.0	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 1/16/2007

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Hei	ght and V	Veight			Anen		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	>_2 Yrs Overweight (6)			Low Hb/Hct (7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%	
1995	15,629	10.5	5.1	69,454	14.0	4.3	9.4	32,220	13.7	7.6	43,982	7.2	
1994	18,759	10.3	5.1	71,745	12.8	5.3	7.3	32,434	11.9	6.5	47,451	6.9	
1993	17,482	10.1	5.0	65,384	9.7	5.7	6.7	27,612	10.7	5.9	41,506	7.3	
1992	16,960	10.1	5.3	57,832	9.8	6.0	6.3	21,865	10.4	5.7	36,258	8.4	
1991	15,729	10.2	5.0	50,243	10.3	7.4	6.1	16,839	9.8	5.4	30,838	8.6	
1990	12,845	9.6	5.2	49,116	10.0	7.5	5.5	20,181	9.3	4.5	31,275	7.8	
1989	12,959	9.4	5.7	52,343	9.4	6.5	5.3	22,664	9.3	4.5	34,359	8.0	
1988	12,230	9.4	5.6	46,744	9.4	7.0	5.1	18,871	9.2	4.4	31,031	8.0	
1987	11,194	9.4	5.8	45,029	9.5	6.9	4.9	17,746	8.9	4.6	30,061	7.6	
1986	10,245	9.3	5.4	40,551	9.3	6.8	4.8	15,884	10.2	4.3	27,801	8.3	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

Page: 3 Run Date: 1/16/2007

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Hei	ght and V	/ eight			Anemia Low Hb/Hct		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	>_2 Yrs Overweight (6)			(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
1985	8,636	9.8	5.2	38,004	9.8	6.7	5.1	16,613	9.7	4.6	27,615	7.8	
1984	8,024	9.8	5.5	35,228	10.4	6.7	5.4	15,019	10.1	4.9	26,327	9.3	
1983	7,569	10.0	5.0	30,464	11.2	7.6	5.5	12,110	10.4	4.8	23,099	13.0	
1982	6,628	10.0	5.2	27,320	11.0	7.4	5.3	11,703	10.7	5.1	21,657	13.2	
1981	5,582	10.9	5.4	23,030	12.0	8.4	5.8	9,494	11.5	5.7	18,108	14.3	
1980	5,665	10.1	5.4	23,025	10.8	10.0	6.1	10,008	11.2	5.8	18,294	13.5	
1979	4,194	10.9	6.0	15,622	11.5	9.0	6.5	6,795	11.6	6.3	12,251	14.9	
1978	692	10.5	4.0	2,960	12.1	8.9	4.8	1,322	12.2	6.0	720	12.9	
1977	0	*	*	0	*	*	*	0	*	*	1	*	
1976	0	*	*	0	*	*	*	0	*	*	0	*	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 12C


2005 Pediatric Nutrition Surveillance (1)

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

Page: 4 Run Date: 1/16/2007

		S	ummary	of Trer	nds in C	arowth	and A	nemia	Indicator	s ⁽³⁾			
	Bi	Birthweight (4)			Height and Weight							nia o/Hct	
Year	Low Hiç				Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)		(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%	
1975	0	*	*	0	*	*	*	0	*	*	1	*	

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

I	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	
				atfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2005	25,138	73.5	20,393	28.5	14,346	19.0
2004	24,603	72.6	20,202	27.2	15,287	17.1
2003	32,308	70.1	17,517	26.9	15,565	15.4
2002	23,900	70.7	8,149	25.7	11,577	13.2
2001	22,109	69.7	7,922	25.6	11,320	12.8
2000	21,139	68.1	7,716	23.8	11,342	12.6
1999	5,967	67.6	3,688	22.6	4,709	14.6
1998	20,962	66.9	7,735	23.7	11,165	14.0
1997	16,204	66.4	15,120	24.9	10,873	15.1
1996	14,934	64.9	12,319	23.7	9,662	12.5

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 1/16/2007

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Summary of Trends in Breastfeeding (3)												
				etfeeding (4)									
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months							
1995	16,039	66.1	9,086	22.2	9,645	10.6							
1994	19,443	74.2	8,636	21.6	11,566	11.3							
1993	18,320	65.0	6,630	16.7	9,147	9.0							
1992	17,663	58.1	6,198	15.7	8,158	8.5							
1991	16,204	49.6	6,233	13.5	8,687	6.8							
1990	600	63.8	117	4.3	143	0.0							
1989	17	*	0	*	0	*							



Page:

Run Date: 1/16/2007

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C 2005 Pediatric Nutrition Surveillance Colorado Children Aged < 5 Years

Page: 1 Run Date: 1 / 16 / 07

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C 2005 Pediatric Nutrition Surveillance Colorado Children Aged < 5 Years

Page: 1 Run Date: 1 / 16 / 07

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 1 Run Date: 1/16/2007

	G	rowth Inc	licators by F	Race/Ethr	icity and Ag	ge ⁽³⁾			
	Short S		Underw (5)		Overwei (5)	ght	≥ 3	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% <u>≥</u> 95th	Number	% 85th - <95th	% <u>></u> 95th
White, Not Hispanic									
0 - 11 Months	10,411	12.4	10,411	3.6	10,411	6.0	0	0.0	0.0
12 - 23 Months	5,006	8.6	5,006	5.3	5,006	6.5	0	0.0	0.0
24 - 59 Months	10,461	5.8	10,461	3.2	10,461	7.1	10,461	13.9	7.1
Total	25,878	9.0	25,878	3.8	25,878	6.5	10,461	13.9	7.1
Black, Not Hispanic									
0 - 11 Months	2,156	15.0	2,156	4.2	2,156	8.0	0	0.0	0.0
12 - 23 Months	888	8.6	888	8.3	888	8.2	0	0.0	0.0
24 - 59 Months	1,457	3.0	1,457	6.0	1,457	6.7	1,457	12.8	6.7
Total	4,501	9.8	4,501	5.6	4,501	7.6	1,457	12.8	6.7
Hispanic									
0 - 11 Months	18,860	9.8	18,860	2.5	18,860	7.8	0	0.0	0.0
12 - 23 Months	9,156	8.0	9,156	3.5	9,156	10.1	0	0.0	0.0
24 - 59 Months	18,384	4.7	18,384	2.6	18,384	11.0	18,384	16.2	11.0
Total	46,400	7.4	46,400	2.7	46,400	9.5	18,384	16.2	11.0
American Indian/Alaskan Native									
0 - 11 Months	262	6.5	262	2.3	262	11.1	0	0.0	0.0
12 - 23 Months	128	7.8	128	5.5	128	15.6	0	0.0	0.0
24 - 59 Months	288	3.8	288	1.4	288	16.7	288	12.2	16.7
Total	678	5.6	678	2.5	678	14.3	288	12.2	16.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: 2 Run Date: 1/16/2007

	G	Growth Inc	licators by F	Race/Ethn	icity and A	ge ⁽³⁾			
	Short S		Underw (5)	-	Overwei (5)	ight	≥ 2	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% <u>≥</u> 95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	537	12.3	537	3.4	537	6.5	0	0.0	0.0
12 - 23 Months	221	10.9	221	8.1	221	5.9	0	0.0	0.0
24 - 59 Months	385	4.2	385	5.5	385	11.4	385	14.0	11.4
Total	1,143	9.3	1,143	5.0	1,143	8.0	385	14.0	11.4
Multiple Races									
0 - 11 Months	707	15.0	707	4.1	707	6.6	0	0.0	0.0
12 - 23 Months	344	8.1	344	4.1	344	7.8	0	0.0	0.0
24 - 59 Months	624	5.9	624	4.8	624	8.7	624	13.6	8.7
Total	1,675	10.2	1,675	4.4	1,675	7.6	624	13.6	8.7
All Other/Unknown									
0 - 11 Months	6,468	10.2	6,468	3.3	6,468	7.9	0	0.0	0.0
12 - 23 Months	2,316	8.0	2,316	5.3	2,316	8.9	0	0.0	0.0
24 - 59 Months	4,159	4.9	4,159	3.4	4,159	10.6	4,159	13.8	10.6
Total	12,943	8.1	12,943	3.7	12,943	8.9	4,159	13.8	10.6
Total All Race/Ethnic Groups									
0 - 11 Months	39,401	10.9	39,401	3.1	39,401	7.3	0	0.0	0.0
12 - 23 Months	18,059	8.3	18,059	4.6	18,059	8.8	0	0.0	0.0
24 - 59 Months	35,758	5.0	35,758	3.1	35,758	9.7	35,758	15.0	9.7
Total	93,218	8.1	93,218	3.4	93,218	8.5	35,758	15.0	9.7

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 1 / 16 / 07

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic	T talliooi		Asian/Pacific Islander	T Carrison	
6 - 11 Months	1,388	13.3	6 - 11 Months	78	*
12 - 17 Months	2,910	11.0	12 - 17 Months	119	14.3
18 - 23 Months	1,937	9.8	18 - 23 Months	83	*
24 - 35 Months	2,778	9.4	24 - 35 Months	119	12.6
	36 - 59 Months 4,280 5.6		36 - 59 Months	154	7.8
Total			Total	553	11.2
Black, Not Hispanic	· · · · · · · · · · · · · · · · · · ·				
•	6 - 11 Months 317 9.8 12 - 17 Months 472 11.0		Multiple Races 6 - 11 Months	86	*
12 - 17 Months			12 - 17 Months	165	10.9
18 - 23 Months			18 - 23 Months	142	9.9
24 - 35 Months	401	17.7	24 - 35 Months	184	16.3
36 - 59 Months	523	13.8	36 - 59 Months	254	5.5
Total	2,082	13.6	Total	831	10.8
Hispanic			All Other/Unknown		
6 - 11 Months	2,937	11.1	6 - 11 Months	1,106	13.9
12 - 17 Months	5,482	11.2	12 - 17 Months	1,702	14.9
18 - 23 Months	3,848	10.5	18 - 23 Months	813	12.4
24 - 35 Months	5,247	12.2	24 - 35 Months	1,055	13.3
36 - 59 Months	8,143	7.5	36 - 59 Months	1,585	7.2
Total	25,657	10.1	Total	6,261	12.2
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	2 - 17 Months 79 * 8 - 23 Months 61 *		6 - 11 Months	5,954	12.1
12 - 17 Months			12 - 17 Months	10,929	11.7
18 - 23 Months			18 - 23 Months	7,253	10.8
24 - 35 Months	_ : •• :::•::•		24 - 35 Months	9,862	11.8
36 - 59 Months	36 - 59 Months 135 5.9			15,074	7.1
Total 395 8.6			Total	49,072	10.2



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 1 / 16 / 07

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low HI	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% <u>></u> 95th	Number	%
White, Not Hispanic	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	6,682 8,504 11,438 8,651 8,526 8,789 2,655 9,952 8,027 7,845	10.8 11.2 10.9 10.6 10.0 9.7 9.9 9.5 10.0 10.9	4.4 4.1 4.6 4.7 4.7 5.3 5.1 5.7 5.6 5.5	25,878 33,548 43,556 31,660 31,088 31,361 10,311 38,232 35,005 33,314	9.0 8.8 8.6 8.8 8.5 13.0 12.8 12.1 12.5	3.8 4.3 4.9 5.2 4.9 3.6 3.3 3.8 3.9	6.5 7.2 6.6 6.1 6.0 10.9 10.7 10.6 10.3 9.9	10,461 13,548 19,268 13,421 12,930 13,201 4,899 16,492 14,758 14,377	13.9 13.9 12.9 12.4 11.6 15.4 15.6 14.8 14.3	7.1 7.4 6.8 6.5 6.6 8.8 9.4 8.1 7.6	13,293 17,601 18,842 17,924 17,374 17,606 4,914 22,517 22,670 20,428	9.0 6.2 6.9 6.0 5.5 5.7 6.1 6.7 7.1
Black, Not Hispanic	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	1,484 1,651 2,200 1,554 1,585 1,549 477 1,719 1,352 1,286	15.7 15.7 15.5 12.9 14.3 14.7 10.1 14.3 15.1 16.6	3.2 2.7 3.5 3.7 3.2 3.8 2.3 3.5 3.1 2.6	4,501 5,402 6,754 4,888 4,822 4,970 1,547 5,677 5,443 5,236	9.8 10.2 9.3 9.8 10.5 14.1 13.7 14.0 12.9 13.2	5.6 5.0 5.4 5.8 5.7 4.8 3.9 4.7 4.6 4.5	7.6 7.0 8.1 7.3 6.7 12.6 12.5 11.0 11.7	1,457 1,775 2,517 1,836 1,836 1,914 610 2,283 2,166 2,117	12.8 11.8 10.6 10.9 11.4 13.9 12.5 12.0 12.1	6.7 6.3 6.2 6.0 6.0 7.2 9.8 7.5 7.3 6.9	2,082 2,534 2,640 2,576 2,450 2,554 683 3,064 3,386 2,997	13.6 9.2 11.1 8.6 8.0 9.5 8.2 8.1 9.0 9.3

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 1 / 16 / 07

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% <u>></u> 95th	Number	%
Hispanic	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	12,831 12,865 16,807 12,556 10,993 9,920 2,696 8,787 6,381 5,416	9.0 8.5 9.1 8.9 8.9 9.1 8.6 9.0 9.8	4.5 5.3 5.2 5.5 5.4 5.1 4.9 5.1 4.9	46,400 48,513 62,677 41,105 36,973 32,911 10,023 30,427 25,867 23,028	7.4 7.1 7.3 7.9 8.0 12.5 12.3 12.6 12.5 12.9	2.7 2.7 3.4 3.8 3.8 2.9 3.0 2.9 3.1 3.0	9.5 10.0 10.0 9.5 9.2 14.6 14.9 13.4 13.8 13.9	18,384 19,015 26,847 16,321 14,749 13,112 4,522 12,514 10,919 10,115	16.2 15.3 14.6 14.4 14.2 17.2 16.4 17.1 16.5 16.6	11.0 11.5 11.4 10.7 10.3 13.6 14.7 12.1 12.2 11.3	25,657 27,419 27,383 22,851 20,080 18,152 4,794 17,858 17,377 14,972	10.1 8.0 8.2 8.2 7.9 7.2 7.0 6.4 6.9 6.3
American Indian/Alaskan Native	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	182 128 195 144 169 140 40 139 129 105	8.8 7.8 11.8 7.6 7.7 9.3 * 8.6 9.3 13.3	6.0 3.9 8.7 5.6 3.6 5.7 * 10.8 8.5 7.6	678 585 737 576 600 515 143 617 597	5.6 5.3 6.4 5.2 8.3 13.0 14.0 11.2 11.4 12.8	2.5 3.6 2.6 2.3 3.2 1.2 2.1 2.8 2.0 1.5	14.3 15.6 14.8 13.7 14.0 21.4 16.8 18.8 15.9 16.6	288 237 335 240 247 221 68 285 270 268	12.2 21.9 13.1 17.9 20.2 22.2 * 14.0 21.9 17.2	16.7 16.9 18.8 16.3 18.6 19.5 * 15.8 14.1 17.5	395 364 316 340 355 314 63 391 419 380	8.6 5.2 6.3 10.9 7.3 8.6 * 6.9 11.0 8.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 1 / 16 / 07

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% ≥95th	Number	%
Asian/Pacific Islander	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	358 341 564 382 338 322 96 355 296 268	14.0 10.0 9.0 8.9 13.0 12.1 * 12.1 10.1 14.2	3.6 3.2 3.9 1.0 4.1 3.4 * 2.3 3.0 3.0	1,143 1,290 1,707 1,130 1,120 1,117 355 1,378 1,260 1,208	9.3 8.3 9.8 9.7 9.3 16.3 14.4 14.4 16.9 14.7	5.0 5.5 7.4 6.6 5.2 5.6 5.4 4.3 4.1 5.2	8.0 6.9 6.7 6.9 6.4 12.8 9.0 11.1 10.6 10.7	385 435 607 384 442 436 159 568 509 504	14.0 13.3 10.5 12.0 10.9 15.6 17.0 16.5 14.1 13.3	11.4 9.0 7.4 8.9 8.1 13.3 7.5 10.0 10.0 8.7	553 693 694 566 591 615 158 810 816 754	11.2 8.2 6.9 9.4 5.8 6.7 8.9 6.6 8.8
Multiple Races	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	573 0 0 0 0 0 0 0 0	11.5	4.5	1,675 0 0 0 0 0 0 0 0	10.2	4.4	7.6	624 0 0 0 0 0 0 0 0	13.6	8.7	831 0 0 0 0 0 0 0 0	10.8

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 1 / 16 / 07

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
All Other/Unknown	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	3,006 1,087 1,054 604 488 408 0 0 0	10.1 10.9 8.7 10.8 14.3 9.6	5.0 5.3 4.6 6.6 4.5 5.4 *	12,943 3,370 3,217 1,872 1,530 1,269 0 0	8.1 8.2 7.9 10.0 9.3 11.3	3.7 4.0 5.3 6.5 5.0 5.4	8.9 7.5 7.8 7.6 6.5 11.5	4,159 1,103 1,199 676 586 500 0 0	13.8 14.0 13.8 12.0 9.9 13.6	10.6 8.4 9.3 7.8 9.0 10.6	6,261 1,524 1,241 996 817 693 0 0	12.2 9.0 8.8 7.6 6.0 7.4 *
Total All Race/Ethnic Groups	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	25,116 24,576 32,258 23,891 22,099 21,128 5,964 20,952 16,185 14,920	10.2 10.0 10.2 9.8 9.9 9.8 9.4 9.7 10.3 11.3	4.4 4.7 4.9 5.0 4.9 5.1 4.8 5.3 5.1 5.0	93,218 92,708 118,648 81,231 76,133 72,143 22,379 76,331 68,172 63,333	8.1 7.9 7.9 8.4 8.4 12.9 12.7 12.8 12.4 12.7	3.4 3.5 4.2 4.5 4.4 3.4 3.2 3.5 3.6 3.6	8.5 8.7 8.6 8.0 7.7 12.8 12.7 11.8 11.6	35,758 36,113 50,773 32,878 30,790 29,384 10,258 32,142 28,622 27,381	15.0 14.6 13.6 13.3 12.8 16.2 15.8 15.5 15.0 14.7	9.7 9.6 9.4 8.7 8.5 11.0 11.8 9.9 9.7	49,072 50,135 51,116 45,253 41,667 39,934 10,612 44,640 44,668 39,531	10.2 7.5 7.8 7.4 7.1 6.6 6.5 6.4 7.0 7.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 1 / 16 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	6,686 8,514 11,457 8,656 8,529 8,796 2,656 9,957 8,039 7,852	74.7 72.8 69.9 71.2 71.9 69.9 70.6 69.8 69.5 68.6	4,902 7,170 6,072 3,247 3,240 3,378 1,671 3,878 7,649 6,398	28.9 27.4 27.0 26.2 27.1 25.8 25.9 25.9 27.2	3,784 5,311 5,478 4,463 4,590 4,749 2,127 5,473 5,590 4,963	19.6 17.5 15.5 13.7 13.4 13.5 16.4 15.6 16.7
Black, Not Hispanic	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	1,484 1,651 2,201 1,555 1,585 1,550 477 1,719 1,352 1,287	64.1 62.7 62.3 59.0 57.3 56.6 52.6 55.9 54.5 53.9	981 1,252 1,204 493 465 502 295 543 1,242 1,117	21.5 17.5 17.9 18.5 16.1 16.9 15.9 16.8 16.0 17.2	697 913 838 657 666 750 346 784 836 819	15.1 11.6 9.4 8.8 6.5 9.7 9.2 9.1 7.7 7.4



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 1 / 16 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sumi	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	12,843 12,872 16,836 12,558 10,999 9,923 2,698 8,791 6,388 5,422	74.4 74.0 71.7 72.2 70.1 68.8 68.1 66.5 65.6 63.0	9,033 10,529 9,324 4,040 3,844 3,504 1,636 3,107 5,801 4,447	29.0 28.4 28.2 26.4 25.5 22.9 20.8 22.6 24.2 23.0	7,215 8,124 8,499 5,917 5,578 5,355 2,132 4,612 4,147 3,593	18.9 17.5 15.7 13.0 12.8 12.1 13.6 13.3 14.6 12.3
American Indian/Alaskan Native	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	182 128 195 144 169 140 40 140 129	78.6 75.8 72.8 70.1 70.4 69.3 * 66.4 69.8 70.5	116 110 109 57 59 50 24 54 119	24.1 36.4 28.4 * * * * 26.1 33.3	101 107 93 97 101 85 28 91 95	24.8 22.4 * * 19.8 * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 1 / 16 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	ity (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	358 341 564 383 338 322 96 355 296 268	59.8 60.1 57.6 51.4 53.6 47.5 * 47.6 48.6 44.8	240 309 292 105 123 108 62 153 309 243	23.8 18.4 19.5 18.1 18.7 16.7 * 20.3 16.5 14.0	168 262 243 151 163 175 76 205 205 205	17.3 12.2 14.0 8.6 12.3 8.0 * 8.3 10.7 9.3
Multiple Races	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	574 0 0 0 0 0 0 0 0	72.5 * * * * * * * * * * * *	331 0 0 0 0 0 0 0 0	25.4 * * * * * * * * * *	260 0 0 0 0 0 0 0	14.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 1 / 16 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	3,011 1,097 1,055 604 489 408 0 0 0	72.8 73.7 69.9 73.7 73.2 70.3 *	4,790 832 516 207 191 174 0 0 0	29.1 27.4 28.1 23.7 29.3 25.9	2,121 570 414 292 222 228 0 0 0	19.8 18.1 15.9 16.8 17.6 13.6
Total All Race/Ethnic Groups	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	25,138 24,603 32,308 23,900 22,109 21,139 5,967 20,962 16,204 14,934	73.5 72.6 70.1 70.7 69.7 68.1 67.6 66.9 66.4 64.9	20,393 20,202 17,517 8,149 7,922 7,716 3,688 7,735 15,120 12,319	28.5 27.2 26.9 25.7 25.6 23.8 22.6 23.7 24.9 23.7	14,346 15,287 15,565 11,577 11,320 11,342 4,709 11,165 10,873 9,662	19.0 17.1 15.4 13.2 12.8 12.6 14.6 14.0 15.1 12.5



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 1 Run Date: 1 / 16 / 07

				Su	mmary	of Tren	ds in (rowth Indicators	by Age	e (3)					
Age and Year *			Heig	ht and \	Neight			Age and Year *			Heig	ht and V	Veight		
		Short Stature (4)		Over- t weight (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)	Under- weight (5)	Over- weight (5)	(≥ 2 Yrs Overweight (5)	
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th
0 - 11 Months								24 - 35 Months							
2005 2004	39,401 38,074	10.9 10.7	3.1 3.3	7.3 7.7	-	-	-	2005 2004	13,598 13,636	5.3 5.8	3.1 3.0	8.3 8.7	13,598 13,636	14.6 14.6	8.3 8.7
2003 2002	42,850 31,046	10.8 11.7	3.9 4.4	7.3 6.6	-	-	-	2003 2002	20,041 12,661	5.8 5.8	3.8 4.5	8.9 8.1	20,041 12,661	13.6 13.1	8.9 8.1
2001 2000	28,692	11.6 17.6	4.4 3.1	6.1 15.3	-	-	-	2001 2000	11,889	6.2 8.9	4.2	7.7	11,889	12.6 16.2	7.7 10.6
1999	26,271 7,029	17.9	3.2	14.8	-	-	-	1999	3,962	9.6	3.2	10.6 12.4	11,369 3,962	15.4	12.4
1998 1997	27,809 25,498	17.2 15.7	3.4 3.2 3.3	14.0 14.2	-	-	-	1998 1997	11,843 10,623	9.7 9.5 9.8	3.2 3.6	9.7 9.3 8.9	11,843 10,623	14.6 15.0	9.7 9.3 8.9
1996	22,798	16.6	3.3	14.4	-			1996	10,226	9.6	3.8	6.9	10,226	14.3	6.9
12 - 23 Months 2005	18,059	8.3	4.6	8.8	_	_	_	36 - 47 Months 2005	11.662	5.0	3.0	9.9	11.662	15.3	9.9
2004 2003	18,521 25,025	7.5 8.0	4.5 5.0	8.8 9.2	-	-	-	2004 2003	11,762 17,201	5.2 5.6	3.4 4.2	10.1 9.2	11,762 17,201	14.3 13.7	10.1 9.2
2002	17,307	8.1	5.0	9.1	-	-	-	2002	10,836	5.6	4.4	8.7	10,836	13.1	8.7
2001 2000	16,651 16,488	8.1 13.3	4.5 4.0	8.7 12.1	-	-	-	2001 2000	10,078 9,482	5.6 8.0	4.4 3.2	8.7 11.5	10,078 9,482	12.5 15.9	8.7 11.5
1999 1998	5,092 16,380	12.9 12.8	4.0 3.9	11.8 12.0		-	-	1999 1998	3,495 10,480	9.2 9.2	2.9 3.7	12.2 10.3	3,495 10,480	15.8 15.6	12.2 10.3
1997 1996	14,052 13,154	12.8 12.9	4.3 4.0	11.6	-	-	-	1997 1996	9,421 9,115	9.7 9.6	3.9 3.7	9.9	9,421 9,115	14.5 14.9	9.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

Page: 2 Run Date: 1 / 16 / 07

				Su	mmary	of Tren	ds in
Age and Year *	Height and Weight						
	Short Under- Over- Stature weight weight (4) (5) (5)			≥ 2 Yrs Overweight (5)			
	Number	%	%	%	Number	%	%
		<5th	<5th	≥95th		85th-<95th	≥95th
48 - 59 Months							
2005	10,498	4.4	3.1	11.1	10,498	15.2	11.1
2004	10,715	4.6	3.4	10.3	10,715	15.0	10.3
2003	13,531	5.0	4.2	10.3	13,531	13.7	10.3
2002	9,381	4.9	4.6	9.6	9,381	13.9	9.6
2001	8,823	5.1	4.3	9.5	8,823	13.5	9.5
2000	8,533	8.0	3.3	11.0	8,533	16.4	11.0
1999	2,801	8.5	2.3	10.2	2,801	16.4	10.2
1998	9,819	8.1	3.4	9.7	9,819	16.5	9.7
1997	8,578	8.4	3.4	10.0	8,578	15.8	10.0
1996	8,040	8.8	3.6	9.2	8,040	14.9	9.2
Total All Age Groups							
2005	93,218	8.1	3.4	8.5	35,758	15.0	9.7
2004	92,708	7.9	3.5	8.7	36,113	14.6	9.6
2003	118,648	7.9	4.2	8.6	50,773	13.6	9.4
2002	81,231	8.4	4.5	8.0	32,878	13.3	8.7
2001	76,133	8.4	4.4	7.7	30,790	12.8	8.5
2000	72,143	12.9	3.4	12.8	29,384	16.2	11.0
1999	22,379	12.7	3.2	12.7	10,258	15.8	11.8
1998	76,331	12.8	3.5	11.8	32,142	15.5	9.9
1997	68,172	12.4	3.6	11.8	28,622	15.0	9.7
1996	63,333	12.7	3.6	11.6	27,381	14.7	9.0

Gro	Growth Indicators by Age (3)										
	Age and Year *	Height and Weight									
			Short Stature (4)	Under- weight (5)		Ó	≥ 2 Yrs Overweight (5)				
		Number	%	%	%	Number	%	%			
			<5th	<5th	≥95th		85th-<95th	≥95th			

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 1 / 16 / 07

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)									
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anemia Low Hb/Hct (4)		
		Number	%				Number	%	
6 - 11 Months					18 - 23 Months				
0 - 11 Monuis	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	5,954 4,941 5,751 4,748 4,385 3,918 1,323 5,565 12,542 9,771	12.1 10.5 11.0 10.2 10.8 9.7 9.4 9.7 10.5 11.3		TO - 23 MOTHERS	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	7,253 7,306 7,847 6,488 6,156 5,969 1,795 6,091 5,341 4,947	10.8 7.2 7.9 7.5 6.9 7.0 5.4 6.5 6.8 7.3	
12 - 17 Months	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	10,929 11,846 11,056 9,294 8,794 8,834 2,195 8,906 6,671 5,915	11.7 9.0 9.5 9.7 9.0 8.3 8.5 7.9 8.0 7.7		24 - 35 Months	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	9,862 10,283 10,630 9,871 9,011 8,511 2,095 9,182 7,709 7,302	11.8 8.1 8.7 8.1 7.7 6.8 7.2 7.3 6.1 6.2	



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States",

altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Page: Run Date: 1 / 16 / 07

		Summa	ry of Tr	s in Anemia by Age ⁽³⁾		
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	Anemia Low Hb/Hct (4)	
		Number	%		Number	%
36 - 59 Months	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	15,074 15,759 15,832 14,852 13,321 12,702 3,204 14,896 12,405 11,596	7.1 5.0 4.9 4.5 4.2 4.1 4.2 3.6 3.6 3.5	Total All Age Groups 2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	49,072 50,135 51,116 45,253 41,667 39,934 10,612 44,640 44,668 39,531	10.2 7.5 7.8 7.4 7.1 6.6 6.5 6.4 7.0
All Other/Unknown	2005 2004 2003 2002 2001 2000 1999 1998 1997 1996	0 0 0 0 0 0 0	* * * * * * * * *			



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States",

altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.