Run Date: 3 / 22 / 10

Page:

#### Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Comparis	on of Racial	and Ethnic [	Distribution by	y Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
	/ indigete (e)	%	%	70	70	%	%	<del>7</del> 0
Akron	62	*	*	*	*	*	*	*
Alamosa	1,289	25.3	0.9	72.6	0.3	0.3	0.6	0.0
Altn-Colfx	4,788	6.4	16.6	71.3	0.7	2.9	2.0	0.1
Arvada	2,619	53.3	2.5	38.7	1.0	2.6	2.0	0.0
Aurora	3,766	9.0	16.4	68.2	0.5	3.1	2.7	0.2
Avon	565	3.9	0.9	94.2	0.4	0.5	0.2	0.0
Avondale	75	*	*	*	*	*	*	*
Bailey	95	*	*	*	*	*	*	*
Bennett R	81	*	*	*	*	*	*	*
Bennett Y	98	*	*	*	*	*	*	*
Boulder M	1,169	20.6	1.8	67.5	1.0	4.1	5.0	0.0
Brighton	1,569	22.5	0.7	73.8	0.5	1.1	1.3	0.1
Broomfield	624	43.4	1.4	46.3	0.8	3.4	4.6	0.0
Buena Vist	78	*	*	*	*	*	*	*
Canon City	1,114	79.0	0.7	18.0	0.4	0.4	1.4	0.2
Center	281	13.5	0.0	84.7	1.1	0.7	0.0	0.0
Chey Wells	205	40.5	1.0	54.6	1.0	0.5	2.4	0.0
Comm City	2,608	14.4	1.4	81.6	0.6	0.3	1.7	0.0
Cortez	764	50.1	0.0	32.5	12.7	0.1	4.6	0.0

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Clinic American Clinic Number White, Not Black, Not Asian/Pacific All Other / Hispanic Multiple Races Indian/Alaska Included in Hispanic Hispanic Islander Unknown Native Analysis (3) % % 0.0 Craig 487 50.1 8.0 0.2 0.2 2.9 45.8 Crst Butte 23 Cstle Rock 0.0 855 57.8 1.5 36.5 0.5 0.2 3.5 Delta 0.2 541 43.1 0.4 50.8 0.4 0.4 4.8 Divide 0.0 388 87.9 8.0 6.7 8.0 1.0 2.8 Dove Creek 55 0.1 Durango 779 41.1 0.1 44.8 8.5 0.4 5.0 Eads 26 0.0 Eagle 312 6.1 1.0 92.6 0.3 0.0 0.0 Eastside 0.0 10.9 22.3 60.4 2.0 2.6 7,595 1.7 Edgewater 0.1 1.6 0.5 1,583 18.5 77.2 0.7 1.4 El Jebel 0.0 5.8 0.0 93.3 0.5 0.0 0.5 208 El Paso M 0.0 6,432 31.1 10.4 49.0 0.9 1.0 7.5 El Paso N 0.0 5.198 52.3 6.9 31.3 0.5 1.5 7.4 Elizabeth 88 Englewood 0.1 40.7 2.8 8.0 1.6 2,379 51.0 3.1 Estes Park 0.0 0.9 2.3 214 37.4 57.9 0.5 0.9 Fairplay 90 Firestone 0.0 940 33.6 1.0 63.5 0.0 1.0 1.0



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Comparis	on of Racial	and Ethnic [	Distribution b	y Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
	, , , , ,	70	70	70	70	70	70	
Flag/Strat	211	49.3	1.4	47.4	0.5	0.5	0.9	0.0
Florence	76	*	*	*	*	*	*	*
Fnt Valley	2,606	53.5	7.7	28.1	1.2	1.9	7.4	0.2
Frisco	560	20.2	1.3	76.6	0.4	0.7	0.9	0.0
Ft Collins	2,812	48.8	1.4	46.0	0.6	1.1	2.0	0.0
Ft. Morgan	1,391	25.8	3.7	68.2	0.5	0.2	1.4	0.1
Gilpin	34	*	*	*	*	*	*	*
Glenwood	759	7.8	0.0	90.4	0.8	0.3	0.8	0.0
Grand Junc	3,657	55.7	0.4	39.5	0.4	0.5	3.4	0.1
Gunnison	244	53.3	0.4	43.9	0.4	0.0	2.0	0.0
Holyoke	174	43.1	0.0	56.3	0.0	0.0	0.6	0.0
Hot Sulphr	192	51.6	0.5	43.2	0.0	0.0	4.7	0.0
Hugo	162	74.1	1.9	23.5	0.0	0.0	0.6	0.0
Idaho Sprg	131	82.4	0.8	12.2	0.0	0.0	4.6	0.0
Ignacio	149	14.8	0.0	57.0	20.1	0.0	8.1	0.0
Illiff	6,361	22.0	20.2	48.4	1.6	2.7	4.9	0.1
Julesburg	66	*	*	*	*	*	*	*
La Junta	586	31.6	0.0	66.0	0.2	0.3	1.9	0.0
Lafayette	800	29.4	1.0	61.9	1.3	3.1	3.4	0.0



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Clinic American Clinic Number White, Not Black, Not Asian/Pacific All Other / Hispanic Multiple Races Indian/Alaska Included in Hispanic Hispanic Islander Unknown Native Analysis (3) % % Lake Plaza 0.0 37.8 8.9 0.6 1.9 7.0 2.615 43.8 0.0 Lakewood 3,518 50.4 2.8 41.1 1.0 2.8 1.9 Lamar 0.0 667 30.1 0.4 67.0 0.9 0.0 1.5 Las Animas 0.0 187 54.5 0.5 40.1 0.0 1.6 3.2 Leadville 0.0 331 13.9 0.0 84.9 0.6 0.0 0.6 Lonetree 0.0 60.4 4.3 24.1 4.1 830 0.0 7.1 0.1 Longmont 25.6 0.7 70.7 2,946 0.5 0.7 1.7 Loveland 0.1 1,676 52.2 0.3 43.1 0.2 0.4 3.7 0.0 Manzanola 52.7 0.0 46.7 0.0 0.0 0.7 150 Meeker 95 Montbello 0.0 2.3 3,364 5.0 22.3 66.0 8.0 3.7 0.0 Monte Vist 446 18.2 0.0 80.9 0.4 0.0 0.4 Montrose 0.1 0.2 1,481 40.4 49.4 8.0 0.7 8.4 Northglenn 0.0 6.022 29.3 2.0 63.5 0.7 2.7 1.8 Norwood 38 Nucla 88 Olathe 0.0 0.7 143 25.9 73.4 0.0 0.0 0.0 Ouray 47 Pagosa Spr 0.0 280 41.4 0.0 56.8 0.4 0.0 1.4



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Colorado

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Comparis	on of Racial	and Ethnic D	istribution by	y Clinic		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Pan/Hot/Ce	59	*	*	*	*	*	*	*
Pecos	3,833	13.3	1.1	82.5	0.8	1.7	0.6	0.0
Pitkin	72	*	*	*	*	*	*	*
Pueblo	4,184	23.6	1.1	67.5	0.9	0.4	6.4	0.1
Rangely	89	*	*	*	*	*	*	*
Rifle	711	24.9	1.3	71.9	0.6	0.0	1.4	0.0
Rocky Ford	361	21.9	0.0	77.3	0.3	0.0	0.6	0.0
S Pueblo	1,802	23.0	1.1	71.5	0.4	0.1	3.9	0.0
Salida	196	47.4	0.0	34.2	1.0	0.0	17.3	0.0
San Luis	6	*	*	*	*	*	*	*
Springfield	103	70.9	0.0	27.2	0.0	0.0	1.9	0.0
Steamboat	207	45.9	1.4	49.3	1.4	0.5	1.4	0.0
Sterling	677	64.0	2.1	32.5	0.1	0.4	0.9	0.0
Sunrise	4,006	23.5	2.1	72.2	0.5	0.9	0.8	0.0
Telluride	68	*	*	*	*	*	*	*
Trinidad	471	25.9	0.4	72.0	0.2	0.0	1.5	0.0
Walden	30	*	*	*	*	*	*	*
Walsenburg	186	28.0	0.0	67.7	1.1	0.0	3.2	0.0
Westcliffe	34	*	*	*	*	*	*	*

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 4A

### **2009 Pediatric Nutrition Surveillance** (1)

Colorado Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

	Comparison of Racial and Ethnic Distribution by Clinic											
Clinic	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown				
	Analysis (3)	%	%	%	%	%	%	%				
Westside	7,560	7.7	3.5	84.2	1.0	1.9	1.6	0.0				
Yuma	432	47.9	0.2	48.6	0.2	0.0	3.0	0.0				
Colorado	121,025	29.4	6.5	58.3	0.9	1.5	3.3	0.0				
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7				



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### **Comparison of Age Distribution by Clinic** Children Aged < 5 Years (2)

	Compari	son of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Akron	62	*	*	*
Alamosa	1,289	35.6	19.0	45.4
Altn-Colfx	4,788	35.4	20.2	44.4
Arvada	2,619	37.0	21.8	41.2
Aurora	3,766	37.3	18.1	44.6
Avon	565	41.1	22.1	36.8
Avondale	75	*	*	*
Bailey	95	*	*	*
Bennett R	81	*	*	*
Bennett Y	98	*	*	*
Boulder M	1,169	34.0	17.2	48.8
Brighton	1,569	36.1	19.7	44.2
Broomfield	624	38.5	18.6	42.9
Buena Vist	78	*	*	*
Canon City	1,114	35.9	18.3	45.8
Center	281	25.6	21.7	52.7
Chey Wells	205	29.8	20.5	49.8
Comm City	2,608	34.0	17.8	48.2

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date: 3 / 22 / 10

7

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### **Comparison of Age Distribution by Clinic** Children Aged < 5 Years (2)

	Compar	ison of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cortez	764	31.8	19.4	48.8
Craig	487	45.2	16.8	38.0
Crst Butte	23	*	*	*
Cstle Rock	855	43.3	18.0	38.7
Delta	541	33.3	20.3	46.4
Divide	388	37.1	19.3	43.6
Dove Creek	55	*	*	*
Durango	779	44.0	20.0	35.9
Eads	26	*	*	*
Eagle	312	41.7	19.2	39.1
Eastside	7,595	39.0	17.5	43.6
Edgewater	1,583	34.5	21.2	44.3
El Jebel	208	44.7	14.9	40.4
El Paso M	6,432	35.2	20.1	44.7
El Paso N	5,198	37.8	18.2	43.9
Elizabeth	88	*	*	*
Englewood	2,379	41.3	16.5	42.2
Estes Park	214	33.2	16.8	50.0

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### **Comparison of Age Distribution by Clinic** Children Aged < 5 Years (2)

	Compar	ison of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Fairplay	90	*	*	*
Firestone	940	43.2	20.2	36.6
Flag/Strat	211	34.1	15.2	50.7
Florence	76	*	*	*
Fnt Valley	2,606	34.8	18.5	46.6
Frisco	560	35.9	22.9	41.3
Ft Collins	2,812	38.4	18.8	42.8
Ft. Morgan	1,391	39.0	16.5	44.5
Gilpin	34	*	*	*
Glenwood	759	46.4	20.4	33.2
Grand Junc	3,657	40.9	19.7	39.5
Gunnison	244	34.0	23.0	43.0
Holyoke	174	25.9	21.3	52.9
Hot Sulphr	192	42.2	15.1	42.7
Hugo	162	40.1	16.7	43.2
Idaho Sprg	131	34.4	23.7	42.0
Ignacio	149	32.2	22.8	45.0
Illiff	6,361	42.1	16.1	41.8

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### **Comparison of Age Distribution by Clinic** Children Aged < 5 Years (2)

	Compari	son of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Julesburg	66	*	*	*
La Junta	586	31.2	20.0	48.8
Lafayette	800	34.3	18.4	47.4
Lake Plaza	2,615	36.0	19.4	44.6
Lakewood	3,518	37.5	21.6	40.9
Lamar	667	34.6	19.8	45.6
Las Animas	187	37.4	16.6	46.0
Leadville	331	33.5	22.7	43.8
Lonetree	830	42.8	20.6	36.6
Longmont	2,946	35.4	18.5	46.1
Loveland	1,676	36.4	18.7	44.9
Manzanola	150	36.0	14.7	49.3
Meeker	95	*	*	*
Montbello	3,364	38.3	19.8	41.9
Monte Vist	446	37.4	15.5	47.1
Montrose	1,481	33.3	18.3	48.4
Northglenn	6,022	40.1	19.3	40.6
Norwood	38	*	*	*

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

10

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### **Comparison of Age Distribution by Clinic** Children Aged < 5 Years (2)

	Comparis	son of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Nucla	88	*	*	*
Olathe	143	33.6	15.4	51.0
Ouray	47	*	*	*
Pagosa Spr	280	39.6	15.4	45.0
Pan/Hot/Ce	59	*	*	*
Pecos	3,833	39.2	16.6	44.2
Pitkin	72	*	*	*
Pueblo	4,184	36.0	19.0	45.0
Rangely	89	*	*	*
Rifle	711	40.9	19.8	39.2
Rocky Ford	361	29.4	18.8	51.8
S Pueblo	1,802	27.5	23.4	49.1
Salida	196	44.9	17.9	37.2
San Luis	6	*	*	*
Springfield	103	33.0	14.6	52.4
Steamboat	207	47.3	16.9	35.7
Sterling	677	38.0	16.4	45.6
Sunrise	4,006	43.0	22.1	34.9

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

Run Date:

11

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Comparison of Age Distribution by Clinic** Children Aged < 5 Years (2)

	Compari	ison of Age Distribu	tion by Clinic	
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Telluride	68	*	*	*
Telluride	00			
Trinidad	471	39.9	17.4	42.7
Walden	30	*	*	*
Walsenburg	186	39.2	20.4	40.3
Westcliffe	34	*	*	*
Westside	7,560	43.3	18.6	38.1
Yuma	432	31.9	20.1	47.9
Colorado	121,025	38.0	19.0	43.0
Nation (Prior Year)	8,164,612	35.8	23.0	41.3



Page:

Run Date:

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 13 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Akron	13	* *	* *	62	* *	* *	* *	32	* *	* *	30	* *
Alamosa	296	15.9 (47)	2.7 (6)	1,264	9.7 (62)	4.9 (57)	8.6 (40)	578	15.2 (34)	11.8 (50)	778	17.0 (53)
Altn-Colfx	1,070	8.9 (24)	4.6 (26)	4,737	4.8 (3)	7.0 (69)	6.8 (24)	2,121	8.4 (2)	5.3 (8)	3,086	14.1 (44)
Arvada	627	8.8 (23)	5.1 (32)	2,589	8.3 (46)	3.5 (41)	7.9 (31)	1,074	14.3 (28)	9.2 (31)	1,592	10.6 (24)
Aurora	877	8.0 (13)	5.4 (38)	3,726	7.6 (35)	2.8 (24)	12.0 (64)	1,665	16.1 (42)	12.3 (52)	2,399	12.0 (32)
Avon	154	9.7 (32)	1.3 (2)	561	7.8 (37)	2.0 (11)	7.8 (29)	209	18.2 (55)	9.1 (30)	340	27.4 (62)
Avondale	14	* *	* *	75	* *	* *	* *	37	* *	* *	57	* *
Bailey	20	* *	* *	93	* *	* *	* *	41	* *	* *	41	* *
Bennett R	22	* *	* *	80	* *	* *	* *	31	* *	* *	43	* *
Bennett Y	22	* *	* *	96	* *	* *	* *	49	* *	* *	66	* *
Boulder M	256	6.3 (4)	6.3 (44)	1,155	3.7 (2)	2.7 (22)	6.8 (24)	564	12.9 (14)	7.8 (19)	701	12.8 (40)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)			
		Birthweight	(5)		Height and Weight								
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight <sub>(7)</sub>		Low	nemia Hb/Hct (8)		
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Brighton	364	11.3 (41)	3.8 (12)	1,559	8.1 (40)	2.3 (17)	6.9 (27)	693	17.0 (49)	8.9 (29)	933	10.5 (22)	
Broomfield	142	6.3 (4)	6.3 (44)	617	8.3 (46)	3.2 (35)	6.2 (18)	267	12.0 (9)	8.6 (26)	356	11.8 (30)	
Buena Vist	24	* *	* *	78	* *	* *	* *	34	* *	* *	42	* *	
Canon City	232	8.2 (16)	4.3 (22)	1,105	7.4 (32)	2.4 (18)	6.7 (21)	518	14.3 (28)	5.8 (10)	677	13.0 (41)	
Center	50	* *	* *	278	7.6 (35)	5.8 (64)	5.0 (8)	149	16.1 (42)	4.7 (6)	200	27.5 (63)	
Chey Wells	39	* *	* *	202	10.4 (66)	5.4 (61)	8.9 (48)	104	12.5 (10)	10.6 (42)	132	8.3 (12)	
Comm City	565	9.2 (27)	5.7 (41)	2,592	6.8 (22)	2.7 (22)	9.0 (49)	1,233	16.3 (44)	9.6 (33)	1,555	20.6 (59)	
Cortez	156	7.1 (8)	2.6 (3)	760	9.3 (59)	2.9 (27)	7.9 (31)	367	9.8 (5)	7.9 (21)	498	9.0 (16)	
Craig	134	9.7 (32)	3.0 (9)	483	8.1 (40)	5.4 (61)	5.4 (11)	183	15.8 (37)	8.7 (27)	272	15.8 (48)	
Crst Butte	8	* *	* *	23	* *	* *	* *	7	* *	* *	9	* *	
Cstle Rock	234	12.0 (43)	2.6 (3)	848	7.9 (38)	2.8 (24)	6.8 (24)	322	15.5 (35)	7.1 (15)	435	8.5 (15)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 15 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Delta	130	9.2 (27)	6.9 (47)	535	5.0 (5)	4.5 (55)	9.2 (51)	251	13.1 (16)	10.0 (36)	314	13.4 (42)
Divide	82	* *	* *	381	11.3 (68)	5.0 (59)	3.9 (3)	167	11.4 (7)	2.4 (1)	238	17.2 (55)
Dove Creek	16	* *	* *	54	* *	* *	* *	27	* *	* *	33	* *
Durango	214	8.4 (17)	2.8 (8)	774	6.7 (20)	3.7 (45)	4.7 (4)	281	17.1 (50)	7.1 (15)	443	12.6 (36)
Eads	5	* *	* *	26	* *	* *	* *	9	* *	* *	16	* *
Eagle	80	* *	* *	311	7.1 (26)	1.6 (6)	14.1 (69)	125	19.2 (58)	18.4 (59)	198	17.7 (58)
Eastside	1,944	9.3 (29)	4.7 (29)	7,534	7.5 (34)	3.7 (45)	9.1 (50)	3,289	15.0 (33)	9.6 (33)	4,717	11.9 (31)
Edgewater	348	10.1 (38)	4.9 (31)	1,567	6.4 (16)	3.4 (38)	8.2 (35)	698	15.6 (36)	10.2 (37)	980	10.8 (25)
El Jebel	56	* *	* *	205	8.8 (53)	2.0 (11)	17.6 (71)	82	* *	* *	138	8.0 (10)
El Paso M	1,396	10.0 (36)	3.7 (11)	6,359	8.4 (48)	3.5 (41)	6.7 (21)	2,874	12.9 (14)	6.6 (12)	3,631	14.2 (45)
El Paso N	1,248	11.1 (40)	3.8 (12)	5,155	9.5 (61)	2.0 (11)	5.9 (13)	2,256	16.4 (46)	4.7 (6)	3,187	16.3 (50)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			> 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Elizabeth	21	* *	* *	88	* *	* *	* *	34	* *	* *	49	* *
Englewood	561	7.3 (9)	4.6 (26)	2,368	9.1 (56)	1.5 (5)	12.1 (65)	989	19.1 (57)	13.2 (54)	1,487	15.7 (47)
Estes Park	47	* *	* *	214	7.0 (25)	5.6 (63)	4.7 (4)	103	7.8 (1)	8.7 (27)	130	33.8 (64)
Fairplay	21	* *	* *	86	* *	* *	* *	38	* *	* *	25	* *
Firestone	284	9.9 (35)	4.2 (20)	934	5.2 (7)	2.9 (27)	8.4 (36)	349	13.8 (22)	6.6 (12)	517	16.6 (52)
Flag/Strat	35	* *	* *	211	5.2 (7)	2.8 (24)	10.0 (54)	106	16.0 (41)	14.2 (56)	145	8.3 (12)
Florence	7	* *	* *	76	* *	* *	* *	40	* *	* *	47	* *
Fnt Valley	528	8.5 (19)	3.4 (10)	2,589	6.8 (22)	2.9 (27)	4.9 (7)	1,208	11.4 (7)	4.1 (3)	1,686	12.2 (33)
Frisco	112	14.3 (45)	2.7 (6)	549	11.3 (68)	8.2 (71)	8.4 (36)	219	14.2 (27)	10.5 (40)	397	26.2 (61)
Ft Collins	747	8.0 (13)	5.1 (32)	2,786	7.1 (26)	3.9 (49)	8.6 (40)	1,186	14.8 (32)	10.3 (38)	1,652	10.2 (20)
Ft. Morgan	308	4.2 (1)	3.9 (14)	1,383	5.6 (10)	1.4 (3)	11.1 (62)	608	17.1 (50)	10.9 (44)	872	10.3 (21)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 17 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Gilpin	6	* *	* *	34	* *	* *	* *	9	* *	* *	10	* *
Glenwood	205	9.3 (29)	4.4 (23)	750	8.1 (40)	3.3 (37)	11.1 (62)	252	15.9 (39)	10.3 (38)	405	8.4 (14)
Grand Junc	979	8.4 (17)	4.0 (16)	3,627	6.6 (19)	3.4 (38)	8.8 (45)	1,436	12.8 (13)	11.1 (45)	2,031	13.8 (43)
Gunnison	49	* *	* *	244	6.1 (14)	4.9 (57)	6.1 (16)	105	10.5 (6)	5.7 (9)	153	17.0 (53)
Holyoke	32	* *	* *	173	5.2 (7)	1.7 (8)	11.0 (61)	93	* *	* *	125	4.0 (5)
Hot Sulphr	54	* *	* *	186	10.2 (64)	4.8 (56)	5.9 (13)	82	* *	* *	119	5.0 (6)
Hugo	37	* *	* *	161	5.6 (10)	3.7 (45)	8.1 (33)	72	* *	* *	98	* *
Idaho Sprg	29	* *	* *	130	10.8 (67)	6.2 (67)	0.8 (1)	56	* *	* *	44	* *
Ignacio	24	* *	* *	149	8.7 (50)	6.0 (66)	6.0 (15)	67	* *	* *	103	9.7 (19)
Illiff	1,598	9.6 (31)	4.1 (18)	6,315	7.4 (32)	4.2 (51)	8.8 (45)	2,638	13.1 (16)	9.5 (32)	3,908	16.5 (51)
Julesburg	11	* *	* *	66	* *	* *	* *	37	* *	* *	52	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 18 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			٨٨	nemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
La Junta	114	14.9 (46)	4.4 (23)	579	7.3 (28)	4.0 (50)	8.6 (40)	286	14.7 (31)	10.5 (40)	373	12.3 (34)
Lafayette	175	6.3 (4)	5.1 (32)	792	6.1 (14)	2.0 (11)	13.4 (68)	376	18.6 (56)	14.6 (57)	484	12.6 (36)
Lake Plaza	664	9.0 (25)	4.4 (23)	2,602	8.9 (54)	2.5 (21)	6.7 (21)	1,155	13.8 (22)	6.4 (11)	1,627	22.6 (60)
Lakewood	840	12.1 (44)	5.1 (32)	3,487	6.7 (20)	4.2 (51)	6.6 (20)	1,429	12.5 (10)	8.5 (24)	2,153	11.3 (26)
Lamar	141	8.5 (19)	6.4 (46)	661	4.8 (3)	2.4 (18)	12.6 (67)	308	15.9 (39)	17.9 (58)	434	11.5 (28)
Las Animas	44	* *	* *	186	11.3 (68)	4.3 (53)	12.4 (66)	85	* *	* *	115	7.8 (9)
Leadville	69	* *	* *	327	9.2 (57)	6.4 (68)	5.2 (10)	146	8.9 (4)	7.5 (17)	168	16.1 (49)
Lonetree	218	7.3 (9)	4.1 (18)	824	5.9 (12)	5.8 (64)	5.7 (12)	305	13.1 (16)	4.6 (5)	467	7.5 (8)
Longmont	643	6.4 (7)	5.9 (43)	2,920	5.9 (12)	2.2 (15)	10.5 (58)	1,359	17.7 (53)	12.5 (53)	1,915	10.5 (22)
Loveland	354	9.0 (25)	4.8 (30)	1,664	8.7 (50)	3.1 (33)	8.7 (44)	740	13.9 (24)	9.7 (35)	987	14.9 (46)
Manzanola	33	* *	* *	147	10.2 (64)	1.4 (3)	4.8 (6)	68	* *	* *	94	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 19 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Meeker	19	* *	* *	94	* *	* *	* *	50	* *	* *	68	* *
Montbello	799	8.1 (15)	5.4 (38)	3,341	6.5 (17)	3.0 (31)	9.6 (53)	1,401	13.5 (20)	12.1 (51)	2,159	12.6 (36)
Monte Vist	98	* *	* *	444	9.9 (63)	5.2 (60)	6.1 (16)	208	16.8 (48)	6.7 (14)	284	3.5 (3)
Montrose	280	10.0 (36)	4.6 (26)	1,456	8.1 (40)	3.2 (35)	7.8 (29)	723	13.1 (16)	4.3 (4)	251	12.4 (35)
Northglenn	1,587	10.6 (39)	4.0 (16)	5,964	6.8 (22)	3.5 (41)	7.1 (28)	2,426	16.4 (46)	8.5 (24)	3,264	12.6 (36)
Norwood	3	* *	* *	38	* *	* *	* *	17	* *	* *	27	* *
Nucla	19	* *	* *	87	* *	* *	* *	42	* *	* *	34	* *
Olathe	25	* *	* *	141	9.2 (57)	0.0 (1)	14.2 (70)	72	* *	* *	5	* *
Ouray	10	* *	* *	45	* *	* *	* *	19	* *	* *	31	* *
Pagosa Spr	68	* *	* *	275	12.7 (71)	4.4 (54)	5.1 (9)	125	8.8 (3)	4.0 (2)	62	* *
Pan/Hot/Ce	8	* *	* *	58	* *	* *	* *	22	* *	* *	35	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 20 Run Date: 3 / 22 / 10

	_	Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Pecos	895	7.6 (11)	5.1 (32)	3,797	7.3 (28)	3.1 (33)	10.7 (59)	1,667	13.9 (24)	8.2 (23)	2,305	17.2 (55)
Pitkin	19	* *	* *	71	* *	* *	* *	29	* *	* *	39	* *
Pueblo	1,142	8.5 (19)	3.9 (14)	4,152	8.7 (50)	2.2 (15)	10.2 (56)	1,814	13.9 (24)	10.7 (43)	2,656	9.5 (17)
Rangely	22	* *	* *	88	* *	* *	* *	37	* *	* *	56	* *
Rifle	167	5.4 (3)	4.2 (20)	706	5.0 (5)	1.8 (10)	8.8 (45)	281	12.5 (10)	7.5 (17)	364	8.2 (11)
Rocky Ford	58	* *	* *	356	6.5 (17)	1.7 (8)	10.4 (57)	188	17.6 (52)	11.2 (48)	267	3.7 (4)
S Pueblo	194	11.9 (42)	2.6 (3)	1,796	8.4 (48)	3.0 (31)	8.6 (40)	927	14.5 (30)	7.9 (21)	1,266	6.1 (7)
Salida	45	* *	* *	195	8.2 (45)	3.6 (44)	2.6 (2)	75	* *	* *	117	0.0 (1)
San Luis	0	* *	* *	6	* *	* *	* *	4	* *	* *	5	* *
Springfield	16	* *	* *	98	* *	* *	* *	52	* *	* *	71	* *
Steamboat	65	* *	* *	205	9.3 (59)	7.3 (70)	6.3 (19)	72	* *	* *	80	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 21 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight			٨٣	iemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% _ <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Sterling	150	8.7 (22)	5.3 (37)	671	7.3 (28)	3.7 (45)	9.4 (52)	308	17.9 (54)	13.6 (55)	430	11.4 (27)
Sunrise	1,114	7.9 (12)	5.7 (41)	3,961	8.0 (39)	2.9 (27)	10.0 (54)	1,381	16.3 (44)	11.3 (49)	2,360	9.6 (18)
Telluride	15	* *	* *	66	* *	* *	* *	24	* *	* *	39	* *
Trinidad	115	4.3 (2)	0.0 (1)	468	9.0 (55)	2.4 (18)	8.1 (33)	207	13.5 (20)	11.1 (45)	277	17.3 (57)
Walden	4	* *	* *	29	* *	* *	* *	16	* *	* *	19	* *
Walsenburg	51	* *	* *	185	8.1 (40)	1.6 (6)	10.8 (60)	74	* *	* *	79	* *
Westcliffe	9	* *	* *	34	* *	* *	* *	13	* *	* *	23	* *
Westside	2,035	9.7 (32)	5.6 (40)	7,515	7.3 (28)	3.4 (38)	8.5 (39)	2,859	15.8 (37)	11.1 (45)	4,624	11.5 (28)
Yuma	89	* *	* *	429	3.0 (1)	1.2 (2)	8.4 (36)	205	21.0 (59)	7.8 (19)	296	1.4 (2)
Colorado	28,949	9.3	4.5	119,963	7.5	3.4	8.4	51,659	14.5	9.0	72,602	13.1

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 22 Run Date: 3 / 22 / 10

		Co	mparison	of Growt	h and A	nemia	Indicato	ors by Cl	inic	(3,4)		
		Birthweigh	t (5)			Не	eight and V	Veight			Ana	mia
			Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low F	emia Hb/Hct 3)		
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	6 16.5	14.8	4,916,523	14.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

<sup>(5)</sup> Infants born during the reporting period included in the analysis.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(7)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(8)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3 /

(2)

3 / 22 / 10

	Cor	nparison	of Bre	astfeedi	ng, TV	Viewing,	and S	moking	in F	lousehold by	Clinic			
			Breastfe	•				Exclusive	Breast (7)	tfeeding	≤2 Hou Viewin		Smok Hous	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)		mber % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Akron	13	* *	12	* *	6	* *	0	* *	0	* *	0	* *	0	* *
Alamosa	296	71.3 (34)	253	31.6 (19)	185	17.3 (23)	0	* *	0	* *	0	* *	0	* *
Altn-Colfx	1,071	81.4 (18)	945	32.3 (18)	738	20.9 (16)		* *	0	* *	0	* *	0	* *
Arvada	627	73.2 (29)	566	28.4 (24)	498		0	* *	0	* *	0	* *	0	* *
Aurora	879	82.7 (15)	741	32.4 (17)	528	16.9 (26)	0	* *	0	* *	0	* *	0	* *
Avon	154	94.2 (2)	145	46.2 (6)	110	22.7 (13)	0	* *	0	* *	0	* *	0	* *
Avondale	14	* *	15	* *	19	* *	0	* *	0	* *	0	* *	0	* *
Bailey	20	* *	17	* *	12	* *	0	* *	0	* *	0	* *	0	* *
Bennett R	22	* *	20	* *	15	* *	0	* *	0	* *	0	* *	0	* *
Bennett Y	22	* *	14	* *	12	* *	0	* *	0	* *	0	* *	0	* *
Boulder M	256	89.5 (5)	202	60.4 (1)	173	47.4 (1)	0	* *	0	* *	0	* *	0	* *
Brighton	365	73.2 (29)	282	32.6 (16)	222	25.2 (8)	0	* *	0	* *	0	* *	0	* *
Broomfield	142	83.8 (14)	115	33.9 (14)	95	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 3

(2)

3 / 22 / 10

	Cor	nparison	of Bre	astfeedi	ng, TV	Viewing	and S	mokin	g iı	n Household by	Clinic			
			Breastfe	•				Exclusive		eastfeeding (7)	≤2 Hou Viewin		Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfe At Least 3 Months (Rank)	d	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Buena Vist	24	* *	15	* *	7	* *	0	* *	_	0 * *	0	* *	0	* *
					ļ <u>'</u>		ļ	* *	_			* *	ļ <u> </u>	* *
Canon City	232	67.7 (41)	223	23.3 (38)	151		0		4		0		0	
Center	50	* *	49	* *	40	* *	0	* *		0 * *	0	* *	0	* *
Chey Wells	39	* *	32	* *	26	* *	0	* *		0 * *	0	* *	0	* *
Comm City	565	69.4 (39)	467	25.3 (34)	334	19.8 (17)	0	* *		0 * *	0	* *	0	* *
Cortez	156	86.5 (8)	130	43.8 (8)	108	33.3 (5)	0	* *		0 * *	0	* *	0	* *
Craig	134	85.8 (11)	109	29.4 (23)	79	* *	0	* *		0 * *	0	* *	0	* *
Crst Butte	8	* *	7	* *	1	* *	0	* *		0 * *	0	* *	0	* *
Cstle Rock	235	70.6 (38)	166	48.2 (5)	119	43.7 (2)	0	* *		0 * *	0	* *	0	* *
Delta	130	87.7 (6)	94	* *	71	* *	0	* *	1	0 * *	0	* *	0	* *
Divide	82	* *	76	* *	56	* *	0	* *	$\dashv$	0 * *	0	* *	0	* *
Dove Creek	16	* *	14	* *	6	* *	0	* *	$\dashv$	0 * *	0	* *	0	* *
Durango	214	91.6 (3)	167	46.1 (7)	120	28.3 (7)	0	* *	$\dashv$	0 * *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 3 /

(2)

25 3 / 22 / 10

							1		(4	,5)	+		1 .	
			Breastfe ((	eeding 6)				Exclusive	Breastfee (7)	ding	≤2 Hou Viewing (8	g/Day	Smokii House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Numb	er % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	%
		(Nalik)	0	(Nalik)		(Rank)		(Rank)		(Ralik)		(Ralik)		(Rank)
Eads	5		6		5		0		0		0		0	
Eagle	80	* *	67	* *	55	* *	0	* *	0	* *	0	* *	0	* *
Eastside	1,946	74.9 (26)	1,420	27.0 (28)	973	17.0 (25)	0	* *	0	* *	0	* *	0	* *
Edgewater	348	71.6 (33)	310	25.8 (30)	276	14.5 (36)	0	* *	0	* *	0	* *	0	* *
El Jebel	56	* *	53	* *	28	* *	0	* *	0	* *	0	* *	0	* *
El Paso M	1,398	72.5 (31)	1,053	31.5 (20)	925	23.7 (10)	0	* *	0	* *	0	* *	0	* *
El Paso N	1,248	71.2 (36)	1,008	32.7 (15)	708	19.8 (17)	0	* *	0	* *	0	* *	0	* *
Elizabeth	21	* *	10	* *	11	* *	0	* *	0	* *	0	* *	0	* *
Englewood	561	74.5 (27)	527	23.5 (37)	358	14.8 (35)	0	* *	0	* *	0	* *	0	* *
Estes Park	47	* *	42	* *	28	* *	0	* *	0	* *	0	* *	0	* *
Fairplay	21	* *	15	* *	9	* *	0	* *	0	* *	0	* *	0	* *
Firestone	284	59.2 (46)	205	38.0 (10)	146	32.2 (6)	0	* *	0	* *	0	* *	0	* *
Flag/Strat	35	* *	37	* *	21	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 26 Run Date: 3 / 22 / 10

(2)

			Breastfe (6	•				Exclusive I	Breastfee (7)	ding	≤2 Hou Viewin (		Smok Hous	ing in ehold
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Numbe	er % Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Florence	7	* *	16	* *	13	* *	0	* *	0	* *	0	* *	0	* *
Fnt Valley	528	74.1 (28)	448	23.0 (39)	316	16.1 (30)	0	* *	0	* *	0	* *	0	* *
Frisco	114	86.0 (9)	122	54.1 (3)	97	* *	0	* *	0	* *	0	* *	0	* *
Ft Collins	747	81.5 (17)	577	34.5 (13)	388	22.9 (11)	0	* *	0	* *	0	* *	0	* *
Ft. Morgan	310	65.8 (44)	301	15.0 (44)	236	4.2 (40)	0	* *	0	* *	0	* *	0	* *
Gilpin	6	* *	8	* *	11	* *	0	* *	0	* *	0	* *	0	* *
Glenwood	205	95.6 (1)	172	53.5 (4)	121	36.4 (3)	0	* *	0	* *	0	* *	0	* *
Grand Junc	979	84.4 (13)	788	25.6 (33)	572	14.9 (34)	0	* *	0	* *	0	* *	0	* *
Gunnison	49	* *	50	* *	52	* *	0	* *	0	* *	0	* *	0	* *
Holyoke	32	* *	29	* *	25	* *	0	* *	0	* *	0	* *	0	* *
Hot Sulphr	54	* *	41	* *	19	* *	0	* *	0	* *	0	* *	0	* *
Hugo	37	* *	41	* *	27	* *	0	* *	0	* *	0	* *	0	* *
Idaho Sprg	29	* *	19	* *	21	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 3 /

(2)

3 / 22 / 10

	Cor	nparison	of Bre	astfeedi	ng, TV	Viewing	and S	moking	in Ho	ousehold by	Clinic			
			Breastfe					Exclusive	Breastfe (7)	eeding	≤2 Hou Viewin		Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Num	ber % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Ignacio	25	* *	25	* *	26	* *	0	* *	0	* *	0	* *	0	* *
Illiff	1,599	78.5 (21)	1,460	30.8 (21)	900	18.2 (22)	0	* *	0	* *	0	* *	0	* *
Julesburg	11	* *	8	* *	10	* *	0	* *	0	* *	0	* *	0	* *
La Junta	114	58.8 (47)	79	* *	83	* *	0	* *	0	* *	0	* *	0	* *
Lafayette	175	86.9 (7)	140	54.3 (2)	108	36.1 (4)	0	* *	0	* *	0	* *	0	* *
Lake Plaza	664	68.5 (40)	460	30.4 (22)	350	18.6 (21)	0	* *	0	* *	0	* *	0	* *
Lakewood	840	76.4 (24)	830	26.3 (29)	666	21.0 (14)	0	* *	0	* *	0	* *	0	* *
Lamar	141	75.9 (25)	139	21.6 (42)	103	12.6 (38)	0	* *	0	* *	0	* *	0	* *
Las Animas	44	* *	34	* *	26	* *	0	* *	0	* *	0	* *	0	* *
Leadville	69	* *	69	* *	63	* *	0	* *	0	* *	0	* *	0	* *
Lonetree	218	78.4 (22)	181	37.0 (12)	140	25.0 (9)	0	* *	0	* *	0	* *	0	* *
Longmont	644	86.0 (9)	580	37.6 (11)	394	22.8 (12)	0	* *	0	* *	0	* *	0	* *
Loveland	354	84.5 (12)	360	25.8 (30)	248	21.0 (14)	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 28 Run Date: 3 / 22 / 10

(2)

	Cor	nparison	of Bre	eastfeedi	ng, TV	Viewing,	and S	Smoking	in Household by	y Clinic			
			Breastfe (	eeding 6)				Exclusive E	Preastfeeding (7)	<2 Hou Viewing (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Manzanola	33	* *	28	* *	20	* *	0	* *	0 * *	0	* *	0	* *
Meeker	20	* *	18	* *	10	* *	0	* *	0 * *	0	* *	0	* *
Montbello	800	79.4 (19)	693	25.3 (34)	508	16.3 (29)	0	* *	0 * *	0	* *	0	* *
Monte Vist	98	* *	84	* *	51	* *	0	* *	0 * *	0	* *	0	* *
Montrose	280	76.8 (23)	250	28.0 (26)	205	16.1 (30)	0	* *	0 * *	0	* *	0	* *
Northglenn	1,590	71.3 (34)	1,277	25.8 (30)	939	15.2 (33)	0	* *	0 * *	0	* *	0	* *
Norwood	3	* *	6	* *	6	* *	0	* *	0 * *	0	* *	0	* *
Nucla	19	* *	9	* *	11	* *	0	* *	0 * *	0	* *	0	* *
Olathe	25	* *	22	* *	15	* *	0	* *	0 * *	0	* *	0	* *
Ouray	10	* *	5	* *	5	* *	0	* *	0 * *	0	* *	0	* *
Pagosa Spr	68	* *	55	* *	37	* *	0	* *	0 * *	0	* *	0	* *
Pan/Hot/Ce	8	* *	17	* *	13	* *	0	* *	0 * *	0	* *	0	* *
Pecos	895	82.5 (16)	797	24.5 (36)	530	15.5 (32)	0	* *	0 * *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date: 3

(2)

3 / 22 / 10

	Cor	nparison	of Bre	astfeedi	ng, TV	Viewing,	and S	Smoking	in Hous	ehold by	/ Clinic			
			Breastfe	eeding 6)				Exclusive	Breastfeedin (7)	ng	≤2 Hou Viewing (8)		Smoki	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Pitkin	19	* *	20	* *	6	* *	0	* *	0	* *	0	* *	0	* *
Pueblo	1,146	67.7 (41)	782	22.9 (40)	684	12.9 (37)	0	* *	0	* *	0	* *	0	* *
Rangely	22	* *	14	* *	12	* *	0	* *	0	* *	0	* *	0	* *
Rifle	168	89.9 (4)	132	39.4 (9)	102	16.7 (27)	0	* *	0	* *	0	* *	0	* *
Rocky Ford	58	* *	72	* *	56	* *	0	* *	0	* *	0	* *	0	* *
S Pueblo	194	59.8 (45)	382	16.2 (43)	345	10.7 (39)	0	* *	0	* *	0	* *	0	* *
Salida	45	* *	44	* *	30	* *	0	* *	0	* *	0	* *	0	* *
San Luis	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	0	* *
Springfield	16	* *	21	* *	18	* *	0	* *	0	* *	0	* *	0	* *
Steamboat	65	* *	47	* *	19	* *	0	* *	0	* *	0	* *	0	* *
Sterling	150	72.0 (32)	144	22.9 (40)	88	* *	0	* *	0	* *	0	* *	0	* *
Sunrise	1,115	70.9 (37)	957	27.2 (27)	720	18.9 (20)	0	* *	0	* *	0	* *	0	* *
Telluride	15	* *	11	* *	21	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 30 Run Date: 3 / 22 / 10

(2)

	Con	nparison	of Bre	astfeedi	ng, TV	Viewing,	, and S	moking	in Household by	/ Clinic			
			Breastfe	-				Exclusive B	reastfeeding (7)		urs TV ng/Day (8)	Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Number % Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)	(Rank)		(Rank)		(Rank)
Trinidad	115	67.0 (43)	96	* *	60	* *	0	* *	0 * *	0	* *	0	* *
Walden	4	* *	2	* *	3	* *	0	* *	0 * *	0	* *	0	* *
Walsenburg	52	* *	27	* *	28	* *	0	* *	0 * *	0	* *	0	* *
Westcliffe	9	* *	4	* *	8	* *	0	* *	0 * *	0	* *	0	* *
Westside	2,038	78.9 (20)	1,580	28.3 (25)	1,152	16.6 (28)	0	* *	0 * *	0	* *	0	* *
Yuma	89	* *	88	* *	59	* *	0	* *	0 * *	0	* *	0	* *
Colorado	28,980	76.4	24,290	29.6	18,051	18.9	0	*	0 *	0	*	0	*
Nation (Prior Year)	1,719,08	83 62.0	848,761	26.9	1,038,2	03 19.1	144,421	12.9	206,416 7.2	744,697	74.8	3,277,35	2 10.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

<sup>(6)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(7)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>8)</sup> Children aged 2 years and older included in the analyses.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2) Page: 31 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Akron	41	* *	* *	183	9.3 (65)	1.6 (7)	6.6 (28)	77	* *	* *	104	6.7 (14)
Alamosa	856	14.3 (65)	2.5 (10)	3,375	11.0 (84)	4.7 (70)	7.7 (42)	1,451	13.4 (25)	10.7 (53)	2,051	14.8 (65)
Altn-Colfx	3,204	9.5 (30)	5.1 (53)	12,835	5.2 (10)	5.9 (84)	6.8 (31)	5,471	8.0 (1)	5.8 (11)	7,878	13.5 (59)
Arvada	1,900	9.1 (26)	3.9 (27)	7,315	8.7 (58)	3.5 (49)	8.0 (45)	2,925	18.1 (72)	11.2 (59)	4,348	11.0 (35)
Aurora	2,602	9.2 (27)	4.8 (46)	10,595	7.5 (35)	3.1 (40)	10.4 (75)	4,502	16.1 (58)	11.3 (62)	6,518	12.4 (43)
Avon	451	7.3 (9)	2.9 (13)	1,521	8.0 (45)	2.4 (18)	8.8 (60)	511	16.6 (62)	9.8 (43)	882	30.4 (85)
Avondale	49	* *	* *	222	16.7 (92)	1.4 (6)	22.1 (93)	106	17.0 (66)	24.5 (80)	149	6.0 (12)
Bailey	55	* *	* *	267	9.4 (67)	7.1 (90)	2.2 (1)	123	12.2 (13)	0.0 (1)	131	11.5 (38)
Bennett R	57	* *	* *	196	10.2 (79)	1.0 (2)	9.7 (69)	67	* *	* *	105	6.7 (14)
Bennett Y	58	* *	* *	267	10.1 (77)	6.4 (87)	6.4 (23)	127	11.8 (10)	8.7 (31)	162	5.6 (10)
Boulder M	766	6.9 (6)	6.9 (66)	3,340	5.0 (6)	3.7 (53)	7.5 (38)	1,570	13.8 (30)	9.6 (39)	1,992	12.9 (53)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 32 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	rth and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Brighton	1,060	11.0 (51)	3.9 (27)	4,257	7.7 (39)	2.4 (18)	7.5 (38)	1,848	17.3 (68)	9.3 (38)	2,547	10.2 (32)
Broomfield	427	7.7 (12)	4.9 (48)	1,726	9.2 (63)	3.7 (53)	8.1 (50)	766	12.8 (17)	10.4 (50)	972	12.9 (53)
Buena Vist	59	* *	* *	236	13.6 (91)	3.0 (39)	4.2 (4)	97	* *	* *	139	2.2 (2)
Canon City	743	10.4 (43)	3.6 (22)	3,147	8.0 (45)	1.9 (9)	7.4 (36)	1,366	15.0 (49)	6.0 (14)	1,823	12.1 (41)
Center	150	10.0 (32)	0.7 (3)	834	7.9 (43)	5.5 (79)	5.9 (14)	411	17.3 (68)	7.1 (21)	587	21.6 (81)
Chey Wells	110	7.3 (9)	3.6 (22)	544	10.5 (80)	3.7 (53)	11.0 (78)	261	14.6 (44)	14.2 (74)	364	9.1 (27)
Comm City	1,722	8.3 (19)	5.7 (60)	7,551	6.7 (22)	2.5 (21)	9.8 (70)	3,522	16.8 (63)	11.5 (63)	4,650	15.7 (71)
Conifer	3	* *	* *	26	* *	* *	* *	15	* *	* *	9	* *
Cortez	465	7.3 (9)	3.9 (27)	2,012	8.7 (58)	2.7 (31)	8.0 (45)	914	12.4 (14)	7.8 (25)	1,247	8.2 (21)
Craig	370	10.8 (50)	3.8 (26)	1,276	8.5 (52)	5.1 (74)	5.4 (10)	479	13.8 (30)	7.7 (24)	735	12.8 (51)
Crst Butte	22	* *	* *	71	* *	* *	* *	26	* *	* *	30	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2) Page: 33 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight <sub>(7)</sub>		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cstle Rock	594	13.8 (63)	3.2 (17)	2,230	7.8 (40)	3.2 (43)	7.0 (33)	852	14.4 (42)	7.3 (22)	1,088	5.3 (8)
Delta	374	10.7 (47)	4.3 (38)	1,548	6.9 (24)	3.8 (57)	9.3 (65)	698	14.2 (37)	9.6 (39)	901	12.7 (49)
Divide	258	15.5 (66)	1.9 (6)	1,001	12.0 (87)	5.5 (79)	4.1 (3)	413	10.7 (6)	3.6 (4)	609	14.4 (64)
Dove Creek	29	* *	* *	121	13.2 (90)	5.0 (73)	5.8 (12)	56	* *	* *	59	* *
Durango	611	10.6 (46)	3.1 (15)	2,062	7.5 (35)	4.0 (63)	5.8 (12)	747	16.1 (58)	8.8 (34)	1,104	13.0 (55)
Eads	14	* *	* *	67	* *	* *	* *	31	* *	* *	42	* *
Eagle	211	10.0 (32)	5.7 (60)	746	8.3 (49)	2.1 (13)	11.5 (83)	292	19.9 (78)	12.3 (68)	448	18.5 (76)
Eastside	5,871	10.1 (34)	4.6 (43)	22,195	7.5 (35)	3.9 (61)	8.6 (58)	8,578	13.8 (30)	9.6 (39)	13,754	12.6 (47)
Edgewater	1,046	9.4 (28)	4.7 (45)	4,394	7.1 (26)	2.9 (35)	8.3 (55)	1,955	15.5 (54)	10.2 (49)	2,669	12.6 (47)
El Jebel	146	2.1 (1)	3.4 (19)	537	8.6 (55)	1.7 (8)	18.6 (92)	205	20.5 (79)	20.5 (79)	326	9.2 (28)
El Paso M	5,534	10.7 (47)	3.5 (20)	23,431	8.6 (55)	3.4 (47)	6.4 (23)	10,161	12.8 (17)	6.6 (18)	8,877	16.9 (73)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 34 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
El Paso N	3,058	10.3 (40)	3.5 (20)	12,118	10.8 (82)	2.0 (12)	7.1 (34)	5,209	16.9 (65)	6.4 (16)	7,349	13.6 (62)
Elizabeth	50	* *	* *	252	11.9 (86)	2.8 (33)	6.7 (29)	120	14.2 (37)	5.8 (11)	142	14.8 (65)
Englewood	1,718	11.2 (57)	4.2 (36)	6,640	9.6 (72)	1.9 (9)	11.3 (81)	2,625	18.1 (72)	13.3 (70)	3,981	15.1 (67)
Estes Park	116	12.9 (61)	4.3 (38)	560	5.7 (12)	5.2 (75)	6.1 (17)	272	14.0 (34)	9.9 (44)	358	21.2 (79)
Fairplay	48	* *	* *	225	12.4 (89)	7.1 (90)	8.0 (45)	108	10.2 (5)	11.1 (57)	69	* *
Firestone	478	9.4 (28)	4.4 (40)	1,511	7.3 (33)	3.6 (51)	9.2 (64)	541	14.6 (44)	8.1 (27)	875	12.5 (46)
Flag/Strat	133	5.3 (3)	4.5 (41)	623	5.9 (14)	2.1 (13)	8.2 (53)	294	14.6 (44)	10.9 (54)	406	6.2 (13)
Florence	39	* *	* *	221	16.7 (92)	2.3 (16)	9.5 (66)	113	14.2 (37)	9.7 (42)	139	3.6 (5)
Fnt Valley	1,631	9.9 (31)	3.7 (24)	7,090	7.9 (43)	3.8 (57)	5.2 (8)	3,125	11.3 (9)	5.1 (8)	4,415	12.0 (39)
Frisco	416	16.3 (67)	2.2 (8)	1,546	12.0 (87)	6.5 (88)	8.0 (45)	574	12.9 (19)	9.9 (44)	1,033	21.5 (80)
Fruita	92	* *	* *	348	5.7 (12)	5.7 (83)	7.8 (44)	116	12.9 (19)	11.2 (59)	163	7.4 (17)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 35 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Ft Collins	2,011	7.9 (16)	4.8 (46)	7,603	7.2 (29)	3.7 (53)	8.1 (50)	3,098	15.4 (52)	10.9 (54)	4,467	12.7 (49)
Ft Lupton	156	7.1 (7)	7.7 (68)	454	9.3 (65)	2.6 (25)	9.9 (71)	98	* *	* *	224	9.8 (31)
Ft. Morgan	873	6.5 (4)	3.9 (27)	3,639	6.4 (20)	1.3 (5)	11.4 (82)	1,635	18.8 (74)	10.6 (51)	2,195	8.6 (25)
Gilpin	12	* *	* *	45	* *	* *	* *	14	* *	* *	14	* *
Glenwood	562	10.3 (40)	4.1 (32)	1,852	9.2 (63)	2.6 (25)	10.2 (73)	582	17.7 (70)	12.0 (66)	975	11.4 (36)
Grand Junc	2,492	8.3 (19)	4.1 (32)	8,920	7.1 (26)	3.2 (43)	8.9 (61)	3,297	14.3 (41)	11.2 (59)	4,598	14.3 (63)
Gunnison	155	10.3 (40)	5.8 (62)	634	6.6 (21)	4.7 (70)	6.3 (20)	256	12.1 (11)	8.2 (28)	370	15.4 (70)
Holyoke	90	* *	* *	491	6.7 (22)	2.6 (25)	11.8 (84)	248	15.3 (51)	12.1 (67)	330	5.5 (9)
Hot Sulphr	136	11.0 (51)	1.5 (5)	487	7.8 (40)	5.3 (77)	6.0 (15)	201	10.0 (4)	5.0 (7)	295	7.8 (20)
Hugo	129	7.8 (13)	5.4 (57)	530	8.1 (47)	4.9 (72)	6.2 (18)	238	9.2 (2)	8.4 (30)	300	9.0 (26)
Idaho Sprg	108	11.1 (54)	2.8 (12)	442	10.9 (83)	5.2 (75)	3.6 (2)	195	13.3 (23)	4.1 (5)	184	3.3 (4)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 36 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			Λ	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ignacio	92	* *	* *	418	9.6 (72)	3.8 (57)	8.6 (58)	179	16.8 (63)	7.8 (25)	260	10.8 (34)
Illiff	4,406	11.0 (51)	4.2 (36)	17,020	7.2 (29)	4.5 (67)	8.5 (57)	6,949	13.6 (28)	10.0 (47)	10,136	15.1 (67)
Julesburg	30	* *	* *	166	3.6 (4)	3.6 (51)	13.3 (87)	91	* *	* *	120	7.5 (18)
La Junta	364	10.2 (37)	2.2 (8)	1,665	7.2 (29)	2.9 (35)	7.6 (41)	815	14.1 (36)	9.2 (37)	1,077	12.3 (42)
Lafayette	479	7.1 (7)	6.9 (66)	2,133	6.2 (19)	2.2 (15)	11.8 (84)	979	18.0 (71)	14.1 (72)	1,287	12.4 (43)
Lake Plaza	1,375	10.7 (47)	4.1 (32)	5,351	8.6 (55)	3.3 (45)	6.4 (23)	2,310	12.9 (19)	6.9 (20)	3,241	22.5 (82)
Lakewood	2,598	11.1 (54)	4.9 (48)	10,042	7.5 (35)	4.0 (63)	6.4 (23)	3,985	13.5 (26)	8.3 (29)	6,023	9.7 (30)
Lamar	432	10.2 (37)	6.0 (63)	1,835	6.1 (18)	3.1 (40)	11.8 (84)	848	15.9 (56)	17.7 (78)	1,161	13.4 (57)
Las Animas	124	12.9 (61)	0.8 (4)	503	9.9 (75)	4.4 (66)	13.7 (88)	220	19.5 (77)	15.5 (76)	320	13.4 (57)
Leadville	197	18.3 (68)	0.0 (1)	800	9.5 (69)	7.9 (93)	4.8 (7)	342	11.1 (8)	7.3 (22)	367	17.7 (75)
Lonetree	570	8.8 (24)	4.6 (43)	2,025	5.5 (11)	6.0 (85)	5.5 (11)	727	13.2 (22)	5.1 (8)	1,067	4.4 (6)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2) Page: 37 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight <sub>(7)</sub>		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Longmont	1,994	7.8 (13)	5.1 (53)	8,463	5.9 (14)	2.6 (25)	10.2 (73)	3,800	17.1 (67)	12.7 (69)	5,367	12.4 (43)
Loveland	1,134	8.3 (19)	6.0 (63)	4,740	8.5 (52)	3.3 (45)	8.4 (56)	2,011	14.9 (48)	9.9 (44)	2,752	13.5 (59)
Manzanola	68	* *	* *	324	9.6 (72)	1.9 (9)	5.2 (8)	165	16.4 (61)	3.0 (3)	206	8.3 (22)
Meeker	56	* *	* *	215	5.1 (8)	5.6 (82)	6.5 (27)	91	* *	* *	135	13.3 (56)
Montbello	2,481	8.5 (23)	4.9 (48)	8,937	7.1 (26)	2.8 (33)	9.6 (67)	3,394	13.9 (33)	11.1 (57)	5,359	11.4 (36)
Monte Vist	282	12.1 (58)	2.5 (10)	1,321	10.1 (77)	4.5 (67)	6.7 (29)	630	13.3 (23)	8.7 (31)	870	3.2 (3)
Montrose	911	10.1 (34)	3.7 (24)	4,016	7.8 (40)	2.6 (25)	7.5 (38)	1,892	13.5 (26)	5.5 (10)	733	13.5 (59)
Northglenn	4,218	10.2 (37)	4.5 (41)	15,401	7.4 (34)	4.5 (67)	6.8 (31)	6,154	14.8 (47)	8.7 (31)	8,400	12.0 (39)
Norwood	17	* *	* *	84	* *	* *	* *	35	* *	* *	48	* *
Nucla	43	* *	* *	194	11.3 (85)	6.2 (86)	6.2 (18)	101	10.9 (7)	5.9 (13)	90	* *
Olathe	76	* *	* *	375	9.9 (75)	1.1 (3)	16.0 (90)	173	16.2 (60)	15.0 (75)	44	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 38 Run Date: 3 / 22 / 10

### Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2)

		Con	nparison	of Grow	th and A	Anemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Ordwy/Manz	21	* *	* *	119	5.0 (6)	0.8 (1)	18.5 (91)	68	* *	* *	85	* *
Ouray	28	* *	* *	127	4.7 (5)	5.5 (79)	6.3 (20)	46	* *	* *	80	* *
Pagosa Spr	189	7.9 (16)	2.1 (7)	741	10.5 (80)	3.8 (57)	4.5 (5)	306	12.7 (16)	4.6 (6)	178	19.7 (77)
Pan/Hot/Ce	32	* *	* *	153	5.9 (14)	3.9 (61)	13.7 (88)	66	* *	* *	77	* *
Pecos	2,715	7.8 (13)	5.3 (56)	10,900	7.0 (25)	3.1 (40)	9.9 (71)	4,585	14.0 (34)	8.8 (34)	6,556	16.3 (72)
Pitkin	49	* *	* *	177	1.1 (1)	7.3 (92)	7.3 (35)	64	* *	* *	110	38.2 (86)
Pueblo	2,526	8.9 (25)	4.0 (31)	9,623	8.9 (60)	2.3 (16)	10.5 (76)	4,202	15.4 (52)	10.9 (54)	6,104	10.4 (33)
Rangely	51	* *	* *	188	3.2 (3)	5.3 (77)	9.0 (62)	70	* *	* *	105	20.0 (78)
Rifle	479	6.7 (5)	5.0 (51)	1,927	5.1 (8)	2.5 (21)	8.1 (50)	783	12.1 (11)	6.5 (17)	1,069	7.6 (19)
Rocky Ford	210	10.5 (44)	2.9 (13)	1,037	6.0 (17)	2.6 (25)	10.7 (77)	535	14.2 (37)	13.6 (71)	712	4.5 (7)
S Pueblo	1,558	10.5 (44)	3.2 (17)	7,422	9.1 (62)	2.5 (21)	9.0 (62)	3,428	13.7 (29)	9.1 (36)	4,877	5.7 (11)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2) Page: 39 Run Date: 3 / 22 / 10

		Con	nparison	of Grow	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			He	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Salida	121	12.4 (60)	5.0 (51)	501	9.4 (67)	2.4 (18)	4.6 (6)	196	9.2 (2)	2.6 (2)	292	0.7 (1)
San Luis	4	* *	* *	27	* *	* *	* *	13	* *	* *	20	* *
Springfield	70	* *	* *	330	8.2 (48)	4.2 (65)	11.2 (80)	157	19.1 (75)	15.9 (77)	197	15.2 (69)
Steamboat	162	11.1 (54)	3.1 (15)	505	8.9 (60)	6.5 (88)	6.3 (20)	169	12.4 (14)	11.8 (65)	247	8.5 (24)
Sterling	438	8.4 (22)	4.1 (32)	1,902	8.4 (50)	2.7 (31)	11.1 (79)	861	16.0 (57)	14.1 (72)	1,210	12.8 (51)
Sunrise	3,376	8.0 (18)	5.4 (57)	10,106	8.4 (50)	2.9 (35)	9.6 (67)	2,875	15.1 (50)	11.6 (64)	5,597	9.4 (29)
Telluride	61	* *	* *	201	8.5 (52)	3.5 (49)	6.0 (15)	76	* *	* *	104	23.1 (83)
Trinidad	333	12.3 (59)	0.3 (2)	1,299	9.5 (69)	2.5 (21)	8.2 (53)	547	14.4 (42)	10.1 (48)	780	17.6 (74)
Walden	15	* *	* *	91	* *	* *	* *	46	* *	* *	56	* *
Walsenburg	136	14.0 (64)	5.1 (53)	558	9.5 (69)	2.9 (35)	7.7 (42)	243	19.3 (76)	6.2 (15)	272	29.4 (84)
Westcliffe	23	* *	* *	99	* *	* *	* *	48	* *	* *	64	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 40 Run Date: 3 / 22 / 10

### Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2)

		Con	nparison	of Growt	th and A	nemia	Indicato	ors by C	linic	(3,4)		
		Birthweight	(5)			He	ight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight <sub>(7)</sub>		Low I	emia Hb/Hct 8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>&gt;</u> 95th (Rank)	Number	% (Rank)
Westside	5,371	10.1 (34)	5.4 (57)	16,996	7.2 (29)	3.4 (47)	8.0 (45)	6,162	15.5 (54)	10.6 (51)	9,911	8.4 (23)
Wray	0	* *	* *	7	* *	* *	* *	5	* *	* *	3	* *
Yuma	262	4.2 (2)	6.5 (65)	1,179	2.9 (2)	1.1 (3)	7.4 (36)	543	21.4 (80)	6.6 (18)	766	7.2 (16)
Colorado	84,538	9.7	4.4	328,602	7.8	3.4	8.3	135,567	14.5	9.3	188,717	12.6



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

<sup>(5)</sup> Infants born during the reporting period included in the analysis.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

<sup>(7)</sup> Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

<sup>(8)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 41 Run Date: 3 / 22 / 10

(2)

	Con	nparison	of Bre	astfeedi	ng, TV	Viewing	and S	moking	in Hou	sehold by	/ Clinic			
			Breastfe	eeding 6)				Exclusive I	Breastfee (7)	ding	<2 Hou Viewing		Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Numbe	er % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Akron	51	* *	49	* *	37	* *	0	* *	0	* *	0	* *	0	* *
Alamosa	982	70.6 (47)	858	25.8 (43)	728	16.3 (25)	0	* *	0	* *	0	* *	0	* *
Altn-Colfx	3,824	78.3 (27)	3,437	28.9 (27)	2,782	16.3 (25)	0	* *	0	* *	0	* *	0	* *
Arvada	2,239	72.5 (39)	2,075	28.3 (29)	1,762	17.3 (20)	0	* *	0	* *	0	* *	0	* *
Aurora	2,987	81.5 (21)	2,718	27.3 (33)	2,177	14.8 (34)	0	* *	0	* *	0	* *	0	* *
Avon	545	89.4 (4)	502	37.5 (13)	384	18.0 (13)	0	* *	0	* *	0	* *	0	* *
Avondale	54	* *	52	* *	54	* *	0	* *	0	* *	0	* *	0	* *
Bailey	80	* *	76	* *	65	* *	0	* *	0	* *	0	* *	0	* *
Bennett R	77	* *	68	* *	55	* *	0	* *	0	* *	0	* *	0	* *
Bennett Y	72	* *	58	* *	58	* *	0	* *	0	* *	0	* *	0	* *
Boulder M	887	91.7 (2)	753	55.9 (1)	659	37.9 (2)	0	* *	0	* *	0	* *	0	* *
Brighton	1,249	70.5 (49)	1,083	29.6 (23)	896	21.8 (10)	0	* *	0	* *	0	* *	0	* *
Broomfield	535	76.6 (30)	458	26.6 (36)	380	14.7 (35)	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 42 Run Date: 3 / 22 / 10

(2)

			Breastfe	eeding 3)				Exclusive E	Breastfeedin (7)	g	≤2 Hou Viewing (8)	g/Day	Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Buena Vist	68	* *	65	* *	53	* *	0	* *	0	* *	0	* *	0	* *
Canon City	869	68.9 (52)	817	22.5 (55)	684	14.5 (37)	0	* *	0	* *	0	* *	0	* *
Center	187	71.1 (45)	189	25.9 (41)	189	15.9 (29)	0	* *	0	* *	0	* *	0	* *
Chey Wells	137	65.0 (61)	123	26.0 (38)	115	15.7 (30)	0	* *	0	* *	0	* *	0	* *
Comm City	1,920	64.2 (62)	1,746	20.9 (58)	1,457	13.7 (42)	0	* *	0	* *	0	* *	0	* *
Conifer	2	* *	3	* *	5	* *	0	* *	0	* *	0	* *	0	* *
Cortez	616	83.1 (16)	566	38.2 (11)	469	21.1 (11)	0	* *	0	* *	0	* *	0	* *
Craig	434	81.6 (19)	365	26.8 (35)	275	12.7 (47)	0	* *	0	* *	0	* *	0	* *
Crst Butte	20	* *	18	* *	10	* *	0	* *	0	* *	0	* *	0	* *
Cstle Rock	787	67.9 (56)	651	41.0 (9)	492	31.7 (3)	0	* *	0	* *	0	* *	0	* *
Delta	462	82.3 (18)	395	25.3 (46)	341	14.7 (35)	0	* *	0	* *	0	* *	0	* *
Divide	336	82.7 (17)	304	34.9 (15)	233	18.5 (12)	0	* *	0	* *	0	* *	0	* *
Dove Creek	43	* *	46	* *	31	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 43 Run Date: 3 / 22 / 10

(2)

			Breastfe	eeding 3)				Exclusive E	Breastfeeding (7)		ours TV ing/Day (8)	Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number % Breastfe At Least 6 Months (Rank)		% (Rank)	Number	% (Rank)
Durango	723	88.4 (7)	598	38.1 (12)	461	22.3 (8)	0	* *	0 * *	0	* *	0	* *
Eads	22	* *	20	* *	15	* *	0	* *	0 * *	0	* *	0	* *
Eagle	274	85.8 (10)	213	31.0 (18)	169	8.3 (64)	0	* *	0 * *	0	* *	0	* *
Eastside	6,553	72.3 (40)	5,856	25.8 (43)	4,764	13.8 (39)	0	* *	0 * *	0	* *	0	* *
Edgewater	1,253	71.3 (43)	1,138	20.6 (61)	976	10.2 (60)	0	* *	0 * *	0	* *	0	* *
El Jebel	176	91.5 (3)	158	49.4 (2)	111	18.0 (13)	0	* *	0 * *	0	* *	0	* *
El Paso M	6,155	71.3 (43)	5,601	26.0 (38)	4,705	15.4 (31)	0	* *	0 * *	0	* *	0	* *
El Paso N	3,989	69.6 (50)	3,394	30.4 (21)	2,678	17.7 (18)	0	* *	0 * *	0	* *	0	* *
Elizabeth	64	* *	55	* *	46	* *	0	* *	0 * *	0	* *	0	* *
Englewood	2,051	72.1 (42)	1,883	23.9 (52)	1,469	14.1 (38)	0	* *	0 * *	0	* *	0	* *
Estes Park	154	89.0 (5)	149	43.6 (5)	123	16.3 (25)	0	* *	0 * *	0	* *	0	* *
Fairplay	67	* *	54	* *	49	* *	0	* *	0 * *	0	* *	0	* *
Firestone	685	61.3 (65)	526	29.5 (24)	411	18.0 (13)	0	* *	0 * *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 44 Run Date: 3 / 22 / 10

(2)

	Con	nparison	ot Bre	astreedi	ng, IV	viewing,	and S	moking	in Hou	usehold by	Clinic			
			Breastfe (f	eeding 6)				Exclusive I	Breastfee (7)	eding	<2 Hou Viewing (8)		Smoki House	
Clinic	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Numb	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Flag/Strat	152	67.8 (57)	140	25.7 (45)	117	12.8 (46)	0	* *	0	* *	0	* *	0	* *
Florence	56	* *	55	* *	47	* *	0	* *	0	* *	0	* *	0	* *
Fnt Valley	2,203	70.6 (47)	1,981	23.0 (54)	1,604	11.7 (56)	0	* *	0	* *	0	* *	0	* *
Frisco	498	89.0 (5)	433	44.8 (3)	369	25.7 (5)	0	* *	0	* *	0	* *	0	* *
Fruita	83	* *	83	* *	73	* *	0	* *	0	* *	0	* *	0	* *
Ft Collins	2,354	78.0 (28)	2,080	30.3 (22)	1,662	17.9 (16)	0	* *	0	* *	0	* *	0	* *
Ft Lupton	125	74.4 (37)	138	29.0 (26)	109	16.5 (24)	0	* *	0	* *	0	* *	0	* *
Ft. Morgan	1,052	59.9 (67)	969	12.1 (69)	756	4.5 (67)	0	* *	0	* *	0	* *	0	* *
Gilpin	28	* *	22	* *	17	* *	0	* *	0	* *	0	* *	0	* *
Glenwood	714	93.1 (1)	580	44.5 (4)	431	23.2 (7)	0	* *	0	* *	0	* *	0	* *
Grand Junc	3,113	81.0 (22)	2,673	24.7 (49)	2,104	12.9 (45)	0	* *	0	* *	0	* *	0	* *
Gunnison	200	86.0 (9)	167	43.1 (7)	148	22.3 (8)	0	* *	0	* *	0	* *	0	* *
Holyoke	123	76.4 (31)	125	19.2 (63)	100	12.0 (52)	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 45 Run Date: 3 / 22 / 10

(2)

	Cor	nparison	of Bre	astfeedi	ng, TV	Viewing,	and S	moking	in Hous	sehold by	/ Clinic			
			Breastfe (	eeding 6)				Exclusive E	Breastfeedi (7)	ng	≤2 Hou Viewin		Smoki House	
Clinic	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Hot Sulphr	180	79.4 (24)	151	28.5 (28)	113	13.3 (44)	0	* *	0	* *	0	* *	0	* *
Hugo	146	80.8 (23)	133	30.8 (20)	111	10.8 (58)	0	* *	0	* *	0	* *	0	* *
Idaho Sprg	126	72.2 (41)	103	31.1 (17)	97	* *	0	* *	0	* *	0	* *	0	* *
Ignacio	114	81.6 (19)	104	26.0 (38)	98	* *	0	* *	0	* *	0	* *	0	* *
Illiff	5,304	78.5 (26)	4,821	28.2 (30)	3,583	15.4 (31)	0	* *	0	* *	0	* *	0	* *
Julesburg	55	* *	47	* *	45	* *	0	* *	0	* *	0	* *	0	* *
La Junta	406	63.3 (63)	356	16.6 (65)	327	9.8 (61)	0	* *	0	* *	0	* *	0	* *
Lafayette	585	85.1 (11)	502	43.2 (6)	445	29.4 (4)	0	* *	0	* *	0	* *	0	* *
Lake Plaza	1,999	68.0 (55)	1,591	24.7 (49)	1,292	11.8 (54)	0	* *	0	* *	0	* *	0	* *
Lakewood	3,040	72.7 (38)	2,824	25.9 (41)	2,354	15.3 (33)	0	* *	0	* *	0	* *	0	* *
Lamar	493	69.0 (51)	446	19.5 (62)	380	12.1 (51)	0	* *	0	* *	0	* *	0	* *
Las Animas	136	68.4 (54)	115	11.3 (70)	103	5.8 (66)	0	* *	0	* *	0	* *	0	* *
Leadville	255	50.2 (70)	235	38.7 (10)	207	42.0 (1)	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.</p>



Page: 46 Run Date: 3 / 22 / 10

(2)

			Breastfe (f	eeding 3)				Exclusive E	Breastfeedir	ng	≤2 Hou Viewing	g/Day	Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Lonetree	776	76.2 (32)	672	31.3 (16)	474	16.2 (28)	0	* *	0	* *	0	* *	0	* *
Longmont	2,265	83.6 (14)	2,062	31.0 (18)	1,715	16.7 (22)	0	* *	0	* *	0	* *	0	* *
Loveland	1,414	76.9 (29)	1,318	24.9 (48)	1,027	13.8 (39)	0	* *	0	* *	0	* *	0	* *
Manzanola	89	* *	76	* *	60	* *	0	* *	0	* *	0	* *	0	* *
Meeker	80	* *	62	* *	55	* *	0	* *	0	* *	0	* *	0	* *
Montbello	2,834	74.9 (35)	2,536	24.7 (49)	1,939	13.8 (39)	0	* *	0	* *	0	* *	0	* *
Monte Vist	317	58.7 (68)	294	17.3 (64)	256	12.5 (49)	0	* *	0	* *	0	* *	0	* *
Montrose	1,078	74.7 (36)	968	26.9 (34)	833	12.6 (48)	0	* *	0	* *	0	* *	0	* *
Northglenn	5,046	68.6 (53)	4,321	21.4 (57)	3,393	10.6 (59)	0	* *	0	* *	0	* *	0	* *
Norwood	24	* *	24	* *	22	* *	0	* *	0	* *	0	* *	0	* *
Nucla	59	* *	43	* *	42	* *	0	* *	0	* *	0	* *	0	* *
Olathe	89	* *	84	* *	72	* *	0	* *	0	* *	0	* *	0	* *
Ordwy/Manz	13	* *	14	* *	17	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 47 Run Date: 3 / 22 / 10

(2)

			Breastfe	eeding 3)				Exclusive I	Breastfeedi (7)	ng	≤2 Hou Viewin		Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Ouray	41	* *	38	* *	35	* *	0	* *	0	* *	0	* *	0	* *
Pagosa Spr	227	88.1 (8)	220	29.1 (25)	161	17.4 (19)	0	* *	0	* *	0	* *	0	* *
Pan/Hot/Ce	47	* *	43	* *	34	* *	0	* *	0	* *	0	* *	0	* *
Pecos	3,103	79.0 (25)	2,896	23.5 (53)	2,285	12.3 (50)	0	* *	0	* *	0	* *	0	* *
Pitkin	65	* *	61	* *	50	* *	0	* *	0	* *	0	* *	0	* *
Pueblo	2,952	66.0 (58)	2,439	21.5 (56)	2,120	10.9 (57)	0	* *	0	* *	0	* *	0	* *
Rangely	77	* *	63	* *	50	* *	0	* *	0	* *	0	* *	0	* *
Rifle	646	84.2 (13)	514	36.0 (14)	422	16.6 (23)	0	* *	0	* *	0	* *	0	* *
Rocky Ford	239	57.3 (69)	235	14.9 (67)	205	9.8 (61)	0	* *	0	* *	0	* *	0	* *
S Pueblo	1,573	60.1 (66)	1,750	14.9 (67)	1,631	9.2 (63)	0	* *	0	* *	0	* *	0	* *
Salida	152	83.6 (14)	139	28.1 (31)	97	* *	0	* *	0	* *	0	* *	0	* *
San Luis	4	* *	4	* *	5	* *	0	* *	0	* *	0	* *	0	* *
Springfield	79	* *	78	* *	75	* *	0	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 48 Run Date: 3 / 22 / 10

(2)

			Breastfe (6	•				Exclusive E	Breastfeed (7)	ling	≤2 Hou Viewin (i		Smoki Hous	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Numbe	r % Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Steamboat	200	85.0 (12)	164	41.5 (8)	118	23.7 (6)	0	* *	0	* *	0	* *	0	* *
Sterling	506	65.6 (60)	489	20.9 (58)	392	8.2 (65)	0	* *	0	* *	0	* *	0	* *
Sunrise	3,916	70.7 (46)	3,360	27.8 (32)	2,585	17.9 (16)	0	* *	0	* *	0	* *	0	* *
Telluride	68	* *	56	* *	45	* *	0	* *	0	* *	0	* *	0	* *
Trinidad	384	62.0 (64)	368	26.4 (37)	276	17.0 (21)	0	* *	0	* *	0	* *	0	* *
Walden	20	* *	21	* *	25	* *	0	* *	0	* *	0	* *	0	* *
Walsenburg	157	75.8 (33)	127	16.5 (66)	109	11.9 (53)	0	* *	0	* *	0	* *	0	* *
Westcliffe	32	* *	24	* *	22	* *	0	* *	0	* *	0	* *	0	* *
Westside	6,264	75.6 (34)	5,010	25.1 (47)	3,696	13.4 (43)	0	* *	0	* *	0	* *	0	* *
Yuma	335	65.7 (59)	311	20.9 (58)	262	11.8 (54)	0	* *	0	* *	0	* *	0	* *
Colorado	100,340	74.0	88,878	26.7	71,665	15.0	0	*	0	*	0	*	0	*

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

