
Prostate – Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Geographic Area,
Race/Ethnicity, and Time Period, USA 2000-2004 and Colorado 2000-2004 and 2005

	USA <sup>1</sup> 200	00-2004	Colorado	Colorado 2000-2004		ado 2005	
	N	Rate	N	Rate	N	Rate	
Male							
All Races	831323	160.8	13991	164.4 ★	2971	156.7	
White/Non-Hispanic	639784	152.9	12260	168.6 ★	2580	160.2	
White/Hispanic	49261	137.0 ●	1035	141.0	228	142.0	
Black	100231	243.1 ♦	558	210.8 ■ ◆	130	204.7	•

<sup>&</sup>lt;sup>1</sup> USA rates are from NAACCR; USA rates for "White/Hispanic" category include Hispanics of any race.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

## Prostate – Annual Age-Adjusted Incidence Rates per 100,000 by Race/Ethnicity and Year, Colorado 1995-2005



Estimated Annual Percent Change (EAPC)						
Male						
White/Non-Hispanic	-0.2					
White/Hispanic	-0.1					
Black	-0.3					

- ★ EAPC is significantly higher than zero.
- EAPC is significantly lower than zero.

- → Male White/Non-Hispanic
- → Male White/Hispanic
- → Male Black

## **HIGHLIGHTS**

- > In Colorado, the cumulative lifetime risk of prostate cancer is 1 in 5.
- > The 2000-2004 prostate cancer incidence rate in Colorado for non-Hispanic whites was 10% higher than the U.S. rate for whites and the rate for blacks was 13% lower than the U.S. rate for blacks.
- > There was a 5% decline in Colorado prostate cancer incidence rates between 2000-04 and 2005.
- > Early detection of prostate cancer in Colorado improved from 2000-2004 to 2005 (on the basis of localized stage) in every race/ethnicity group in this report. For 2005, on the same basis, early detection in Hispanics and blacks lagged 2-5 percentage points behind that of non-Hispanic whites.
- > For 2000-04 and 2005 in Colorado, there were major prostate cancer disparities between blacks and non-Hispanic whites: incidence rates were 25% higher among blacks, while mortality rates were close to twice as high among blacks.

Prostate – Average Annual Age-Specific Incidence Rates per 100,000, Colorado 2001-2005

Age	Male
0-4	0.0
5-9	0.0
10-14	0.0
15-19	0.0
20-24	0.0
25-29	0.0
30-34	0.0
35-39	0.8
40-44	8.1
45-49	37.5
50-54	136.0
55-59	325.4
60-64	581.6
65-69	879.2
70-74	975.2
75-79	888.5
80-84	829.2
85+	747.6

Prostate – Stage of Disease<sup>1</sup> at Diagnosis by Race/Ethnicity and Time Period, Colorado 2000-2004 and 2005

	Cases	In situ	Localized	Regional	Distant	Unknown	% "Early"
	N	%	%	%	%	%	Detection <sup>2</sup>
All Races							
2000-2004	14001	0.0	74.1	8.2	3.7	14.0	86.1
2005	2971	0.0	79.1	11.0	3.9	6.0	84.1
White/Non-Hispanic							
2000-2004	12269	0.0	74.5	8.1	3.4	14.0	86.6
2005	2580	0.0	79.6	11.0	3.5	5.9	84.6
White/Hispanic							
2000-2004	1036	0.1	69.6	8.8	5.8	15.7	82.7
2005	228	0.0	77.2	7.5	7.5	7.9	83.8
Black							
2000-2004	558	0.0	72.9	10.6	5.4	11.1	82.1
2005	130	0.0	74.6	16.9	4.6	3.8	77.6

<sup>&</sup>lt;sup>1</sup> Cases diagnosed in 2000 were staged using SEER Summary Stage 1977; cases diagnosed in 2001-2005 were staged using SEER Summary Stage 2000.

<sup>&</sup>lt;sup>2</sup> "Early" detection is percent in situ + localized of staged cancers (unknown stage excluded).

## **Narrative of Selected Findings**

Incidence Comparisons between U.S. and Colorado for 2000-2004 by Race and Ethnicity. The 2000-2004 prostate cancer incidence rate for all races combined in Colorado was 2% higher than the U.S. rate. The rate for non-Hispanic whites was 10% higher than the U.S. rate, and the rate for blacks was 13% lower than the U.S. rate for blacks.

Incidence Trends in Colorado for 1995-2005 by Race/Ethnicity. There was a 5% decline in prostate cancer incidence rates in Colorado between 2000-2004 and 2005. During 1995-2005, the incidence rate trend for each race/ethnicity group in this report was stable.

Incidence Comparisons in Colorado between Race/Ethnicity Groups for 2000-2004 and 2005. The 2000-2004 Colorado prostate cancer incidence rate in blacks was 25% higher than the rate for non-Hispanic whites, and 28% higher in 2005. Incidence rates during 2000-2004 and 2005 for Hispanics were 11-16% lower than rates for non-Hispanic whites.

Stage Comparisons in Colorado for 2000-2004 and 2005 by Race/Ethnicity. There were mixed results for early detection of prostate cancer in Colorado from 2000-2004 to 2005. The early detection percentage calculation showed a worsening trend for the most part, but on the basis of localized stage, there were mainly improvements. This contradictory finding is likely a result of substantially fewer cases with unknown stage in 2005, which are not included in the early stage calculation. For 2005, on the basis of localized stage, early detection of prostate cancer in Hispanics and blacks lagged 2-5 percentage points behind that of non-Hispanic whites.


Mortality Comparisons between U.S. and Colorado for 2000-2004 and Mortality Trend in Colorado for 1995-2005 by Race and Ethnicity. The mortality rate for prostate cancer for non-Hispanic whites in Colorado during 2000-2004 was 9% higher than the U.S. rate and 47% higher for Hispanics in Colorado

compared to the U.S. rate for Hispanics. The trend in Colorado mortality rates from 1995 to 2005 was down about 2% per year for non-Hispanic whites and up 3% per year for Hispanics, but was quite variable year-to-year for blacks. Also, the Colorado prostate cancer mortality rate for blacks was 93% higher in 2000-2004 than the rate for non-Hispanic whites and more than double the rate for non-Hispanic whites for 2005.

Comparisons between Counties and **Colorado.** Areas with statistically higher prostate cancer incidence rates for 1995-95, 2000-02, and/or 2003-05 (or having rates at least 20% higher than the state for at least two time periods with at least 10 cases per time period) included PMRs 4, 10, and 11 and the counties of Boulder, Delta, El Paso, Garfield, Gilpin, Gunnison, Larimer, Mesa, Moffat, Montrose, Phillips, Rio Blanco, and Routt. These higher rates were generally transient over time and likely a result of early detection differences due to PSA testing. For some time periods, using the criteria above, PMRs 9 and 13 and the counties of Conejos, Douglas, Fremont, La Plata, and Logan had prostate cancer mortality rates that were above state rates, while incidence rates were not elevated.

The overall state rate of early detection of prostate cancer was 87% during 2000-02 and 85% during 2003-05. All counties, except for Phillips County at 73% and 56% early detection for these two time periods, had early detection rates of 80% or more during one or both of these time periods. PMR 14 and eight counties had early detection rates during 2000-02 of over 80% that dropped to 80% or less during 2003-05. These counties were Archuleta, Broomfield, Clear Creek, Gunnison, Huerfano, Logan, Rio Blanco, and Washington.

Prostate – Annual Age-Adjusted Mortality Rates per 100,000 by Race/Ethnicity and Year, Colorado 1995-2005



Estimated Annual Percent Change (EAPC)						
Male						
White/Non-Hispanic	-2.2 ■					
White/Hispanic	2.6					
Black	-3.8					

- ★ EAPC is significantly higher than zero.
- EAPC is significantly lower than zero.

→ Male White/Non-Hispanic

→ Male White/Hispanic

→ Male Black

Prostate – Number of Deaths and Age-Adjusted Mortality Rates per 100,000 by Race/Ethnicity, Geographic Area, and Time Period, USA 2000-2004 and Colorado 2000-2004 and 2005

	USA <sup>1</sup> 2000-2004		Colorado	2000-2004	Colorado 2005		
	N	Rate	N	Rate	N	Rate	
Male							
All Races	150799	27.9	1791	28.4	377	28.1	
White/Non-Hispanic	117312	25.7	1544	27.9 ★	323	27.4	
White/Hispanic	5736	21.7 ●	141	32.0 ★	28	33.8	
Black	25205	63.1 ♦	89	53.8 ◆	21	57.2	•

<sup>&</sup>lt;sup>1</sup> USA mortality data based on all 50 states combined.

- ★Rate is significantly higher than corresponding rate in column to the left.
- ■Rate is significantly lower than corresponding rate in column to the left.
- ◆Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- •Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

<sup>\*</sup> Indicates fewer than three events in this category.

Prostate – Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Place and Time Period, Colorado 1995-1999, 2000-2002, and 2003-2005

Place	Male								
	1995	5-1999		2000	)-2002		2003	3-2005	
	N	Rate		N	Rate		N	Rate	
Colorado	11747	163.0		8370	169.5		8592	156.9	
Adams	695	133.0		444	122.7		455	124.5	
Alamosa	34	137.6		15	93.0		33	187.1	
Arapahoe	1226	167.5		831	154.8		785	127.5	
Archuleta	33	145.1		26	128.8		32	143.4	
Baca	22	136.6		14	135.3		16	163.7	
Bent	25	135.4		17	156.3		8	75.8	
Boulder	722	180.0	*	484	173.1		600	200.6	*
Broomfield**	n/a	n/a		23	171.3		69	165.7	
Chaffee	78	169.0		58	188.8		45	135.6	
Cheyenne	8	130.7		5	142.9		4	120.0	
Clear Creek	23	137.6		25	174.7		23	188.3	
Conejos	36	168.8		18	133.1		16	120.0	
Costilla	9	68.7		9	133.7		8	105.2	
Crowley	20	216.4		13	189.4		9	124.3	
Custer	7	71.7		15	200.2		23	236.6	
Delta	148	157.6		124	207.8	*	92	152.9	
Denver	1614	160.7		987	159.7		912	138.9	
Dolores	9	164.0		3	84.6		*	*	
Douglas	271	170.8		293	192.3		305	164.0	
Eagle	48	169.1		69	214.3		59	177.6	
Elbert	31	117.5		38	163.2		36	135.5	
El Paso	1381	179.0	*	902	163.9		1002	165.1	
Fremont	154	133.2		127	171.5		118	150.9	
Garfield	158	225.8	*	105	214.8	*	90	161.4	
Gilpin	14	233.7		5	70.9		12	224.8	
Grand	31	146.0		20	118.0		30	144.0	
Gunnison	44	255.9	*	43	322.5	$\bigstar$	25	158.2	
Hinsdale	3	243.1		7	352.4		*	*	
Huerfano	23	90.4		26	167.5		34	215.4	
Jackson	5	104.3		8	340.2		5	178.3	
Jefferson	1498	161.0		1035	157.3		1010	138.3	
Kiowa	13	269.0		7	254.4		*	*	
Kit Carson	36	178.6		21	169.6		22	169.3	
Lake	22	189.5		11	145.4		13	210.5	
La Plata	94	122.9		87	151.7		111	179.1	
Larimer	557	138.6		429	149.4		563	179.2	*
Las Animas	52			30	109.6		27	99.1	
Lincoln	24	159.2		9	109.2		21	252.8	

<sup>★</sup> Rate is significantly higher than Colorado rate.

<sup>■</sup> Rate is significantly lower than Colorado rate.

<sup>\*</sup> Indicates fewer than three events in this category.

<sup>\*\*</sup> Broomfield County statistics are for the years 2002 and 2003-2005 only.

Prostate – Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Place and Time Period, Colorado 1995-1999, 2000-2002, and 2003-2005

Place				Ma	ale						
	1995	5-1999		2000	2000-2002		00-2002		2003	3-2005	
	N	Rate		N	Rate		N	Rate			
Logan	71	144.9		45	145.4		44	140.8			
Mesa	482	168.8		421	221.3	*	438	214.4	*		
Mineral	3	100.4		*	*		7	310.6			
Moffat	35	166.7		43	294.1	$\star$	29	171.2			
Montezuma	63	125.2		49	133.0		60	155.8			
Montrose	141	159.1		129	225.7	*	92	149.0			
Morgan	77	129.6		56	151.8		58	156.3			
Otero	97	174.8		62	187.1		54	155.2			
Ouray	23	313.4		10	150.0		10	116.4			
Park	33	127.8		25	114.9		26	118.6			
Phillips	31	230.0		18	221.0		9	114.0			
Pitkin	47	181.1		44	182.1		33	149.8			
Prowers	48	166.0		18	104.2		23	130.1			
Pueblo	586	168.8		362	165.6		347	153.4			
Rio Blanco	16	115.0		19	224.1		22	294.8	*		
Rio Grande	29	91.8		13	62.3		23	109.2			
Routt	36	170.3		54	275.4	$\bigstar$	61	302.4	*		
Saguache	18	141.0		13	164.3		16	168.9			
San Juan	*	*		*	*		*	*			
San Miguel	13	115.9		15	264.2		12	146.4			
Sedgwick	14	138.6		15	255.5		7	121.4			
Summit	30	134.6		33	174.0		37	115.2			
Teller	50	172.3		38	157.3		50	190.2			
Washington	25	155.7		18	181.5		18	183.3			
Weld	452	160.9		321	162.6		294	130.5			
Yuma	46	180.4		16	101.5		33	204.2			
PMR 1	264	157.2		168	157.2		169	154.7			
PMR 2	1009	153.8		750	154.9		857	159.1			
PMR 3	6063	160.8		4127	156.9		4171	142.5			
PMR 4	1464	180.3	*	965	161.8		1078	163.6			
PMR 5	99	154.9		73	156.8		83	169.0			
PMR 6	225	170.1		131	162.0		112	132.8			
PMR 7	586	168.8		362	165.6		347	153.4			
PMR 8	129	131.5		69	105.7		103	144.9			
PMR 9	200	139.7		166	141.3		206	164.1			
PMR 10	372	190.9	*	328	226.0	*	231	148.7			
PMR 11	727	174.8		642	227.9	*	640	207.5	*		
PMR 12	161	152.3		174	182.0		164	150.9			
PMR 13	261	158.5		211	177.1		199	156.0			
PMR 14	75	115.9		56	129.8		61	141.0			

For map of Colorado Planning and Management Regions see page 4. PMR1: Logan, Morgan, Phillips, Sedgwick, Washington, and Yuma counties; PMR2: Larimer and Weld counties; PMR3: Adams, Arapahoe, Boulder, Broomfield, Clear Creek, Denver, Douglas, Gilpin, and Jefferson counties; PMR4: El Paso, Park, and Teller counties; PMR5: Cheyenne, Elbert, Kit Carson, and Lincoln counties; PMR6: Baca, Bent, Crowley, Kiowa, Otero, and Prowers counties; PMR7: Pueblo County; PMR8: Alamosa, Conejos, Costilla, Mineral, Rio Grande, and Saguache counties; PMR 9: Archuleta, Dolores, La Plata, Montezuma, and San Juan counties; PMR 10: Delta, Gunnison, Hinsdale, Montrose, Ouray, and San Miguel counties; PMR 11: Garfield, Mesa, Moffat, Rio Blanco, and Routt counties; PMR 12: Eagle, Grand, Jackson, Pitkin, and Summit counties; PMR 13: Chaffee, Custer, Fremont, and Lake counties; PMR 14: Huerfano and Las Animas counties.

Prostate – Number of Cancer Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Place and Time Period, Colorado 1995-1999, 2000-2002 and 2003-2005

Place			Ma	le		
	1995	-1999	2000	-2002	2003	-2005
	N	Rate	N	Rate	N	Rate
Colorado	1746	31.2	1084	29.4	1084	27.3
Adams	115	33.9	71	32.4	79	32.3
Alamosa	11	52.5	6	38.7	3	17.5
Arapahoe	165	30.5	92	24.1	100	23.9
Archuleta	6	39.4	3	32.5	*	*
Baca	9	55.7	5	50.9	*	*
Bent	6	31.8	4	40.4	*	*
Boulder	87	29.2	53	26.9	52	26.2
Broomfield**	n/a	n/a	*	*	10	44.0
Chaffee	11	28.2	9	30.4	6	25.3
Cheyenne	*	*	*	*	*	*
Clear Creek	5	43.2	*	*	*	*
Conejos	6	30.6	10	82.0	*	*
Costilla	4	35.1	*	*	*	*
Crowley	4	50.7	*	*	*	*
Custer	*	*	*	*	4	68.9
Delta	23	25.9	7	12.2	<b>1</b> 3	21.5
Denver	299	34.2	186	34.1	174	32.2
Dolores	*	*	*	*	*	*
Douglas	22	27.8	24	43.1	31	33.5
Eagle	8	77.8	3	6.4	4	33.6
Elbert	3	16.7	7	56.8	7	45.0
El Paso	186	33.4	114	30.9	119	27.8
Fremont	33	32.4	22	37.1	25	38.1
Garfield	23	44.0	7	19.8	9	25.7
Gilpin	*	*	*	*	3	56.2
Grand	*	*	3	27.8	*	*
Gunnison	5	38.0	3	27.9	4	47.9
Hinsdale	*	*	*	*	*	*
Huerfano	10	44.2	4	31.6	4	27.2
Jackson	*	*	*	*	*	*
Jefferson	193	28.9	119	26.9	98	19.9 ■
Kiowa	*	*	*	*	*	*
Kit Carson	7	36.0	4	33.9	6	53.0
Lake	3	33.1	*	*	*	*
La Plata	25	46.8	16	42.1	12	28.3
Larimer	95	29.9	70	32.4	54	22.5
Las Animas	7	16.2	<b>6</b>	22.9	10	38.4
Lincoln	3	23.0	*	*	4	42.4

<sup>★</sup> Rate is significantly higher than Colorado rate.

<sup>■</sup> Rate is significantly lower than Colorado rate.

<sup>\*</sup> Indicates fewer than three events in this category.

<sup>\*\*</sup> Broomfield County statistics are for the years 2002 and 2003-2005 only.

Prostate – Number of Cancer Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Place and Time Period, Colorado 1995-1999, 2000-2002 and 2003-2005

Place			Ma	ale		
	199	5-1999	200	00-2002	200	3-2005
	N	Rate	N	Rate	N	Rate
Logan	19	41.8	*	*	10	35.9
Mesa	65	25.8	57	33.8	36	20.1 ■
Mineral	*	*	*	*	*	*
Moffat	6	38.4	*	*	*	*
Montezuma	12	27.1	9	38.6	11	35.6
Montrose	27	36.2	15	29.6	12	22.0
Morgan	15	27.0	4	12.3	10	28.9
Otero	9	18.7	<b>1</b> 0	33.6	8	28.1
Ouray	4	126.3	*	*	*	*
Park	3	10.0	4	26.0	*	*
Phillips	5	34.1	4	41.1	*	*
Pitkin	4	36.9	*	*	4	29.8
Prowers	7	26.6	5	32.4	6	38.4
Pueblo	77	26.0	45	23.2	58	29.7
Rio Blanco	*	*	*	*	*	*
Rio Grande	8	29.0	3	17.2	3	17.1
Routt	8	55.9	3	44.0	*	*
Saguache	3	25.3	*	*	*	*
San Juan	*	*	*	*	*	*
San Miguel	*	*	*	*	*	*
Sedgwick	*	*	6	101.6	*	*
Summit	*	*	*	*	*	*
Teller	4	10.4	7	75.1	3	27.7
Washington	5	34.9	*	*	4	51.7
Weld	76	31.4	39	25.4	53	33.5
Yuma	6	23.7	4	24.1	3	18.3
PMR 1	52	31.1	21	21.1	30	29.6
PMR 2	171	30.6	109	29.6	107	26.9
PMR 3	886	31.7	547	29.3	548	27.3
PMR 4	193	32.5	125	32.0	123	27.2
PMR 5	15	26.2	12	32.1	18	44.3
PMR 6	36	29.2	27	36.0	19	25.8
PMR 7	77	26.0	45	23.2	58	29.7
PMR 8	32	35.0	20	35.9	10	17.1
PMR 9	44	37.6	28	37.4	25	27.9
PMR 10	59	31.7	27	21.5	32	24.6
PMR 11	103	29.6	70	30.8	50	20.6 ■
PMR 12	13	31.5	8	16.1	13	23.6
PMR 13	48	31.6	35	37.3	37	37.6
PMR 14	17	25.2	10	25.0	14	33.9

For map of Colorado Planning and Management Regions see page 4. PMR1: Logan, Morgan, Phillips, Sedgwick, Washington, and Yuma counties; PMR2: Larimer and Weld counties; PMR3: Adams, Arapahoe, Boulder, Broomfield, Clear Creek, Denver, Douglas, Gilpin, and Jefferson counties; PMR4: El Paso, Park, and Teller counties; PMR5: Cheyenne, Elbert, Kit Carson, and Lincoln counties; PMR6: Baca, Bent, Crowley, Kiowa, Otero, and Prowers counties; PMR7: Pueblo County; PMR8: Alamosa, Conejos, Costilla, Mineral, Rio Grande, and Saguache counties; PMR 9: Archuleta, Dolores, La Plata, Montezuma, and San Juan counties; PMR 10: Delta, Gunnison, Hinsdale, Montrose, Ouray, and San Miguel counties; PMR 11: Garfield, Mesa, Moffat, Rio Blanco, and Routt counties; PMR 12: Eagle, Grand, Jackson, Pitkin, and Summit counties; PMR 13: Chaffee, Custer, Fremont, and Lake counties; PMR 14: Huerfano and Las Animas counties.

**Prostate – Stage of Disease at Diagnosis** by Place and Time Period, Colorado 1995-1999, 2000-2002, and 2003-2005

Place	1995	-1999	200	0-2002	200	03-2005
	Cases	% ''Early''	Cases	% ''Early''	Cases	% ''Early''
	N	Detection <sup>1</sup>	N	Detection <sup>1</sup>	N	Detection <sup>1</sup>
Colorado	11750	81.7	8373	86.6	8596	85.0
Adams	695	79.0	444	81.8	455	80.6
Alamosa	34	81.5	15	100.0	33	91.3
Arapahoe	1226	82.8	831	88.4	785	84.6
Archuleta	33	75.0	26	88.0	32	79.3
Baca	22	77.8	14	100.0	16	87.5
Bent	25	100.0	17	86.7	8	85.7
Boulder	722	79.5	484	83.5	600	84.7
Broomfield**	n/a	n/a	23	85.7	69	77.9
Chaffee	78	84.6	58	88.4	45	89.7
Cheyenne	8	100.0	5	100.0	4	100.0
Clear Creek	23	83.3	25	81.8	23	78.3
Conejos	36	60.0	18	77.8	16	91.7
Costilla	9	66.7	9	83.3	8	100.0
Crowley	20	83.3	13	90.0	9	100.0
Custer	7	71.4	15	83.3	23	87.0
Delta	148	76.7	124	88.0	92	82.5
Denver	1615	81.2	987	84.6	913	82.4
Dolores	9	100.0	3	100.0	*	*
Douglas	271	81.1	293	92.7	305	87.5
Eagle	48	83.3	69	90.9	59	82.1
Elbert	31	91.7	38	81.3	36	86.1
El Paso	1381	80.1	903	85.4	1002	86.0
Fremont	154	86.7	127	88.2	118	90.4
Garfield	159	80.6	105	94.0	90	82.3
Gilpin	14	70.0	5	100.0	12	81.8
Grand	31	72.0	20	72.7	30	86.2
Gunnison	44	76.5	43	91.7	25	77.8
Hinsdale	3	66.7	7	83.3	*	*
Huerfano	23	82.4	26	90.0	34	78.6
Jackson	5	100.0	8	80.0	5	100.0
Jefferson	1498	81.4	1035	87.1	1010	84.4
Kiowa	13	90.0	7	100.0	*	*
Kit Carson	36	67.7	21	81.8	22	90.5
Lake	22	61.1	11	100.0	13	84.6
La Plata	94	79.5	87	77.1	111	84.5
Larimer	557	84.4	429	88.4	563	86.5
Las Animas	52	83.9	30	96.2	27	81.8
Lincoln	24	75.0	9	100.0	21	87.5

 $<sup>^{\</sup>rm 1}$  "Early" detection is percent in situ + localized of staged cases (unknown stage excluded).

<sup>\*</sup> Indicates fewer than three events in this category.
\*\* Broomfield County statistics are for the years 2002 and 2003-2005 only.

Prostate – Stage of Disease at Diagnosis by Place and Time Period, Colorado 1995-1999, 2000-2002, and 2003-2005

Place	1995-1999		2000-2002		2003-2005	
	Cases	% ''Early''	Cases	% ''Early''	Cases	% "Early"
	N	Detection <sup>1</sup>	N	Detection <sup>1</sup>	N	Detection <sup>1</sup>
Logan	71	74.6	45	97.1	44	73.2
Mesa	482	82.4	421	82.6	438	82.5
Mineral	3	100.0	*	*	7	85.7
Moffat	35	85.2	43	77.1	29	82.8
Montezuma	63	85.7	49	76.9	60	90.6
Montrose	141	83.3	129	89.6	92	84.1
Morgan	77	86.2	56	93.3	58	92.3
Otero	97	84.4	62	87.0	54	84.6
Ouray	23	100.0	10	88.9	10	100.0
Park	33	78.1	25	85.7	26	84.6
Phillips	31	78.6	18	73.3	9	55.6
Pitkin	47	91.7	44	93.9	33	92.6
Prowers	48	77.1	18	100.0	23	90.0
Pueblo	586	86.1	363	86.9	347	88.8
Rio Blanco	16	72.7	19	86.7	22	80.0
Rio Grande	29	86.4	13	100.0	23	95.7
Routt	36	69.2	54	88.6	61	89.3
Saguache	18	85.7	13	72.7	16	87.5
San Juan	*	*	*	*	*	*
San Miguel	13	88.9	15	77.8	12	91.7
Sedgwick	14	63.6	15	81.8	7	83.3
Summit	30	81.0	33	76.9	37	85.3
Teller	50	82.5	38	86.7	50	87.5
Washington	25	68.4	18	88.9	18	76.5
Weld	452	86.4	321	91.6	294	86.8
Yuma	46	86.5	16	92.9	33	85.2
PMR 1	264	79.2	168	90.6	169	81.6
PMR 2	1009	85.3	750	89.7	857	86.6
PMR 3	6064	81.1	4127	86.2	4172	83.7
PMR 4	1464	80.1	966	85.5	1078	86.0
PMR 5	99	79.5	73	84.3	83	88.3
PMR 6	225	84.4	131	90.7	112	87.5
PMR 7	586	86.1	363	86.9	347	88.8
PMR 8	129	76.5	69	86.0	103	92.0
PMR 9	200	81.3	166	79.5	206	85.6
PMR 10	372	80.4	328	88.7	231	84.2
PMR 11	728	81.4	642	84.6	640	83.1
PMR 12	161	83.7	174	86.9	164	86.0
PMR 13	261	83.3	211	88.6	199	89.4
PMR 14	75	83.3	56	93.5	61	80.0

For map of Colorado Planning and Management Regions see page 4. PMR1: Logan, Morgan, Phillips, Sedgwick, Washington, and Yuma counties; PMR2: Larimer and Weld counties; PMR3: Adams, Arapahoe, Boulder, Broomfield, Clear Creek, Denver, Douglas, Gilpin, and Jefferson counties; PMR4: El Paso, Park, and Teller counties; PMR5: Cheyenne, Elbert, Kit Carson, and Lincoln counties; PMR6: Baca, Bent, Crowley, Kiowa, Otero, and Prowers counties; PMR7: Pueblo County; PMR8: Alamosa, Conejos, Costilla, Mineral, Rio Grande, and Saguache counties; PMR 9: Archuleta, Dolores, La Plata, Montezuma, and San Juan counties; PMR 10: Delta, Gunnison, Hinsdale, Montrose, Ouray, and San Miguel counties; PMR 11: Garfield, Mesa, Moffat, Rio Blanco, and Routt counties; PMR 12: Eagle, Grand, Jackson, Pitkin, and Summit counties; PMR 13: Chaffee, Custer, Fremont, and Lake counties; PMR 14: Huerfano and Las Animas counties.