




TYPICAL DETAIL FOR RUNDOWN CHANNELS

NOTES:

1. V-DITCH BETWEEN CELLS SHALL BE GRADED 0.5% DOWNWARD FROM THE LONGITUDINAL CENTERLINE OUTWARD TO THE EDGE OF THE CELLS TO ENSURE PROPER DRAINAGE.
2. THERE WILL BE A 40FT TRANSITION LENGTH BETWEEN THE V-DITCH AND THE FULL TRAPEZOIDAL CHANNEL.
3. FULL TRAPEZOIDAL CHANNEL WILL BE MAINTAINED DOWN ENTIRE 10H:1V SLOPE AND 30 FT PAST TOE.
4. 18" RIPRAP SHALL BE PLACED AT BEGINNING OF V-DITCH TRANSITION AND TERMINATE 30FT PAST TOE.



**SECTION A-A
TYPICAL TRANSITION CHANNEL**



**SECTION B-B
TYPICAL FULL TRAP. CHANNEL**

PLOTTED: 13 Feb 2009 9:24am jgordon

The information included on this graphic representation has been compiled from a variety of sources, which have not been independently verified by Kleinfelder. Subsequently, Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product or a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.

**PRELIMINARY
NOT FOR
CONSTRUCTION**

**CLOSURE RUNDOWN
CHANNEL DETAILS**
PINON RIDGE PROJECT
MONTROSE COUNTY, COLORADO

| | |
|--|--------------|
| DESIGNED BY: | TAK |
| DRAWN BY: | JAG |
| CHECKED BY: | AKK |
| DATE: | 02/13/09 |
| SCALE: | NO SCALE |
| ORIGINAL SCALE IN INCHES FOR REDUCED PLANS | |
| 0 0.5 1.0 1.5 2.0 | |
| DRAWING | |
| C2-7 | |
| REV. | DESCRIPTION |
| BY: | DATE |
| JAG | AKK 02/10/09 |
| AKK | APPR. DATE |