


ATTACHMENT 3

**REVISED DESIGN DRAWINGS: ORE STOCKPILE PAD, EAST STORMWATER
POND, WEST STORMWATER POND**



LEGEND

- EXISTING GROUND TOPOGRAPHY (SEE REFERENCE 1)
- PROPOSED FINISHED GRADE TOPOGRAPHY (NOTE 1)
- SLOPE DIRECTION
- CROSS SECTION IDENTIFIER
- SHEET WHERE SECTION IS LOCATED
- PROPERTY BOUNDARY
- EXISTING FENCE LINE
- RETAINING WALL ALIGNMENT
- CONCRETE AREAS
- GA-BH-47 ← BORING OR TEST PIT DESIGNATION (215 FT. WEST) → OFFSET FROM SECTION LINE
- SIMPLIFIED GEOLOGY
- TD=41 ← TOTAL DEPTH OF BORING OR TEST PIT (FEET)



OVERBURDEN SOILS: CONSISTING PRIMARILY OF LOESS. SOIL CLASSIFIES PRIMARILY AS SILTY SAND (SM) AND LEAN SILT (ML) WITH OCCASIONAL LAYERS OF LEAN CLAY (CL), CLAYEY SAND (SC), AND SILTY GRAVEL (GM). BLOW COUNTS FOR 12 IN. OF PENETRATION TYPICALLY RANGED FROM 10 TO 50 NEAR THE SURFACE (0-10 FT.) AND GREATER THAN 50 BELOW 10 FT.

- ### NOTES
- GRADING PLAN CONTOURS REPRESENT TOP OF GCL WITHIN FIVE-ACRE ORE PAD, TOP OF CONCRETE WITHIN ONE-ACRE ORE PAD AND PROPOSED EQUIPMENT WASH PLATFORM, TOP OF GEOMEMBRANE WITHIN EAST STORMWATER POND, AND TOP OF STRUCTURAL FILL OUTSIDE THESE LIMITS.
 - ORE FROM VARIOUS SOURCES IS ANTICIPATED TO BE STOCKPILED IN DISCRETE PILES OVER THE ORE PAD LINED AREA WITH A MAXIMUM STOCKPILE HEIGHT OF 30 FT.
 - BREACH CUSHION MATERIAL BERM FOR ENTRANCE AND EXIT ROAD, PLACE 1 FT. MIN. AGGREGATE BASE COURSE MATERIAL OVER ANCHOR TRENCH FOR ROAD.

- ### REFERENCES
- TWO-FOOT CONTOUR BASE MAP PROVIDED BY KLEINFELDER IN JUNE 2008, CREATED FROM DRAWING BY ACCURATE SURVEY & ENGINEERING DATED 9/8/2007.

GRADING QUANTITIES

	CUT (CU. YDS.)	FILL (CU. YDS.)	CUSHION MATERIAL (CU. YDS.)	AGGREGATE BASE COURSE MATERIAL (CLASS 6) (CU. YDS.)
ONE-ACRE CONCRETE PAD SUBGRADE		8,300		
ORE DUMPING PLATFORM AND RAMPS		24,200		
FIVE-ACRE ORE PAD AND PERIMETER BERMS	1,800	21,700	18,100	7,200
EAST STORMWATER POND	8,400	300		



IF THE ABOVE BAR DOES NOT SCALE 1 INCH THE DRAWING SCALE IS ALTERED


REV	DATE	DES	DESCRIPTION	CADD	CHK	R/W
10/12/10	KFM		REVISED PER RFI #3		DBS	GG KFM
10/9/08	KFM		ISSUED FOR DESIGN REPORT		JWR	KFM JMJ
			REVISION DESCRIPTION			

PROJECT: ENERGY FUELS RESOURCES CORPORATION
PIÑON RIDGE PROJECT - ORE PAD DESIGN
MONTROSE COUNTY, COLORADO


TITLE: ORE STOCKPILE PAD GRADING PLAN AND TYPICAL SECTIONS

PROJECT No.	073-81894	FILE No.	07381894-082
DESIGN	KFM 03/08	SCALE	AS SHOWN
CADD	JWR 03/08	DRAWING	3
CHECK	KFM 03/08		
REVIEW	JMJ 03/08		


Plot Time: 10/12/10 12:40



1 PROPOSED EAST STORMWATER COLLECTION POND GRADING PLAN
SCALE: 1 IN. = 20 FT.




A EAST STORMWATER COLLECTION POND SECTION A-A'
SCALE: 1 IN. = 20 FT.



B EAST STORMWATER COLLECTION POND SECTION B-B'
SCALE: 1 IN. = 20 FT.


- REFERENCES**
- TWO-FOOT CONTOUR BASE MAP PROVIDED BY KLEINFELDER IN JUNE 2008, CREATED FROM DRAWING BY ACCURATE SURVEY & ENGINEERING DATED 9/6/2007.




D WEIR BOX SECTION D-D'
SCALE: 1 IN. = 20 FT.

- LEGEND**
- EXISTING GROUND TOPOGRAPHY (SEE REFERENCE 1)
 - PROPOSED FINISHED GRADE TOPOGRAPHY
 - LCRS SUMP
 - SLOPE DIRECTION
 - CROSS SECTION IDENTIFIER
 - SHEET WHERE SECTION IS LOCATED

- NOTES**
- GRADING PLAN CONTOURS REPRESENT TOP OF GCL WITHIN ORE PAD, LINED CHANNEL AND EAST STORMWATER COLLECTION POND, AND TOP OF STRUCTURAL FILL OUTSIDE THESE LIMITS.
 - DIVERSION CHANNEL DESIGN TO EAST STORMWATER POND AND INLET/OUTLET STRUCTURE DESIGN BY KLEINFELDER.
 - PLACE TEXTURED HDPE PANELS AT CORNERS OF THE POND TO AID PERSONNEL EGRESS FROM POND FLOOR.
 - WEIR BOX DETAILS REFERENCED FROM CDOT STANDARD PLAN NO. M-604-11 (JULY 2006).
 - BOOT HDPE GEOMEMBRANE INTO CONCRETE WEIR BOX. CUT GEONET AND GCL TO FIT AROUND WEIR BOX.
 - SLOTTED INLET GRATE (8 IN. BARS ON CENTER) PER CDOT STANDARD PLAN NO. M-604-11 (JULY 2006).



2 WEIR BOX PLAN VIEW
SCALE: 1 IN. = 20 FT.




C WEIR BOX SECTION C-C'
SCALE: 1 IN. = 20 FT.


REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RW
10/12/10	KFM		REVISED PER RFI #3		DBS	GG KFM
10/8/08	KFM		ISSUED FOR DESIGN REPORT		JWR	KFM JMJ
PROJECT: ENERGY FUELS RESOURCES CORPORATION PIÑON RIDGE PROJECT - ORE PAD DESIGN MONTROSE COUNTY, COLORADO						
TITLE: EAST STORMWATER POND LAYOUT, SECTIONS, AND DETAILS						
PROJECT No. 073-81694			FILE No. 07381694A030			
DESIGN	KFM	01/08	SCALE AS SHOWN	REV. B		
CADD	JWR	07/08	DRAWING			
CHECK	KFM	07/08				
REVIEW	JMJ	07/08				
				5		




Drawing File: N:\07\073-81694\07381694A030.dwg | Layout: 5 07381694A030.dwg | Plotter: 5 07381694A030 | Modified: Oct 12, 2010 10:25 AM | User: jwr




1 ORE PAD LINER SYSTEM DETAIL
6 N.T.S.




2 ORE PAD LINER ANCHOR TRENCH DETAIL
6 N.T.S.




3 STORMWATER POND LINER SYSTEM DETAIL
6 N.T.S.




4 STORMWATER POND LINER ANCHOR TRENCH DETAIL
6 N.T.S.




5 ORE PAD PERIMETER BERM AND ANCHOR TRENCH DETAIL
6 N.T.S.



6 ORE PAD TO LINED CHANNEL TRANSITION
6 N.T.S.



7 ONE-ACRE ORE PAD TO FIVE-ACRE ORE PAD TRANSITION
6 N.T.S.



8 ORE PAD TO RETAINING WALL TRANSITION
6 N.T.S.

NOTES

1. RETAINING WALL LEVELING PAD TO BE COMPACTED AGGREGATE BASE COURSE OR CONCRETE.
2. BREACH CUSHION MATERIAL BERM FOR ENTRANCE AND EXIT ROAD, PLACE 1 FT. MIN. AGGREGATE BASE COURSE MATERIAL OVER ANCHOR TRENCH FOR ROAD.
3. PROVIDE ONE TEXTURED GEOMEMBRANE PANEL (MIN.) PER POND SIDE TO FACILITATE ACCESS BY FOOT TRAFFIC.


REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RW
Δ	10/12/10	KFM	REVISED PER RFI #3		MTM	GG
Δ	10/8/08	KFM	ISSUED FOR DESIGN REPORT		JDE	KFM

PROJECT ENERGY FUELS RESOURCES CORPORATION
PIÑON RIDGE PROJECT - ORE PAD DESIGN
MONTROSE COUNTY, COLORADO

TITLE
**LINER DETAILS
SHEET 1 OF 2**

PROJECT No.	073-81694	FILE No.	07381694A019
DESIGN	KFM	4/08	SCALE AS SHOWN
CADD	JDE	4/08	REV. B
CHECK	KFM	5/08	DRAWING
REVIEW	JMJ	5/08	6






LEGEND

- EXISTING GROUND TOPOGRAPHY (SEE REFERENCE 1)
- PROPOSED FINISHED GRADE TOPOGRAPHY
- SLOPE DIRECTION
- CROSS SECTION IDENTIFIER
- SHEET WHERE SECTION IS LOCATED
- CONCRETE
- RETAINING WALL ALIGNMENT
- BORING OR TEST PIT DESIGNATION (90 FT. SOUTH) - OFFSET FROM SECTION LINE
- SIMPLIFIED GEOLOGY
- TOTAL DEPTH OF BORING OR TEST PIT (FEET)

OVERBURDEN SOILS: CONSISTING PRIMARILY OF LOESS. SOIL CLASSIFIES PRIMARILY AS SILTY SAND (SM) AND LEAN SILT (ML) WITH OCCASIONAL LAYERS OF LEAN CLAY (CL), CLAYEY SAND (SC), AND SILTY GRAVEL (GM). BLOW COUNTS FOR 12 IN. OF PENETRATION TYPICALLY RANGED FROM 10 TO 50 NEAR THE SURFACE (0-10 FT.) AND GREATER THAN 50 BELOW 10 FT.


- ### NOTES
- GRADING PLAN CONTOURS REPRESENT TOP OF GCL WITHIN THE 5-ACRE ORE PAD, TOP OF GEOMEMBRANE WITHIN STORMWATER COLLECTION POND, TOP OF CONCRETE WITHIN THE 1-ACRE ORE PAD, AND TOP OF FINISHED GRADE OUTSIDE THESE LIMITS.
 - RETAINING WALL SOIL REINFORCEMENT LENGTHS WILL BE DESIGNED BY HILFKER AS DESIGN-BUILD DURING ORE PAD CONSTRUCTION.
 - COVER SURFACE OF ORE DUMPING PLATFORM AND ACCESS ROADS WITH ONE FOOT OF AGGREGATE BASE COURSE MATERIAL (CLASS 6).

- ### REFERENCES
- TWO-FOOT CONTOUR BASE MAP PROVIDED BY KLEINFELDER IN JUNE 2008, CREATED FROM DRAWING BY ACCURATE SURVEY & ENGINEERING DATED 9/8/2007.
 - COORDINATES ARE PROVIDED IN THE COLORADO STATE PLANE (SOUTH ZONE) COORDINATE SYSTEM USING NAD83 AS THE HORIZONTAL DATUM.
 - ELEVATIONS PROVIDED ARE IN FEET ABOVE MEAN SEA LEVEL USING NAV88 AS THE VERTICAL DATUM.



A DUMP PLATFORM SECTION A-A'
8 SCALE: 1 IN. = 10 FT.

1 DUMP PLATFORM GRADING PLAN
8 SCALE: 1 IN. = 30 FT.




IF THE ABOVE BAR DOES NOT SCALE 1 INCH THE DRAWING SCALE IS ALTERED


REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	R/W
10/12/10	KFM		REVISED PER RFI #3		GG	KFM
10/8/08	KFM		ISSUED FOR DESIGN REPORT		JWR	KFM
PROJECT						
ENERGY FUELS RESOURCES CORPORATION PINON RIDGE PROJECT - ORE PAD DESIGN MONTROSE COUNTY, COLORADO						
TITLE						
DUMP PLATFORM GRADING PLAN AND SECTION						
PROJECT No. 073-81894			FILE No. 07381894A054			
DESIGN	KFM	03/08	SCALE	AS SHOWN	REV.	B
CADD	JDE	06/08	DRAWING			
CHECK	KFM	06/08	8			
REVIEW	JMJ	06/08				




Drawing File: N:\07\072-81894-81894A_07381894A054.dwg | Layout: 8 07381894A054 | Modified: Oct 12, 2010 11:11 AM | User: jmm | Plot Date: 10/12/10 12:47pm | User: jmm



1 ORE DUMP PLATFORM PLAN
14 1/8 IN. = 1 FT.



A SECTION A-A'
14 1/2 IN. = 1 FT.



2 RETAINING WALL SHOTCRETE FACING DETAIL
14 3/4 IN. = 1 FT.

NOTES

1. SEE DRAWING 12 FOR STRUCTURAL NOTES, ABBREVIATIONS AND LEGEND.
2. SEE DRAWING 2 FOR GENERAL LOCATION OF ORE PAD.
3. SEE DRAWING 3 FOR ORE PAD GRADING PLAN AND TYPICAL SECTIONS.
4. RETAINING WALL IS SHOWN VERTICAL BUT WILL HAVE A SLIGHT INCLINATION.
5. FULL HEIGHT SLOTS WILL BE PROVIDED IN WALL ABOVE DUMPING PLATFORM AT 50 FT. ON CENTER TO FACILITATE CLEANING

IF THE ABOVE BAR DOES NOT SCALE 1 INCH THE DRAWING SCALE IS ALTERED

SM&RC
Structural Engineers Inc.
215 S. Wadsworth Blvd., Suite 320
Lakewood, CO 80228 ph 303.274.8858 fax 303.464.3777
THESE DRAWINGS ARE NOT TO BE ALTERED WITHOUT THE EXPRESS WRITTEN PERMISSION OF SM&RC STRUCTURAL ENGINEERS, INC.

10/12/10	GG	REVISED AS PER RFI #3	JWR	GG	KFM	
10/8/08	SM&RC	ISSUED FOR DESIGN REPORT	JDE	KFM	JMJ	
REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RW


PROJECT ENERGY FUELS RESOURCES CORPORATION
PIÑON RIDGE PROJECT - ORE PAD DESIGN
MONTROSE COUNTY, COLORADO

ORE PAD CONCRETE DESIGN (SHEET 3 OF 3)


PROJECT No.	073-81894	FILE No.	07381894A082
DESIGN	SM&RC 6/08	SCALE	AS SHOWN
CADD	JDE 6/08	REV.	B
CHECK	KFM 6/08	DRAWING	14
REVIEW	JMJ 6/08		




Drawing File: N:\07\073-81894\07381894A082.dwg | Layout: 14 07381894A082 | Modified: Oct 12, 2010 10:41 M:Maris | Plotted: 10/12/10 12:43pm M:Maris




A LCRS SUMP SECTION A-A'
15 N.T.S.




B LCRS RISER PIPE SECTION B-B'
15 N.T.S.



1 LCRS SUMP PLAN
15 N.T.S.




2 LCRS RISER OUTLET DETAIL
15 N.T.S.



3 LCRS SUMP ISOMETRIC VIEW
15 N.T.S.


NOTES

- PUMP FOR LEAK COLLECTION AND RECOVERY SYSTEM TO BE SUPPLIED BY OTHERS. COLLECTED SOLUTIONS TO BE RETURNED TO TAILINGS CELL.




4 TYPICAL LCRS RISER PIPE PROFILE
15 N.T.S.


REV	DATE	DES	ISSUED PER RFI #3	DBS	GG	KFM
10/12/10	KFM					
PROJECT	ENERGY FUELS RESOURCES CORPORATION PIÑON RIDGE PROJECT - ORE PAD DESIGN MONTROSE COUNTY, COLORADO			CADD	CHK	RW
TITLE	LEAK COLLECTION AND RECOVERY SYSTEM SECTIONS AND DETAILS					
PROJECT No.		073-81694		FILE No.		07381694A090
DESIGN	KFM	09/10	SCALE	AS SHOWN	REV.	A
CADD	MTM	09/10	DRAWING			
CHECK	GG	09/10				
REVIEW	KFM	09/10				
Golder Associates DENVER, COLORADO			15			



1 PROPOSED WEST STORMWATER COLLECTION POND GRADING PLAN
SCALE: 1 IN. = 20 FT.




A WEST STORMWATER COLLECTION POND SECTION A-A'
SCALE: 1 IN. = 20 FT.



B WEST STORMWATER COLLECTION POND SECTION B-B'
SCALE: 1 IN. = 20 FT.

REFERENCES
1. TWO-FOOT CONTOUR BASE MAP PROVIDED BY KLEINFELDER IN JUNE 2008, CREATED FROM DRAWING BY ACCURATE SURVEY & ENGINEERING DATED 9/6/2007.

IF THE ABOVE BAR DOES NOT SCALE 1 INCH THE DRAWING SCALE IS ALTERED




D WEIR BOX SECTION D-D'
SCALE: 1 IN. = 20 FT.


LEGEND

- EXISTING GROUND TOPOGRAPHY (SEE REFERENCE 1)
- PROPOSED FINISHED GRADE TOPOGRAPHY
- SLOPE DIRECTION
- CROSS SECTION IDENTIFIER
- SHEET WHERE SECTION IS LOCATED

- NOTES**
- GRADING PLAN CONTOURS REPRESENT TOP OF GCL WITHIN ORE PAD, LINED CHANNEL AND EAST STORMWATER COLLECTION POND, AND TOP OF STRUCTURAL FILL OUTSIDE THESE LIMITS.
 - DIVERSION CHANNEL DESIGN TO WEST STORMWATER POND AND INLET/OUTLET STRUCTURE DESIGN BY KLEINFELDER.
 - PLACE TEXTURED HDPE PANELS AT CORNERS OF THE POND TO AID PERSONNEL EGRESS FROM POND FLOOR.
 - WEIR BOX DETAILS REFERENCED FROM CDOT STANDARD PLAN NO. M-804-11 (JULY 2006).
 - BOOT HDPE GEOMEMBRANE INTO CONCRETE WEIR BOX. CUT GEONET AND GCL TO FIT AROUND WEIR BOX.
 - SLOTTED INLET GRATE (8 IN. BARS ON CENTER) PER CDOT STANDARD PLAN NO. M-804-11 (JULY 2006).




2 WEIR BOX PLAN VIEW
SCALE: 1 IN. = 20 FT.




C WEIR BOX SECTION C-C'
SCALE: 1 IN. = 20 FT.

REV	DATE	DES	ISSUED PER RFI #3	JWR	GG	KFM
10/12/10			REVISION DESCRIPTION	CADD	CHK	RW
PROJECT: ENERGY FUELS RESOURCES CORPORATION PIÑON RIDGE PROJECT - ORE PAD DESIGN MONTROSE COUNTY, COLORADO						
TITLE: WEST STORMWATER POND LAYOUT, SECTIONS, AND DETAILS						
PROJECT No. 073-81894			FILE No. 07381894A095			
DESIGN	KFM	01/08	SCALE AS SHOWN	REV.	A	
CADD	JWR	07/08	DRAWING	16		
CHECK	KFM	07/08				
REVIEW	JMJ	07/08				


Drawing File: N:\07\073-81894\07381894A095.dwg | Layout: 07381894A095.dwg | Modified: Oct 12, 2010 11:57 AM | Plotted: 10/12/10 12:49pm | User: kfm



1 ORE DUMP PLATFORM PLAN
17 1/8 IN. = 1 FT.



A SECTION A-A'
17 1/2 IN. = 1 FT.




2 DUST SUPPRESSION PIPING PLAN
17 1 IN. = 60 FT.


IF THE ABOVE BAR DOES NOT
SCALE 1 INCH THE DRAWING
SCALE IS ALTERED

REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RW
10/12/10	GG		REVISED PER RFI #3	JWR	GG	KFM
PROJECT						
ENERGY FUELS RESOURCES CORPORATION PIÑON RIDGE PROJECT - ORE PAD DESIGN MONTROSE COUNTY, COLORADO						
TITLE						
TRUCK DUMPING WALL DUST SUPPRESSION						
PROJECT No. 073-81894			FILE No. 07381894A008			
DESIGN	GG	6/08	SCALE AS SHOWN	REV.	A	
CADD	JDE	6/08	DRAWING	17		
CHECK	KFM	6/08				
REVIEW	JMJ	6/08				








1
18 MAINLINE/EAST STORMWATER POND
SCALE: 1"=25'



- GENERAL NOTES**
1. SINCE ALL PIPE ENTRIES INTO THE BASE ARE VARIABLE, THE DIMENSIONS SHOWN ARE TYPICAL. ACTUAL DIMENSIONS AND QUANTITIES FOR CONCRETE AND REINFORCEMENT SHALL BE AS REQUIRED IN THE WORK.
 2. THE PRECAST FLAT TOP MAY BE USED ON ANY MANHOLE. THE ECCENTRIC CONE MAY BE USED WHEN THE MANHOLE "H" HEIGHT IS AT LEAST 8 FT.
 3. THE MANHOLE RING FRAME SHALL BE SET IN A BED OF GROUT. THE FRAME SHALL BE SURROUNDED WITH A CEMENT GROUT IN UNPAVED AREA, OR A CONCRETE COLLAR IN PAVED AREA. SEE DETAILS ON SHEETS 2 AND 3.
 4. DESIGN OF BOX BASE IS BASED ON STRAIGHT RUNS OF PIPE OR CHANGE IN DIRECTION OF LESS THAN 45°. SPECIAL DESIGN IS REQUIRED FOR 45° OR GREATER.
 5. PRECAST MANHOLES AND REINFORCEMENT SHALL CONFORM TO AASHTO M 199 (ASTM C 478).
 6. CAST-IN-PLACE MANHOLES SHALL BE CLASS B CONCRETE.
 7. STEPS ARE REQUIRED WHEN THE MANHOLE DEPTH EXCEEDS 3 FT.-6 IN. AND SHALL CONFORM TO AASHTO M 199.
 8. ALL REINFORCING STEEL SHALL BE GRADE 60 AND EPOXY COATED. VERTICAL STEEL SHALL BE PLACED AT CENTERLINE OF WALL. ALL BARS SHALL HAVE A 2 IN. MINIMUM CLEARANCE.
 9. ALL PIPE ENTRIES INTO THE BASE OF MANHOLE SHALL BE CONNECTED BY OPEN CHANNELIZATION ADJUSTED FOR PIPE SIZE, SHAPE, AND DIRECTION OF FLOW. DETAILS SHOWN ARE TYPICAL FOR INSTALLATIONS WITH ALL INVERTS OF SAME RELATIVE ELEVATION. FOR EXCESSIVE ELEVATION DIFFERENCE BETWEEN INVERTS, SPECIAL BASE/CHANNEL DETAILS WILL BE SHOWN ON THE PLANS.
 10. FLOW CHANNELS AND INVERTS SHALL BE FORMED BY SHAPING WITH CLASS B CONCRETE OR APPROVED GROUT.
 11. STUB-OUTS SHALL EXTEND 2 FT. MINIMUM BEYOND OUTSIDE WALL SURFACE OF MANHOLE AND BE SATISFACTORILY PLUGGED.
 12. THE SLOPE OF THE MANHOLE COVER SHALL MATCH THE ROADWAY PROFILE AND CROSS SLOPE.
- ▲ WHEN FINAL GRADE IS PAVEMENT SURFACE, RECESS MANHOLE RING AND COVER 1/4" MIN. TO 1/2" MAX.



PRECAST MANHOLE BASES NOTES:

THE BASE SLAB SHALL BE POURED MONOLITHICALLY WITH BOTTOM RISER SECTION.


PRECAST MANHOLE BASES SHALL FIT THE CONDITIONS AND LOCATIONS FOR WHICH THEY ARE INTENDED WITHOUT ANY FIELD MODIFICATIONS. ANY MANHOLE BASE WHICH REQUIRES FIELD CUTTING OR MODIFICATION IN ORDER TO FIT THE LOCATIONS INTENDED WILL BE REJECTED BY THE ENGINEER AND REMOVED AND REPLACED BY THE CONTRACTOR AT NO COST TO THE DEPARTMENT.

PRECAST MANHOLE BASES SHALL BE BEDDED ON AN APPROVED GRANULAR BEDDING MATERIAL AS SHOWN ABOVE.

NOTE

1. SECTIONS A/18 AND B/18 REFERENCED FROM CDOT STANDARD PLAN NO. M-604-20, SHEETS 1 AND 2 (JULY 2006).

IF THE ABOVE BAR DOES NOT SCALE 1 INCH THE DRAWING SCALE IS ALTERED



A
18 MANHOLES
NTS

B
18 MANHOLES
NTS

REV	DATE	DES	ISSUED FOR RFI #3	MTM	GG	KFM
	10/12/10	KFM	REVISION DESCRIPTION	CADD	CHK	R/W
PROJECT ENERGY FUELS RESOURCES CORPORATION PIÑON RIDGE PROJECT - ORE PAD DESIGN MONTROSE COUNTY, COLORADO						
TITLE EAST STORMWATER PIPE CROSSING WITH TAILINGS PIPE AND MANHOLE DETAILS						
PROJECT No. 073-81694		FILE No. 07381694A099				
DESIGN	KFM	10/10	SCALE AS SHOWN	REV. A		
CADD	MTM	10/10	DRAWING			
CHECK	GG	10/10	18			
REVIEW	KFM	10/10				

