COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

WATER QUALITY CONTROL COMMISSION

5 CCR 1002-32

REGULATION NO. 32
CLASSIFICATIONS AND NUMERIC STANDARDS
FOR
ARKANSAS RIVER BASIN

APPENDIX 32-1
Stream Classifications and Water Quality Standards Tables

Effective 06/30/2016

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

1a. All streams and wetlands within Mount Massive and Collegiate Peaks Wilderness areas.

COARUA01A	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

1b. Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.

COARUA01B	Classifications
Designation	Aq Life Cold 1
Reviewable	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	---
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	210(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

2a. Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.

COARUA02A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

2b. Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.

COARUA02B	Classifications
Designation	Agriculture
Reviewable*	Aq Life Cold 1
	Recreation E

Qualifiers:

Other:

*Designation: 9/30/00 Base-line does not apply
*Cadmium(acute) = 1.136672-(ln(hardness)*0.041838)*e^(0.9151*ln(hardness)-3.6236)
*Cadmium(chronic) = (1.101672-[ln(hardness)*0.041838])*e^(0.7998[In hardness]-3.1725)
*Zinc(acute) = 0.978*e^(0.8537[ln(hardness)]+2.2178)
*Zinc(chronic) = 0.986*e^(0.8537[ln(hardness)]+2.0469)

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	---	SSE*
Cadmium	SSE*	---
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	---	SSE*
Zinc	SSE*	---

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

2c. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.

COARUA02C	Classifications
Designation	Agriculture
Reviewable*	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*Designation: 9/30/00 Base-line does not apply
*Cadmium(acute) = 1.136672-(ln(hardness)*0.041838)*e^(0.9151*ln(hardness)-3.6236)
*Cadmium(chronic) = (1.101672-[ln(hardness)*0.041838])*e^(0.7998[ln hardness]-3.1725)
*Zinc(acute) = 0.978*e^(0.8537[ln(hardness)]+2.2178)
*Zinc(chronic) = 0.986*e^(0.8537[ln(hardness)]+2.0469)

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	---	SSE*
Cadmium	SSE*	---
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	---	SSE*
Zinc	SSE*	---

3. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line.

COARUA03	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

4a. Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.

COARUA04A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological

		DM	MWAT
Temperature °C	11/1 - 3/31	CS-II	CS-II
Temperature °C	4/1 - 10/31	24.8	22.1

	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

4b. Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir.

COARUA04B	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological

	DM	MWAT
Temperature °C	WS-II	WS-II

	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

COARUA05	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

6. Mainstem of California Gulch, including all tributaries, from the source to the confluence with the Arkansas River. Mainstem of St. Kevin's Gulch from the source to the confluence with Tennessee Creek.

COARUA06	Classifications
Designation	Agriculture
Reviewable	Recreation N

Qualifiers:

Other:

Physical and Biological	DM	MWAT
	acute	**chronic**
D.O. (mg/L)	---	---
pH	---	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	---
Chloride	---	---
Chlorine	---	---
Cyanide	---	---
Nitrate	---	---
Nitrite	---	---
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	---
Beryllium	---	---
Cadmium	---	---
Chromium III	---	---
Chromium VI	---	---
Copper	---	---
Iron	---	---
Lead	---	---
Manganese	---	---
Mercury	---	---
Molybdenum	---	---
Nickel	---	---
Selenium	---	---
Silver	---	---
Uranium	---	---
Zinc	---	---

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

7. Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

COARUA07	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

8a. Mainstem of Iowa Gulch from the source to the ASARCO water supply intake.

COARUA08A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

8b. Mainstem of Iowa Gulch from a point immediately below the ASARCO water supply intake to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

COARUA08B	Classifications
Designation	Agriculture
UP	Aq Life Cold 2
	Recreation E

Qualifiers:

Other:

Temporary Modification(s):
Cadmium(chronic) = 1.6
temperature(DM) = No acute standard 11/1 - 3/31
temperature(MWAT) = 14 11/1 - 3/31
Zinc(chronic) = 505
Zinc(acute) = 754
Expiration Date of 12/31/2017

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	---	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

9. Mainstem of Iowa Gulch from a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch) to the confluence with the Arkansas River.

COARUA09	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

10. Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

COARUA10	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	14.6	10.6
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

11. Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

COARUA11	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	5.0-9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	750	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

12a. Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

COARUA12A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

12b. Mainstem of Cottonwood Creek (Chaffee County), from the source to the confluence with the Arkansas River; South Fork of the Arkansas, including all tributaries and wetlands, from the National Forest boundary to the confluence with the Arkansas River.

COARUA12B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

13. All tributaries to the Arkansas River, including wetlands, which are on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 12b, 14a, 14c and 15-27.

COARUA13	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

14a. Mainstem of Big Red Creek, Little Red Creek, and Rush Creek and Hardscrabble Creek from their sources to their confluence with the Arkansas River.

COARUA14A	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

14b. All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the confluence with Brown's Creek to the Chaffee/Fremont County line, except for the specific listing in segment 12b.

COARUA14B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological		DM	MWAT
Temperature °C		CS-II	CS-II
		acute	chronic
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (mg/m^2)		---	150
E. Coli (per 100 mL)		---	126
Inorganic (mg/L)			
		acute	chronic
Ammonia		TVS	TVS
Boron		---	0.75
Chloride		---	250
Chlorine		0.019	0.011
Cyanide		0.005	---
Nitrate		10	---
Nitrite		---	0.05
Phosphorus		---	0.11
Sulfate		---	WS
Sulfide		---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

14c. Mainstems of North and South Hardscrabble Creeks, including all tributaries and wetlands, from their sources to their confluences.

COARUA14C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological		DM	MWAT
Temperature °C	10/31 - 5/31	CS-I	CS-I
Temperature °C	6/30 - 9/30	22.1	17
		acute	chronic
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (mg/m^2)		---	150
E. Coli (per 100 mL)		---	126
Inorganic (mg/L)			
		acute	chronic
Ammonia		TVS	TVS
Boron		---	0.75
Chloride		---	250
Chlorine		0.019	0.011
Cyanide		0.005	---
Nitrate		10	---
Nitrite		---	0.05
Phosphorus		---	0.11
Sulfate		---	WS
Sulfide		---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

14d. All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the Chaffee/Fremont County line to the inlet to Pueblo Reservoir, except for specific listings in segments 14a, 14c and 15-27.

COARUA14D	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.11*
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

15. Mainstem of Grape Creek, including all tributaries and wetlands, from the source to the outlet of De Weese Reservoir, except for specific listings in segment 25. Mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.

COARUA15	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

16a. Mainstem of Middle Tallahassee Creek, including all tributaries and wetlands, from the source to the intersection with Road 23.

COARUA16A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

16b. Mainstem of North Tallahassee Creek, South Tallahassee Creek, Middle Tallahassee Creek, and Tallahassee Creek from their sources to a point immediately below their confluence with South Tallahassee Creek, except for the specific listing in segment 16a.

COARUA16B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

16c. Mainstem of Tallahassee Creek from a point immediately below the confluence with South Tallahassee Creek to the confluence with the Arkansas River.

COARUA16C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

17a. Mainstem of Cottonwood Creek (Fremont County), including all tributaries and wetlands, from the source to a point immediately below the confluence with North Waugh Creek.

COARUA17A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

17b. Mainstem of Cottonwood Creek (Fremont county), including all tributaries and wetlands, from a point immediately below the confluence with North Waugh Creek to the intersection with F6 Road.

COARUA17B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

17c. Mainstem of Cottonwood Creek from F6 Road to the confluence with Currant Creek.

COARUA17C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

18. Mainstem of Currant Creek (Park County), including all tributaries and wetlands, from the source to the confluence with Tallahassee Creek, except for the specific listings in 17a, 17b, and 17c.

COARUA18	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

19. Mainstem of Fourmile Creek, including all tributaries and wetlands, from the source to immediately below the confluence with High Creek.

COARUA19	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

20a. Mainstem of Fourmile Creek, including all tributaries and wetlands, from immediately below the confluence with High Creek to a point immediately above the confluence with Long Gulch, except for the specific listing to segment 23.

COARUA20A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological		DM	MWAT
Temperature °C	11/1 - 2/29	14.2	9.7
Temperature °C	3/1 - 10/31	27.1	21

	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

20b. Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

COARUA20B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*Sulfate(chronic) = Dissolved standards applicable at the point of withdraw.
*Manganese(chronic) = Dissolved standards applicable at the point of withdraw.

Physical and Biological		DM	MWAT
Temperature °C	11/1 - 2/29	13	9.4
Temperature °C	3/1 - 10/31	28.1	22

	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS*
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS*
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

21a. Mainstem of Cripple Creek from the source to a point 1.5 miles upstream of the confluence with Fourmile Creek.

COARUA21A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS(sa)	TVS(ela)
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

21b. Mainstem of Cripple Creek from a point 1.5 miles upstream to the confluence with Fourmile Creek.

COARUA21B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS(sp)	TVS(elp)
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

22a. Mainstem of Arequa Gulch from the source to the confluence with Cripple Creek.

COARUA22A	Classifications
Designation	Agriculture
UP	Aq Life Cold 2
	Recreation N

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.0 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	11000	11000
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	5903	3674
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	3500	600

22b. Squaw Gulch from the source to the confluence with Cripple Creek.

COARUA22B	Classifications
Designation	Agriculture
UP	Aq Life Cold 2
	Recreation N

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	5.0
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	200(T)
Beryllium	---	---
Cadmium	---	50(T)
Chromium III	---	1000(T)
Chromium VI	---	1000(T)
Copper	---	500(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	10(T)
Molybdenum	---	160(T)
Nickel	---	---
Selenium	---	50(T)
Silver	---	---
Uranium	---	---
Zinc	---	25000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

23. Mainstem of Wilson Creek (Teller County), including all tributaries and wetlands, from the source to the confluence with Fourmile Creek.

COARUA23	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	---	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

24. Mainstem of East and West Beaver Creeks, including all tributaries and wetlands, from the source to the confluence with Beaver Creek; mainstem of Beaver Creek from the source to the point of diversion to Brush Hollow Reservoir.

COARUA24	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

25. Mainstem of Cottonwood Creek (Custer County) from the headwaters to Section 23, T20S, R65W.

COARUA25	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

26. Mainstem of Beaver Creek from the point of diversion for Brush Hollow Reservoir to the confluence with the Arkansas River.

COARUA26	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 2
	Recreation E
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

27. Mainstem of Eightmile Creek, including all tributaries and wetlands, from the source to the mouth of Phantom Canyon.

COARUA27	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

28. All lakes and reservoirs within the Mount Massive and Collegiate Peaks Wilderness areas.

COARUA28	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

29. All lakes and reservoirs tributary to the Arkansas River from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 28 and 30.

COARUA29	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

30. Turquoise Reservoir, Clear Creek Reservoir, Twin Lakes and Mt. Elbert Forebay.

COARUA30	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CLL	CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

31. All lakes and reservoirs tributary to the Arkansas River which are on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 32 and 34-40.

COARUA31	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

32. All lakes and reservoirs tributary to the South Fork of the Arkansas from the source to the confluence with the Arkansas River.

COARUA32	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

33. All lakes and reservoirs tributary to the Arkansas River which are not on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 32 and 34-40.

COARUA33	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

34. All lakes and reservoirs tributary to the mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks from their sources to their confluences with the Arkansas River. All lakes and reservoirs tributary to the mainstem of Grape Creek from the source to the outlet of DeWeese Reservoir, except for the specific listing in segment 35.

COARUA34	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

35. DeWeese Reservoir.

COARUA35	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological

		DM	MWAT
Temperature °C	1/1 - 3/31	CLL	CLL
Temperature °C	4/1 - 12/31	CLL	21.3

	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

36. All lakes and reservoirs tributary to the mainstem of Currant Creek (Park County) from the source to the confluence with Tallahassee Creek, except lakes and reservoirs tributary to Cottonwood Creek (Fremont County) from a point immediately below the confluence with North Waugh Creek to the intersection with F6 Road. All lakes and reservoirs tributary to the mainstem of Middle Tallahassee Creek from the source to the intersection with Road 23.

COARUA36	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological

	DM	MWAT
Temperature °C	CL	CL

	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

37. All lakes and reservoirs tributary to the mainstem of Fourmile Creek from the source to the confluence with the Arkansas River. This segment includes Wrights Reservoir.

COARUA37	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

38. All lakes and reservoirs tributary to the mainstem of East and West Beaver Creeks from the source to the confluence with Beaver Creek. This segment includes Skagway and Bison Reservoirs.

COARUA38	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: Bison Reservoir = DUWS
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Arkansas River Basin

39. All lakes and reservoirs tributary to the mainstem of Eightmile Creek from the source to the mouth of Phantom Canyon.

COARUA39	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

40. Brush Hollow Reservoir.

COARUA40	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	20*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.083*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

1. All tributaries, including wetlands, to the Arkansas River within the Sangre de Cristo, Greenhorn, and Spanish Peaks Wilderness Areas.

COARMA01	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

2. Mainstem of the Arkansas River from the outlet of Pueblo Reservoir to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

COARMA02	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

3. Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek.

COARMA03	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	26.3	17.1
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

4a. Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.

COARMA04A	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).
*Selenium(acute) = See selenium assessment location at 32.6(4).
*Selenium(chronic) = See selenium assessment location at 32.6(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	2376*	2110*
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

4b. Mainstem of Rock Creek, Salt Creek and Peck Creek from their sources to the confluence with the Arkansas River.

COARMA04B	Classifications
Designation	Agriculture
UP	Aq Life Warm 1
	Recreation E

Qualifiers:

Other:

Temporary Modification(s):

Ammonia(ac/ch) = current conditions

Arsenic(ac/ch) = current conditions

Boron(chronic) = current conditions

Cadmium(ac/ch) = current conditions

Chlorine(ac/ch) = current conditions

chlorophyll a (mg/m^2)(chronic) = current conditions

Chromium III(chronic) = current conditions

Chromium III(ac/ch) = current conditions

Chromium VI(ac/ch) = current conditions

Copper(ac/ch) = current conditions

Cyanide(acute) = current conditions

D.O. (mg/L)(chronic) = current conditions

E. Coli (per 100 mL)(chronic) = current conditions

Iron(chronic) = current conditions

Lead(ac/ch) = current conditions

Manganese(ac/ch) = current conditions

Mercury(chronic) = current conditions

Molybdenum(chronic) = current conditions

Nickel(ac/ch) = current conditions

Nitrate(acute) = current conditions

Nitrite(chronic) = current conditions

pH(acute) = current conditions

Phosphorus(chronic) = current conditions

Selenium(ac/ch) = current conditions

Silver(ac/ch) = current conditions

Sulfide(chronic) = current conditions

Zinc(ac/ch) = current conditions

Expiration Date of 12/31/2018

Physical and Biological

	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

4c. Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f.

COARMA04C	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

4d. All tributaries, including wetlands, to the Arkansas River and Pueblo Reservoir from the inlet to Pueblo Reservoir to the Colorado Canal headgate, except for specific listings in the Fountain Creek Subbasin and in segments 4a, 4b, 4c and 4e through 18b.

COARMA04D	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.17*
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

4e. Golf Course Wash

COARMA04E	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	1797	1769
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

4f. Mainstem of Black Squirrel Creek, including all tributaries and wetlands, from just below Highway 94 to Squirrel Creek Road.

COARMA04F	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation P

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-III	WS-III
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	205
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.17*
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	200(T)
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

4g. Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek.

COARMA04G	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).
*Selenium(acute) = See selenium assessment location at 32.6(4).
*Selenium(chronic) = See selenium assessment location at 32.6(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.17*
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	200(T)
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	389*	369*
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

5a. Mainstem of the Saint Charles River, including all tributaries and wetlands, from the source to the San Isabel National Forest boundary.

COARMA05A	Classifications
Designation	Agriculture
UP	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

5b. Mainstem of the Saint Charles River, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately above the CF&I diversion canal near Burnt Mill.

COARMA05B	Classifications
Designation	Agriculture
UP	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

6a. Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to a point immediately upstream of the confluence with Edson Arroyo.

COARMA06A	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	---	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.17*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

6b. Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River.

COARMA06B	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
temperature(DM/MWAT) = "current conditions"
Expiration Date of 6/30/2017

*Selenium(acute) = See selenium assessment location at 32.6(4).
*Selenium(chronic) = See selenium assessment location at 32.6(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	---	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	173*	50*
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

7a. Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the source to the San Isabel National Forest boundary, except for specific listings in segment 1. Mainstem of Graneros Creek, from the source to the San Isabel National Forest boundary, except for specific listings in segment 1. All tributaries to Muddy Creek, including wetlands, from the source to the San Isabel National Forest boundary.

COARMA07A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

7b. Mainstem of Greenhorn Creek, including all tributaries and wetlands,from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

COARMA07B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

8. Deleted.

COARMA08	Classifications
Designation	
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT

	acute	chronic

Inorganic (mg/L)	acute	chronic

Metals (ug/L)	acute	chronic

9. Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

COARMA09	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II

	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17*
Sulfate	---	700
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

10. Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

COARMA10	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

11a. Mainstem of the Huerfano River including all tributaries and wetlands, from the source to 570 Road near Malachite, except for the specific listings in segment 1. Pass Creek, including all tributaries and wetlands, from the source to 565 Road. Muddy Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Bruff Creek, except for the specific listings in segment 1. Mainstem of Turkey Creek (in Huerfano County) from the source to 620 Road, except for the specific listings in segment 1.

COARMA11A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

11b. Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

COARMA11B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

12. Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

COARMA12	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

13a. All tributaries, including wetlands, to the Cucharas River within the San Isabel National Forest boundaries, except for the specific listings in segment 1. Mainstem of the Cucharas River, from the source to a point immediately above the confluence with Middle Creek, except for the specific listings in segment 1. Wahatoya Creek, including all tributaries and wetlands, from the source to the confluence with the Cucharas River, except for the specific listings in segment 1. All tributaries to Middle Creek, including wetlands, from the source to a point immediately below the confluence of North and South Middle Creeks.

COARMA13A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

13b. Mainstem of the Cucharas River from a point immediately above the confluence with Middle Creek to the point of diversion for the Walsenburg public water supply. All tributaries, including wetlands,to the Cucharas River from the San Isabel National Forest boundary to the point of diversion for the Walsenburg public water supply, except for specific listings in Segment 13a. Mainstem of Middle Creek, including all tributaries and wetlands, from a point immediately below the confluence of North and South Middle Creeks to the confluence with the Cucharas River.

COARMA13B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

14. Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

COARMA14	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

15. Mainstem of Cucharas River from the outlet of Cucharas Reservoir to the confluence with the Huerfano River.

COARMA15	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

16. Deleted.

COARMA16	Classifications	Physical and Biological			Metals (ug/L)	
Designation			DM	MWAT	acute	chronic
Qualifiers:			acute	chronic		
Other:						
		Inorganic (mg/L)				
			acute	chronic		

17. All tributaries to Apache Creek, including wetlands, from the source to a point immediately below the confluence of North and South Apache Creeks, except for the specific listings in segment 1. All tributaries, including wetlands, to the Huerfano River above the confluence with the Cucharas River that are within the San Isabel National Forest boundaries, except for the specific listings in segment 1 and 11a.

COARMA17	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum	---	---
	Recreation E		acute	chronic	Arsenic	340	0.02(T)
	Water Supply	D.O. (mg/L)	---	6.0	Beryllium	---	---
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	50(T)	TVS
Temporary Modification(s):		chlorophyll a (mg/m^2)	---	150	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	126	Copper	TVS	TVS
Expiration Date of 12/31/2021					Iron	---	WS
		Inorganic (mg/L)			Iron	---	1000(T)
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Manganese	---	WS
		Chloride	---	250	Mercury	---	0.01(t)
		Chlorine	0.019	0.011	Molybdenum	---	160(T)
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	10	---	Selenium	TVS	TVS
		Nitrite	---	0.05	Silver	TVS	TVS(tr)
		Phosphorus	---	0.11	Uranium	---	---
		Sulfate	---	WS	Zinc	TVS	TVS
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

18a Mainstem of Boggs Creek from the source to Pueblo Reservoir.

COARMA18A	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

18b. Turkey Creek (Pueblo County) from U.S. Highway 50 to Pueblo Reservoir. Unnamed tributary to Arkansas River, that flows from the south and whose confluence with the Arkansas River is located at 38.267623, -104.668298. Mainstem of Rush Creek (Pueblo County) from the source to the confluence with the Arkansas River.

COARMA18B	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	
Temporary Modification(s):	
Arsenic(chronic) = hybrid	
Expiration Date of 12/31/2021	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	2498	2344
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

19. All lakes and reservoirs tributary to the Arkansas River within the Sangre de Cristo, Greenhorn, and Spanish Peaks Wilderness areas.

COARMA19	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

20. Pueblo Reservoir.

COARMA20	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = See assessment location at 32.6(4).

Physical and Biological		DM	MWAT
Temperature °C	1/1 - 3/31	CLL	CLL
Temperature °C	4/1 - 12/31	CLL	23.6
		acute	**chronic**
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (ug/L)		---	5*
E. Coli (per 100 mL)		---	126
Inorganic (mg/L)			
		acute	**chronic**
Ammonia		TVS	TVS
Boron		---	0.75
Chloride		---	250
Chlorine		0.019	0.011
Cyanide		0.005	---
Nitrate		10	---
Nitrite		---	0.05
Phosphorus		---	---
Sulfate		---	WS
Sulfide		---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

21. All lakes and reservoirs tributary to Chico Creek from the source to the confluence with the Arkansas River.

COARMA21	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	20*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.083*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

22. All lakes and reservoirs tributary to the Saint Charles River from the source to a point immediately above the CF&I diversion canal near Burnt Mill.

COARMA22	Classifications
Designation	Agriculture
UP	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

23. All lakes and reservoirs tributary to Greenhorn Creek from the source to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, except for specific listings in segment 19. All lakes and reservoirs tributary to Graneros Creek from the source to the San Isabel National Forest boundary, except for specific listings in segment 19. All lakes and reservoirs tributary to Muddy Creek from the source to 232/Bondurant Road. Beckwith Reservoir.

COARMA23	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: DUWS Applies only to Beckwith Reservoir
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

24. All lakes and reservoirs tributary to the Huerfano River from the source to Highway 69 at Badito, except for the specific listings in segment 19. All lakes and reservoirs tributary to the Huerfano River above the confluence with the Cucharas River that are within the San Isabel National Forest boundaries, except for the specific listings in segment 19.

COARMA24	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

25. All lakes and reservoirs tributary to the Cucharas River from the source to the point of diversion for the Walsenburg public water supply, except for the specific listings in segment 19. Huajatolla Reservoirs and Diagre Reservoir

COARMA25	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological

	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

26. ,Horseshoe Lake, Martin Lake (Ohem Lake) and Walsenburg Lower Town Lake..

COARMA26	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Temperature(4/1 - 12/31) = Horseshoe (MWAT=18.8)
*Temperature(4/1 - 12/31) = Martin (MWAT=21.7)
*Temperature = Walsenburg (MWAT=CL)

Physical and Biological

		DM	MWAT
Temperature °C	1/1 - 3/31	CLL	CLL
Temperature °C	4/1 - 12/31	CLL *	18.8*
Temperature °C	4/1 - 12/31	CLL *	21.7*
Temperature °C		CL*	CL*
		acute	**chronic**
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (ug/L)		---	8*
E. Coli (per 100 mL)		---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Middle Arkansas River Basin

27. Teller Reservoir

COARMA27	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CLL	CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

28. Valco Ponds and Runyon/Fountain Lake.

COARMA28	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

1a. Mainstem of Fountain Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 1b.

COARFO01A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

1b. Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

COARFO01B	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

2a. Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

COARFO02A	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	290
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	4.8
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

2b. Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

COARFO02B	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	485
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	3300(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	42.3	28.1
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

3a. All tributaries to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the mainstem of Monument Creek in the Air Force Academy lands and specific listings in segment 3b.

COARFO03A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

3b. Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.

COARFO03B	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

COARFO04	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

5. Marshland on Nash Property (60 acres at 13030 Old Pueblo Road, El Paso County) located in Section 28 T16S R65W; Jimmy Camp Creek from the irrigation diversion east of Old Pueblo Road to its confluence with Fountain Creek; unnamed tributary from the boundary of Fort Carson to the confluence with Fountain Creek; located in S1/2, SW1/4, Section 6 and N1/2. NW1/4, Section 7, T16S, R65W.

COARFO05	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation N

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

6. Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.

COARFO06	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).
*Copper(acute) = Copper BLM –based Fixed Monitoring Benchmark (FMB)
Copper FMBa = 28.4µg/L for a subsegment of Monument Creek from immediately above the Tri-Lakes Wastewater Treatment Facility to the North Gate Boulevard Bridge.
*Copper(chronic) = Copper BLM –based Fixed Monitoring Benchmark (FMB)
Copper FMBc = 17.8µg/L for a subsegment of Monument Creek from immediately above the Tri-Lakes Wastewater Treatment Facility to the North Gate Boulevard Bridge.

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	---	TVS*
Copper	TVS*	---
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

7a. Pikeview Reservoir, Willow Springs Pond #1, and Willow Springs Pond #2.

COARFO07A	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Water + Fish Standards Apply

Other:

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

7b. Prospect Lake, Quail Lake, and Monument Lake.

COARFO07B	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Fish Ingestion Standards Apply

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	20*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.083*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

8. All lakes and reservoirs tributary to the mainstem of Fountain Creek from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 9.

COARFO08	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

9. North Catamount Reservoir, South Catamount Reservoir, and Crystal Creek Reservoir.

COARFO09	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: All reservoirs=DUWS
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CLL	CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

10. All lakes and reservoirs tributary to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in Segment 11. This segment includes Rampart Reservoir.

COARFO10	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: Rampart Reservoir = DUWS
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Fountain Creek Basin

11. AFA Non Potable Reservoir #1 and all lakes and reservoirs tributary to Fountain Creek from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, excluding lakes and reservoirs within the boundaries of the National Forest and other lakes on Air Force Academy lands and the specific listings in segments 7a and 7b.

COARFO11	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	20*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.083*
Sulfate	---	WS
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

1a. Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

COARLA01A	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Selenium(ac/ch) = existing quality
Sulfate(chronic) = existing quality
Expiration Date of 12/31/2018

Physical and Biological

		DM	MWAT
Temperature °C	1/1 - 11/30	WS-II	WS-II
Temperature °C	12/1 - 12/31	21.5	20.7

	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	329
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	2800(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	19.1	14.1
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

1b. Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

COARLA01B	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Water + Fish Standards Apply

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021
Selenium(chronic) = "current conditions"
Expiration Date of 6/30/2016

Physical and Biological

	DM	MWAT
Temperature °C	WS-II	WS-II

	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	902
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1950(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

1c. Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

COARLA01C	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply

Qualifiers:

Water + Fish Standards Apply

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	1900
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	190
Manganese	---	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

2a. All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3a through 9b, and Middle Arkansas Basin listings.

COARLA02A	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation N
	Water Supply

Qualifiers:

Other:

*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-III	WS-III
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	0.75
Chloride	---	250
Chlorine	---	---
Cyanide	0.2	---
Nitrate	10	---
Nitrite	---	1.0
Phosphorus	---	0.17*
Sulfate	---	WS
Sulfide	---	0.05

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	0.02-10(T) [A]
Beryllium	---	4.0(T)
Cadmium	5.0(T)	---
Chromium III	50(T)	TVS
Chromium VI	50(T)	100(T)
Copper	---	200(T)
Iron	---	WS
Lead	50(T)	100(T)
Manganese	---	WS
Mercury	2.0(t)	---
Molybdenum	---	160(T)
Nickel	---	100(T)
Selenium	---	20(T)
Silver	---	100(T)
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

2b. King Arroyo.

COARLA02B	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Livestock Watering Only

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	WS-III	WS-III
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	5.0
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.17*
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	200(T)
Beryllium	---	---
Cadmium	---	50(T)
Chromium III	TVS	TVS
Chromium III	---	1000(T)
Chromium VI	---	1000(T)
Copper	---	500(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	10(t)
Molybdenum	---	160(T)
Nickel	---	---
Selenium	---	50(T)
Silver	---	---
Uranium	---	---
Zinc	---	25000(T)

2c. Mainstem of Wildhorse Creek, including all tributaries, from a point immediately below US Highway 287 in Kit Carson to the confluence with Big Sandy Creek.

COARLA02C	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation N

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-III	WS-III
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	50(T)
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	50(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

3a. Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

COARLA03A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

3b. Mainstem of West Torrino Canyon Creek, North Fork, Middle Fork and mainstem of Trujillo Creek, Mitotes Canyon Creek, Luis Canyon Creek, Wheeler Canyon Creek, Mauricio Canyon Creek, Daisy Canyon Creek, Adobe Canyon Creek, Gonzales Canyon Creek, Frio Canyon Creek, Borrego Canyon Creek, Munoz Canyon Creek, William Canyon Creek and Castro Canyon Creek, including all tributaries, from their sources to their confluences with the Apishapa River, except for the specific listings in Middle Arkansas segment 1.

COARLA03B	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation N
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	0.5
Boron	---	0.75
Chloride	---	250
Chlorine	---	---
Cyanide	0.2	---
Nitrate	10	---
Nitrite	1.0	---
Phosphorus	---	0.17
Sulfate	---	WS
Sulfide	---	0.05

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	5.0(T)	---
Chromium III	50(T)	TVS
Chromium VI	50(T)	---
Copper	200(T)	---
Iron	---	WS
Lead	50(T)	---
Manganese	---	WS
Mercury	2.0(T)	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	100(T)
Selenium	---	20(T)
Silver	100(T)	---
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

3c. The mainstem of Jarosa Canyon Creek including all tributaries from the source to the confluence with the Apishapa River.

COARLA03C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

4a. Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River. Mainstem of Timpas Creek from the source to the Arkansas River.

COARLA04A	Classifications
Designation	Agriculture
UP	Aq Life Warm 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1805(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

4b. Mainstem of Lorencito Canyon, from the source to the confluence with the Purgatoire River.

COARLA04B	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	4.0
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

5a.Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatoyah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.

COARLA05A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	
Temporary Modification(s):	
Arsenic(chronic) = hybrid	
Expiration Date of 12/31/2021	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	4.0
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

5b.Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from a point immediately below the confluence with Guajatoyah Creek to the confluence with the Purgatoire River. Mainstem of the Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to the confluence with the North Fork of the Purgatoire River. Mainstem of the South Fork of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

COARLA05B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	4.0
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

5c. Purgatoire mainstem from Trinidad Lake outlet works to I-25. Mainstem of Raton Creek from the source to the confluence of Purgatoire River.

COARLA05C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	2.0
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

COARLA06A	Classifications
Designation	Agriculture
UP	Aq Life Cold 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 32.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 32.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	4.0
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.11*
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

6b.Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River.

COARLA06B	Classifications
Designation	Agriculture
UP	Aq Life Cold 2
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	2.0
Chloride	---	250
Chlorine	---	---
Cyanide	0.2	---
Nitrate	10	---
Nitrite	---	1.0
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.05

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	0.02-10(T) [A]
Beryllium	---	4.0(T)
Cadmium	5.0(T)	---
Chromium III	50(T)	TVS
Chromium VI	50(T)	100(T)
Copper	---	200(T)
Iron	---	WS
Lead	50(T)	100(T)
Manganese	---	WS
Mercury	2.0(t)	---
Molybdenum	---	160(T)
Nickel	---	100(T)
Selenium	---	20(T)
Silver	100(T)	---
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

7. Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.

COARLA07	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

8. Mainstem of Ricardo Creek, including all tributaries and wetlands, which are within Colorado (Costilla and Las Animas Counties), mainstem of the Canadian River, including all tributaries, wetlands, lakes and reservoirs.

COARLA08	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

9a. Mainstems of Adobe, Buffalo, Cheyenne, Clay, Gageby, Horse, Two Butte, Wildhorse and Wolf Creeks from their sources to their confluences with the Arkansas River. Mainstems of Chacuacho Creek, San Francisco Creek, Trinchera Creek and Van Bremer Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River. Mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line. Mainstem of South Rush Creek from the source to the confluence with Rush Creek. Mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek. North Rush Creek from the source to the confluence with South Rush Creek. Mainstem of Rush Creek to the Lincoln County Line. Mainstem of Antelope Creek from the source to the confluence with Rush Creek; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.

COARLA09A	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

9b. Mainstem of Apache Creek from the source to the confluence with the North Rusk Creek. Mainstem of Breckenridge Creek from the source to the confluence with Horse Creek. Mainstem of Little Horse Creek from the source to the confluence with Horse Creek. Mainstem of Bob Creek from the source to Meredith Reservoir. Mainstem of Big Sandy Creek within Prowers County. Mainstem of Rule Creek from the Bent/Las Animas county line to John Martin Reservoir. Mainstem of Muddy Creek from the south boundary of the Setchfield State Wildlife Area to the confluence with Rule Creek. Mainstem of Caddoa Creek from CC Road to the confluence with the Arkansas River. Mainstem of Cat Creek from the source to the confluence with Clay Creek. Mainstem of Mustang Creek from the source to the confluence with Apishapa River. Mainstem of Chicosa Creek from the source to the Arkansas River. Mainstem of Smith Canyon from the Otero/Las Animas county line to the confluence with the Purgatoire River. Mainstem of Mud Creek from V Road to the confluence with the Arkansas River. Mainstems of Frijole Creek and Luning Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Blackwell Arroyo from its source to the confluence with Luning Arroyo. Mainstem of San Isidro Creek from the source to the confluence with San Francisco Creek.

COARLA09B	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

9c. Deleted.

COARLA9C	Classifications
Designation	
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
	acute	**chronic**
Inorganic (mg/L)		
	acute	**chronic**

Metals (ug/L)	acute	chronic

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.

COARLA10	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

11. John Martin Reservoir.

COARLA11	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

12. Lake Henry, Lake Meridith.

COARLA12	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

13. American Crystal Reservoir, Chancellor Ponds, Horse Creek Reservoir, Hugo Ponds, Jim Davis Pond, John Robertson Ponds, Karval Lake, Kinney Lake, Kissel Pond, La Junta Kids Pond, Las Animas Kids Pond, Mayhem Pond, Merit Lake, Olney Springs Pond, Otero Pond, Pursley Ponds, Ranch Reservoir, Reynolds Gravel Pit, Pyan Ponds, Thurston Reservoir, Turks Pond, Ramah Reservoir.

COARLA13	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

14. All lakes and reservoirs tributary to the Apishapa River from the source to I-25, except for specific listings in Middle Arkansas segment 19.

COARLA14	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

15. All lakes and reservoirs tributary to the mainstem of the North Fork of the Purgatoire River from the source to a point immediately below the confluence with Guajatoyah Creek. All lakes and reservoirs tributary to the Middle Fork of the Purgatoire River from the source to the USGS gage at Stonewall mainstem of the South Fork of the Purgatoire River, from the source to Tercio. Monument Lake, North Lake, Trinidad Lake, Long Canyon Reservoir and Lake Dorothey.

COARLA15	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: DUWS Applies only to Monument Lake and North Lake
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Temperature = Trinidad Reservoir (CLL)

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
Temperature °C	CLL*	CLL *
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

16. All lakes and reservoirs tributary to the Purgatoire River from the source to I-25, except for the specific listings in segment 15 and 17.

COARLA16	Classifications
Designation	Agriculture
UP	Aq Life Cold 2
	Recreation E

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.025*
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

17.All lakes and reservoirs tributary to Wet Canyon, from the source to the confluence with the Purgatoire River.

COARLA17	Classifications
Designation	Agriculture
UP	Aq Life Cold 2
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	0.75
Chloride	---	250
Chlorine	---	---
Cyanide	0.2	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.05

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	0.02-10(T) [A]
Beryllium	---	4.0(T)
Cadmium	5.0(T)	---
Chromium III	50(T)	TVS
Chromium VI	50(T)	100(T)
Copper	---	200(T)
Iron	---	WS
Lead	50(T)	100(T)
Manganese	---	WS
Mercury	2.0(t)	---
Molybdenum	---	160(T)
Nickel	---	100(T)
Selenium	---	20(T)
Silver	100(T)	---
Uranium	---	---
Zinc	---	2000(T)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Lower Arkansas River Basin

18. All lakes and reservoirs tributary to Ricardo Creek, which are within Colorado (Costilla and Las Animas Counties). All lakes and reservoirs tributary to the Canadian River.

COARLA18	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL	CL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

19. All lakes and reservoirs tributary to the Arkansas River, except for specific listings in segments 10-18 and Middle Arkansas Basin segments 19-28.

COARLA19	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	20*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.5
Phosphorus	---	0.083*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Cimarron River Basin

1. Mainstem of the Cimarron River, including all tributaries and wetlands, in Las Animas, Baca, and Prowers Counties, except for the specific listing in segment 2.

COARCI01	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation N
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	chronic
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	---	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	---
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

2. Mainstem of North Carrizo Creek from the source to the Colorado/Oklahoma state line; mainstems of East and West Carrizo Creek, to the confluence with North Carrizo Creek; mainstems of Cottonwood Creek and Tecolote Creek to the confluence with West Carrizo Creek, Fitzler Pond.

COARCI02	Classifications
Designation	Agriculture
UP	Aq Life Warm 1
	Recreation E
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	chronic
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

REGULATION #32 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Cimarron River Basin

3. All lakes and reservoirs tributary to the Cimarron River.

COARCI03	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Fish Ingestion Standards Apply

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	20*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.5
Phosphorus	---	0.083*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 32.6 for details on TVS, TVS(tr), WS, temperature standards.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS – FOOTNOTES

A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.