COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

WATER QUALITY CONTROL COMMISSION

5 CCR 1002-33

REGULATION NO. 33
CLASSIFICATIONS AND NUMERIC STANDARDS
FOR
UPPER COLORADO RIVER BASIN AND
NORTH PLATTE RIVER (PLANNING REGION 12)

APPENDIX 33-1
Stream Classifications and Water Quality Standards Tables

Effective 06/30/2016

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

1. Mainstem of the Colorado River, including all tributaries and wetlands, within Rocky Mountain National Park, or which flow into Rocky Mountain National Park.

COUCUC01	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.

COUCUC02	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

COUCUC03	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

4. All tributaries to the Colorado River, including all wetlands, from the outlet of Lake Granby to the confluence with the Roaring Fork River, which are on National Forest lands, except for those tributaries included in Segments 1 and 2, and specific listings in Segments 8, 9 and 10a.

COUCUC04	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

5. Deleted.

COUCUC05	Classifications
Designation	
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT

	acute	chronic

Inorganic (mg/L)	acute	chronic

Metals (ug/L)	acute	chronic

6a. All tributaries to the Colorado River, including all wetlands, from the source to a point immediately above the confluence with the Blue River and Muddy Creek, which are not on National Forest lands, except for specific listings in Segments 1, 2, 4, 5, 6b, 6c, 8, 9 and 10a-c.

COUCUC06A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation P
	Water Supply
Qualifiers:	
Other:	

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	205

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

6b. Mainstem of un-named tributary from the headwaters (Sec 32, T3N, R76W) to Willow Creek Reservoir Road (Section 8, T2N, R76W).

COUCUC06B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation N

Qualifiers:

Other:

*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	---	10(T)
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	200(T)	---
Iron	---	---
Lead	---	100(T)
Manganese	---	200(T)
Mercury	---	---
Molybdenum	---	160(T)
Nickel	200(T)	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

6c. Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence with Willow Creek (Sec. 17, T2N, R76W).

COUCUC06C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation N

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.

COUCUC07A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation N
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

7b. Mainstem of Muddy Creek, including all tributaries and wetlands, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.

COUCUC07B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

7c. Mainstem of Muddy Creek from the source to a point immediately below the confluence with Eastern Gulch as well as all tributaries to and wetlands of Muddy Creek from the source to the outlet of Wolford Mountain Reservoir, except for listings in Segment 4. The mainstems of Derby, Blacktail, Cabin, and Red Dirt Creeks (all below Wolford Mountain Reservoir), including all tributaries and wetlands, from their sources to their confluences with the Colorado River, except for listings in Segment 4.

COUCUC07C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation N
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in Segment 9.

COUCUC08	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*Iron(chronic) = Point of compliance at Aspen Canyon Ranch well.
*Manganese(chronic) = Point of compliance at Aspen Canyon Ranch well.

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS*
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS*
Mercury	---	0.01(t)
Molybdenum	---	190(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

9. All tributaries to the Colorado and Fraser Rivers, including all wetlands, within the Never Summer, Indian Peaks, Byers, Vasquez, Eagles Nest and Flat Tops Wilderness Areas.

COUCUC09	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

COUCUC10A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

10b. Mainstem of the Fraser River from a point immediately below the Rendezvous Bridge to a point immediately below the Hammond Ditch.

COUCUC10B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.

COUCUC10C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

11. All lakes and reservoirs within Rocky Mountain National Park and within the Never Summer, Indian Peaks, Byers, Vasquez, Eagles Nest and Flat Tops Wilderness Areas.

COUCUC11	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

COUCUC12	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers: Goal Qualifier Grand Lake Clarity

Other:

*chlorophyll a (ug/L)(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: DUWS Applies only to Grand Lake
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*clarity(chronic) = For Grand Lake, the highest level of clarity attainable, consistent with the exercise of established water rights, the protection of aquatic life, and protection of water quality throughout the Three Lakes system.
*Temperature(4/1 - 12/31) = Shadow Mtn Res (MWAT=19.3)
*Temperature(4/1 - 12/31) = Lake Granby (MWAT=19.6)

Goal Qualifier Grand Lake: 7/1-9/11, Clarity = 3.8 meter average and 2.5 meter minimum Secchi disk depth

Physical and Biological

		DM	MWAT
Temperature °C	4/1 - 12/31	CL,CLL*	19.3* B
Temperature °C	4/1 - 12/31	CL,CLL*	19.6* B
Temperature °C		CL,CLL	CL,CLL
		acute	**chronic**
clarity		---	narrative*
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (ug/L)		---	8*
E. Coli (per 100 mL)		---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Upper Colorado River Basin

13. All lakes and reservoirs tributary to the Colorado River from the boundary of Rocky Mountain National Park and Arapahoe National Recreation Area to a point immediately below the confluence with the Roaring Fork River, except for specific listings in Upper Colorado Segments 11 and 12 and the Blue and Eagle River subbasins.

COUCUC13	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: *DUWS Applies only to Ute Creek Res
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Temperature(4/1 - 12/31) = Wolford Mtn Res (MWAT=21.3)
*Temperature(4/1 - 12/31) = Williams Fork Res (MWAT=21.6)

Physical and Biological

		DM	MWAT
Temperature °C	4/1 - 12/31	CLL*	21.3* [B]
Temperature °C	4/1 - 12/31	CLL*	21.6* [B]
Temperature °C		CL,CLL	CL,CLL
		acute	**chronic**
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (ug/L)		---	8*
E. Coli (per 100 mL)		---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

1. Mainstem of the Blue River from the source to the confluence with French Gulch.

COUCBL01	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.

COUCBL02A	Classifications
Designation	Agriculture
UP	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).
*Zinc(acute) = e^(1.25 (ln(hard)+0.799))
*Zinc(chronic) = e^(1.25 (ln(hard)+0.799))

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	4	4
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	SSE*	SSE*

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

2b. Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.

COUCBL02B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

*Cadmium(acute) = 1/2e^(1.0166(ln(hard)-3.132))
*Cadmium(chronic) = 1/2e^(1.0166(ln(hard)-3.132))
*Zinc(acute) = e^(0.9805(ln(hard)+1.402))
*Zinc(chronic) = e^(0.9805(ln(hard)+1.402))

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	SSE*	SSE*
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	SSE*	SSE*

2c. Mainstem of the Blue River from the confluence with the Swan River to Dillon Reservoir.

COUCBL02C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

3. Deleted.

COUCBL03	Classifications	Physical and Biological			Metals (ug/L)	
Designation			DM	MWAT	acute	chronic
Qualifiers:			acute	chronic		
Other:						
		Inorganic (mg/L)				
			acute	chronic		

4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.

COUCBL04A	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum	---	---
	Recreation E		acute	chronic	Arsenic	340	0.02(T)
	Water Supply	D.O. (mg/L)	---	6.0	Beryllium	---	---
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	50(T)	TVS
Temporary Modification(s):		chlorophyll a (mg/m^2)	---	150	Chromium VI	TVS	TVS
Arsenic(chronic) = hybrid		E. Coli (per 100 mL)	---	126	Copper	TVS	TVS
Expiration Date of 12/31/2021					Iron	---	WS
		Inorganic (mg/L)			Iron	---	1000(T)
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Manganese	---	WS
		Chloride	---	250	Mercury	---	0.01(t)
		Chlorine	0.019	0.011	Molybdenum	---	160(T)
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	10	---	Selenium	TVS	TVS
		Nitrite	---	0.05	Silver	TVS	TVS(tr)
		Phosphorus	---	0.11	Uranium	---	---
		Sulfate	---	WS	Zinc	TVS	TVS
		Sulfide	---	0.002	Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

4b. North Fork of the Swan River, including all tributaries and wetlands, from the source to the confluence with the Swan River.

COUCBL04B	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

5. Mainstem of Soda Creek from the source to Dillon Reservoir.

COUCBL05	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

6a. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8 and 9.

COUCBL06A	Classifications
Designation	Agriculture
UP	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

6b. Mainstem of Camp Creek, including all tributaries and wetlands from the source to confluence with the Snake River.

COUCBL06B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*Zinc(acute) = 0.978*e^0.8537(ln Hardness)+1.5227
*Zinc(chronic) = 0.986*e^0.8537(ln Hardness)+1.3519

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	---	SSE*
Zinc	SSE*	---

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

7. Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8.

COUCBL07	Classifications
Designation	Aq Life Cold 1
UP	Recreation N

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	---
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	---	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	---
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

8. Mainstem of Keystone Gulch, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Chihuahua Creek including all tributaries, and wetlands from the source to the confluence with Peru Creek. Mainstem of the North Fork of the Snake River, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Jones Gulch, including all tributaries and wetlands from the source to the confluence with the Snake River.

COUCBL08	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	---	TVS
Manganese	TVS	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

9. Mainstem of Deer Creek, including all tributaries and wetlands from the source to the confluence with the Snake River.

COUCBL09	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

10. Mainstem of French Gulch including all tributaries and wetlands from the source to a point 1.5 miles below Lincoln.

COUCBL10	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

11. Mainstem of French Gulch from a point 1.5 miles below Lincoln to the confluence with the Blue River.

COUCBL11	Classifications
Designation	Agriculture
UP	Aq Life Cold 1
	Recreation P

Qualifiers:

Other:

*Cadmium(acute) = existing quality
*Cadmium(chronic) = existing quality
*Lead(acute) = existing quality
*Lead(chronic) = existing quality
*Zinc(acute) = existing quality
*Zinc(chronic) = existing quality

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	205

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	EQ*	EQ*
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	EQ*	EQ*
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	EQ*	EQ*

12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River.

COUCBL12	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation P
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	205

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

13. Mainstem of Tenmile Creek from the Climax Parshall Flume to a point immediately above the confluence of West Tenmile Creek and all tributaries and wetlands from the source of Tenmile Creek to a point immediately above the confluence with West Tenmile Creek, except for the specific listing in Segment 15.

COUCBL13	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation P

Qualifiers:

Other:

*Any water quality based effluent limit shall not cause or contribute to exceedances of water quality standards adopted to protect downstream uses.
*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	205

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	---
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

14. Mainstem of Tenmile Creek, including all tributaries and wetlands from a point immediately above the confluence with West Tenmile Creek to Dillon Reservoir, except for the specific listing in Segment 16.

COUCBL14	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Molybdenum(chronic) = current conditions

Expiration Date of 12/31/2017

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	210(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

15. Mainstem of Clinton Creek from the source to the confluence with Tenmile Creek.

COUCBL15	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	210(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

16. All tributaries to the Blue River, including all wetlands, within the Eagles Nest and Ptarmigan Peak Wilderness Areas.

COUCBL16	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River.

COUCBL17	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listing in Segment 16.

COUCBL18	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

19. All tributaries to the Blue River, including all wetlands, from the outlet of Green Mountain Reservoir to the confluence with the Colorado River, except for specific listings in Segment 20.

COUCBL19	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation N
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River.

COUCBL20	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation N
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

21. All lakes and reservoirs within the Eagles Nest and Ptarmigan Peak Wilderness Areas.

COUCBL21	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

22. Dillon Reservoir and all lakes and reservoirs in the Blue River drainage above Dillon Reservoir, except for specific listings in Segment 21.

COUCBL22	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (ug/L)(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: DUWS Applies only to Goose Pasture Tarn
*Phosphorus(chronic) = 0.0074 mg/l for Dillon Reservoir in the top 15 meters of the water column for the months of July, August, September & October. Additional total phosphorus or Chla standards adopted for this segment do not apply to Dillon Reservoir.
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.0074*
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Blue River Basin

23. All lakes and reservoirs in the Blue River drainage below Dillon Reservoir, except for specific listings in Segment 21.

COUCBL23	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

1. All tributaries and wetlands to the Eagle River system within the Gore Range - Eagles Nest and Holy Cross Wilderness Area.

COUCEA01	Classifications
Designation	Agriculture
OW*	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*Designation: Consistent with the provisions of section 25-8-104 C.R.S. the OW designation shall not apply with respect to the Homestake Water Project of the Cities of Aurora and Colorado Springs.

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

2. Mainstem of the Eagle River from the source to the compressor house bridge at Belden.

COUCEA02	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

3. All tributaries to the Eagle River, including wetlands, from the source to the compressor house bridge at Belden, except for the specific listing in Segment 4 and those waters included in Segment 1.

COUCEA03	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

4. Mainstem of Homestake Creek from the confluence of the East Fork to the confluence with the Eagle River.

COUCEA04	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

5a Mainstem of the Eagle River from the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road.

COUCEA05A	Classifications
Designation	Agriculture
Reviewable*	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*Designation: 9/30/00 Baseline does not apply
Cadmium(chronic) = (1.101672-[ln(hardness)(0.041838)])* e^(0.7998 [ln (hardness)]-3.1725)
*Copper(acute) = 0.96*e^0.9801[ln(hardness)] – 1.1073
*Copper(chronic) = 0.96*e^0.5897[ln(hardness)] – 0.0053
*Zinc(acute) = 0.978*e^0.8537[ln(hardness)]+2.1302
*Zinc(chronic) = 0.986*e^0.8537[ln(hardness)]+1.9593

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	SSE*
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	---	SSE*
Copper	SSE*	---
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	---	SSE*
Zinc	SSE*	---

5b. Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek.

COUCEA05B	Classifications
Designation	Agriculture
Reviewable*	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*Designation: 9/30/00 Baseline does not apply
Cadmium(chronic) = (1.101672-[ln(hardness)(0.041838)])* e^(0.7998 [ln (hardness)]-3.1725)
*Copper(acute) = 0.96*e^0.9801[ln(hardness)]-1.5865
*Copper(chronic) = 0.96*e^0.5897[ln(hardness)]-0.4845
*Zinc(acute) = 0.978*e^0.8537[ln(hardness)]+2.1302 from 1/1 - 4/30
0.978*e^0.8537[ln(hardness)]+1.4189 from 5/1 - 12/31
*Zinc(chronic) = 0.986*e^0.8537[ln(hardness)]+1.9593 from 1/1 - 4/30
0.986*e^0.8537[ln(hardness)]+1.2481 from 5/1 - 12/31

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	SSE*
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	---	SSE*
Copper	SSE*	---
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	---	SSE*
Zinc	SSE*	---

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

5c. Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.

COUCEA05C	Classifications
Designation	Agriculture
Reviewable*	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*Designation: 9/30/00 Baseline does not apply
Cadmium(chronic) = (1.101672-[ln(hardness)(0.041838)])* e^(0.7998 [ln (hardness)]-3.1725)
*Copper(acute) = 0.96*e^0.9801[ln(hardness)]-1.5865
*Copper(chronic) = 0.96*e^0.5897[ln(hardness)]-0.4845
*Zinc(acute) = 0.978*e^0.8537[ln(hardness)]+1.4189
*Zinc(chronic) = 0.986*e^0.8537[ln(hardness)]+1.2481

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	SSE*
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	---	SSE*
Copper	SSE*	---
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	---	SSE*
Zinc	SSE*	---

6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

COUCEA06	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

7a. Mainstem of Cross Creek from the source to a point immediately below the Minturn Middle School, except for those waters included in Segment 1.

COUCEA07A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

7b. Mainstem of Cross Creek from a point immediately below the Minturn Middle School to the confluence with the Eagle River, except for those waters included in Segment 1.

COUCEA07B	Classifications
Designation	Agriculture
Reviewable*	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*Designation: 9/30/00 Baseline does not apply
Cadmium(chronic) = (1.101672-[ln(hardness)(0.041838)])* e^(0.7998 [ln (hardness)]-3.1725)
*Copper(acute) = 0.96*e^0.9801[ln(hardness)]-1.5865
*Copper(chronic) = 0.96*e^0.5897[ln(hardness)]-0.4845
*Zinc(acute) = 0.978*e^0.8537[ln(hardness)]+2.1302 from 1/1 - 4/30
0.978*e^0.8537[ln(hardness)]+1.4189 from 5/1 - 12/31
*Zinc(chronic) = 0.986*e^0.8537[ln(hardness)]+1.9593 from 1/1 - 4/30
0.986*e^0.8537[ln(hardness)]+1.2481 from 5/1 - 12/31

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	SSE*
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	---	SSE*
Copper	SSE*	---
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	---	SSE*
Zinc	SSE*	---

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

8. Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.

COUCEA08	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).
*Temperature =
MWAT= 14 from 6/1 - 6/30
MWAT=12 from 10/1 - 10/15

Physical and Biological	DM	MWAT
Temperature °C	CS-I*	varies*
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

9a. Mainstem of the Eagle River from Gore Creek to a point immediately below the confluence withSquaw Creek.

COUCEA09A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*Temperature =
MWAT=16 from 6/1 - 6/30
MWAT=12 from 10/1 - 10/15
MWAT=11 from 10/16 - 10/31

Physical and Biological	DM	MWAT
Temperature °C	CS-I*	varies*
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

9b. Mainstem of the Eagle River from a point immediately below the confluence with Squaw Creek to a point immediately below the confluence with Rube Creek.

COUCEA09B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*Temperature =
DM=15 and MWAT=12 from 4/1 - 5/31
DM=15 and MWAT=12 from 10/1 - 10/15
DM=15 and MWAT=11 from 10/16 - 10/31

Physical and Biological	DM	MWAT
Temperature °C	CS-II*	varies*
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

9c. Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River.

COUCEA09C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

10a. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.

COUCEA10A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

10b. Abrams Creek, including all tributaries and wetlands, from the source to the eastern boundary of the United States Bureau of Land Management lands.

COUCEA10B	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

11. Mainstem of Alkali Creek from the source to the confluence with the Eagle River. Mainstem of Milk Creek from the source to the confluence with the Eagle River.

COUCEA11	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation P
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	205
Inorganic (mg/L)		
	acute	chronic
Ammonia	---	---
Boron	---	0.75
Chloride	---	250
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	10
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	---

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	100(T)
Cadmium	---	10(T)
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	---	200(T)
Iron	---	---
Lead	---	100(T)
Manganese	---	200(T)
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	TVS	TVS
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

12. Mainstem of Brush Creek, from the source to the confluence with the Eagle River, including the East and West Forks.

COUCEA12	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Eagle River Basin

13. All lakes and reservoirs within the Gore Range - Eagles Nest and Holy Cross Wilderness Areas.

COUCEA13	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

14. All lakes and reservoirs tributary to the Eagle River except for specific listings in Segment 13.

COUCEA14	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Roaring Fork River Basin

1. All tributaries to the Roaring Fork River system, including all wetlands, within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.

COUCRF01	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

2. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.

COUCRF02	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Roaring Fork River Basin

3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.

COUCRF03A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion.

COUCRF03B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation N
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Roaring Fork River Basin

3c. Mainstem of the Roaring Fork River, from a point immediately below the confluence with the Fryingpan River, to the confluence with the Colorado River. Mainstem of Three Mile Creek, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River.

COUCRF03C	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

3d. Mainstem of Cattle Creek, including all tributaries and wetlands, from the source to the most downstream White River National Forest boundary.

COUCRF03D	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Roaring Fork River Basin

4. Mainstem of Brush Creek from the source to the confluence with the Roaring Fork River.

COUCRF04	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

5. Mainstem of the Fryingpan River from the source to the confluence with the North Fork.

COUCRF05	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Roaring Fork River Basin

6. Mainstem of the Fryingpan River from the confluence with the North Fork to the confluence with the Roaring Fork River.

COUCRF06	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

7. All tributaries to the Fryingpan River, including all wetlands, except for those tributaries included in Segment 1.

COUCRF07	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

8. Mainstem of the Crystal River, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River, except for specific listings in Segments 1, 9 and 10.

COUCRF08	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

9. Mainstem of Coal Creek including all tributaries and wetlands from the source to the confluence with the Crystal River.

COUCRF09	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Roaring Fork River Basin

10a. Mainstem of Thompson Creek, including all tributaries and wetlands, from the source to the confluence with the Crystal River, except for specific listings in Segment 10b.

COUCRF10A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

10b. Mainstem of North Thompson Creek, including all tributaries and wetlands, from the source to the White River National Forest boundary. Mainstem of Middle Thompson Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with the South Branch of Middle Thompson Creek.

COUCRF10B	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Roaring Fork River Basin

11. All lakes and reservoirs within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.

COUCRF11	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

12. All lakes and reservoirs tributary to the Roaring Fork River except for specific listings in Segment 11.

COUCRF12	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: DUWS Applies only to Leonard Thomas Res and Wildcat Res
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Temperature(4/1 - 12/31) = Ruedi Res (MWAT=20.3)

Physical and Biological		DM	MWAT
Temperature °C	4/1 - 12/31	CLL*	20.3* [B]
Temperature °C		CL,CLL	CL,CLL
		acute	**chronic**
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (ug/L)		---	8*
E. Coli (per 100 mL)		---	126
Inorganic (mg/L)			
		acute	**chronic**
Ammonia		TVS	TVS
Boron		---	0.75
Chloride		---	250
Chlorine		0.019	0.011
Cyanide		0.005	---
Nitrate		10	---
Nitrite		---	0.05
Phosphorus		---	0.025*
Sulfate		---	WS
Sulfide		---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
North Platte River Basin

1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

COUCNP01	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

2. Mainstem of the Encampment River, including all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for those tributaries included in Segment 1.

COUCNP02	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation P
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	205
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
North Platte River Basin

3. Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.

COUCNP03	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	---	TVS
Manganese	TVS	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

COUCNP04A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
North Platte River Basin

4b. Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River except for specific listings in Segments 7a and 7b. Mainstem of the Canadian River below 12E Road to the confluence with the North Platte River. All tributaries which enter the mainstem of the Canadian River from the southwest side of the mainstem.

COUCNP04B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

5a. Mainstem of the Michigan River from the source to a point immediately below the confluence with the North Fork Michigan River.

COUCNP05A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
North Platte River Basin

5b. Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

COUCNP05B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation N
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

6. Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.

COUCNP06	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation N
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
North Platte River Basin

7a. Mainstem of Government Creek from the boundary of the Colorado State Forest to the confluence with the Canadian River. Mainstem of Spring Creek from the source to the outlet of Spring Creek (Number 31) Reservoir.

COUCNP07A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation N
Qualifiers:	
Fish Ingestion	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

7b. Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

COUCNP07B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation N
Qualifiers:	
Fish Ingestion	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
North Platte River Basin

8. All lakes and reservoirs within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

COUCNP08	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.

COUCNP09	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Temperature(4/1 - 12/31) = South Delaney Lake (MWAT=18.8)
*Temperature(4/1 - 12/31) = North Delaney Lake (MWAT=20.1)
*Temperature(4/1 - 12/31) = Lake John (MWAT=1.2)

Physical and Biological		DM	MWAT
		DM	**MWAT**
Temperature °C	4/1 - 12/31	CLL*	18.8*
Temperature °C	4/1 - 12/31	CLL*	20.1*
Temperature °C	4/1 - 12/31	CLL*	1.2*
Temperature °C		CL,CLL	CL,CLL
		acute	**chronic**
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (ug/L)		---	8*
E. Coli (per 100 mL)		---	126
Inorganic (mg/L)			
		acute	**chronic**
Ammonia		TVS	TVS
Boron		---	0.75
Chloride		---	250
Chlorine		0.019	0.011
Cyanide		0.005	---
Nitrate		10	---
Nitrite		---	0.05
Phosphorus		---	0.025*
Sulfate		---	WS
Sulfide		---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

1. All tributaries to the Yampa River, including all wetlands, which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.

COUCYA01	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

2a. Mainstem of the Yampa River from the confluence with Wheeler Creek to a point immediately above the confluence with Oak Creek.

COUCYA02A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

2b. Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.

COUCYA02B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	---
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

COUCYA03	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

4. Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.

COUCYA04	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation N
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	---	---
Boron	---	0.75
Chloride	---	250
Chlorine	---	---
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02-10(T) [A]
Beryllium	---	---
Cadmium	5.0(T)	---
Chromium III	50(T)	---
Chromium VI	50(T)	---
Copper	---	200(T)
Iron	---	WS
Lead	50(T)	---
Manganese	TVS	TVS
Manganese	---	WS
Mercury	2.0(T)	---
Molybdenum	---	160(T)
Nickel	---	100(T)
Selenium	---	20(T)
Silver	100(T)	---
Uranium	---	---
Zinc	2000(T)	2000(T)

5. Mainstem of Chimney Creek, including all tributaries and wetlands, which are not on National Forest lands, from the source to the confluence with the Yampa River.

COUCYA05	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation P
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	205

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

6. Mainstem of Oak Creek, including all tributaries and wetlands, from the source to a point 0.25 mile below County Road 27.

COUCYA06	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

7. Mainstem of Oak Creek, including all tributaries and wetlands, from a point 0.25 mile below County Road 27 to the confluence with the Yampa River.

COUCYA07	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation P
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	205

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segments 1, 20a and 20b.

COUCYA08	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):

Arsenic(chronic) = hybrid

Expiration Date of 12/31/2021

*chlorophyll a (mg/m^2)(chronic) = applies only above the facilities listed at 33.5(4).
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4).

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

9. Deleted.

COUCYA09	Classifications
Designation	

Qualifiers:

Other:

Physical and Biological	DM	MWAT
	acute	**chronic**

Inorganic (mg/L)	acute	chronic

Metals (ug/L)	acute	chronic

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

10. Deleted.

COUCYA10	Classifications	Physical and Biological			Metals (ug/L)	
Designation			DM	MWAT	acute	chronic
Qualifiers:			acute	chronic		
Other:						
		Inorganic (mg/L)				
			acute	chronic		

11. Fish Creek, including all tributaries and wetlands, from the source to County Road 27, except for specific listings in Segment 20.

COUCYA11	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum	---	---
	Recreation N		acute	chronic	Arsenic	340	100(T)
Qualifiers:		D.O. (mg/L)	---	6.0	Beryllium	---	---
Other:		D.O. (spawning)	---	7.0	Cadmium	---	10(T)
		pH	6.5 - 9.0	---	Chromium III	---	100(T)
		chlorophyll a (mg/m^2)	---	---	Chromium VI	---	100(T)
		E. Coli (per 100 mL)	---	630	Copper	200(T)	---
					Iron	---	---
		Inorganic (mg/L)			Lead	---	100(T)
			acute	chronic	Manganese	---	200(T)
		Ammonia	---	---	Mercury	---	---
		Boron	---	0.75	Molybdenum	---	160(T)
		Chloride	---	---	Nickel	---	200(T)
		Chlorine	---	---	Selenium	---	20(T)
		Cyanide	0.2	---	Silver	---	---
		Nitrate	100	---	Uranium	---	---
		Nitrite	---	0.05	Zinc	---	2000(T)
		Phosphorus	---	0.11			
		Sulfate	---	---			
		Sulfide	---	0.002			

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

12. All tributaries to the Yampa River, including all wetlands, from the confluence with the Elk River to the confluence with Elkhead Creek, which are not on National Forest lands, except for specific listings in Segments 11 and 13a-fj.

COUCYA12	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 2
	Recreation N
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	---	---
Boron	---	0.75
Chloride	---	---
Chlorine	---	---
Cyanide	0.2	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	---	10(T)
Chromium III	---	100(T)
Chromium VI	---	100(T)
Copper	200(T)	---
Iron	---	---
Lead	---	100(T)
Manganese	---	200(T)
Mercury	---	---
Molybdenum	---	160(T)
Nickel	---	200(T)
Selenium	---	20(T)
Silver	---	---
Uranium	---	---
Zinc	---	2000(T)

13a. Mainstem of Trout Creek, including all tributaries and wetlands, from the source to the confluence with the Yampa River, which are not on National Forest lands, except for specific listings in Segments 13b, 13c, 13f, and 13g.

COUCYA13A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	
Temporary Modification(s):	
Arsenic(chronic) = hybrid	
Expiration Date of 12/31/2021	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek, except for specific listings in Segment 13g. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.

COUCYA13B	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E

Qualifiers:

Other:

Temporary Modification(s):
Selenium(chronic) = current conditions*
Expiration Date of 12/31/2018

*Iron(chronic) = See section 33.6(4) for iron assessment locations.
*Iron(chronic) = 2,090(T) ug/L for Middle Creek. See section 33.6(4) for iron assessment locations.
*TempMod: Selenium = for Foidel and Middle Creeks.

Physical and Biological

		DM	MWAT
Temperature °C		WS-II	WS-II
		acute	**chronic**
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (mg/m^2)		---	150
E. Coli (per 100 mL)		---	126

Inorganic (mg/L)

		acute	chronic
Ammonia		TVS	TVS
Boron		---	0.75
Chloride		---	---
Chlorine		0.019	0.011
Cyanide		0.005	---
Nitrate		100	---
Nitrite		---	0.05
Phosphorus		---	0.11
Sulfate		---	---
Sulfide		---	0.002

Metals (ug/L)

		acute	chronic
Aluminum		---	---
Arsenic		340	7.6(T)
Beryllium		---	---
Cadmium		TVS(tr)	TVS
Chromium III		TVS	TVS
Chromium III		---	100(T)
Chromium VI		TVS	TVS
Copper		TVS	TVS
Iron		---	1000(T)*
Iron	3/1 - 6/30	---	2090(T)*
Lead		TVS	TVS
Manganese		TVS	TVS
Mercury		---	0.01(t)
Molybdenum		---	160(T)
Nickel		TVS	TVS
Selenium		TVS	TVS
Silver		TVS	TVS(tr)
Uranium		---	---
Zinc		TVS	TVS

13c. Mainstem of Trout Creek from the headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to its confluence with Fish Creek. All tributaries to Trout Creek from the headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to County Road 179 except for specific listings in 13b.

COUCYA13C	Classifications	
Designation	Agriculture	
Reviewable	Aq Life Cold 1	
	Recreation E	
	Water Supply	6/1 - 2/29

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid 6/1 - 2/29
Expiration Date of 12/31/2021

*Nitrate(acute) = 10 mg/L from 6/1 - 2/29
*Arsenic(chronic) = 0.02(T) ug/L from 6/1 - 2/29
*Chromium III(acute) = 50(T) ug/L from 6/1 - 2/29
*Manganese(chronic) = WS from 6/1 - 2/29

Physical and Biological

		DM	MWAT
Temperature °C		CS-II	CS-II
		acute	**chronic**
D.O. (mg/L)		---	6.0
D.O. (spawning)		---	7.0
pH		6.5 - 9.0	---
chlorophyll a (mg/m^2)		---	150
E. Coli (per 100 mL)		---	126

Inorganic (mg/L)

		acute	chronic
Ammonia		TVS	TVS
Boron		---	0.75
Chloride	6/1 - 2/29	---	250
Chlorine		0.019	0.011
Cyanide		0.005	---
Nitrate		100*	---
Nitrite		---	0.05
Phosphorus		---	0.11
Sulfate	6/1 - 2/29	---	WS
Sulfide		---	0.002

Metals (ug/L)

		acute	chronic
Aluminum		---	---
Arsenic		340	7.6(T)*
Beryllium		---	---
Cadmium		TVS(tr)	TVS
Chromium III		TVS*	TVS
Chromium III		---	100(T)
Chromium VI		TVS	TVS
Copper		TVS	TVS
Iron	6/1 - 2/29	---	WS
Iron		---	1000(T)
Lead		TVS	TVS
Manganese		TVS	TVS*
Mercury		---	0.01(t)
Molybdenum		---	160(T)
Nickel		TVS	TVS
Selenium		TVS	TVS
Silver		TVS	TVS(tr)
Uranium		---	---
Zinc		TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to just above the confluence with Temple Gulch.

COUCYA13D	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

Temporary Modification(s):

Iron(chronic) = current condition 3/1 - 4/30

Expiration Date of 12/31/2017

Selenium(chronic) = current conditions

Expiration Date of 12/31/2018

*Iron(chronic) = See section 33.6(4) for iron assessment locations.
*Iron(chronic) = See section 33.6(4) for iron assessment locations.

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)		acute	chronic
Aluminum		---	---
Arsenic		340	100(T)
Beryllium		---	---
Cadmium		TVS	TVS
Chromium III		TVS	TVS
Chromium III		---	100(T)
Chromium VI		TVS	TVS
Copper		TVS	TVS
Iron	5/1 - 2/29	---	1110(T)*
Iron	3/1 - 4/30	---	3040(T)*
Lead		TVS	TVS
Manganese		TVS	TVS
Mercury		---	0.01(t)
Molybdenum		---	160(T)
Nickel		TVS	TVS
Selenium		TVS	TVS
Silver		TVS	TVS
Uranium		---	---
Zinc		TVS	TVS

13e. Mainstem of Sage Creek, including all tributaries and wetlands, from its sources to the confluence with the Yampa River.

COUCYA13E	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation N

Qualifiers:

Other:

Temporary Modification(s):

Selenium(chronic) = current conditions

Expiration Date of 12/31/2018

*Iron(chronic) = 1,000(T) ug/L on Lower Sage Creek. See section 33.6(4) for iron assessment locations.
*Iron(chronic) = 1,250(T) ug/L on Upper Sage Creek. Break between Upper and Lower Sage Creek is the west border of Section 18, T5N, R87W. See section 33.6(4) for iron assessment locations.

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium III	---	100(T)
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)*
Iron	---	1250(T)*
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

13f. Mainstem of Trout Creek, including all tributaries and wetlands, from a point immediately below its confluence with Fish Creek to the confluence with the Yampa River.

COUCYA13F	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Temporary Modification(s):
Arsenic(chronic) = hybrid
Expiration Date of 12/31/2021

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

13g. All tributaries to Fish Creek from the confluence with Cow Camp Creek to the confluence with Trout Creek,

COUCYA13G	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E

Qualifiers:

Other:

Temporary Modification(s):
Selenium(chronic) = current conditions
Expiration Date of 12/31/2018

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	TVS	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

13h. Mainstem of Dry Creek, including all tributaries and wetlands, from the confluence with Temple Gulch to the confluence with the Yampa River near Hayden.

COUCYA13H	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation E

Qualifiers:

Other:

*Iron(chronic) = See section 33.6(4) for iron assessment locations.

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	7.6(T)
Beryllium	---	---
Cadmium	TVS(T)	TVS
Chromium III	TVS	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)*
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(T)
Uranium	---	---
Zinc	TVS	TVS

13i. Mainstem of Grassy Creek, including all tributaries and wetlands, from the source to immediately above the confluence with Scotchmans Gulch.

COUCYA13I	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation N

Qualifiers:

Other:

Temporary Modification(s):

Iron(chronic) = current conditions*

Expiration Date of 12/31/2017

Selenium(chronic) = current conditions

Expiration Date of 12/31/2018

*Iron(chronic) = See section 33.6(4) for iron assessment locations.

*TempMod: Iron = for Grassy Creek.

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	100(T)
Beryllium	---	---
Cadmium	TVS	TVS
Chromium III	TVS	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	1000(T)*
Lead	TVS	TVS
Manganese	TVS	TVS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

13j. Mainstem of Grassy Creek, including all tributaries and wetlands, from the confluence with Scotchmans Gulch to the confluence with the Yampa River near Hayden.

COUCYA13J	Classifications
Designation	Agriculture
UP	Aq Life Warm 2
	Recreation N

Qualifiers:

Other:

*Selenium(acute) = See section 33.6(4) for selenium assessment locations.
*Selenium(chronic) = See section 33.6(4) for selenium assessment locations.

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	---
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	100	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	---
Sulfide	---	0.002

Metals (ug/L)		acute	chronic
Aluminum		---	---
Arsenic		340	100(T)
Beryllium		---	---
Cadmium		TVS	TVS
Chromium III		TVS	TVS
Chromium VI		TVS	TVS
Copper		TVS	TVS
Iron		---	1000(T)
Lead		TVS	TVS
Manganese		TVS	TVS
Mercury		---	0.01(t)
Molybdenum		---	160(T)
Nickel		TVS	TVS
Selenium	3/1 - 6/30	TVS*	TVS*
Silver		TVS	TVS
Uranium		---	---
Zinc		TVS	TVS

14. Mainstem of Elkhead Creek, including all tributaries and wetlands, from the boundary of the National Forest lands, to a point immediately below the confluence with Calf Creek. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from the source to a point immediately below 80A Road.

COUCYA14	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-II	CS-II
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

15. Mainstem of Elkhead Creek, including all tributaries and wetlands, from a point immediately below the confluence with Calf Creek to the confluence with the Yampa River. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from a point immediately below 80A Road to the confluence with the Yampa River.

COUCYA15	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	WS-II	WS-II
	acute	**chronic**
D.O. (mg/L)	---	5.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	**chronic**
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.17
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

16. Deleted.

COUCYA16	Classifications
Designation	
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
	acute	**chronic**
Inorganic (mg/L)		
	acute	**chronic**

Metals (ug/L)	acute	chronic

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

17. Deleted.

COUCYA17	Classifications	Physical and Biological			Metals (ug/L)	
Designation			DM	MWAT	acute	chronic
Qualifiers:			acute	chronic		
Other:						
		Inorganic (mg/L)				
			acute	chronic		

18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border.

COUCYA18	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum	---	---
	Recreation E		acute	chronic	Arsenic	340	0.02(T)
	Water Supply	D.O. (mg/L)	---	6.0	Beryllium	---	---
Qualifiers:		D.O. (spawning)	---	7.0	Cadmium	TVS(tr)	TVS
Other:		pH	6.5 - 9.0	---	Chromium III	50(T)	TVS
		chlorophyll a (mg/m^2)	---	150	Chromium VI	TVS	TVS
		E. Coli (per 100 mL)	---	126	Copper	TVS	TVS
					Iron	---	WS
		Inorganic (mg/L)			Iron	---	1000(T)
			acute	chronic	Lead	TVS	TVS
		Ammonia	TVS	TVS	Manganese	TVS	TVS
		Boron	---	0.75	Manganese	---	WS
		Chloride	---	250	Mercury	---	0.01(t)
		Chlorine	0.019	0.011	Molybdenum	---	160(T)
		Cyanide	0.005	---	Nickel	TVS	TVS
		Nitrate	10	---	Selenium	TVS	TVS
		Nitrite	---	0.05	Silver	TVS	TVS(tr)
		Phosphorus	---	0.11	Uranium	---	---
		Sulfate	---	WS	Zinc	TVS	TVS
		Sulfide	---	0.002	Zinc	---	TVS(sc)

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

19. All tributaries to the Little Snake River, including all wetlands, which are on National Forest lands in Routt County.

COUCYA19	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	---	---
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS
Zinc	---	TVS(sc)

20a. All tributaries to the Yampa River, including wetlands, above the confluence with Elkhead Creek that are within National Forest boundaries, except for specific listings in segment 20b.

COUCYA20A	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation U
	Water Supply
Qualifiers:	
Other:	

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	150
E. Coli (per 100 mL)	---	126
Inorganic (mg/L)		
	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

20b. Mainstem of First Creek from the eastern boundary of state lands in California Park to the confluence with Elkhead Creek. Mainstem of Elkhead Creek from the eastern boundary of state lands in California Park to the National Forest boundary.

COUCYA20B	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation N
	Water Supply

Qualifiers:

Other:

Physical and Biological	DM	MWAT
Temperature °C	CS-I	CS-I
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (mg/m^2)	---	---
E. Coli (per 100 mL)	---	630

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.11
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

21. All lakes and reservoirs which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.

COUCYA21	Classifications
Designation	Agriculture
OW	Aq Life Cold 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	CL,CLL	CL,CLL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

22. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 21. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River, except for specific listings in Segment 23. All lakes and reservoirs tributary to the Little Snake River, including those on National Forest lands.

COUCYA22	Classifications
Designation	Agriculture
Reviewable	Aq Life Cold 1
	Recreation E
	Water Supply
	DUWS*

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Classification: DUWS Applies only to Stagecoach Res. Steamboat Lake and Yampa River Holding Pond
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Temperature(4/1 - 12/31) = Pearl Lake (MWAT=19.6)
*Temperature(4/1 - 12/31) = Steamboat Res (MWAT=21.6)
*Temperature(4/1 - 12/31) = Stagecoach Res (MWAT=21.7)

Physical and Biological

		DM	MWAT
Temperature °C	4/1 - 12/31	CLL*	19.6* B
Temperature °C	4/1 - 12/31	CLL*	21.6* B
Temperature °C	4/1 - 12/31	CLL*	21.7* B
Temperature °C		CL,CLL	CL,CLL

	acute	chronic
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)

	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)

	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

REGULATION #33 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS
Yampa River Basin

23. Elkhead Reservoir

COUCYA23	Classifications
Designation	Agriculture
Reviewable	Aq Life Warm 1
	Recreation E
	Water Supply

Qualifiers:

Other:

*chlorophyll a (ug/L)(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.
*Phosphorus(chronic) = applies only above the facilities listed at 33.5(4), applies only to lakes and reservoirs larger than 25 acres surface area.

Physical and Biological	DM	MWAT
Temperature °C	WL	WL
	acute	**chronic**
D.O. (mg/L)	---	6.0
D.O. (spawning)	---	7.0
pH	6.5 - 9.0	---
chlorophyll a (ug/L)	---	8*
E. Coli (per 100 mL)	---	126

Inorganic (mg/L)	acute	chronic
Ammonia	TVS	TVS
Boron	---	0.75
Chloride	---	250
Chlorine	0.019	0.011
Cyanide	0.005	---
Nitrate	10	---
Nitrite	---	0.05
Phosphorus	---	0.025*
Sulfate	---	WS
Sulfide	---	0.002

Metals (ug/L)	acute	chronic
Aluminum	---	---
Arsenic	340	0.02(T)
Beryllium	---	---
Cadmium	TVS(tr)	TVS
Chromium III	50(T)	TVS
Chromium VI	TVS	TVS
Copper	TVS	TVS
Iron	---	WS
Iron	---	1000(T)
Lead	TVS	TVS
Manganese	TVS	TVS
Manganese	---	WS
Mercury	---	0.01(t)
Molybdenum	---	160(T)
Nickel	TVS	TVS
Selenium	TVS	TVS
Silver	TVS	TVS(tr)
Uranium	---	---
Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.
T = total recoverable
t = total
tr = trout
sc = sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 33.6 for details on TVS, TVS(tr), TVS(sc), WS, temperature standards.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS – FOOTNOTES

A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.

B) Assessment of adequate refuge shall rely on the Cold Large Lake table value temperature criterion and applicable dissolved oxygen standard rather than the site-specific temperature standard.