



COLORADO

Department of Public
Health & Environment

Dedicated to protecting and improving the health and environment of the people of Colorado

PROGRAM: RETAIL FOOD
EFFECTIVE REGULATION: *Colorado Retail Food Establishment Rules and Regulations, July 1, 2013*
INTERPRETIVE MEMO NO.: 15-01
DATE: September 25, 2014
SUBJECT: Equipment Interpretation for Norwalk Juicer Model 280

The Norwalk Juicer Model 280 has been reviewed by this department for conformance with the *Colorado Retail Food Establishment Rules and Regulations*.

Based on this evaluation, that the Norwalk Juicer Model 280 is in compliance with the rules and regulations, provided that the following requirements are met:

- The machine, including the cold press filter bags, shall be maintained clean and in good repair.
- All components of the juicer that come in contact with potentially hazardous food shall be washed, rinsed, and sanitized every four hours when in continuous use.
- Filter bags must be washed, rinsed, and sanitized before being stored clean as specified in Section 4-407 of the *Colorado Retail Food Establishment Rules and Regulations*.
- Standard operating procedures shall be kept on site addressing the routine cleaning and maintenance of the juicer.

This letter may be used as evidence of the evaluation of the subject item; however, it is not to be construed as an endorsement of the subject item and may not be used for advertising or included with any type of literature for promotional purposes.

25-4-1601 C.R.S. provides CDPHE's authority for the uniform statewide administration, implementation, interpretation, and enforcement of *The Colorado Retail Food Establishment Rules and Regulations*. This interpretive memo is issued in accordance with this authority and CDPHE expects its contents to be implemented in accordance with the statutory requirement. Failure to follow the above provisions may result in the regulatory authority citing the violative condition and seeking corrective action such as denaturing and disposing of the mishandled product.

All previous interpretive memoranda issued pertaining to this subject are hereby superseded as of the effective date above.

Jeff Lawrence, Director
Division of Environmental Health and Sustainability

