



EFERA

Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF
COLORADO**

Dual MAGNUM®

EPA Reg. 100-816
EPA SLN No. CO-030008

For Control of Weeds in Spinach

Keep Out of Reach of Children

**SYNGENTA'S SPECIAL CONDITIONS, RISKS OF USE AND DISCLAIMER FOR
USE OF DUAL MAGNUM ON CROPS ON THIS 24C LABEL**

IMPORTANT- READ BEFORE USE

**THESE CONDITIONS RISKS OF USE AND DISCLAIMER ARE REQUIRED BY
SYNGENTA CROP PROTECTION INC AND NOT SPECIFIED BY U.S. EPA OR
COLORADO DEPARTMENT OF AGRICULTURE**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SYNGENTA CROP PROTECTION, INC. INTENDS THAT THE PRODUCT THAT IS THE SUBJECT OF THIS SECTION 24C LABEL BE PURCHASED ONLY BY END USERS WHO AGREE BY ELECTRONIC SIGNATURE ON SYNGENTA CROP PROTECTION'S INTERNET SITE TO THE TERMS AND CONDITIONS REQUIRED BY SYNGENTA CROP PROTECTION, INC. INCLUDING A WAIVER AND RELEASE FROM ALL LIABILITY AND INDEMNIFICATION BY THE USER AND/OR GROWER OF SYNGENTA AND OTHERS FOR FAILURE TO PERFORM AND FOR CROP INJURY, CROP YIELD REDUCTION, AND/OR CROP LOSS FROM USE OF DUAL MAGNUM ON CROPS ON THIS 24(C) LABEL.

IF SUCH TERMS AND CONDITIONS ARE UNACCEPTABLE, RETURN THE DUAL MAGNUM AT ONCE UNOPENED OR USE THE DUAL MAGNUM FOR A DIFFERENT APPROVED USE IN ACCORDANCE WITH THE LABEL AFFIXED TO THE PRODUCT CONTAINER.

USE OF DUAL MAGNUM (THE "PRODUCT") ON CROPS LISTED (THE "CROP") FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP. SYNGENTA RECOMMENDS THAT THE USER TEST THIS PRODUCT TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE.

Syngenta Crop Protection, Inc. makes the Product available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors. Syngenta recommends that the user test this Product to determine its suitability for such intended use.

By purchasing the Product for use, or using the Product in the manner described in this Supplemental Labeling, you acknowledge and accept that, to the extent consistent with applicable law:

- 1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- 2) Syngenta Crop Protection, Inc. do not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;
- 3) Syngenta Crop Protection, Inc. do not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- 4) Syngenta Crop Protection, Inc. disclaim all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- 5) these conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Syngenta Crop Protection, Inc. or their respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

DIRECTIONS FOR USE

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Dual MAGNUM label.

This labeling and the EPA registered DUAL MAGNUM label must be in the possession of the user at the time of herbicide application.

SPINACH

Dual MAGNUM will not control emerged weeds. For effective weed control, Dual MAGNUM must be applied to clean-tilled soil.

Apply Dual MAGNUM at a broadcast rate of 0.33 – 0.67 pt./A to the soil surface as a preemergence soil application i.e. prior to crop and weed emergence. In that rate range, use lower rates on soils relatively coarse-textured and higher rates on fine-textured soils. Dual Magnum is not recommended on muck soils due to probable poor weed control at these rates. Apply with ground equipment in a minimum of 15 gals of water per acre as the carrier volume. A band application may also be used if the crop is not planted in a trench or depressed bed, applying proportionally less spray mixture on the area actually treated. Dual MAGNUM will not control emerged weeds. Control emerged weeds with an appropriate registered foliar herbicide or by mechanical or physical means.

For irrigated spinach: Irrigate with sprinkler or by furrow irrigation within two days of Dual MAGNUM® application.

Restrictions: (1) Do not incorporate. (2) Do not apply this product through any type of irrigation system. (3) Only one application of Dual MAGNUM permitted per spinach growing season on the same ground in one calendar year or illegal residues may occur. (4) Do not exceed more than 0.67 pt/A Dual MAGNUM or illegal residues may occur. (5) Do not harvest within 50 days of application or illegal residues may occur. (6) Do not apply by aerial application.

Expiration Date: December 31, 2015

Dual MAGNUM® is a trademark of A Syngenta Group Company

©2010 Syngenta Crop Protection

24(c) Registrant:
Syngenta Crop Protection, Inc.
Greensboro, North Carolina 27419

CO0816029DA1010