

Table 4A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Akron	76	*	*	*	*	*	*	*
Alamosa Co	229	26.2	0.0	57.6	0.0	0.0	0.0	16.2
Alamosa VW	910	21.5	0.3	64.1	0.7	0.3	1.0	12.1
Arvada	2,371	46.9	1.9	33.2	0.6	2.4	0.9	14.1
Aurora	3,981	7.5	13.5	61.0	0.3	2.1	1.9	13.7
Avon	341	2.3	0.6	83.3	0.0	0.0	0.3	13.5
Avondale	81	*	*	*	*	*	*	*
Bailey	100	62.0	2.0	16.0	3.0	0.0	6.0	11.0
Bennett	95	*	*	*	*	*	*	*
Bennett	36	*	*	*	*	*	*	*
Boulder	1,313	17.5	1.2	60.9	0.7	2.4	1.7	15.6
Brighton	1,230	20.9	0.7	62.9	0.6	0.9	0.4	13.7
Broomfield	546	42.7	0.9	35.5	1.1	5.1	1.6	13.0
Buena Vist	104	78.8	0.0	2.9	0.0	0.0	2.9	15.4
Burlington	184	40.8	0.0	39.1	1.1	0.5	2.2	16.3
Canon City	1,064	75.6	1.1	8.6	0.1	0.1	0.7	13.9
Castle Roc	939	44.5	1.7	33.9	0.0	2.0	3.7	14.2
Center Sag	35	*	*	*	*	*	*	*
Center VW	323	10.8	0.0	74.3	0.9	0.0	0.3	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Cheyenne W	173	45.1	1.7	37.0	0.6	0.0	0.6	15.0
Clear Cree	121	69.4	0.8	15.7	0.0	0.0	4.1	9.9
Commerce C	2,651	10.6	2.0	73.7	0.4	0.2	0.8	12.3
Conifer	122	70.5	0.8	3.3	2.5	0.0	0.8	22.1
Cortez	629	48.2	0.5	25.8	14.3	0.2	0.8	10.3
Craig	338	52.4	0.0	37.6	0.9	0.0	1.5	7.7
Crested B	23	*	*	*	*	*	*	*
Delta	521	42.0	0.2	40.3	0.4	0.6	2.7	13.8
Divide	315	73.7	1.6	7.6	0.3	0.6	2.9	13.3
Dove Creek	56	*	*	*	*	*	*	*
Durango	595	41.5	0.2	29.4	10.3	0.0	2.7	16.0
Eads	25	*	*	*	*	*	*	*
Eagle	230	9.6	0.9	76.1	0.9	0.0	0.0	12.6
Eastside	6,474	8.1	10.5	64.1	0.9	1.3	1.5	13.5
Edgewater	1,500	11.9	0.9	72.5	1.0	0.3	0.5	12.8
El Jebel	170	5.3	0.0	82.9	0.0	0.0	1.2	10.6
El Paso Ma	8,973	32.0	9.6	37.6	0.4	1.1	3.8	15.5
El Paso No	2,849	49.5	5.4	23.1	0.4	1.3	5.2	15.1
Elizabeth	92	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Englewood	2,257	38.2	3.9	42.9	0.5	2.3	1.0	11.2
Estes Park	145	29.7	0.0	55.9	0.0	0.0	0.7	13.8
Fairplay	47	*	*	*	*	*	*	*
Florence	88	*	*	*	*	*	*	*
Fountain V	2,259	50.2	9.1	18.1	0.9	1.4	5.0	15.2
Frisco	393	17.0	0.0	68.7	0.0	0.3	0.8	13.2
Ft Lupton1	160	10.6	0.0	71.3	0.6	0.0	3.1	14.4
Ft Lupton2	172	20.3	0.6	62.2	0.6	0.0	2.3	14.0
Ft. Collin	2,284	43.7	1.6	41.1	0.4	0.8	0.8	11.6
Ft. Morgan	1,237	21.4	0.2	64.3	0.2	0.1	0.5	13.4
Glenwood	653	8.9	0.0	72.4	0.6	0.0	0.2	17.9
Golden	20	*	*	*	*	*	*	*
Grand Junc	2,645	53.6	0.9	31.5	0.6	1.1	1.0	11.3
Gunnison	207	55.1	0.5	30.9	0.5	1.0	2.4	9.7
Havana	3,407	3.2	8.0	74.1	0.4	0.4	0.7	13.2
Holyoke	170	36.5	0.0	44.7	0.0	0.0	1.8	17.1
Hot Sulphu	155	43.9	1.3	34.8	0.6	0.0	3.9	15.5
Hugo	190	65.8	4.7	13.2	0.5	0.0	2.1	13.7
Ignacio	130	24.6	0.0	45.4	14.6	0.0	3.1	12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Illiff	4,521	19.2	16.8	37.9	1.3	3.1	2.2	19.4
Julesburg	54	*	*	*	*	*	*	*
La Junta	576	27.8	0.5	57.1	0.2	0.0	1.6	12.8
Lafayette	672	21.3	1.3	57.3	0.7	2.1	2.1	15.2
Lakewood	3,197	41.4	2.9	37.3	1.0	2.7	0.8	13.9
Lamar	741	25.0	0.8	63.6	0.0	0.0	0.7	10.0
Las Animas	187	43.3	2.1	42.8	0.5	0.0	1.6	9.6
Leadville	298	16.4	0.7	66.4	1.0	0.3	3.4	11.7
Longmont	2,701	21.6	0.4	64.2	0.3	0.7	1.0	11.8
Loveland	1,280	46.9	0.5	35.5	0.2	0.0	2.2	14.7
Manzanola	124	48.4	0.0	33.9	0.0	0.0	0.8	16.9
Meadow Par	1,260	34.0	7.9	31.6	0.2	1.6	6.2	18.5
Meeker	67	*	*	*	*	*	*	*
Montbello	1,540	4.7	18.8	59.5	0.1	2.5	1.7	12.6
Monte Vist	424	15.3	0.0	70.3	0.9	0.5	0.5	12.5
Montrose	1,246	37.1	0.5	42.1	0.7	0.4	1.4	17.7
Northglenn	4,423	27.4	2.0	53.5	0.6	2.3	0.8	13.4
Norwood	12	*	*	*	*	*	*	*
Nucla	73	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Olathe	112	22.3	0.0	65.2	1.8	0.0	0.9	9.8
Ordway	112	65.2	0.0	25.9	0.9	0.0	0.0	8.0
Ouray	36	*	*	*	*	*	*	*
Pagosa Spr	265	43.0	0.4	35.8	1.1	0.8	0.8	18.1
Paonia	66	*	*	*	*	*	*	*
Pecos	3,356	9.4	0.7	73.6	0.5	2.3	0.7	12.8
Pitkin	50	*	*	*	*	*	*	*
Pueblo Mai	2,500	23.1	0.8	60.6	0.3	0.4	2.2	12.6
Rangely	59	*	*	*	*	*	*	*
Rifle	576	28.1	0.0	58.3	0.2	0.0	1.0	12.3
Rocky Ford	382	20.2	0.3	63.4	0.0	0.0	0.3	16.0
S Pueblo	2,979	21.1	1.6	64.2	0.4	0.1	0.8	11.7
Saguache	19	*	*	*	*	*	*	*
Salida	181	63.0	0.0	18.2	1.1	0.0	5.5	12.2
San Luis V	14	*	*	*	*	*	*	*
Springfiel	131	61.1	0.8	22.9	0.8	0.0	2.3	12.2
Steamboat	111	47.7	1.8	39.6	0.9	0.0	0.9	9.0
Sterling	575	56.2	0.3	28.7	0.3	0.2	1.9	12.3
Sunrise	1,578	17.7	0.4	64.6	0.1	0.4	0.9	15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Telluride	59	*	*	*	*	*	*	*
Trinidad	424	26.4	0.5	58.7	0.7	0.5	2.8	10.4
Walden	30	*	*	*	*	*	*	*
Walsenburg	220	22.3	0.5	60.0	0.9	0.9	2.3	13.2
Westcliffe	30	*	*	*	*	*	*	*
Wray	153	51.0	0.7	35.9	0.0	0.7	0.0	11.8
Yuma	278	29.9	0.0	62.9	0.0	0.0	0.4	6.8
Unknown Clinics	16	*	*	*	*	*	*	*
Colorado	94,142	27.7	4.9	49.8	0.7	1.2	1.8	13.9
Nation (Prior Year)	6,948,667	35.6	20.3	37.1	1.2	2.9	0.1	2.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Akron	76	*	*	*
Alamosa Co	229	29.7	17.5	52.8
Alamosa VW	910	40.8	20.4	38.8
Arvada	2,371	37.2	21.0	41.8
Aurora	3,981	43.0	17.9	39.1
Avon	341	40.2	22.6	37.2
Avondale	81	*	*	*
Bailey	100	37.0	23.0	40.0
Bennett	95	*	*	*
Bennett	36	*	*	*
Boulder	1,313	34.3	18.0	47.8
Brighton	1,230	40.0	18.2	41.8
Broomfield	546	37.0	16.8	46.2
Buena Vist	104	30.8	16.3	52.9
Burlington	184	33.2	19.0	47.8
Canon City	1,064	39.1	16.8	44.1
Castle Roc	939	41.1	18.4	40.5
Center Sag	35	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Center VW	323	26.6	14.6	58.8
Cheyenne W	173	34.1	15.0	50.9
Clear Cree	121	40.5	26.4	33.1
Commerce C	2,651	35.3	17.8	46.9
Conifer	122	31.1	23.0	45.9
Cortez	629	34.0	21.6	44.4
Craig	338	43.5	21.6	34.9
Crested B	23	*	*	*
Delta	521	32.4	19.6	48.0
Divide	315	41.0	17.5	41.6
Dove Creek	56	*	*	*
Durango	595	42.9	15.8	41.3
Eads	25	*	*	*
Eagle	230	50.0	16.1	33.9
Eastside	6,474	72.2	25.6	2.3
Edgewater	1,500	37.0	18.7	44.3
El Jebel	170	40.0	15.3	44.7
El Paso Ma	8,973	38.0	18.4	43.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
El Paso No	2,849	38.6	19.5	41.8
Elizabeth	92	*	*	*
Englewood	2,257	45.8	16.5	37.7
Estes Park	145	40.0	17.9	42.1
Fairplay	47	*	*	*
Florence	88	*	*	*
Fountain V	2,259	37.7	17.8	44.4
Frisco	393	45.5	19.3	35.1
Ft Lupton1	160	69.4	16.3	14.4
Ft Lupton2	172	68.6	22.1	9.3
Ft. Collin	2,284	39.6	19.6	40.8
Ft. Morgan	1,237	37.3	17.4	45.3
Glenwood	653	47.3	17.2	35.5
Golden	20	*	*	*
Grand Junc	2,645	46.4	20.5	33.2
Gunnison	207	37.2	22.2	40.6
Havana	3,407	35.8	18.8	45.3
Holyoke	170	33.5	15.9	50.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Hot Sulphu	155	34.8	20.6	44.5
Hugo	190	37.9	16.8	45.3
Ignacio	130	38.5	17.7	43.8
Illiff	4,521	41.6	17.7	40.7
Julesburg	54	*	*	*
La Junta	576	32.8	18.8	48.4
Lafayette	672	36.2	18.6	45.2
Lakewood	3,197	40.1	20.7	39.2
Lamar	741	32.7	18.4	49.0
Las Animas	187	39.6	17.1	43.3
Leadville	298	23.5	26.2	50.3
Longmont	2,701	36.8	19.0	44.2
Loveland	1,280	42.3	19.4	38.3
Manzanola	124	28.2	19.4	52.4
Meadow Par	1,260	41.6	19.4	39.0
Meeker	67	*	*	*
Montbello	1,540	71.9	26.2	1.9
Monte Vist	424	37.7	21.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Montrose	1,246	36.4	18.1	45.4
Northglenn	4,423	40.7	20.4	38.9
Norwood	12	*	*	*
Nucla	73	*	*	*
Olathe	112	31.3	11.6	57.1
Ordway	112	33.0	17.9	49.1
Ouray	36	*	*	*
Pagosa Spr	265	40.8	16.2	43.0
Paonia	66	*	*	*
Pecos	3,356	40.0	18.4	41.5
Pitkin	50	*	*	*
Pueblo Mai	2,500	36.1	21.8	42.1
Rangely	59	*	*	*
Rifle	576	47.2	15.3	37.5
Rocky Ford	382	29.3	17.5	53.1
S Pueblo	2,979	31.6	19.9	48.5
Saguache	19	*	*	*
Salida	181	37.6	19.9	42.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
San Luis V	14	*	*	*
Springfiel	131	29.0	17.6	53.4
Steamboat	111	52.3	15.3	32.4
Sterling	575	36.9	16.3	46.8
Sunrise	1,578	68.4	16.8	14.8
Telluride	59	*	*	*
Trinidad	424	40.8	16.5	42.7
Walden	30	*	*	*
Walsenburg	220	33.2	20.0	46.8
Westcliffe	30	*	*	*
Wray	153	41.2	18.3	40.5
Yuma	278	31.3	18.7	50.0
Unknown Clinics	16	*	*	*
Colorado	94,142	42.2	19.4	38.4
Nation (Prior Year)	6,948,667	35.4	22.2	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Akron	15	* *	* *	75	* *	* *	* *	38	* *	* *	38	* *
Alamosa Co	29	* *	* *	226	8.8 (46)	2.2 (15)	11.1 (63)	122	23.8 (52)	12.3 (40)	152	15.8 (52)
Alamosa VW	242	18.6 (42)	1.2 (3)	904	11.9 (69)	4.6 (61)	4.9 (5)	347	13.8 (18)	4.6 (4)	572	8.6 (18)
Arvada	580	10.9 (31)	3.4 (9)	2,351	9.6 (57)	3.7 (49)	9.0 (39)	990	20.1 (49)	14.2 (47)	1,408	11.1 (35)
Aurora	1,025	11.4 (34)	5.8 (36)	3,943	7.2 (30)	3.8 (53)	10.0 (53)	1,530	17.1 (40)	12.5 (42)	2,252	8.7 (20)
Avon	104	12.5 (39)	6.7 (40)	335	5.7 (10)	3.6 (45)	7.5 (24)	126	13.5 (16)	9.5 (23)	197	9.1 (23)
Avondale	12	* *	* *	81	* *	* *	* *	39	* *	* *	58	* *
Bailey	24	* *	* *	98	* *	* *	* *	42	* *	* *	44	* *
Bennett	22	* *	* *	93	* *	* *	* *	36	* *	* *	46	* *
Bennett	11	* *	* *	36	* *	* *	* *	9	* *	* *	17	* *
Boulder	273	8.4 (11)	6.6 (39)	1,299	5.9 (14)	3.7 (49)	9.2 (42)	611	14.9 (28)	9.7 (25)	754	13.0 (44)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Brighton	318	7.5 (7)	2.8 (5)	1,224	6.9 (25)	3.6 (45)	6.8 (18)	519	14.3 (22)	6.9 (9)	665	7.4 (12)
Broomfield	118	7.6 (8)	3.4 (9)	540	10.2 (63)	4.4 (60)	7.4 (23)	255	17.3 (44)	10.2 (31)	292	20.5 (58)
Buena Vist	20	* *	* *	104	17.3 (75)	1.0 (2)	3.8 (4)	54	* *	* *	64	* *
Burlington	31	* *	* *	182	3.3 (1)	3.3 (40)	9.3 (45)	89	* *	* *	128	7.8 (13)
Canon City	261	8.8 (15)	5.7 (35)	1,056	8.5 (42)	1.6 (5)	6.9 (20)	467	19.7 (48)	7.1 (12)	576	10.6 (32)
Castle Roc	244	7.0 (6)	3.7 (13)	926	8.9 (49)	2.9 (30)	10.7 (59)	369	16.3 (35)	8.1 (15)	436	10.1 (29)
Center Sag	0	* *	* *	35	* *	* *	* *	20	* *	* *	26	* *
Center VW	62	* *	* *	321	6.5 (21)	5.0 (66)	11.2 (64)	185	9.7 (3)	15.7 (52)	225	11.1 (35)
Cheyenne W	33	* *	* *	172	7.0 (29)	1.7 (6)	9.9 (50)	86	* *	* *	116	8.6 (18)
Clear Cree	31	* *	* *	118	11.9 (69)	6.8 (74)	1.7 (2)	40	* *	* *	60	* *
Commerce C	586	9.9 (23)	4.8 (26)	2,622	6.3 (17)	1.9 (9)	12.2 (69)	1,228	14.8 (25)	13.0 (45)	1,623	14.1 (48)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Conifer	24	* *	* *	121	9.1 (53)	2.5 (20)	0.8 (1)	56	* *	* *	71	* *
Cortez	143	9.1 (20)	5.6 (34)	620	8.4 (40)	3.7 (49)	12.1 (67)	278	14.4 (23)	13.3 (46)	393	10.4 (30)
Craig	85	* *	* *	335	4.8 (5)	3.6 (45)	7.5 (24)	117	12.8 (13)	12.8 (44)	194	13.4 (46)
Crested B	4	* *	* *	23	* *	* *	* *	12	* *	* *	12	* *
Delta	99	* *	* *	518	9.8 (59)	3.5 (42)	10.2 (54)	248	16.1 (33)	11.3 (36)	261	9.6 (24)
Divide	87	* *	* *	309	10.0 (62)	6.1 (72)	3.6 (3)	131	8.4 (1)	3.1 (2)	162	30.2 (60)
Dove Creek	10	* *	* *	54	* *	* *	* *	25	* *	* *	33	* *
Durango	155	9.0 (19)	5.2 (31)	592	5.7 (10)	3.2 (37)	6.3 (13)	249	16.5 (36)	8.8 (20)	320	11.6 (37)
Eads	4	* *	* *	24	* *	* *	* *	8	* *	* *	10	* *
Eagle	75	* *	* *	227	9.7 (58)	6.2 (73)	7.5 (24)	74	* *	* *	131	5.3 (8)
Eastside	3,059	10.8 (30)	3.9 (17)	6,408	10.5 (65)	3.8 (53)	6.8 (18)	146	9.6 (2)	2.7 (1)	2,861	5.5 (9)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Edgewater	329	8.2 (10)	7.3 (43)	1,485	5.5 (9)	3.1 (34)	8.7 (36)	657	12.5 (11)	9.7 (25)	910	10.7 (34)
El Jebel	41	* *	* *	165	9.1 (53)	1.2 (3)	15.2 (75)	74	* *	* *	94	* *
El Paso Ma	2,192	10.7 (29)	4.0 (18)	8,902	8.4 (40)	3.2 (37)	6.5 (16)	3,865	13.1 (15)	7.0 (11)	2,073	14.1 (48)
El Paso No	704	11.5 (36)	4.4 (20)	2,825	12.0 (71)	2.8 (25)	7.7 (28)	1,188	14.1 (21)	7.5 (14)	1,703	7.9 (14)
Elizabeth	23	* *	* *	91	* *	* *	* *	31	* *	* *	51	* *
Englewood	637	9.9 (23)	3.8 (15)	2,240	8.9 (49)	2.1 (14)	11.0 (61)	842	17.1 (40)	15.3 (50)	1,189	9.7 (26)
Estes Park	34	* *	* *	144	4.2 (3)	4.2 (57)	6.9 (20)	64	* *	* *	74	* *
Fairplay	9	* *	* *	44	* *	* *	* *	19	* *	* *	22	* *
Florence	21	* *	* *	87	* *	* *	* *	34	* *	* *	52	* *
Fountain V	551	11.4 (34)	4.4 (20)	2,238	8.2 (37)	3.8 (53)	5.3 (7)	1,004	12.3 (10)	6.3 (5)	1,291	7.9 (14)
Frisco	114	8.8 (15)	0.9 (2)	378	9.8 (59)	9.0 (76)	5.8 (11)	136	11.8 (8)	6.6 (8)	175	25.1 (59)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Ft Lupton1	73	* *	* *	158	20.9 (76)	1.9 (9)	15.8 (76)	25	* *	* *	67	* *
Ft Lupton2	62	* *	* *	169	14.8 (74)	2.4 (18)	14.2 (74)	16	* *	* *	70	* *
Ft. Collin	595	9.9 (23)	3.4 (9)	2,245	6.9 (25)	4.8 (63)	7.6 (27)	907	15.2 (30)	9.6 (24)	1,261	15.7 (51)
Ft. Morgan	272	5.5 (1)	4.8 (26)	1,222	6.1 (16)	1.9 (9)	11.0 (61)	552	20.5 (50)	11.8 (37)	804	9.0 (22)
Glenwood	180	5.6 (2)	3.3 (7)	646	6.0 (15)	2.2 (15)	9.9 (50)	223	15.2 (30)	8.5 (17)	359	12.5 (43)
Golden	1	* *	* *	20	* *	* *	* *	12	* *	* *	6	* *
Grand Junc	778	9.9 (23)	4.1 (19)	2,623	7.6 (32)	3.6 (45)	7.7 (28)	863	17.0 (38)	8.9 (22)	1,335	12.4 (42)
Gunnison	48	* *	* *	206	10.7 (66)	4.9 (65)	9.2 (42)	85	* *	* *	134	14.9 (50)
Havana	794	8.9 (18)	7.2 (42)	3,367	5.7 (10)	3.1 (34)	9.6 (48)	1,533	14.9 (28)	9.7 (25)	2,001	11.7 (39)
Holyoke	33	* *	* *	167	5.4 (8)	2.4 (18)	9.6 (48)	81	* *	* *	112	2.7 (4)
Hot Sulphu	38	* *	* *	152	7.9 (36)	5.3 (68)	8.6 (35)	67	* *	* *	102	17.6 (55)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Hugo	44	* *	* *	188	4.8 (5)	5.9 (71)	5.3 (7)	82	* *	* *	109	18.3 (57)
Ignacio	30	* *	* *	130	6.9 (25)	3.1 (34)	12.3 (71)	54	* *	* *	79	* *
Illiff	1,123	10.2 (27)	4.7 (24)	4,477	6.6 (22)	4.7 (62)	7.7 (28)	1,812	10.5 (5)	8.8 (20)	2,455	11.6 (37)
Julesburg	14	* *	* *	54	* *	* *	* *	20	* *	* *	36	* *
La Junta	116	19.8 (43)	1.7 (4)	571	8.8 (46)	2.8 (25)	8.4 (34)	272	18.0 (45)	9.9 (29)	365	2.2 (3)
Lafayette	148	6.8 (4)	6.8 (41)	671	6.4 (19)	2.5 (20)	9.1 (41)	296	12.8 (13)	9.8 (28)	395	16.2 (53)
Lakewood	835	11.0 (32)	3.7 (13)	3,170	7.6 (32)	4.2 (57)	6.3 (13)	1,252	14.6 (24)	8.7 (19)	1,883	9.9 (28)
Lamar	145	11.7 (38)	5.5 (33)	728	6.7 (23)	3.0 (32)	12.2 (69)	357	22.7 (51)	15.1 (49)	453	13.0 (44)
Las Animas	48	* *	* *	181	8.3 (39)	5.0 (66)	7.7 (28)	82	* *	* *	118	11.9 (41)
Leadville	60	* *	* *	293	9.2 (55)	7.5 (75)	9.9 (50)	146	11.6 (7)	14.4 (48)	162	10.5 (31)
Longmont	620	6.9 (5)	4.7 (24)	2,689	6.9 (25)	2.5 (20)	10.7 (59)	1,180	14.8 (25)	11.8 (37)	1,556	9.6 (24)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Loveland	357	8.4 (11)	4.8 (26)	1,269	7.8 (35)	3.5 (42)	6.6 (17)	493	12.6 (12)	7.1 (12)	660	9.7 (26)
Manzanola	19	* *	* *	123	8.9 (49)	0.8 (1)	8.1 (32)	64	* *	* *	89	* *
Meadow Par	356	9.3 (21)	4.5 (22)	1,255	8.6 (44)	4.2 (57)	6.9 (20)	493	11.4 (6)	6.3 (5)	724	16.7 (54)
Meeker	19	* *	* *	66	* *	* *	* *	25	* *	* *	41	* *
Montbello	703	11.1 (33)	4.6 (23)	1,523	10.2 (63)	2.6 (24)	8.9 (37)	30	* *	* *	641	10.6 (32)
Monte Vist	101	14.9 (41)	0.0 (1)	419	12.2 (72)	4.8 (63)	5.7 (10)	174	13.8 (18)	6.9 (9)	271	4.4 (6)
Montrose	275	8.7 (14)	3.3 (7)	1,232	6.7 (23)	2.8 (25)	9.0 (39)	559	14.8 (25)	10.7 (33)	298	18.1 (56)
Northglenn	1,146	8.1 (9)	5.3 (32)	4,388	8.5 (42)	3.2 (37)	8.9 (37)	1,724	13.6 (17)	8.6 (18)	2,274	7.3 (11)
Norwood	3	* *	* *	12	* *	* *	* *	6	* *	* *	5	* *
Nucla	11	* *	* *	71	* *	* *	* *	39	* *	* *	41	* *
Olathe	25	* *	* *	109	11.0 (67)	2.8 (25)	11.9 (66)	60	* *	* *	55	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Clinic ^(3,4)												
Clinic	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾	≥ 2 Yrs Over- weight ⁽⁷⁾			Number % (Rank)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Ordway	23	* *	* *	109	6.4 (19)	1.8 (7)	8.3 (33)	52	* *	* *	66	* *
Ouray	8	* *	* *	36	* *	* *	* *	14	* *	* *	25	* *
Pagosa Spr	67	* *	* *	263	7.6 (32)	5.7 (70)	4.9 (5)	111	17.1 (40)	8.1 (15)	89	* *
Paonia	6	* *	* *	65	* *	* *	* *	34	* *	* *	28	* *
Pecos	825	8.6 (13)	6.1 (37)	3,316	5.1 (7)	3.5 (42)	9.4 (46)	1,369	16.6 (37)	10.7 (33)	1,905	11.7 (39)
Pitkin	12	* *	* *	50	* *	* *	* *	17	* *	* *	31	* *
Pueblo Mai	592	8.8 (15)	3.5 (12)	2,487	8.8 (46)	2.2 (15)	11.3 (65)	1,054	18.9 (46)	10.2 (31)	1,634	8.0 (16)
Rangely	18	* *	* *	59	* *	* *	* *	23	* *	* *	31	* *
Rifle	163	10.4 (28)	4.9 (29)	571	8.2 (37)	1.8 (7)	5.4 (9)	211	10.4 (4)	3.8 (3)	313	8.3 (17)
Rocky Ford	70	* *	* *	377	7.4 (31)	1.3 (4)	12.5 (72)	192	17.2 (43)	12.5 (42)	239	0.4 (1)
S Pueblo	666	9.6 (22)	3.8 (15)	2,958	8.7 (45)	1.9 (9)	10.2 (54)	1,426	17.0 (38)	11.1 (35)	1,962	5.8 (10)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)			(8)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Saguache	1	* *	* *	19	* *	* *	* *	11	* *	* *	18	* *
Salida	37	* *	* *	180	8.9 (49)	3.3 (40)	6.1 (12)	78	* *	* *	104	1.9 (2)
San Luis V	3	* *	* *	14	* *	* *	* *	7	* *	* *	9	* *
Springfiel	25	* *	* *	130	3.8 (2)	3.8 (53)	9.2 (42)	69	* *	* *	67	* *
Steamboat	34	* *	* *	109	9.2 (55)	3.7 (49)	6.4 (15)	34	* *	* *	54	* *
Sterling	120	6.7 (3)	5.0 (30)	570	6.3 (17)	2.8 (25)	10.5 (56)	261	16.1 (33)	12.3 (40)	380	3.4 (5)
Sunrise	647	11.6 (37)	6.3 (38)	1,547	12.9 (73)	3.0 (32)	10.5 (56)	226	15.5 (32)	15.5 (51)	642	13.6 (47)
Telluride	20	* *	* *	59	* *	* *	* *	17	* *	* *	31	* *
Trinidad	103	13.6 (40)	2.9 (6)	413	9.9 (61)	2.9 (30)	12.1 (67)	172	14.0 (20)	12.2 (39)	260	8.8 (21)
Walden	3	* *	* *	29	* *	* *	* *	17	* *	* *	22	* *
Walsenburg	50	* *	* *	216	11.1 (68)	5.6 (69)	10.6 (58)	100	12.0 (9)	10.0 (30)	79	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Westcliffe	5	* *	* *	30	* *	* *	* *	15	* *	* *	19	* *
Wray	41	* *	* *	152	4.6 (4)	2.0 (13)	13.2 (73)	59	* *	* *	90	* *
Yuma	52	* *	* *	278	5.8 (13)	2.5 (20)	9.4 (46)	143	19.6 (47)	6.3 (5)	178	5.1 (7)
Unknown Clinics	12	* *	* *	16	* *	* *	* *	2	* *	* *	4	* *
Colorado	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2
Nation (Prior Year)	1,633,363	9.3	6.8	6,600,078	6.4	4.7	14.1	2,822,660	16.1	14.8	4,020,684	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Akron	15	* *	16	* *	8	* *	0	* *	0	* *
Alamosa Co	29	* *	38	* *	31	* *	0	* *	0	* *
Alamosa VW	242	65.7 (36)	206	29.6 (12)	154	11.0 (29)	0	* *	0	* *
Arvada	580	69.1 (30)	454	28.2 (21)	385	16.4 (20)	0	* *	0	* *
Aurora	1,025	81.6 (10)	920	25.8 (25)	621	14.8 (22)	0	* *	0	* *
Avon	105	84.8 (9)	52	* *	51	* *	0	* *	0	* *
Avondale	12	* *	12	* *	12	* *	0	* *	0	* *
Bailey	24	* *	17	* *	15	* *	0	* *	0	* *
Bennett	22	* *	10	* *	10	* *	0	* *	0	* *
Bennett	11	* *	11	* *	5	* *	0	* *	0	* *
Boulder	274	90.9 (3)	225	60.4 (1)	188	55.3 (1)	0	* *	0	* *
Brighton	318	69.2 (29)	221	29.4 (13)	147	19.7 (9)	0	* *	0	* *
Broomfield	118	68.6 (34)	101	24.8 (26)	63	* *	0	* *	0	* *
Buena Vist	20	* *	19	* *	14	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Burlington	31	* *	31	* *	34	* *	0	* *	0	* *
Canon City	262	61.8 (41)	196	23.5 (30)	145	13.8 (25)	0	* *	0	* *
Castle Roc	244	68.9 (31)	147	51.0 (4)	120	41.7 (2)	0	* *	0	* *
Center Sag	0	* *	4	* *	10	* *	0	* *	0	* *
Center VW	62	* *	42	* *	43	* *	0	* *	0	* *
Cheyenne W	33	* *	39	* *	22	* *	0	* *	0	* *
Clear Cree	31	* *	18	* *	19	* *	0	* *	0	* *
Commerce C	586	63.0 (39)	482	23.9 (29)	332	22.3 (7)	0	* *	0	* *
Conifer	25	* *	24	* *	18	* *	0	* *	0	* *
Cortez	143	87.4 (7)	127	50.4 (5)	89	* *	0	* *	0	* *
Craig	85	* *	81	* *	55	* *	0	* *	0	* *
Crested B	4	* *	1	* *	2	* *	0	* *	0	* *
Delta	99	* *	88	* *	83	* *	0	* *	0	* *
Divide	87	* *	62	* *	39	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Dove Creek	10	* *	12	* *	9	* *	0	* *	0	* *
Durango	155	87.1 (8)	105	40.0 (7)	72	* *	0	* *	0	* *
Eads	4	* *	6	* *	3	* *	0	* *	0	* *
Eagle	76	* *	52	* *	26	* *	0	* *	0	* *
Eastside	3,060	71.9 (21)	2,305	27.2 (23)	1,308	15.6 (21)	0	* *	0	* *
Edgewater	329	72.9 (20)	335	24.8 (26)	247	14.6 (23)	0	* *	0	* *
El Jebel	41	* *	30	* *	19	* *	0	* *	0	* *
El Paso Ma	2,195	70.1 (24)	1,773	29.7 (11)	1,228	19.5 (10)	0	* *	0	* *
El Paso No	704	70.2 (23)	601	26.8 (24)	398	23.1 (6)	0	* *	0	* *
Elizabeth	23	* *	19	* *	15	* *	0	* *	0	* *
Englewood	640	69.4 (28)	467	22.7 (32)	287	13.2 (27)	0	* *	0	* *
Estes Park	34	* *	32	* *	24	* *	0	* *	0	* *
Fairplay	9	* *	6	* *	8	* *	0	* *	0	* *
Florence	21	* *	16	* *	13	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Fountain V	552	68.8 (32)	418 28.5 (19)	233 18.5 (12)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Frisco	114	87.7 (5)	65 * *	58 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ft Lupton1	73	* *	45 * *	23 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ft Lupton2	62	* *	62 * *	28 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ft. Collin	595	78.3 (13)	430 33.3 (10)	358 23.2 (5)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ft. Morgan	272	58.1 (42)	238 14.3 (40)	182 4.9 (31)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Glenwood	180	98.9 (1)	150 50.0 (6)	99 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Golden	1	* *	1 * *	1 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Grand Junc	779	80.2 (11)	613 23.5 (30)	434 14.3 (24)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Gunnison	48	* *	35 * *	31 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Havana	796	75.5 (17)	618 29.0 (16)	488 23.8 (4)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Holyoke	33	* *	25 * *	21 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hot Sulphu	38	* *	35 * *	22 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Hugo	44	* *	35 * *	20 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Ignacio	30	* *	32	* *	18	* *	0	* *	0	* *
Illiff	1,123	77.7 (14)	957	28.9 (17)	595	16.8 (18)	0	* *	0	* *
Julesburg	14	* *	11	* *	9	* *	0	* *	0	* *
La Junta	116	65.5 (37)	108	18.5 (36)	90	* *	0	* *	0	* *
Lafayette	148	89.9 (4)	115	55.7 (3)	93	* *	0	* *	0	* *
Lakewood	837	68.7 (33)	728	28.7 (18)	514	22.2 (8)	0	* *	0	* *
Lamar	145	70.3 (22)	154	21.4 (33)	117	17.9 (14)	0	* *	0	* *
Las Animas	48	* *	41	* *	29	* *	0	* *	0	* *
Leadville	60	* *	37	* *	47	* *	0	* *	0	* *
Longmont	620	76.5 (16)	538	29.2 (15)	394	16.8 (18)	0	* *	0	* *
Loveland	357	78.4 (12)	275	28.4 (20)	190	19.5 (10)	0	* *	0	* *
Manzanola	19	* *	20	* *	20	* *	0	* *	0	* *
Meadow Par	356	69.9 (26)	255	29.4 (13)	182	17.6 (17)	0	* *	0	* *
Meeker	19	* *	12	* *	9	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Montbello	703	75.1 (18)	581 24.3 (28)	332 17.8 (15)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Monte Vist	101	55.4 (43)	99 * *	64 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Montrose	276	77.2 (15)	248 35.5 (9)	191 17.8 (15)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Northglenn	1,148	66.9 (35)	922 18.5 (36)	701 13.4 (26)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Norwood	3	* *	1 * *	1 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Nucla	11	* *	11 * *	10 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Olathe	25	* *	16 * *	9 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ordway	23	* *	16 * *	18 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ouray	8	* *	8 * *	8 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pagosa Spr	67	* *	48 * *	37 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Paonia	6	* *	13 * *	14 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pecos	825	74.3 (19)	705 27.8 (22)	539 18.2 (13)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pitkin	12	* *	16 * *	7 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pueblo Mai	592	69.6 (27)	571 21.2 (34)	493 12.0 (28)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Rangely	18	* *	10 * *	9 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Rifle	163	91.4 (2)	113 39.8 (8)	64 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Rocky Ford	70	* *	69 * *	60 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
S Pueblo	666	61.9 (40)	574 14.6 (39)	501 7.4 (30)	0 * *	0 * *	0 * *	* *	0 * *	* *
Saguache	1	* *	0 * *	3 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Salida	37	* *	37 * *	29 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
San Luis V	3	* *	2 * *	1 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Springfiel	25	* *	21 * *	18 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Steamboat	35	* *	26 * *	14 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Sterling	120	70.0 (25)	116 19.8 (35)	86 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Sunrise	647	87.6 (6)	479 55.9 (2)	293 38.9 (3)	0 * *	0 * *	0 * *	* *	0 * *	* *
Telluride	20	* *	17 * *	7 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Trinidad	103	64.1 (38)	101 15.8 (38)	60 * *	0 * *	0 * *	0 * *	* *	0 * *	* *
Walden	3	* *	1 * *	3 * *	0 * *	0 * *	0 * *	* *	0 * *	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7A
2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Walsenburg	50	* *	36	* *	31	* *	0	* *
Westcliffe	5	* *	5	* *	6	* *	0	* *
Wray	41	* *	24	* *	20	* *	0	* *
Yuma	52	* *	47	* *	38	* *	0	* *
Unknown Clinics	12	* *	4	* *	2	* *	0	* *
Colorado	25,138	73.5	20,393	28.5	14,346	19.0	0	*
Nation (Prior Year)	1,469,572	56.1	718,598	23.4	792,792	17.6	37,398	9.8
							39,388	6.7
							64,128	40.5
							389,446	20.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Akron	65	* *	* *	331	10.0 (77)	2.7 (22)	9.1 (59)	168	16.7 (63)	6.0 (11)	165	3.6 (15)
Alamosa Co	206	12.1 (54)	2.9 (14)	1,197	12.4 (94)	3.1 (31)	12.2 (91)	655	17.4 (71)	15.3 (82)	714	17.6 (84)
Alamosa VW	725	16.0 (68)	2.9 (14)	2,449	12.8 (95)	4.9 (75)	5.6 (8)	906	15.3 (55)	7.5 (23)	1,372	10.3 (66)
Arvada	2,023	10.1 (35)	4.0 (26)	8,220	9.0 (67)	3.5 (43)	9.3 (63)	3,630	19.9 (81)	13.6 (75)	4,633	11.7 (73)
Aurora	3,313	10.8 (46)	4.9 (41)	12,280	7.1 (35)	4.3 (67)	8.8 (57)	4,917	13.7 (37)	10.8 (58)	6,544	7.0 (43)
Avon	338	8.6 (20)	3.6 (21)	1,148	7.1 (35)	5.1 (76)	6.8 (29)	405	13.3 (34)	7.4 (22)	597	4.4 (20)
Avondale	56	* *	* *	275	9.8 (76)	3.3 (35)	12.7 (94)	129	17.1 (66)	9.3 (42)	165	8.5 (52)
Bailey	74	* *	* *	348	9.5 (72)	6.0 (83)	3.7 (1)	162	13.0 (33)	2.5 (3)	155	5.8 (33)
Bennett	68	* *	* *	291	8.9 (63)	4.5 (69)	5.8 (12)	118	11.0 (15)	7.6 (25)	130	6.9 (41)
Bennett	32	* *	* *	120	5.0 (8)	3.3 (35)	5.8 (12)	42	* *	* *	53	* *
Boulder	899	7.9 (15)	7.3 (68)	4,518	6.1 (18)	3.6 (46)	9.7 (67)	2,226	15.2 (53)	10.2 (52)	2,366	7.3 (44)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Brighton	944	8.5 (18)	3.6 (21)	3,909	7.1 (35)	3.4 (39)	7.6 (42)	1,738	13.3 (34)	9.4 (43)	1,965	5.1 (24)
Broomfield	369	8.9 (24)	3.8 (24)	1,529	8.5 (58)	3.9 (54)	7.7 (45)	680	15.6 (57)	9.6 (45)	733	10.0 (60)
Buena Vist	75	* *	* *	349	14.3 (99)	2.6 (18)	5.7 (10)	173	19.7 (78)	4.6 (9)	190	1.1 (4)
Burlington	111	6.3 (6)	7.2 (66)	664	3.8 (5)	3.9 (54)	13.0 (96)	361	13.9 (40)	16.6 (84)	418	7.7 (47)
Calhan	20	* *	* *	131	6.9 (31)	1.5 (2)	4.6 (4)	68	* *	* *	55	* *
Canon City	855	9.0 (25)	4.4 (35)	3,624	8.9 (63)	2.6 (18)	8.6 (55)	1,694	16.2 (60)	9.7 (46)	1,915	6.0 (35)
Castle Roc	726	11.0 (48)	2.8 (13)	2,807	7.4 (44)	4.0 (58)	9.1 (59)	1,183	14.5 (44)	7.7 (26)	1,304	9.4 (56)
Center Sag	68	* *	* *	361	7.5 (46)	7.2 (89)	7.5 (38)	182	10.4 (11)	7.1 (21)	212	26.4 (90)
Center VW	153	17.0 (69)	2.6 (12)	862	7.7 (48)	3.9 (54)	10.8 (82)	487	14.4 (43)	13.3 (72)	624	4.6 (22)
Cheyenne W	104	5.8 (5)	10.6 (71)	593	8.1 (54)	3.4 (39)	12.0 (90)	330	20.3 (82)	13.6 (75)	371	10.0 (60)
Clear Cree	112	17.0 (69)	1.8 (8)	394	10.7 (87)	7.9 (96)	4.3 (3)	132	8.3 (5)	4.5 (8)	192	3.6 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Commerce C	2,020	9.9 (33)	5.5 (49)	9,032	6.6 (26)	2.5 (16)	10.6 (79)	4,257	15.2 (53)	11.3 (64)	5,685	14.3 (80)
Community	611	9.2 (26)	5.2 (44)	2,893	7.5 (46)	4.1 (61)	5.7 (10)	1,438	12.9 (29)	6.1 (14)	1,376	4.7 (23)
Conifer	78	* *	* *	374	12.3 (93)	3.2 (34)	5.1 (5)	166	10.2 (9)	4.8 (10)	211	14.7 (81)
Cortez	477	10.9 (47)	5.9 (58)	2,234	9.5 (72)	3.3 (35)	11.4 (87)	1,087	13.8 (39)	10.9 (60)	1,281	10.2 (65)
Craig	317	11.0 (48)	3.8 (24)	1,190	7.1 (35)	4.8 (73)	8.1 (49)	454	11.5 (19)	12.3 (69)	645	18.4 (86)
Crested B	17	* *	* *	73	* *	* *	* *	28	* *	* *	31	* *
Delta	410	12.7 (59)	4.1 (28)	1,893	7.0 (33)	3.4 (39)	8.9 (58)	912	15.1 (51)	9.2 (39)	825	4.2 (18)
Denver Hea	4,331	10.6 (41)	4.6 (36)	6,580	13.1 (97)	4.6 (71)	9.3 (63)	120	6.7 (2)	1.7 (1)	914	11.3 (70)
Divide	273	13.9 (64)	0.7 (2)	1,107	11.7 (92)	8.7 (98)	5.1 (5)	497	11.7 (20)	6.2 (17)	547	19.0 (87)
Dove Creek	36	* *	* *	161	5.6 (12)	3.7 (49)	7.5 (38)	78	* *	* *	87	* *
Durango	538	8.0 (16)	4.6 (36)	2,040	5.4 (11)	5.1 (76)	5.8 (12)	877	16.1 (59)	8.6 (35)	1,021	7.9 (50)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Eads	20	* *	* *	104	2.9 (2)	14.4(102)	5.8 (12)	36	* *	* *	46	* *
Eagle	219	7.3 (11)	5.5 (49)	826	9.0 (67)	6.5 (87)	8.2 (52)	328	17.1 (66)	11.0 (62)	420	3.8 (17)
Eastside	5,728	10.3 (39)	4.3 (33)	12,101	10.0 (77)	4.0 (58)	7.0 (31)	227	7.0 (3)	3.5 (5)	5,302	6.3 (36)
Edgewater	1,150	10.5 (40)	6.6 (63)	4,762	6.2 (22)	3.9 (54)	8.1 (49)	2,134	11.9 (22)	9.8 (47)	2,733	8.3 (51)
El Jebel	163	5.5 (3)	5.5 (49)	542	7.9 (50)	2.0 (7)	13.3 (97)	220	17.3 (70)	15.9 (83)	284	4.2 (18)
El Paso Ma	6,533	10.7 (44)	4.0 (26)	27,142	7.8 (49)	3.6 (46)	6.4 (25)	11,943	12.3 (26)	6.6 (19)	7,939	10.8 (68)
El Paso No	2,070	10.6 (41)	5.0 (42)	8,993	10.3 (80)	4.7 (72)	7.6 (42)	4,057	10.3 (10)	6.0 (11)	5,048	4.4 (20)
Elizabeth	66	* *	* *	270	10.4 (81)	7.8 (94)	7.8 (47)	123	15.4 (56)	8.9 (37)	119	7.6 (46)
Englewood	2,010	11.0 (48)	4.2 (30)	7,506	8.3 (57)	2.3 (11)	11.1 (85)	2,998	17.6 (72)	14.2 (78)	3,889	5.2 (26)
Estes Park	120	12.5 (57)	3.3 (18)	438	5.0 (8)	8.9 (99)	7.3 (33)	200	11.0 (15)	12.5 (71)	243	9.9 (59)
Fairplay	35	* *	* *	170	9.4 (71)	7.6 (93)	7.6 (42)	79	* *	* *	78	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Florence	57	* *	* *	319	9.7 (75)	3.8 (52)	12.9 (95)	148	12.2 (24)	12.2 (66)	176	2.3 (9)
Fountain V	1,718	10.6 (41)	4.3 (33)	7,881	8.0 (51)	3.3 (35)	5.9 (18)	3,756	12.9 (29)	6.2 (17)	4,302	5.8 (33)
Frisco	363	12.1 (54)	1.4 (5)	1,242	9.2 (70)	7.8 (94)	5.9 (18)	450	10.9 (13)	6.0 (11)	653	29.4 (91)
Ft Lupton1	197	13.2 (60)	5.6 (53)	508	16.7(101)	3.5 (43)	14.8(100)	98	* *	* *	252	13.9 (79)
Ft Lupton2	207	17.4 (71)	7.2 (66)	447	17.7(102)	3.4 (39)	15.7(101)	46	* *	* *	159	6.9 (41)
Ft. Collin	1,921	9.2 (26)	5.8 (55)	7,352	7.1 (35)	5.4 (79)	7.4 (35)	3,170	13.7 (37)	8.2 (29)	3,797	11.6 (72)
Ft. Morgan	1,012	7.0 (10)	5.1 (43)	4,404	6.1 (18)	1.9 (5)	12.5 (93)	2,012	20.3 (82)	14.6 (80)	2,654	6.7 (39)
Glenwood	628	6.7 (8)	4.8 (40)	2,213	6.1 (18)	2.5 (16)	9.9 (69)	731	14.0 (41)	9.8 (47)	1,180	9.3 (55)
Golden	73	* *	* *	259	2.7 (1)	6.6 (88)	6.6 (27)	107	8.4 (6)	7.5 (23)	112	5.4 (29)
Grand Junc	2,540	9.9 (33)	4.1 (28)	6,187	8.0 (51)	4.1 (61)	7.3 (33)	1,495	16.7 (63)	9.9 (49)	2,594	10.6 (67)
Gunnison	172	9.3 (30)	1.7 (6)	758	13.2 (98)	3.7 (49)	6.7 (28)	343	16.6 (62)	8.5 (34)	431	9.7 (58)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Havana	2,739	8.8 (21)	6.0 (59)	12,048	5.8 (15)	2.9 (26)	9.6 (66)	5,558	13.6 (36)	10.0 (50)	6,568	9.5 (57)
Holyoke	143	8.4 (17)	7.0 (64)	630	7.3 (42)	1.4 (1)	7.5 (38)	295	12.2 (24)	6.1 (14)	363	1.7 (6)
Hot Sulphu	129	14.7 (67)	3.1 (17)	503	11.1 (89)	6.2 (85)	6.0 (20)	211	10.9 (13)	3.8 (6)	320	23.4 (89)
Hugo	141	9.2 (26)	3.5 (20)	660	5.6 (12)	5.5 (81)	6.1 (22)	312	9.9 (7)	6.1 (14)	356	16.0 (83)
Ignacio	109	5.5 (3)	6.4 (62)	492	6.3 (24)	2.4 (12)	11.4 (87)	230	16.5 (61)	10.4 (53)	265	6.4 (37)
Illiff	3,818	10.2 (38)	5.4 (48)	14,983	6.5 (25)	5.1 (76)	7.5 (38)	5,939	12.5 (27)	8.4 (32)	7,588	12.7 (77)
Julesburg	38	* *	* *	166	6.0 (17)	2.4 (12)	14.5 (99)	68	* *	* *	99	* *
La Jara	27	* *	* *	77	* *	* *	* *	20	* *	* *	34	* *
La Junta	468	12.2 (56)	1.7 (6)	2,126	8.0 (51)	3.1 (31)	10.5 (77)	1,002	17.2 (68)	13.4 (73)	1,193	1.9 (7)
Lafayette	470	6.8 (9)	6.2 (61)	2,222	6.1 (18)	3.1 (31)	7.7 (45)	1,007	14.5 (44)	8.2 (29)	1,128	14.7 (81)
Lakewood	2,742	11.3 (52)	4.2 (30)	10,300	7.1 (35)	4.5 (69)	6.3 (23)	4,169	15.0 (50)	9.2 (39)	5,684	7.8 (49)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Lamar	529	9.5 (31)	5.3 (46)	2,375	6.2 (22)	2.6 (18)	10.9 (83)	1,119	20.7 (84)	14.1 (77)	1,329	12.3 (76)
Las Animas	161	13.7 (62)	1.2 (4)	721	7.4 (44)	4.2 (65)	11.4 (87)	379	12.1 (23)	13.5 (74)	403	7.7 (47)
Leadville	210	14.3 (66)	2.9 (14)	1,088	10.6 (85)	7.2 (89)	8.0 (48)	556	12.9 (29)	10.8 (58)	543	10.1 (64)
Longmont	2,042	8.5 (18)	5.5 (49)	8,809	6.8 (28)	2.7 (22)	10.0 (71)	4,019	14.5 (44)	10.6 (55)	4,577	6.7 (39)
Loveland	1,073	8.8 (21)	5.2 (44)	4,171	7.2 (41)	5.4 (79)	6.9 (30)	1,753	11.1 (17)	8.2 (29)	2,040	5.4 (29)
Manzanola	77	* *	* *	437	7.3 (42)	2.1 (8)	10.5 (77)	219	21.9 (86)	14.6 (80)	275	2.9 (11)
Meadow Par	1,018	10.1 (35)	4.6 (36)	3,921	8.6 (60)	4.4 (68)	7.4 (35)	1,673	12.5 (27)	6.7 (20)	2,110	7.3 (44)
Meeker	68	* *	* *	239	5.0 (8)	7.5 (91)	3.8 (2)	101	14.9 (48)	3.0 (4)	137	19.0 (87)
Montbello	1,288	11.3 (52)	4.7 (39)	2,464	10.5 (82)	2.6 (18)	9.2 (61)	33	* *	* *	957	11.7 (73)
Monte Vist	335	13.4 (61)	1.8 (8)	1,158	10.6 (85)	6.0 (83)	6.4 (25)	321	11.8 (21)	8.4 (32)	631	2.5 (10)
Montrose	912	7.7 (14)	4.2 (30)	4,032	6.8 (28)	4.1 (61)	9.4 (65)	1,911	14.0 (41)	9.4 (43)	1,053	18.3 (85)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Northglenn	3,594	10.1 (35)	5.3 (46)	13,638	8.2 (55)	3.7 (49)	8.7 (56)	5,587	12.9 (29)	8.1 (28)	6,435	6.5 (38)
Norwood	14	* *	* *	91	* *	* *	* *	46	* *	* *	56	* *
Nucla	50	* *	* *	235	12.8 (95)	3.0 (28)	8.1 (49)	115	11.3 (18)	7.8 (27)	142	9.2 (54)
Olathe	73	* *	* *	405	9.1 (69)	3.0 (28)	16.3(102)	231	18.2 (74)	17.3 (85)	212	5.7 (32)
Ordway	84	* *	* *	402	11.2 (90)	2.7 (22)	8.5 (53)	217	19.4 (76)	9.2 (39)	223	0.4 (1)
Ouray	25	* *	* *	103	2.9 (2)	2.9 (26)	10.7 (80)	46	* *	* *	62	* *
Pagosa Spr	206	14.1 (65)	5.8 (55)	815	8.5 (58)	4.8 (73)	7.1 (32)	354	19.8 (79)	11.0 (62)	298	11.4 (71)
Paonia	47	* *	* *	203	8.9 (63)	5.9 (82)	10.3 (75)	106	19.8 (79)	12.3 (69)	76	* *
Pecos	2,701	8.8 (21)	5.7 (54)	11,081	5.6 (12)	4.2 (65)	9.8 (68)	4,844	14.9 (48)	10.7 (57)	5,756	10.0 (60)
Pitkin	65	* *	* *	229	3.9 (6)	10.9(101)	10.0 (71)	83	* *	* *	146	11.0 (69)
Pueblo Mai	2,134	9.8 (32)	3.6 (21)	8,791	8.7 (62)	2.2 (10)	10.9 (83)	3,989	15.8 (58)	9.1 (38)	5,127	5.3 (28)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Rangely	54	* *	* *	176	4.0 (7)	4.0 (58)	7.4 (35)	67	* *	* *	118	13.6 (78)
Rifle	463	11.2 (51)	5.8 (55)	1,859	6.6 (26)	1.7 (3)	5.8 (12)	770	7.9 (4)	4.0 (7)	957	5.6 (31)
Rocky Ford	263	13.7 (62)	1.9 (10)	1,241	7.0 (33)	1.9 (5)	11.2 (86)	617	16.9 (65)	10.5 (54)	709	1.0 (3)
S Pueblo	2,224	9.2 (26)	3.3 (18)	10,516	8.9 (63)	1.7 (3)	10.7 (80)	5,245	17.2 (68)	11.8 (65)	6,303	5.2 (26)
Saguache	19	* *	* *	158	10.1 (79)	8.2 (97)	6.3 (23)	82	* *	* *	137	1.5 (5)
Salida	135	7.4 (12)	0.7 (2)	605	8.6 (60)	3.0 (28)	5.6 (8)	279	10.4 (11)	2.2 (2)	311	0.6 (2)
San Luis V	8	* *	* *	48	* *	* *	* *	13	* *	* *	31	* *
Silverton	0	* *	* *	1	* *	* *	* *	1	* *	* *	1	* *
Springfiel	93	* *	* *	480	6.9 (31)	3.8 (52)	9.2 (61)	263	18.3 (75)	10.6 (55)	204	2.0 (8)
Steamboat	97	* *	* *	332	11.4 (91)	3.6 (46)	6.0 (20)	120	5.8 (1)	10.0 (50)	158	12.0 (75)
Sterling	504	6.3 (6)	6.0 (59)	2,192	8.2 (55)	2.4 (12)	9.9 (69)	1,045	17.7 (73)	12.2 (66)	1,254	3.3 (13)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sunrise	2,111	12.6 (58)	7.0 (64)	4,665	14.3 (99)	2.8 (25)	13.4 (98)	622	14.8 (47)	23.2 (86)	1,767	10.0 (60)
Telluride	58	* *	* *	177	6.8 (28)	6.2 (85)	8.5 (53)	69	* *	* *	94	* *
Trinidad	393	10.7 (44)	2.0 (11)	1,645	9.5 (72)	3.5 (43)	10.2 (73)	768	15.1 (51)	12.2 (66)	904	5.1 (24)
Walden	23	* *	* *	139	10.8 (88)	10.1(100)	5.8 (12)	79	* *	* *	59	* *
Walsenburg	169	3.0 (1)	0.6 (1)	761	10.5 (82)	4.1 (61)	10.2 (73)	348	10.1 (8)	10.9 (60)	301	9.0 (53)
Westcliffe	31	* *	* *	133	10.5 (82)	7.5 (91)	5.3 (7)	61	* *	* *	68	* *
Wray	119	7.6 (13)	9.2 (70)	467	5.8 (15)	2.1 (8)	12.4 (92)	204	21.6 (85)	14.2 (78)	275	3.3 (13)
Yuma	198	3.0 (1)	8.6 (69)	947	3.5 (4)	2.4 (12)	10.3 (75)	475	19.4 (76)	8.8 (36)	575	3.1 (12)
Unknown Clinics	12	* *	* *	16	* *	* *	* *	2	* *	* *	4	* *
Colorado	81,950	10.1	4.7	304,574	8.0	3.7	8.6	122,644	14.3	9.5	150,323	8.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Akron	75	* *	61	* *	49	* *	0	* *	0	* *
Alamosa Co	210	66.7 (54)	194	23.7 (47)	194	13.4 (38)	0	* *	0	* *
Alamosa VW	826	66.6 (55)	649	24.0 (45)	509	11.6 (47)	0	* *	0	* *
Arvada	2,400	67.4 (52)	1,855	25.1 (40)	1,629	12.0 (45)	0	* *	0	* *
Aurora	3,927	77.7 (24)	3,189	24.4 (43)	2,433	12.1 (44)	0	* *	0	* *
Avon	442	81.2 (17)	278	36.0 (17)	256	23.4 (14)	0	* *	0	* *
Avondale	76	* *	62	* *	55	* *	0	* *	0	* *
Bailey	95	* *	84	* *	81	* *	0	* *	0	* *
Bennett	94	* *	76	* *	62	* *	0	* *	0	* *
Bennett	40	* *	34	* *	25	* *	0	* *	0	* *
Boulder	1,118	88.0 (6)	871	59.9 (1)	836	44.9 (2)	0	* *	0	* *
Brighton	1,158	66.1 (57)	862	26.1 (34)	738	15.3 (29)	0	* *	0	* *
Broomfield	468	69.2 (42)	424	24.8 (42)	341	16.4 (25)	0	* *	0	* *
Buena Vist	90	* *	79	* *	62	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Burlington	134	68.7 (47)	118 17.8 (63)	122 9.0 (59)	0 * *	0 * *	0 * *	0 * *	0 * *	
Calhan	14	* *	11 * *	15 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Canon City	1,002	60.6 (66)	764 20.8 (57)	676 12.0 (45)	0 * *	0 * *	0 * *	0 * *	0 * *	
Castle Roc	937	73.4 (32)	652 38.5 (12)	529 25.3 (10)	0 * *	0 * *	0 * *	0 * *	0 * *	
Center Sag	67	* *	53 * *	62 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Center VW	194	68.0 (49)	152 20.4 (58)	155 11.0 (53)	0 * *	0 * *	0 * *	0 * *	0 * *	
Cheyenne W	124	71.8 (35)	115 27.8 (28)	96 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Clear Cree	131	77.1 (27)	97 * *	85 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Commerce C	2,349	59.0 (70)	1,861 21.8 (54)	1,636 13.5 (37)	0 * *	0 * *	0 * *	0 * *	0 * *	
Community	411	66.2 (56)	203 21.2 (55)	278 11.2 (52)	0 * *	0 * *	0 * *	0 * *	0 * *	
Conifer	97	* *	89 * *	81 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Cortez	601	85.7 (12)	485 42.1 (10)	442 27.8 (8)	0 * *	0 * *	0 * *	0 * *	0 * *	
Craig	401	79.6 (21)	301 26.6 (31)	243 16.5 (24)	0 * *	0 * *	0 * *	0 * *	0 * *	
Crested B	22	* *	19 * *	16 * *	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Delta	511	74.8 (28)	408 32.1 (21)	378 19.6 (20)	0 * *	0 * *	0 * *	0 * *	0 * *	
Denver Hea	2,922	73.3 (33)	1,817 23.7 (47)	1,371 12.5 (42)	0 * *	0 * *	0 * *	0 * *	0 * *	
Divide	334	80.8 (18)	243 39.9 (11)	202 30.2 (5)	0 * *	0 * *	0 * *	0 * *	0 * *	
Dove Creek	43	* *	38 * *	33 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Durango	627	88.0 (6)	453 38.4 (13)	379 23.5 (13)	0 * *	0 * *	0 * *	0 * *	0 * *	
Eads	31	* *	31 * *	20 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Eagle	278	79.9 (19)	203 32.5 (20)	154 20.8 (17)	0 * *	0 * *	0 * *	0 * *	0 * *	
Eastside	8,247	71.3 (37)	5,791 26.3 (33)	3,153 14.3 (33)	0 * *	0 * *	0 * *	0 * *	0 * *	
Edgewater	1,355	69.2 (42)	1,121 23.8 (46)	983 11.4 (49)	0 * *	0 * *	0 * *	0 * *	0 * *	
El Jebel	187	89.8 (4)	139 37.4 (15)	121 24.8 (12)	0 * *	0 * *	0 * *	0 * *	0 * *	
El Paso Ma	8,192	68.8 (46)	6,534 24.4 (43)	5,554 13.1 (39)	0 * *	0 * *	0 * *	0 * *	0 * *	
El Paso No	2,659	67.9 (51)	2,056 27.8 (28)	1,831 18.2 (22)	0 * *	0 * *	0 * *	0 * *	0 * *	
Elizabeth	85	* *	62 * *	45 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Englewood	2,422	63.4 (63)	1,816 22.7 (50)	1,502 12.7 (40)	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Estes Park	145	90.3 (3)	107 32.7 (19)	85 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Fairplay	47	* *	36 * *	26 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Florence	70	* *	61 * *	64 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Fountain V	2,214	63.0 (65)	1,723 23.7 (47)	1,449 12.5 (42)	0 * *	0 * *	0 * *	0 * *	0 * *	
Frisco	437	86.7 (10)	280 43.2 (9)	235 25.1 (11)	0 * *	0 * *	0 * *	0 * *	0 * *	
Ft Lupton1	224	91.1 (2)	158 43.7 (7)	110 21.8 (15)	0 * *	0 * *	0 * *	0 * *	0 * *	
Ft Lupton2	253	83.4 (16)	191 47.6 (5)	84 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Ft. Collin	2,301	74.0 (30)	1,735 31.5 (22)	1,419 21.6 (16)	0 * *	0 * *	0 * *	0 * *	0 * *	
Ft. Morgan	1,168	60.2 (68)	932 14.9 (67)	811 8.4 (61)	0 * *	0 * *	0 * *	0 * *	0 * *	
Glenwood	732	87.8 (8)	584 47.6 (5)	468 28.6 (7)	0 * *	0 * *	0 * *	0 * *	0 * *	
Golden	71	* *	48 * *	47 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Grand Junc	3,047	77.5 (26)	2,258 25.6 (37)	1,484 14.4 (32)	0 * *	0 * *	0 * *	0 * *	0 * *	
Gunnison	210	91.4 (1)	157 51.0 (3)	146 33.6 (3)	0 * *	0 * *	0 * *	0 * *	0 * *	
Havana	3,196	69.4 (41)	2,529 28.2 (27)	2,250 19.2 (21)	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Holyoke	166	84.3 (15)	133	22.6 (51)	119	10.9 (56)	0	* * *	0	* * *	0	* * *
Hot Sulphu	165	85.5 (13)	121	30.6 (25)	110	16.4 (25)	0	* * *	0	* * *	0	* * *
Hugo	171	69.0 (44)	137	31.4 (24)	118	26.3 (9)	0	* * *	0	* * *	0	* * *
Ignacio	123	79.7 (20)	111	34.2 (18)	93	* * *	0	* * *	0	* * *	0	* * *
Illiff	4,598	74.7 (29)	3,702	26.0 (35)	2,993	14.2 (34)	0	* * *	0	* * *	0	* * *
Julesburg	49	* * *	36	* * *	36	* * *	0	* * *	0	* * *	0	* * *
La Jara	27	* * *	0	* * *	5	* * *	0	* * *	0	* * *	0	* * *
La Junta	518	60.4 (67)	395	15.7 (64)	416	7.5 (64)	0	* * *	0	* * *	0	* * *
Lafayette	608	84.7 (14)	463	43.4 (8)	464	30.2 (5)	0	* * *	0	* * *	0	* * *
Lakewood	3,310	67.4 (52)	2,626	25.5 (38)	2,121	16.9 (23)	0	* * *	0	* * *	0	* * *
Lamar	625	64.5 (61)	523	19.5 (59)	462	11.5 (48)	0	* * *	0	* * *	0	* * *
Las Animas	171	69.0 (44)	143	13.3 (69)	121	7.4 (65)	0	* * *	0	* * *	0	* * *
Leadville	289	55.4 (72)	196	54.1 (2)	233	50.2 (1)	0	* * *	0	* * *	0	* * *
Longmont	2,422	71.2 (38)	1,972	24.9 (41)	1,705	14.8 (31)	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Loveland	1,322	73.2 (34)	989 25.7 (36)	851 13.7 (36)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Manzanola	93	* *	82 * *	87 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Meadow Par	1,330	68.0 (49)	982 22.5 (52)	791 12.6 (41)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Meeker	82	* *	56 * *	41 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Montbello	1,736	74.0 (30)	1,154 25.5 (38)	572 16.1 (28)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Monte Vist	382	57.6 (71)	329 13.7 (68)	292 8.9 (60)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Montrose	1,076	77.6 (25)	836 31.5 (22)	730 16.3 (27)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Northglenn	4,404	65.2 (59)	3,318 21.2 (55)	2,846 11.3 (51)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Norwood	19	* *	17 * *	18 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Nucla	63	* *	51 * *	43 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Olathe	78	* *	60 * *	63 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ordway	89	* *	64 * *	55 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Ouray	31	* *	25 * *	23 * *	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *
Pagosa Spr	242	88.8 (5)	179 36.3 (16)	168 14.9 (30)	0 * *	0 * *	0 * *	0 * *	0 * *	0 * *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.



Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Paonia	58	* *	37	* *	35	* *	0	* *	0	* *
Pecos	3,176	71.7 (36)	2,550	26.6 (31)	2,225	13.9 (35)	0	* *	0	* *
Pitkin	74	* *	55	* *	37	* *	0	* *	0	* *
Pueblo Mai	2,335	68.1 (48)	1,900	19.0 (61)	1,754	11.0 (53)	0	* *	0	* *
Rangely	69	* *	51	* *	38	* *	0	* *	0	* *
Rifle	590	85.9 (11)	435	38.2 (14)	328	19.8 (18)	0	* *	0	* *
Rocky Ford	287	51.2 (73)	247	15.0 (66)	230	9.1 (58)	0	* *	0	* *
S Pueblo	2,456	59.6 (69)	2,021	15.5 (65)	2,099	8.0 (62)	0	* *	0	* *
Saguache	31	* *	26	* *	38	* *	0	* *	0	* *
Salida	168	79.2 (22)	134	29.1 (26)	111	19.8 (18)	0	* *	0	* *
San Luis V	9	* *	9	* *	16	* *	0	* *	0	* *
Springfiel	108	65.7 (58)	91	* *	86	* *	0	* *	0	* *
Steamboat	126	78.6 (23)	91	* *	62	* *	0	* *	0	* *
Sterling	581	64.2 (62)	455	13.0 (70)	394	7.6 (63)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.



Table 7A
2003 - 2005 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Sunrise	2,358	87.6 (9)	1,644	50.4 (4)	960	32.4 (4)	0	* * *	0	* * *
Telluride	69	* * *	45	* * *	32	* * *	0	* * *	0	* * *
Trinidad	445	63.4 (63)	339	18.6 (62)	307	11.4 (49)	0	* * *	0	* * *
Walden	31	* * *	20	* * *	20	* * *	0	* * *	0	* * *
Walsenburg	184	69.6 (40)	156	19.2 (60)	146	11.0 (53)	0	* * *	0	* * *
Westcliffe	36	* * *	26	* * *	25	* * *	0	* * *	0	* * *
Wray	141	70.2 (39)	102	27.5 (30)	84	* * *	0	* * *	0	* * *
Yuma	240	65.0 (60)	209	22.0 (53)	178	10.1 (57)	0	* * *	0	* * *
Unknown Clinics	10	* * *	3	* * *	1	* * *	0	* * *	0	* * *
Colorado	97,282	71.1	74,495	26.6	60,892	15.4	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

