

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Akron	51	*	*	*	*	*	*	*
Alamosa VW	1,021	24.3	1.4	73.2	0.6	0.3	0.3	0.0
Arvada	2,366	52.5	2.7	39.6	1.0	2.3	1.9	0.0
Aurora	3,294	8.6	15.8	70.0	0.4	2.5	2.6	0.1
Avon	462	3.2	0.4	96.3	0.0	0.0	0.0	0.0
Avondale	74	*	*	*	*	*	*	*
Bailey	87	*	*	*	*	*	*	*
Bennett	79	*	*	*	*	*	*	*
Bennett	76	*	*	*	*	*	*	*
Boulder	1,071	18.2	1.4	71.4	1.1	3.5	4.2	0.1
Brighton	1,405	22.2	1.1	73.7	0.6	0.9	1.4	0.1
Broomfield	573	46.6	1.0	47.3	1.0	2.3	1.7	0.0
Buena Vist	68	*	*	*	*	*	*	*
Burlington	213	53.1	1.9	44.1	0.0	0.0	0.9	0.0
Canon City	991	78.5	0.7	18.3	0.3	0.4	1.8	0.0
Castle Roc	716	51.5	3.1	39.9	0.7	0.8	3.8	0.1
Center VW	257	14.4	0.0	84.0	0.8	0.8	0.0	0.0
Cheyenne W	183	39.9	1.1	54.6	1.6	0.5	2.2	0.0
Clear Cree	146	80.8	0.7	13.0	1.4	1.4	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Commerce C	2,482	13.2	1.7	82.5	0.6	0.3	1.6	0.1
Cortez	648	52.5	0.0	31.5	12.8	0.5	2.8	0.0
Craig	432	50.5	0.5	47.7	0.2	0.0	1.2	0.0
Crested B	22	*	*	*	*	*	*	*
Delta	523	43.4	0.6	49.3	0.2	0.2	6.3	0.0
Divide	303	83.2	0.3	11.9	0.3	1.7	2.6	0.0
Dove Creek	25	*	*	*	*	*	*	*
Durango	695	39.4	0.3	44.0	10.2	0.6	5.5	0.0
Eads	19	*	*	*	*	*	*	*
Eagle	220	9.5	1.4	89.1	0.0	0.0	0.0	0.0
Eastside	6,828	9.8	20.6	63.4	1.6	1.9	2.6	0.0
Edgewater	1,439	15.8	1.5	80.5	0.6	0.6	0.8	0.0
El Jebel	159	3.8	0.0	96.2	0.0	0.0	0.0	0.0
El Paso Ma	8,191	31.7	10.5	48.7	1.0	1.0	7.0	0.0
El Paso No	3,781	52.7	6.1	32.1	0.6	1.1	7.5	0.0
Elizabeth	85	*	*	*	*	*	*	*
Englewood	2,177	37.3	3.1	54.0	0.8	1.5	3.2	0.1
Estes Park	188	33.5	1.1	62.2	0.5	0.0	2.7	0.0
Fairplay	79	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Florence	73	*	*	*	*	*	*	*
Fountain V	2,349	54.9	9.2	24.3	1.2	2.4	7.9	0.0
Frisco	534	17.0	0.4	80.1	0.2	0.4	1.7	0.2
Ft Lupton1	365	26.3	0.8	71.0	0.5	1.1	0.3	0.0
Ft Lupton2	189	32.8	0.0	63.5	0.5	2.1	1.1	0.0
Ft. Collin	2,484	46.5	1.5	47.8	0.6	0.8	2.7	0.0
Ft. Morgan	1,177	24.5	2.0	71.4	0.7	0.1	1.3	0.1
Glenwood	582	8.1	0.0	90.5	0.3	0.0	1.0	0.0
Grand Junc	2,694	53.0	0.8	42.2	0.4	0.4	3.1	0.0
Gunnison	206	45.1	1.0	51.0	0.5	0.0	2.4	0.0
Havana	4,388	6.9	14.6	73.1	1.0	2.1	2.2	0.0
Holyoke	167	45.5	1.2	53.3	0.0	0.0	0.0	0.0
Hot Sulphu	146	47.3	0.0	47.9	0.0	0.0	4.8	0.0
Hugo	179	75.4	3.4	20.7	0.0	0.0	0.6	0.0
Ignacio	129	22.5	0.0	48.1	22.5	0.0	7.0	0.0
Illiff	5,563	20.9	19.3	50.8	1.2	2.8	4.9	0.1
Julesburg	58	*	*	*	*	*	*	*
La Junta	529	28.4	0.2	69.6	0.4	0.2	1.3	0.0
Lafayette	667	25.2	0.9	68.1	0.6	2.4	2.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Lakewood	3,254	48.5	3.0	42.5	1.2	2.7	2.1	0.0
Lamar	586	27.6	0.5	70.0	0.5	0.0	1.2	0.2
Las Animas	167	51.5	0.0	44.3	0.0	0.0	4.2	0.0
Leadville	234	15.4	0.0	82.1	0.9	1.3	0.4	0.0
Longmont	2,781	24.1	0.7	72.3	0.6	0.6	1.7	0.0
Loveland	1,523	51.7	0.4	43.9	0.2	0.4	3.4	0.0
Manzanola	86	*	*	*	*	*	*	*
Meadow Par	1,377	45.3	9.4	34.4	0.7	1.7	8.6	0.0
Meeker	62	*	*	*	*	*	*	*
Montbello	3,077	5.5	23.2	65.3	0.5	2.2	3.3	0.0
Monte Vist	426	20.0	0.2	78.9	0.5	0.0	0.5	0.0
Montrose	1,324	39.0	0.2	48.7	0.8	0.8	10.6	0.0
Northglenn	4,909	26.3	2.4	66.4	0.7	2.5	1.7	0.0
Norwood	26	*	*	*	*	*	*	*
Nucla	57	*	*	*	*	*	*	*
Olathe	117	23.1	0.0	72.6	0.9	0.0	3.4	0.0
Ordway	43	*	*	*	*	*	*	*
Ouray	38	*	*	*	*	*	*	*
Pagosa Spr	225	40.0	0.0	58.7	0.0	0.0	1.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Paonia	42	*	*	*	*	*	*	*
Pecos	3,660	12.8	0.8	82.8	0.9	1.9	0.8	0.0
Pitkin	57	*	*	*	*	*	*	*
Pueblo Mai	2,834	22.8	1.1	68.6	0.9	0.4	6.2	0.0
Rangely	63	*	*	*	*	*	*	*
Rifle	595	25.7	0.7	71.3	1.0	0.2	1.2	0.0
Rocky Ford	331	19.9	0.0	78.5	0.6	0.0	0.9	0.0
S Pueblo	2,806	22.1	1.3	73.9	0.3	0.1	2.2	0.0
Salida	157	50.3	0.0	34.4	1.3	0.0	14.0	0.0
San Luis V	11	*	*	*	*	*	*	*
Springfiel	118	73.7	0.8	25.4	0.0	0.0	0.0	0.0
Steamboat	159	42.1	3.1	52.8	0.0	0.0	1.9	0.0
Sterling	614	66.4	1.0	30.6	0.5	0.0	1.5	0.0
Sunrise	3,464	23.5	1.1	73.8	0.4	0.5	0.6	0.0
Telluride	70	*	*	*	*	*	*	*
Trinidad	414	26.8	1.2	70.0	0.5	0.0	1.2	0.2
Walden	33	*	*	*	*	*	*	*
Walsenburg	182	26.4	1.6	66.5	0.0	0.0	5.5	0.0
Westcliffe	33	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Yuma	395	42.0	0.3	55.4	0.0	0.0	2.3	0.0
Unknown Clinics	7,056	14.1	3.4	76.8	1.7	1.8	2.1	0.0
Colorado	107,314	28.3	6.4	59.6	1.0	1.4	3.3	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Akron	51	*	*	*
Alamosa VW	1,021	37.3	20.1	42.6
Arvada	2,366	39.3	21.8	38.8
Aurora	3,294	37.3	19.9	42.8
Avon	462	43.5	24.0	32.5
Avondale	74	*	*	*
Bailey	87	*	*	*
Bennett	79	*	*	*
Bennett	76	*	*	*
Boulder	1,071	36.2	18.1	45.7
Brighton	1,405	38.7	18.7	42.6
Broomfield	573	40.0	16.4	43.6
Buena Vist	68	*	*	*
Burlington	213	32.9	22.5	44.6
Canon City	991	40.1	18.8	41.2
Castle Roc	716	40.9	22.1	37.0
Center VW	257	28.8	23.3	47.9
Cheyenne W	183	35.0	18.0	47.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Clear Cree	146	37.0	18.5	44.5
Commerce C	2,482	32.6	20.3	47.1
Cortez	648	33.8	21.8	44.4
Craig	432	43.8	18.3	38.0
Crested B	22	*	*	*
Delta	523	33.5	22.6	44.0
Divide	303	41.6	20.5	38.0
Dove Creek	25	*	*	*
Durango	695	46.5	18.6	35.0
Eads	19	*	*	*
Eagle	220	43.2	18.6	38.2
Eastside	6,828	38.0	22.0	40.0
Edgewater	1,439	36.0	20.2	43.8
El Jebel	159	48.4	16.4	35.2
El Paso Ma	8,191	37.2	19.6	43.1
El Paso No	3,781	37.6	19.4	43.1
Elizabeth	85	*	*	*
Englewood	2,177	41.6	19.0	39.4

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Estes Park	188	30.9	18.6	50.5
Fairplay	79	*	*	*
Florence	73	*	*	*
Fountain V	2,349	36.6	20.8	42.6
Frisco	534	44.4	21.5	34.1
Ft Lupton1	365	41.9	17.5	40.5
Ft Lupton2	189	52.9	20.1	27.0
Ft. Collin	2,484	38.2	20.9	40.8
Ft. Morgan	1,177	40.9	15.5	43.6
Glenwood	582	54.1	16.0	29.9
Grand Junc	2,694	44.3	19.9	35.7
Gunnison	206	38.3	21.8	39.8
Havana	4,388	38.4	20.2	41.4
Holyoke	167	29.3	21.0	49.7
Hot Sulphu	146	37.0	29.5	33.6
Hugo	179	35.2	21.2	43.6
Ignacio	129	43.4	17.1	39.5
Illiff	5,563	41.9	17.5	40.7

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Julesburg	58	*	*	*
La Junta	529	35.2	17.2	47.6
Lafayette	667	32.8	21.3	45.9
Lakewood	3,254	38.5	22.2	39.3
Lamar	586	37.4	17.6	45.1
Las Animas	167	38.9	19.8	41.3
Leadville	234	39.3	18.8	41.9
Longmont	2,781	36.3	19.1	44.6
Loveland	1,523	38.1	20.3	41.6
Manzanola	86	*	*	*
Meadow Par	1,377	38.9	20.1	41.0
Meeker	62	*	*	*
Montbello	3,077	41.2	21.0	37.8
Monte Vist	426	33.8	17.4	48.8
Montrose	1,324	37.3	16.2	46.5
Northglenn	4,909	40.0	20.6	39.4
Norwood	26	*	*	*
Nucla	57	*	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Olathe	117	30.8	24.8	44.4
Ordway	43	*	*	*
Ouray	38	*	*	*
Pagosa Spr	225	40.0	20.9	39.1
Paonia	42	*	*	*
Pecos	3,660	39.4	18.4	42.2
Pitkin	57	*	*	*
Pueblo Mai	2,834	33.4	23.4	43.3
Rangely	63	*	*	*
Rifle	595	41.8	17.6	40.5
Rocky Ford	331	36.0	16.0	48.0
S Pueblo	2,806	33.1	22.1	44.8
Salida	157	44.6	14.6	40.8
San Luis V	11	*	*	*
Springfiel	118	34.7	19.5	45.8
Steamboat	159	50.3	16.4	33.3
Sterling	614	38.4	14.7	46.9
Sunrise	3,464	48.5	23.4	28.1

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Telluride	70	*	*	*
Trinidad	414	40.3	18.4	41.3
Walden	33	*	*	*
Walsenburg	182	37.9	16.5	45.6
Westcliffe	33	*	*	*
Yuma	395	37.2	17.7	45.1
Unknown Clinics	7,056	46.3	18.1	35.6
Colorado	107,314	39.2	19.9	40.8
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Akron	9	* *	* *	51	* *	* *	* *	24	* *	* *	32	* *
Alamosa VW	264	12.5 (39)	2.3 (6)	1,013	11.9 (66)	4.8 (60)	6.9 (21)	438	12.8 (13)	9.6 (24)	617	13.9 (41)
Arvada	649	9.1 (19)	2.9 (10)	2,336	8.2 (35)	3.5 (37)	8.2 (36)	908	21.8 (51)	13.8 (46)	1,337	10.9 (23)
Aurora	826	10.5 (29)	4.2 (22)	3,253	8.1 (33)	3.2 (34)	10.0 (53)	1,379	16.5 (39)	10.4 (30)	1,956	13.0 (37)
Avon	146	5.5 (1)	4.8 (34)	458	8.1 (33)	2.2 (12)	9.2 (48)	150	16.0 (37)	8.7 (18)	275	36.0 (57)
Avondale	22	* *	* *	73	* *	* *	* *	38	* *	* *	38	* *
Bailey	12	* *	* *	86	* *	* *	* *	44	* *	* *	48	* *
Bennett	13	* *	* *	78	* *	* *	* *	40	* *	* *	46	* *
Bennett	23	* *	* *	75	* *	* *	* *	20	* *	* *	39	* *
Boulder	257	9.7 (22)	5.8 (42)	1,060	5.4 (3)	4.2 (52)	7.8 (31)	486	10.9 (5)	10.5 (31)	619	9.9 (16)
Brighton	379	13.2 (42)	3.2 (13)	1,393	8.8 (47)	2.3 (14)	9.0 (45)	591	18.1 (46)	11.5 (38)	800	11.5 (28)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Broomfield	153	6.5 (4)	3.3 (14)	565	8.7 (45)	4.6 (59)	8.1 (34)	254	12.2 (10)	9.8 (27)	321	16.8 (49)
Buena Vist	9	* *	* *	66	* *	* *	* *	27	* *	* *	43	* *
Burlington	44	* *	* *	211	6.6 (14)	2.4 (17)	8.1 (34)	97	* *	* *	135	3.7 (2)
Canon City	237	12.2 (38)	4.2 (22)	981	9.0 (50)	1.7 (6)	8.2 (36)	403	13.4 (17)	7.9 (14)	540	10.9 (23)
Castle Roc	192	13.0 (41)	3.6 (17)	708	8.6 (41)	3.7 (43)	6.5 (16)	268	13.8 (20)	6.3 (7)	324	2.5 (1)
Center VW	46	* *	* *	255	8.6 (41)	5.1 (65)	6.3 (14)	121	15.7 (34)	7.4 (10)	183	16.9 (50)
Cheyenne W	40	* *	* *	180	10.6 (63)	4.4 (55)	12.8 (67)	85	* *	* *	119	9.2 (13)
Clear Cree	40	* *	* *	145	11.7 (65)	4.1 (51)	5.5 (7)	65	* *	* *	58	* *
Commerce C	553	6.9 (5)	6.1 (45)	2,463	5.9 (6)	2.4 (17)	10.1 (54)	1,167	18.1 (46)	12.2 (43)	1,459	12.8 (35)
Cortez	160	5.6 (2)	1.3 (3)	641	7.6 (26)	2.3 (14)	7.8 (31)	287	15.0 (27)	7.0 (8)	369	7.3 (9)
Craig	127	12.6 (40)	3.9 (19)	432	8.8 (47)	6.3 (69)	5.8 (9)	163	12.9 (15)	9.2 (20)	247	10.5 (21)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crested B	4	* *	* *	22	* *	* *	* *	9	* *	* *	15	* *
Delta	121	14.0 (45)	0.8 (2)	520	7.1 (18)	3.7 (43)	8.8 (43)	228	13.2 (16)	9.6 (24)	300	11.0 (26)
Divide	90	* *	* *	300	15.0 (71)	5.0 (64)	3.7 (1)	113	9.7 (3)	2.7 (1)	181	11.6 (30)
Dove Creek	6	* *	* *	25	* *	* *	* *	10	* *	* *	7	* *
Durango	215	11.2 (34)	1.4 (4)	691	8.2 (35)	3.9 (47)	6.8 (19)	244	16.0 (37)	11.5 (38)	342	14.9 (45)
Eads	5	* *	* *	19	* *	* *	* *	9	* *	* *	12	* *
Eagle	66	* *	* *	215	9.3 (54)	0.9 (2)	8.4 (39)	85	* *	* *	117	21.4 (54)
Eastside	1,683	10.9 (32)	4.0 (20)	6,763	7.3 (21)	3.9 (47)	8.5 (40)	2,735	12.8 (13)	9.3 (21)	4,259	10.5 (21)
Edgewater	351	8.0 (11)	4.8 (34)	1,425	7.3 (21)	2.5 (20)	9.1 (46)	635	15.7 (34)	10.9 (34)	836	10.4 (20)
El Jebel	48	* *	* *	158	10.1 (61)	0.6 (1)	15.2 (70)	56	* *	* *	89	* *
El Paso Ma	1,901	10.9 (32)	2.8 (9)	8,114	8.5 (39)	3.5 (37)	5.5 (7)	3,517	12.3 (11)	5.4 (4)	2,647	19.9 (53)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
El Paso No	999	9.3 (21)	2.9 (10)	3,747	11.2 (64)	2.2 (12)	7.4 (26)	1,604	17.7 (44)	7.5 (11)	2,246	12.1 (33)
Elizabeth	16	* *	* *	84	* *	* *	* *	45	* *	* *	50	* *
Englewood	583	11.5 (36)	5.1 (38)	2,160	9.6 (58)	1.7 (6)	11.6 (62)	851	17.2 (43)	12.9 (45)	1,240	15.5 (47)
Estes Park	41	* *	* *	186	5.4 (3)	4.3 (53)	7.0 (23)	90	* *	* *	106	14.2 (42)
Fairplay	14	* *	* *	77	* *	* *	* *	41	* *	* *	27	* *
Florence	20	* *	* *	72	* *	* *	* *	36	* *	* *	44	* *
Fountain V	565	10.8 (31)	3.5 (16)	2,339	8.6 (41)	4.4 (55)	4.8 (5)	984	10.2 (4)	5.0 (2)	1,416	9.9 (16)
Frisco	165	13.3 (44)	2.4 (7)	526	12.0 (67)	6.1 (68)	7.2 (25)	181	8.3 (2)	8.3 (15)	337	22.0 (55)
Ft Lupton1	121	9.1 (19)	3.3 (14)	357	10.1 (61)	4.8 (60)	10.1 (54)	140	17.1 (42)	10.0 (28)	217	6.5 (8)
Ft Lupton2	54	* *	* *	189	7.4 (24)	2.1 (11)	10.6 (59)	51	* *	* *	99	* *
Ft. Collin	655	7.0 (7)	5.0 (36)	2,458	7.2 (20)	3.5 (37)	8.2 (36)	998	15.4 (30)	10.9 (34)	1,432	13.8 (40)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Ft. Morgan	327	8.3 (12)	3.1 (12)	1,172	6.1 (8)	1.4 (5)	11.6 (62)	516	19.0 (49)	9.5 (22)	643	9.0 (12)
Glenwood	211	11.4 (35)	4.3 (25)	571	12.3 (68)	1.8 (8)	11.2 (61)	164	17.7 (44)	15.2 (48)	269	11.9 (31)
Grand Junc	762	7.7 (10)	4.2 (22)	2,674	7.7 (27)	2.8 (26)	9.1 (46)	952	15.0 (27)	11.4 (37)	1,240	13.2 (38)
Gunnison	56	* *	* *	203	6.9 (16)	3.9 (47)	6.4 (15)	80	* *	* *	111	14.4 (43)
Havana	1,151	9.8 (25)	5.0 (36)	4,344	5.3 (2)	5.5 (66)	6.8 (19)	1,783	8.0 (1)	6.2 (6)	2,601	13.4 (39)
Holyoke	28	* *	* *	164	7.9 (29)	4.3 (53)	15.2 (70)	78	* *	* *	108	8.3 (10)
Hot Sulphu	34	* *	* *	139	7.9 (29)	3.6 (42)	5.8 (9)	51	* *	* *	86	* *
Hugo	44	* *	* *	175	13.7 (70)	5.7 (67)	4.0 (2)	76	* *	* *	98	* *
Ignacio	33	* *	* *	129	12.4 (69)	3.1 (32)	10.1 (54)	50	* *	* *	69	* *
Illiff	1,446	12.0 (37)	4.4 (27)	5,525	7.3 (21)	4.8 (60)	8.6 (41)	2,256	13.8 (20)	10.3 (29)	3,207	14.7 (44)
Julesburg	11	* *	* *	58	* *	* *	* *	30	* *	* *	42	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
La Junta	119	8.4 (15)	2.5 (8)	519	7.9 (29)	1.9 (10)	7.5 (27)	248	14.5 (23)	10.5 (31)	339	12.1 (33)
Lafayette	144	8.3 (12)	6.3 (46)	660	6.4 (10)	2.3 (14)	12.0 (66)	306	18.6 (48)	15.7 (50)	391	11.5 (28)
Lakewood	893	9.7 (22)	4.3 (25)	3,235	8.5 (39)	3.7 (43)	6.6 (17)	1,281	13.8 (20)	8.5 (17)	1,861	8.3 (10)
Lamar	151	10.6 (30)	6.0 (44)	580	6.4 (10)	3.1 (32)	9.5 (50)	267	15.4 (30)	16.9 (51)	348	10.3 (19)
Las Animas	47	* *	* *	160	9.4 (56)	4.4 (55)	15.0 (69)	65	* *	* *	99	* *
Leadville	67	* *	* *	231	9.5 (57)	9.5 (71)	5.2 (6)	99	* *	* *	96	* *
Longmont	651	8.9 (16)	5.5 (40)	2,756	6.4 (10)	2.8 (26)	10.1 (54)	1,220	16.7 (40)	12.8 (44)	1,698	12.8 (35)
Loveland	392	8.9 (16)	5.6 (41)	1,511	9.0 (50)	3.4 (35)	8.7 (42)	635	15.0 (27)	11.0 (36)	814	11.1 (27)
Manzanola	19	* *	* *	85	* *	* *	* *	46	* *	* *	53	* *
Meadow Par	365	13.2 (42)	4.7 (29)	1,361	7.9 (29)	3.5 (37)	6.1 (13)	562	11.6 (7)	7.3 (9)	790	23.8 (56)
Meeker	18	* *	* *	61	* *	* *	* *	24	* *	* *	37	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Montbello	903	9.7 (22)	4.0 (20)	3,064	7.0 (17)	2.4 (17)	9.9 (52)	1,156	13.6 (19)	11.7 (41)	1,770	11.9 (31)
Monte Vist	88	* *	* *	423	9.0 (50)	4.5 (58)	6.9 (21)	206	12.1 (9)	10.7 (33)	265	3.8 (3)
Montrose	320	10.0 (26)	4.7 (29)	1,303	6.5 (13)	1.8 (8)	7.1 (24)	600	13.5 (18)	5.5 (5)	253	16.6 (48)
Northglenn	1,372	10.3 (27)	4.7 (29)	4,865	7.5 (25)	4.9 (63)	6.0 (12)	1,927	14.8 (26)	7.7 (12)	2,613	10.9 (23)
Norwood	9	* *	* *	26	* *	* *	* *	10	* *	* *	10	* *
Nucla	12	* *	* *	57	* *	* *	* *	34	* *	* *	22	* *
Olathe	25	* *	* *	115	6.1 (8)	2.6 (23)	13.0 (68)	51	* *	* *	11	* *
Ordway	6	* *	* *	43	* *	* *	* *	26	* *	* *	31	* *
Ouray	5	* *	* *	38	* *	* *	* *	17	* *	* *	22	* *
Pagosa Spr	52	* *	* *	224	9.8 (60)	4.0 (50)	5.8 (9)	86	* *	* *	55	* *
Paonia	14	* *	* *	41	* *	* *	* *	16	* *	* *	20	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pecos	902	7.1 (8)	5.9 (43)	3,627	7.1 (18)	2.9 (29)	10.2 (58)	1,524	14.5 (23)	8.3 (15)	2,186	16.9 (50)
Pitkin	15	* *	* *	57	* *	* *	* *	22	* *	* *	39	* *
Pueblo Mai	687	8.3 (12)	4.7 (29)	2,807	8.6 (41)	2.5 (20)	10.9 (60)	1,227	15.9 (36)	11.7 (41)	1,751	9.9 (16)
Rangely	18	* *	* *	62	* *	* *	* *	22	* *	* *	31	* *
Rifle	156	7.1 (8)	4.5 (28)	589	5.9 (6)	2.7 (24)	6.6 (17)	238	11.3 (6)	5.0 (2)	344	9.3 (14)
Rocky Ford	79	* *	* *	326	5.5 (5)	3.4 (35)	11.7 (65)	155	11.6 (7)	15.5 (49)	208	6.3 (7)
S Pueblo	677	9.0 (18)	3.7 (18)	2,785	8.7 (45)	2.7 (24)	9.4 (49)	1,254	12.4 (12)	9.0 (19)	1,761	5.1 (6)
Salida	50	* *	* *	157	8.3 (37)	1.3 (3)	4.5 (3)	63	* *	* *	80	* *
San Luis V	3	* *	* *	11	* *	* *	* *	5	* *	* *	8	* *
Springfiel	26	* *	* *	114	9.6 (58)	3.5 (37)	8.8 (43)	49	* *	* *	57	* *
Steamboat	48	* *	* *	157	8.3 (37)	6.4 (70)	4.5 (3)	52	* *	* *	92	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sterling	147	6.1 (3)	2.0 (5)	611	9.3 (54)	2.5 (20)	11.6 (62)	282	16.7 (40)	14.2 (47)	376	15.4 (46)
Sunrise	1,182	6.9 (5)	4.7 (29)	3,434	8.9 (49)	3.0 (31)	9.8 (51)	963	14.6 (25)	11.6 (40)	1,901	9.5 (15)
Telluride	27	* *	* *	68	* *	* *	* *	25	* *	* *	28	* *
Trinidad	108	16.7 (46)	0.0 (1)	410	9.0 (50)	2.9 (29)	7.6 (29)	169	15.4 (30)	9.5 (22)	251	18.7 (52)
Walden	5	* *	* *	32	* *	* *	* *	17	* *	* *	14	* *
Walsenburg	36	* *	* *	181	7.7 (27)	2.8 (26)	7.7 (30)	83	* *	* *	94	* *
Westcliffe	8	* *	* *	32	* *	* *	* *	15	* *	* *	20	* *
Yuma	86	* *	* *	393	2.3 (1)	1.3 (3)	7.9 (33)	180	20.0 (50)	7.8 (13)	246	4.5 (4)
Unknown Clinics	2,323	10.3 (27)	5.2 (39)	7,007	6.8 (15)	3.7 (43)	7.5 (27)	2,496	15.4 (30)	9.7 (26)	3,775	5.0 (5)
Colorado	28,282	9.8	4.2	106,342	7.9	3.5	8.2	43,476	14.4	9.4	58,958	11.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Akron	9	* *	10	* *	9	* *	0	* *	0	* *
Alamosa VW	264	73.9 (24)	193	27.5 (24)	185	16.8 (17)	0	* *	0	* *
Arvada	649	74.7 (22)	567	33.7 (12)	432	22.7 (6)	0	* *	0	* *
Aurora	826	86.0 (8)	661	28.9 (18)	523	17.0 (16)	0	* *	0	* *
Avon	147	91.8 (4)	106	42.5 (6)	101	22.8 (5)	0	* *	0	* *
Avondale	22	* *	13	* *	8	* *	0	* *	0	* *
Bailey	12	* *	17	* *	12	* *	0	* *	0	* *
Bennett	13	* *	9	* *	13	* *	0	* *	0	* *
Bennett	23	* *	24	* *	15	* *	0	* *	0	* *
Boulder	258	96.5 (1)	206	62.1 (1)	167	43.7 (1)	0	* *	0	* *
Brighton	380	72.9 (29)	312	34.0 (11)	206	21.4 (7)	0	* *	0	* *
Broomfield	153	76.5 (20)	114	32.5 (14)	70	* *	0	* *	0	* *
Buena Vist	9	* *	15	* *	18	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Burlington	45	* *	39	* *	42	* *	0	* *	0	* *
Canon City	237	69.2 (38)	223	26.5 (31)	176	16.5 (19)	0	* *	0	* *
Castle Roc	192	70.3 (36)	136	44.9 (3)	110	33.6 (2)	0	* *	0	* *
Center VW	46	* *	49	* *	46	* *	0	* *	0	* *
Cheyenne W	40	* *	44	* *	29	* *	0	* *	0	* *
Clear Cree	40	* *	28	* *	21	* *	0	* *	0	* *
Commerce C	554	63.7 (43)	470	24.9 (35)	399	13.8 (28)	0	* *	0	* *
Cortez	160	88.1 (6)	125	42.4 (7)	113	23.9 (4)	0	* *	0	* *
Craig	127	83.5 (11)	104	27.9 (23)	60	* *	0	* *	0	* *
Crested B	4	* *	5	* *	4	* *	0	* *	0	* *
Delta	121	81.8 (12)	111	21.6 (39)	103	19.4 (11)	0	* *	0	* *
Divide	90	* *	59	* *	53	* *	0	* *	0	* *
Dove Creek	6	* *	7	* *	5	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Durango	215	88.4 (5)	171	38.6 (9)	110	20.0 (10)	0	* * *
Eads	5	* * *	3	* * *	1	* * *	0	* * *
Eagle	66	* * *	42	* * *	38	* * *	0	* * *
Eastside	1,685	73.1 (28)	1,410	26.8 (27)	1,182	14.6 (26)	0	* * *
Edgewater	352	71.6 (33)	336	22.9 (36)	263	10.6 (33)	0	* * *
El Jebel	48	* * *	33	* * *	23	* * *	0	* * *
El Paso Ma	1,901	73.3 (27)	1,744	26.8 (27)	1,244	15.8 (20)	0	* * *
El Paso No	1,000	74.2 (23)	789	35.5 (10)	592	21.3 (8)	0	* * *
Elizabeth	16	* * *	16	* * *	10	* * *	0	* * *
Englewood	585	71.8 (32)	501	26.7 (29)	366	16.7 (18)	0	* * *
Estes Park	41	* * *	29	* * *	26	* * *	0	* * *
Fairplay	14	* * *	9	* * *	10	* * *	0	* * *
Florence	20	* * *	11	* * *	7	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Fountain V	565	72.4 (30)	493	28.4 (21)	356	15.4 (22)	0	* *	0	* *	0	* *
Frisco	165	94.5 (3)	120	39.2 (8)	82	* *	0	* *	0	* *	0	* *
Ft Lupton1	121	71.1 (35)	69	* *	62	* *	0	* *	0	* *	0	* *
Ft Lupton2	54	* *	54	* *	46	* *	0	* *	0	* *	0	* *
Ft. Collin	655	77.4 (17)	551	32.5 (14)	430	20.5 (9)	0	* *	0	* *	0	* *
Ft. Morgan	327	57.8 (45)	269	11.2 (44)	165	7.3 (35)	0	* *	0	* *	0	* *
Glenwood	211	95.3 (2)	144	44.4 (4)	85	* *	0	* *	0	* *	0	* *
Grand Junc	764	80.2 (13)	653	25.0 (34)	440	15.5 (21)	0	* *	0	* *	0	* *
Gunnison	56	* *	40	* *	43	* *	0	* *	0	* *	0	* *
Havana	1,153	79.2 (15)	980	28.1 (22)	738	14.8 (25)	0	* *	0	* *	0	* *
Holyoke	28	* *	28	* *	22	* *	0	* *	0	* *	0	* *
Hot Sulphu	34	* *	25	* *	31	* *	0	* *	0	* *	0	* *
Hugo	44	* *	30	* *	35	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Ignacio	33	* *	27	* *	19	* *	0	* *	0	* *
Illiff	1,446	80.2 (13)	1,286	28.7 (20)	868	18.4 (12)	0	* *	0	* *
Julesburg	11	* *	11	* *	12	* *	0	* *	0	* *
La Junta	119	68.1 (40)	107	22.4 (37)	83	* *	0	* *	0	* *
Lafayette	144	86.8 (7)	126	46.0 (2)	112	27.7 (3)	0	* *	0	* *
Lakewood	893	73.6 (25)	756	27.4 (25)	602	15.3 (24)	0	* *	0	* *
Lamar	152	67.8 (41)	120	18.3 (41)	82	* *	0	* *	0	* *
Las Animas	47	* *	28	* *	23	* *	0	* *	0	* *
Leadville	67	* *	56	* *	43	* *	0	* *	0	* *
Longmont	651	84.2 (10)	536	33.2 (13)	428	17.3 (15)	0	* *	0	* *
Loveland	393	77.4 (17)	316	28.8 (19)	242	17.8 (13)	0	* *	0	* *
Manzanola	19	* *	14	* *	13	* *	0	* *	0	* *
Meadow Par	366	71.3 (34)	291	25.1 (33)	214	11.2 (32)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Meeker	18	* *	10	* *	9	* *	0	* *	0	* *
Montbello	903	76.0 (21)	700	26.7 (29)	497	12.3 (30)	0	* *	0	* *
Monte Vist	88	* *	92	* *	61	* *	0	* *	0	* *
Montrose	320	72.2 (31)	266	30.1 (17)	199	14.1 (27)	0	* *	0	* *
Northglenn	1,372	69.9 (37)	1,122	20.8 (40)	832	9.7 (34)	0	* *	0	* *
Norwood	9	* *	6	* *	2	* *	0	* *	0	* *
Nucla	12	* *	7	* *	4	* *	0	* *	0	* *
Olathe	25	* *	19	* *	18	* *	0	* *	0	* *
Ordway	6	* *	8	* *	6	* *	0	* *	0	* *
Ouray	5	* *	6	* *	12	* *	0	* *	0	* *
Pagosa Spr	52	* *	49	* *	47	* *	0	* *	0	* *
Paonia	14	* *	7	* *	9	* *	0	* *	0	* *
Pecos	902	77.9 (16)	808	27.4 (25)	605	13.4 (29)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Pitkin	15	* *	10	* *	8	* *	0	* *
Pueblo Mai	688	66.4 (42)	588	22.3 (38)	567	12.0 (31)	0	* *
Rangely	18	* *	10	* *	10	* *	0	* *
Rifle	156	85.3 (9)	130	43.1 (5)	83	* *	0	* *
Rocky Ford	79	* *	62	* *	50	* *	0	* *
S Pueblo	677	57.9 (44)	592	14.9 (43)	571	7.2 (36)	0	* *
Salida	50	* *	37	* *	18	* *	0	* *
San Luis V	3	* *	3	* *	3	* *	0	* *
Springfiel	26	* *	23	* *	21	* *	0	* *
Steamboat	48	* *	40	* *	32	* *	0	* *
Sterling	147	68.7 (39)	132	16.7 (42)	77	* *	0	* *
Sunrise	1,183	73.5 (26)	979	30.2 (16)	723	17.7 (14)	0	* *
Telluride	27	* *	18	* *	5	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Trinidad	108	57.4 (46)	97	* *	73	* *	0	* *
Walden	5	* *	7	* *	9	* *	0	* *
Walsenburg	36	* *	51	* *	27	* *	0	* *
Westcliffe	8	* *	11	* *	5	* *	0	* *
Yuma	86	* *	82	* *	72	* *	0	* *
Unknown Clinics	2,325	76.9 (19)	1,718	25.3 (32)	1,057	15.4 (22)	0	* *
Colorado	28,304	75.3	23,561	28.1	17,780	16.1	0	*
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2
							182,064	5.2
							687,613	75.0
								3,047,308
								11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Akron	46	* *	* *	200	9.5 (68)	3.0 (34)	6.0 (12)	81	* *	* *		122	9.0 (19)
Alamosa VW	840	13.0 (59)	2.3 (4)	3,210	10.9 (82)	4.4 (69)	6.9 (25)	1,306	12.7 (13)	9.5 (37)		1,954	12.6 (47)
Arvada	1,900	9.1 (22)	3.7 (21)	7,050	9.0 (62)	3.3 (41)	7.8 (49)	2,746	19.7 (76)	11.8 (61)		4,102	10.8 (31)
Aurora	2,818	9.4 (28)	4.5 (34)	11,072	7.3 (25)	3.6 (48)	9.1 (62)	4,572	15.9 (50)	10.4 (49)		6,447	12.5 (45)
Avon	455	8.8 (18)	2.9 (12)	1,384	7.6 (34)	2.8 (28)	8.6 (56)	457	15.3 (47)	11.2 (57)		757	28.8 (80)
Avondale	52	* *	* *	216	15.7 (92)	1.9 (6)	23.6 (93)	99	* *	* *		136	5.9 (13)
Bailey	53	* *	* *	273	11.4 (85)	4.8 (73)	3.7 (2)	134	12.7 (13)	1.5 (1)		145	11.7 (37)
Bennett	54	* *	* *	258	9.7 (70)	6.2 (88)	6.6 (22)	111	17.1 (64)	9.9 (42)		145	5.5 (11)
Bennett	44	* *	* *	152	7.9 (40)	0.7 (1)	11.2 (83)	46	* *	* *		81	* *
Boulder	735	7.6 (7)	7.1 (65)	3,333	5.6 (8)	4.2 (61)	8.3 (53)	1,569	13.9 (28)	10.5 (50)		1,973	14.5 (64)
Brighton	1,041	10.2 (38)	4.2 (29)	4,001	7.5 (29)	2.8 (28)	7.3 (32)	1,698	17.8 (68)	8.6 (25)		2,344	9.1 (22)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Broomfield	439	10.0 (36)	4.6 (38)	1,680	10.2 (74)	3.9 (55)	9.3 (64)	744	13.8 (26)	11.4 (58)	945	12.8 (48)
Buena Vist	58	* *	* *	247	13.8 (91)	2.8 (28)	5.7 (9)	101	12.9 (18)	2.0 (2)	140	3.6 (5)
Burlington	136	4.4 (1)	5.9 (59)	591	5.4 (6)	2.0 (7)	7.6 (44)	279	14.0 (33)	9.3 (34)	382	5.5 (11)
Canon City	771	10.6 (46)	3.4 (15)	3,091	8.2 (47)	2.0 (7)	7.5 (42)	1,296	16.2 (55)	5.9 (9)	1,714	11.8 (39)
Castle Roc	539	14.3 (60)	4.1 (27)	2,059	7.7 (35)	3.4 (42)	7.4 (38)	789	12.2 (10)	7.0 (20)	953	4.9 (8)
Center VW	191	7.9 (9)	1.6 (3)	903	7.3 (25)	5.8 (84)	6.2 (16)	433	17.3 (65)	8.8 (26)	593	18.4 (74)
Cheyenne W	114	9.6 (29)	7.0 (64)	514	10.5 (78)	2.9 (32)	12.6 (89)	234	16.7 (61)	17.1 (77)	343	9.0 (19)
Clear Cree	118	11.9 (54)	3.4 (15)	444	10.4 (76)	5.4 (80)	4.5 (5)	194	13.9 (28)	6.2 (12)	204	3.4 (3)
Commerce C	1,721	8.9 (20)	5.8 (56)	7,475	6.8 (16)	2.4 (20)	10.4 (74)	3,452	16.5 (57)	12.5 (64)	4,740	14.2 (62)
Conifer	20	* *	* *	100	7.0 (20)	5.0 (76)	2.0 (1)	48	* *	* *	56	* *
Cortez	442	7.2 (6)	6.3 (61)	1,848	8.1 (44)	2.4 (20)	7.6 (44)	809	14.1 (34)	8.2 (22)	1,122	6.6 (15)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Craig	327	12.2 (56)	4.6 (38)	1,132	7.9 (40)	4.9 (75)	6.3 (17)	431	12.8 (16)	7.9 (21)	638	12.4 (44)
Crested B	18	* *	* *	68	* *	* *	* *	29	* *	* *	31	* *
Delta	362	9.7 (30)	2.8 (10)	1,508	8.6 (54)	3.6 (48)	10.2 (73)	664	14.5 (39)	10.8 (51)	842	12.1 (40)
Divide	247	15.0 (62)	2.4 (7)	919	12.1 (87)	5.5 (82)	4.1 (4)	366	10.4 (5)	4.9 (6)	530	12.5 (45)
Dove Creek	21	* *	* *	123	9.8 (72)	7.3 (91)	7.3 (32)	58	* *	* *	63	* *
Durango	556	12.4 (57)	3.2 (13)	1,854	8.0 (43)	3.8 (51)	6.9 (25)	680	15.1 (46)	9.1 (31)	964	13.6 (55)
Eads	14	* *	* *	61	* *	* *	* *	29	* *	* *	39	* *
Eagle	190	10.5 (44)	5.8 (56)	656	8.5 (51)	3.8 (51)	8.8 (58)	244	19.3 (74)	9.4 (36)	389	19.8 (75)
Eastside	7,160	10.7 (48)	4.5 (34)	23,025	8.1 (44)	3.9 (55)	8.1 (51)	6,765	13.4 (21)	9.8 (40)	13,346	13.2 (52)
Edgewater	1,018	9.3 (24)	4.2 (29)	4,170	6.7 (14)	3.8 (51)	7.7 (48)	1,849	13.6 (23)	9.5 (37)	2,510	13.6 (55)
El Jebel	141	5.7 (3)	4.3 (32)	515	8.5 (51)	1.4 (5)	19.4 (92)	200	23.0 (79)	23.0 (79)	287	11.5 (36)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
El Paso Ma	6,444	10.7 (48)	3.6 (19)	26,105	8.7 (58)	3.5 (46)	6.4 (21)	11,092	12.8 (16)	6.8 (16)	7,657	17.1 (72)
El Paso No	2,572	10.6 (46)	3.6 (19)	9,926	12.3 (88)	2.0 (7)	8.4 (54)	4,189	17.8 (68)	8.5 (24)	5,995	10.8 (31)
Elizabeth	46	* *	* *	261	11.9 (86)	4.2 (61)	6.1 (14)	128	14.8 (42)	5.5 (8)	149	12.1 (40)
Englewood	1,754	11.9 (54)	4.1 (27)	6,398	9.3 (66)	2.3 (15)	10.8 (77)	2,405	18.1 (70)	14.0 (71)	3,677	14.8 (69)
Estes Park	108	8.3 (16)	4.6 (38)	506	4.5 (4)	5.3 (79)	6.1 (14)	245	18.8 (73)	10.2 (47)	328	14.6 (68)
Fairplay	37	* *	* *	193	9.3 (66)	6.7 (90)	9.3 (64)	100	15.0 (44)	14.0 (71)	66	* *
Florence	50	* *	* *	236	17.4 (93)	3.8 (51)	8.9 (59)	119	16.0 (51)	10.9 (54)	143	3.5 (4)
Fountain V	1,597	10.2 (38)	3.9 (25)	6,588	8.6 (54)	4.1 (60)	5.4 (8)	2,812	11.5 (8)	5.9 (9)	4,001	11.2 (35)
Frisco	436	15.6 (63)	2.3 (4)	1,428	12.3 (88)	5.1 (78)	7.6 (44)	521	12.7 (13)	9.0 (28)	881	17.5 (73)
Ft Lupton1	291	9.3 (24)	5.2 (49)	793	11.2 (83)	4.2 (61)	10.6 (75)	218	17.4 (66)	11.0 (55)	465	7.1 (18)
Ft Lupton2	256	7.0 (5)	6.6 (62)	670	10.4 (76)	2.5 (23)	9.7 (69)	125	16.0 (51)	12.0 (62)	307	9.1 (22)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ft. Collin	1,926	8.8 (18)	5.6 (55)	7,113	6.9 (18)	3.9 (55)	7.9 (50)	2,810	16.4 (56)	11.5 (59)	4,148	15.0 (70)
Ft. Morgan	824	7.6 (7)	3.3 (14)	3,425	6.9 (18)	1.3 (4)	11.1 (81)	1,581	19.7 (76)	10.1 (46)	2,051	9.3 (25)
Glenwood	531	10.4 (42)	4.5 (34)	1,707	8.9 (60)	2.2 (12)	9.5 (66)	541	17.4 (66)	12.2 (63)	904	12.9 (50)
Grand Junc	2,229	7.9 (9)	4.5 (34)	7,848	7.4 (28)	3.2 (38)	8.9 (59)	2,757	15.8 (49)	11.1 (56)	3,911	13.7 (57)
Gunnison	143	14.7 (61)	4.9 (46)	571	8.4 (50)	4.7 (71)	6.3 (17)	223	13.5 (22)	9.9 (42)	330	14.5 (64)
Havana	3,035	10.0 (36)	5.4 (53)	11,570	5.5 (7)	5.5 (82)	7.0 (27)	4,851	8.4 (3)	6.2 (12)	6,841	13.7 (57)
Holyoke	89	* *	* *	481	7.5 (29)	3.1 (36)	12.1 (87)	238	14.7 (41)	13.0 (66)	316	6.3 (14)
Hot Sulphu	132	9.8 (33)	3.8 (22)	469	7.5 (29)	5.8 (84)	6.0 (12)	192	6.8 (1)	6.8 (16)	280	11.1 (34)
Hugo	134	9.7 (30)	6.0 (60)	537	8.2 (47)	6.1 (87)	5.2 (6)	236	8.1 (2)	4.7 (4)	306	13.7 (57)
Ignacio	97	* *	* *	395	9.6 (69)	2.3 (15)	9.9 (71)	167	16.8 (62)	9.0 (28)	228	12.3 (42)
Illiff	4,105	11.4 (51)	4.2 (29)	15,374	7.1 (23)	4.6 (70)	8.2 (52)	6,118	13.7 (25)	10.0 (44)	8,745	14.0 (60)

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Julesburg	28	* *	* *	141	5.7 (9)	2.1 (11)	12.1 (87)	66	* *	* *	92	* *
La Junta	372	8.9 (20)	2.4 (7)	1,672	7.1 (23)	2.2 (12)	7.4 (38)	815	13.9 (28)	8.8 (26)	1,107	9.9 (26)
Lafayette	469	6.8 (4)	8.5 (67)	2,008	5.9 (10)	2.4 (20)	10.6 (75)	906	16.1 (53)	12.6 (65)	1,203	13.0 (51)
Lakewood	2,662	10.4 (42)	4.8 (44)	9,754	7.7 (35)	4.2 (61)	6.3 (17)	3,757	14.3 (37)	8.2 (22)	5,695	9.0 (19)
Lamar	440	10.5 (44)	5.2 (49)	1,829	7.3 (25)	3.4 (42)	11.4 (85)	845	16.8 (62)	16.4 (76)	1,162	13.2 (52)
Las Animas	126	12.7 (58)	2.4 (7)	506	8.7 (58)	4.3 (67)	11.7 (86)	214	19.6 (75)	14.5 (74)	318	14.5 (64)
Leadville	192	19.8 (67)	1.0 (1)	717	8.9 (60)	8.4 (93)	5.7 (9)	312	11.2 (6)	9.0 (28)	327	14.4 (63)
Longmont	1,971	8.2 (13)	5.0 (47)	8,237	5.9 (10)	3.2 (38)	10.1 (72)	3,647	16.5 (57)	13.2 (67)	5,126	14.1 (61)
Loveland	1,128	9.2 (23)	5.8 (56)	4,502	7.8 (37)	4.2 (61)	7.3 (32)	1,841	14.4 (38)	9.2 (33)	2,660	12.3 (42)
Manzanola	51	* *	* *	283	8.5 (51)	2.5 (23)	7.1 (29)	160	13.8 (26)	6.9 (19)	178	6.7 (16)
Meadow Par	1,017	11.2 (50)	4.3 (32)	4,006	8.1 (44)	4.3 (67)	5.9 (11)	1,675	13.0 (19)	6.8 (16)	2,391	21.4 (77)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Meeker	56	* *	* *	185	8.6 (54)	5.4 (80)	8.6 (56)	60	* *	* *	87	* *
Montbello	2,399	9.3 (24)	4.8 (44)	7,542	7.9 (40)	2.5 (23)	9.7 (69)	2,362	14.5 (39)	10.8 (51)	4,216	10.2 (28)
Monte Vist	290	11.4 (51)	2.8 (10)	1,309	10.5 (78)	4.7 (71)	7.6 (44)	611	11.3 (7)	9.3 (34)	875	2.3 (2)
Montrose	900	9.9 (35)	3.8 (22)	3,783	7.5 (29)	2.2 (12)	7.5 (42)	1,744	15.3 (47)	6.5 (15)	768	12.8 (48)
Northglenn	3,863	9.8 (33)	4.7 (43)	14,010	7.5 (29)	4.8 (73)	7.3 (32)	5,545	13.6 (23)	9.5 (37)	7,504	11.7 (37)
Norwood	25	* *	* *	63	* *	* *	* *	21	* *	* *	26	* *
Nucla	34	* *	* *	155	9.0 (62)	5.8 (84)	7.1 (29)	78	* *	* *	89	* *
Olathe	83	* *	* *	356	11.2 (83)	2.0 (7)	15.4 (90)	146	18.5 (71)	13.7 (68)	109	21.1 (76)
Ordway	36	* *	* *	214	7.0 (20)	2.3 (15)	16.8 (91)	118	11.9 (9)	17.8 (78)	148	4.7 (7)
Ouray	32	* *	* *	119	3.4 (3)	5.0 (76)	6.7 (23)	37	* *	* *	65	* *
Pagosa Spr	171	8.2 (13)	3.5 (18)	693	7.8 (37)	4.2 (61)	4.0 (3)	277	16.6 (60)	4.3 (3)	171	22.8 (78)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Paonia	37	* *	* *	153	7.8 (37)	3.9 (55)	11.1 (81)	76	* *	* *	68	* *
Pecos	2,709	8.2 (13)	5.2 (49)	10,515	6.7 (14)	3.5 (46)	9.1 (62)	4,339	14.1 (34)	9.1 (31)	6,337	15.7 (71)
Pitkin	45	* *	* *	143	2.8 (1)	7.7 (92)	6.3 (17)	41	* *	* *	91	* *
Pueblo Mai	2,073	9.7 (30)	3.8 (22)	7,971	9.1 (64)	2.3 (15)	10.8 (77)	3,450	16.1 (53)	10.8 (51)	4,995	10.2 (28)
Rangely	42	* *	* *	156	8.3 (49)	3.2 (38)	9.6 (68)	52	* *	* *	73	* *
Rifle	457	8.1 (12)	3.9 (25)	1,783	5.1 (5)	2.7 (27)	7.3 (32)	706	12.2 (10)	5.4 (7)	1,031	6.8 (17)
Rocky Ford	216	9.3 (24)	2.3 (4)	1,050	6.1 (13)	3.0 (34)	11.0 (80)	545	13.2 (20)	14.3 (73)	698	4.3 (6)
S Pueblo	2,041	10.2 (38)	3.4 (15)	8,497	9.7 (70)	2.3 (15)	9.5 (66)	3,816	13.9 (28)	10.0 (44)	5,496	5.3 (9)
Salida	120	15.8 (64)	5.0 (47)	480	10.6 (80)	2.9 (32)	6.7 (23)	192	8.9 (4)	4.7 (4)	267	1.9 (1)
San Luis V	6	* *	* *	36	* *	* *	* *	15	* *	* *	26	* *
Springfiel	80	* *	* *	352	10.8 (81)	3.4 (42)	10.8 (77)	167	18.6 (72)	16.2 (75)	194	13.4 (54)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Steamboat	130	11.5 (53)	4.6 (38)	407	10.3 (75)	6.4 (89)	7.4 (38)	137	12.4 (12)	13.9 (70)	218	9.2 (24)
Sterling	436	8.3 (16)	4.6 (38)	1,832	8.6 (54)	2.5 (23)	11.2 (83)	818	15.0 (44)	13.8 (69)	1,172	11.0 (33)
Sunrise	3,208	8.0 (11)	5.5 (54)	8,147	9.2 (65)	3.1 (36)	8.9 (59)	1,775	13.9 (28)	11.5 (59)	4,058	10.1 (27)
Telluride	58	* *	* *	192	6.8 (16)	3.6 (48)	5.2 (6)	78	* *	* *	100	29.0 (81)
Trinidad	332	16.0 (65)	1.2 (2)	1,246	9.9 (73)	2.8 (28)	8.4 (54)	506	14.2 (36)	10.3 (48)	767	14.5 (64)
Walden	21	* *	* *	96	* *	* *	* *	46	* *	* *	60	* *
Walsenburg	132	18.2 (66)	6.8 (63)	561	12.5 (90)	3.4 (42)	7.1 (29)	260	16.5 (57)	6.2 (12)	281	25.6 (79)
Westcliffe	16	* *	* *	92	* *	* *	* *	50	* *	* *	55	* *
Wray	22	* *	* *	136	5.9 (10)	0.7 (1)	7.4 (38)	64	* *	* *	84	* *
Yuma	227	4.4 (1)	8.4 (66)	1,006	2.8 (1)	1.2 (3)	7.0 (27)	459	20.0 (78)	5.9 (9)	633	10.4 (30)
Unknown Clinics	3,993	10.2 (38)	5.2 (49)	11,578	7.0 (20)	3.9 (55)	7.3 (32)	4,009	14.9 (43)	9.8 (40)	6,302	5.4 (10)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Colorado	82,223	10.0	4.5	305,239	8.0	3.5	8.2	121,019	14.5	9.5	168,089	12.2

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Akron	58	* *	61	* *	53	* *	0	* *	0	* *
Alamosa VW	928	71.1 (41)	770	27.8 (30)	691	18.1 (19)	0	* *	0	* *
Arvada	2,222	73.1 (31)	1,962	29.7 (25)	1,557	17.2 (22)	0	* *	0	* *
Aurora	3,132	81.3 (16)	2,765	25.9 (36)	2,260	14.2 (36)	0	* *	0	* *
Avon	545	87.7 (7)	437	38.2 (12)	315	20.3 (16)	0	* *	0	* *
Avondale	58	* *	53	* *	43	* *	0	* *	0	* *
Bailey	76	* *	73	* *	70	* *	0	* *	0	* *
Bennett	60	* *	65	* *	61	* *	0	* *	0	* *
Bennett	61	* *	54	* *	37	* *	0	* *	0	* *
Boulder	856	91.4 (3)	747	56.1 (1)	614	38.1 (2)	0	* *	0	* *
Brighton	1,230	69.6 (48)	1,060	30.9 (18)	860	22.3 (12)	0	* *	0	* *
Broomfield	534	71.0 (44)	453	25.6 (39)	348	14.9 (31)	0	* *	0	* *
Buena Vist	69	* *	67	* *	62	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Burlington	163	66.3 (59)	138	29.7 (25)	125	15.2 (28)	0	* * *
Canon City	897	71.5 (40)	833	23.2 (52)	678	14.2 (36)	0	* * *
Castle Roc	697	67.9 (55)	597	39.5 (10)	443	33.2 (3)	0	* * *
Center VW	223	68.2 (53)	201	30.3 (23)	177	17.5 (21)	0	* * *
Cheyenne W	139	64.0 (61)	131	18.3 (63)	114	10.5 (53)	0	* * *
Clear Cree	140	70.0 (46)	117	23.9 (51)	103	6.8 (64)	0	* * *
Commerce C	1,936	63.1 (62)	1,747	20.2 (57)	1,457	12.6 (46)	0	* * *
Conifer	14	* * *	14	* * *	18	* * *	0	* * *
Cortez	569	85.1 (11)	498	41.2 (7)	426	24.2 (6)	0	* * *
Craig	382	78.3 (22)	319	26.3 (34)	227	15.4 (26)	0	* * *
Crested B	21	* * *	21	* * *	17	* * *	0	* * *
Delta	452	80.5 (19)	397	30.7 (19)	339	23.3 (8)	0	* * *
Divide	295	83.4 (14)	275	37.5 (14)	207	19.8 (17)	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Dove Creek	32	* *	30	* *	23	* *	0	* *	0	* *
Durango	670	86.4 (9)	559	37.6 (13)	402	21.9 (13)	0	* *	0	* *
Eads	17	* *	13	* *	12	* *	0	* *	0	* *
Eagle	225	81.3 (16)	175	24.0 (50)	140	9.3 (58)	0	* *	0	* *
Eastside	7,489	72.4 (33)	6,926	25.3 (41)	5,319	13.4 (42)	0	* *	0	* *
Edgewater	1,195	72.1 (37)	1,087	21.3 (55)	898	10.9 (52)	0	* *	0	* *
El Jebel	163	90.2 (4)	140	48.6 (2)	97	* *	0	* *	0	* *
El Paso Ma	7,500	71.1 (41)	6,655	25.9 (36)	5,295	15.1 (29)	0	* *	0	* *
El Paso No	3,245	69.2 (50)	2,703	30.4 (21)	2,141	17.2 (22)	0	* *	0	* *
Elizabeth	61	* *	65	* *	57	* *	0	* *	0	* *
Englewood	2,045	69.8 (47)	1,872	24.2 (47)	1,393	14.9 (31)	0	* *	0	* *
Estes Park	140	93.6 (1)	127	38.6 (11)	102	20.6 (15)	0	* *	0	* *
Fairplay	56	* *	52	* *	42	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Florence	56	* *	47	* *	34	* *	0	* *	0	* *
Fountain V	2,113	70.6 (45)	1,828	25.1 (42)	1,502	12.0 (47)	0	* *	0	* *
Frisco	514	89.7 (5)	394	43.9 (4)	308	24.0 (7)	0	* *	0	* *
Ft Lupton1	345	67.8 (57)	277	28.2 (28)	236	14.4 (34)	0	* *	0	* *
Ft Lupton2	283	75.3 (30)	241	31.1 (17)	168	19.6 (18)	0	* *	0	* *
Ft. Collin	2,312	76.9 (27)	1,978	30.7 (19)	1,596	17.6 (20)	0	* *	0	* *
Ft. Morgan	957	56.4 (66)	863	11.4 (68)	635	7.1 (63)	0	* *	0	* *
Glenwood	652	92.9 (2)	513	43.9 (4)	350	25.1 (5)	0	* *	0	* *
Grand Junc	2,698	78.9 (20)	2,325	24.3 (45)	1,722	13.9 (39)	0	* *	0	* *
Gunnison	181	87.8 (6)	152	40.1 (8)	142	22.5 (9)	0	* *	0	* *
Havana	3,656	77.5 (26)	3,090	26.6 (33)	2,486	15.1 (29)	0	* *	0	* *
Holyoke	124	71.8 (39)	117	25.6 (39)	96	* *	0	* *	0	* *
Hot Sulphu	166	78.3 (22)	127	28.3 (27)	109	21.1 (14)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Hugo	145	77.9 (24)	137	29.9 (24)	123	13.8 (41)	0	* * *	0	* * *	0	* * *
Ignacio	110	85.5 (10)	96	* * *	81	* * *	0	* * *	0	* * *	0	* * *
Illiff	4,939	78.9 (20)	4,330	28.0 (29)	3,165	15.4 (26)	0	* * *	0	* * *	0	* * *
Julesburg	39	* * *	40	* * *	39	* * *	0	* * *	0	* * *	0	* * *
La Junta	406	62.6 (63)	346	17.1 (64)	314	9.6 (57)	0	* * *	0	* * *	0	* * *
Lafayette	546	83.7 (13)	492	44.9 (3)	407	32.2 (4)	0	* * *	0	* * *	0	* * *
Lakewood	3,149	71.1 (41)	2,787	25.7 (38)	2,223	14.3 (35)	0	* * *	0	* * *	0	* * *
Lamar	499	67.9 (55)	421	18.8 (61)	358	10.3 (54)	0	* * *	0	* * *	0	* * *
Las Animas	138	67.4 (58)	107	15.0 (66)	101	7.9 (62)	0	* * *	0	* * *	0	* * *
Leadville	234	47.9 (69)	188	39.9 (9)	154	42.9 (1)	0	* * *	0	* * *	0	* * *
Longmont	2,253	81.4 (15)	1,966	30.4 (21)	1,651	16.2 (25)	0	* * *	0	* * *	0	* * *
Loveland	1,407	75.8 (28)	1,258	24.4 (44)	992	13.0 (44)	0	* * *	0	* * *	0	* * *
Manzanola	60	* * *	47	* * *	39	* * *	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Meadow Par	1,361	69.6 (48)	1,143	22.0 (54)	903	10.1 (55)	0	* * *	0	* * *	0	* * *
Meeker	71	* * *	46	* * *	43	* * *	0	* * *	0	* * *	0	* * *
Montbello	2,804	72.1 (37)	2,360	25.1 (42)	1,746	13.9 (39)	0	* * *	0	* * *	0	* * *
Monte Vist	323	56.3 (67)	307	18.6 (62)	256	14.5 (33)	0	* * *	0	* * *	0	* * *
Montrose	1,054	72.4 (33)	930	26.2 (35)	772	14.1 (38)	0	* * *	0	* * *	0	* * *
Northglenn	4,562	68.1 (54)	3,845	19.3 (59)	3,001	9.2 (59)	0	* * *	0	* * *	0	* * *
Norwood	25	* * *	16	* * *	12	* * *	0	* * *	0	* * *	0	* * *
Nucla	38	* * *	32	* * *	29	* * *	0	* * *	0	* * *	0	* * *
Olathe	98	* * *	94	* * *	82	* * *	0	* * *	0	* * *	0	* * *
Ordway	40	* * *	42	* * *	41	* * *	0	* * *	0	* * *	0	* * *
Ouray	42	* * *	41	* * *	34	* * *	0	* * *	0	* * *	0	* * *
Pagosa Spr	214	87.4 (8)	194	27.8 (30)	149	12.8 (45)	0	* * *	0	* * *	0	* * *
Paonia	38	* * *	25	* * *	24	* * *	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Pecos	3,113	75.8 (28)	2,793	23.2 (52)	2,197	11.4 (49)	0	* * *	0	* * *	0	* * *
Pitkin	61	* * *	54	* * *	48	* * *	0	* * *	0	* * *	0	* * *
Pueblo Mai	2,328	66.2 (60)	2,033	21.2 (56)	1,778	11.1 (51)	0	* * *	0	* * *	0	* * *
Rangely	69	* * *	55	* * *	44	* * *	0	* * *	0	* * *	0	* * *
Rifle	610	84.1 (12)	495	35.8 (15)	379	22.4 (10)	0	* * *	0	* * *	0	* * *
Rocky Ford	233	54.9 (68)	217	16.1 (65)	186	11.3 (50)	0	* * *	0	* * *	0	* * *
S Pueblo	2,246	59.8 (64)	2,095	14.5 (67)	1,883	8.8 (60)	0	* * *	0	* * *	0	* * *
Salida	149	77.9 (24)	137	24.1 (49)	97	* * *	0	* * *	0	* * *	0	* * *
San Luis V	5	* * *	8	* * *	9	* * *	0	* * *	0	* * *	0	* * *
Springfiel	99	* * *	83	* * *	79	* * *	0	* * *	0	* * *	0	* * *
Steamboat	166	80.7 (18)	132	41.7 (6)	95	* * *	0	* * *	0	* * *	0	* * *
Sterling	507	68.4 (52)	466	19.3 (59)	341	8.8 (60)	0	* * *	0	* * *	0	* * *
Sunrise	3,751	72.4 (33)	2,966	33.1 (16)	2,101	22.4 (10)	0	* * *	0	* * *	0	* * *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
 (4,5)

Clinic	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Telluride	71	* *	54 * *	35 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Trinidad	373	57.6 (65)	349 27.5 (32)	257 16.7 (24)	0 * *	0 * *	0 * *	0 * *	0 * *	
Walden	26	* *	24 * *	22 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Walsenburg	152	72.4 (33)	144 19.4 (58)	110 11.8 (48)	0 * *	0 * *	0 * *	0 * *	0 * *	
Westcliffe	25	* *	23 * *	20 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Wray	15	* *	27 * *	24 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Yuma	292	68.5 (51)	269 24.2 (47)	227 10.1 (55)	0 * *	0 * *	0 * *	0 * *	0 * *	
Unknown Clinics	5,467	72.8 (32)	4,013 24.3 (45)	2,785 13.1 (43)	0 * *	0 * *	0 * *	0 * *	0 * *	
Colorado	97,005	73.2	83,938 26.4	66,063 15.0	0 *	0 *	0 *	0 *	0 *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

