

Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Akron	78	*	*	*	*	*	*	*
Alamosa	1,309	24.9	0.6	73.0	0.7	0.2	0.5	0.0
Altn-Colfx	4,830	7.0	16.4	69.1	0.9	4.1	2.4	0.0
Arvada	2,561	56.3	2.6	36.5	0.8	2.1	1.8	0.0
Aurora	4,011	8.7	17.4	67.0	0.4	3.2	3.2	0.1
Avon	564	5.7	1.2	93.1	0.0	0.0	0.0	0.0
Avondale	70	*	*	*	*	*	*	*
Bailey	93	*	*	*	*	*	*	*
Bennett R	103	71.8	0.0	23.3	1.0	0.0	3.9	0.0
Bennett Y	106	76.4	0.0	17.9	0.0	0.0	5.7	0.0
Boulder M	1,084	20.1	1.2	67.5	0.8	5.4	4.9	0.0
Brighton	1,450	23.8	1.2	73.1	0.4	0.8	0.7	0.1
Broomfield	574	45.3	1.6	45.5	0.5	3.1	3.7	0.3
Buena Vist	85	*	*	*	*	*	*	*
Canon City	1,071	77.9	0.5	18.8	0.3	0.5	2.1	0.0
Center	298	11.7	0.0	86.6	1.3	0.0	0.0	0.3
Chey Wells	199	34.2	1.5	58.8	1.0	0.0	4.5	0.0
Comm City	2,589	15.0	1.8	80.4	0.6	0.4	1.7	0.0
Cortez	744	55.2	0.0	31.0	9.4	0.7	3.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Craig	464	56.3	0.9	39.7	0.4	0.2	2.6	0.0
Crst Butte	24	*	*	*	*	*	*	*
Cstle Rock	926	59.1	1.1	35.1	0.5	0.9	3.3	0.0
Delta	546	50.0	1.1	44.3	0.5	0.9	2.9	0.2
Divide	372	87.9	1.1	6.5	0.0	0.8	3.8	0.0
Dove Creek	43	*	*	*	*	*	*	*
Durango	812	39.7	0.1	43.7	6.5	0.5	9.5	0.0
Eads	25	*	*	*	*	*	*	*
Eagle	316	7.0	0.0	93.0	0.0	0.0	0.0	0.0
Eastside	7,186	11.9	23.2	58.5	1.3	2.2	2.9	0.0
Edgewater	1,494	20.2	1.9	75.2	0.6	0.4	1.6	0.0
El Jebel	226	4.0	0.0	96.0	0.0	0.0	0.0	0.0
El Paso M	6,571	31.5	10.0	49.1	0.9	1.1	7.5	0.0
El Paso N	5,075	54.6	6.1	29.4	0.8	1.4	7.6	0.1
Elizabeth	85	*	*	*	*	*	*	*
Englewood	2,292	41.9	2.6	49.8	0.3	1.1	4.3	0.0
Estes Park	183	32.2	1.6	61.7	1.1	1.6	1.6	0.0
Fairplay	115	78.3	0.9	13.9	0.0	1.7	5.2	0.0
Firestone	1,033	33.5	0.4	63.5	0.3	0.6	1.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Flag/Strat	198	48.5	1.0	47.0	0.5	0.0	3.0	0.0
Florence	64	*	*	*	*	*	*	*
Fnt Valley	2,753	54.0	7.8	28.6	0.7	1.9	6.9	0.1
Frisco	521	21.7	0.8	75.8	0.4	0.6	0.8	0.0
Ft Collins	2,763	49.6	1.3	45.2	0.8	1.2	1.8	0.0
Ft. Morgan	1,442	24.4	6.0	68.1	0.2	0.2	1.0	0.0
Gilpin	33	*	*	*	*	*	*	*
Glenwood	839	8.9	0.1	90.0	0.4	0.1	0.5	0.0
Grand Junc	3,645	55.8	0.4	39.5	0.4	0.4	3.4	0.0
Gunnison	254	53.1	0.4	44.5	0.4	0.0	1.6	0.0
Holyoke	180	36.7	0.0	61.1	1.1	0.0	1.1	0.0
Hot Sulphr	189	55.0	0.0	39.7	0.5	0.5	4.2	0.0
Hugo	177	78.5	1.1	19.2	0.0	0.0	1.1	0.0
Idaho Sprg	136	83.8	0.0	9.6	0.7	0.7	5.1	0.0
Ignacio	130	15.4	1.5	60.0	20.0	0.0	3.1	0.0
Illiff	6,559	22.8	19.9	46.2	1.7	3.2	6.0	0.1
Julesburg	61	*	*	*	*	*	*	*
La Junta	518	30.9	0.0	66.4	0.2	0.4	2.1	0.0
Lafayette	707	27.6	1.6	63.5	1.3	3.5	2.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Lake Plaza	2,789	40.7	9.5	40.4	0.3	1.9	7.2	0.0
Lakewood	3,413	51.0	2.6	40.6	1.1	2.6	2.1	0.0
Lamar	618	31.7	0.2	65.0	1.3	0.0	1.5	0.3
Las Animas	178	57.3	0.6	38.8	0.0	0.6	2.8	0.0
Leadville	293	17.1	0.0	81.2	1.0	0.0	0.7	0.0
Lonetree	889	63.0	3.0	22.4	0.4	2.7	8.4	0.0
Longmont	2,789	26.6	0.6	69.4	0.5	0.8	2.1	0.0
Loveland	1,619	53.9	0.7	41.0	0.0	0.4	4.0	0.1
Manzanola	98	*	*	*	*	*	*	*
Meeker	79	*	*	*	*	*	*	*
Montbello	3,245	5.1	22.3	67.1	1.2	1.9	2.3	0.0
Monte Vist	451	18.4	0.4	80.0	0.4	0.0	0.4	0.2
Montrose	1,347	42.8	0.2	50.6	0.6	0.3	5.4	0.0
Northglenn	6,094	29.7	1.9	63.4	0.7	2.5	1.8	0.0
Norwood	29	*	*	*	*	*	*	*
Nucla	70	*	*	*	*	*	*	*
Olathe	164	20.7	0.0	75.6	1.2	0.6	1.8	0.0
Ordwy/Manz	41	*	*	*	*	*	*	*
Ouray	41	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Pagosa Spr	297	41.1	0.3	55.2	0.0	0.0	3.4	0.0
Pan/Hot/Ce	51	*	*	*	*	*	*	*
Pecos	3,581	13.2	1.1	82.4	0.8	2.0	0.6	0.0
Pitkin	76	*	*	*	*	*	*	*
Pueblo	5,868	25.2	1.1	66.5	0.7	0.4	6.0	0.1
Rangely	72	*	*	*	*	*	*	*
Rifle	770	30.0	1.0	66.9	0.3	0.1	1.6	0.1
Rocky Ford	368	21.2	0.0	78.3	0.0	0.0	0.5	0.0
Salida	202	53.0	0.5	30.2	2.5	0.5	13.4	0.0
Springfield	115	64.3	0.0	30.4	0.0	0.0	5.2	0.0
Steamboat	214	51.4	0.5	44.4	0.0	0.5	3.3	0.0
Sterling	622	60.5	2.4	36.0	0.2	0.5	0.5	0.0
Sunrise	4,266	23.7	2.7	70.4	0.6	1.6	0.9	0.0
Telluride	80	*	*	*	*	*	*	*
Trinidad	425	25.6	0.5	72.7	0.2	0.0	0.9	0.0
Walden	25	*	*	*	*	*	*	*
Walsenburg	163	22.7	1.2	71.2	1.2	0.0	3.7	0.0
Westcliffe	42	*	*	*	*	*	*	*
Westside	7,578	7.8	3.7	84.2	0.9	1.9	1.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Yuma	422	45.7	0.0	52.4	0.2	0.2	1.4	0.0
Unknown Clinics	33	*	*	*	*	*	*	*
Colorado	120,293	30.2	6.6	57.3	0.9	1.6	3.4	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Akron	78	*	*	*
Alamosa	1,309	35.3	19.9	44.8
Altn-Colfx	4,830	34.2	18.8	46.9
Arvada	2,561	36.2	21.6	42.2
Aurora	4,011	35.4	18.6	45.9
Avon	564	39.2	21.1	39.7
Avondale	70	*	*	*
Bailey	93	*	*	*
Bennett R	103	37.9	16.5	45.6
Bennett Y	106	34.9	12.3	52.8
Boulder M	1,084	34.2	18.5	47.2
Brighton	1,450	37.8	17.6	44.6
Broomfield	574	38.3	17.8	43.9
Buena Vist	85	*	*	*
Canon City	1,071	35.6	17.4	47.1
Center	298	26.8	18.5	54.7
Chey Wells	199	32.2	16.6	51.3
Comm City	2,589	34.5	16.8	48.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cortez	744	36.6	16.5	46.9
Craig	464	40.7	19.6	39.7
Crst Butte	24	*	*	*
Cstle Rock	926	41.4	18.3	40.4
Delta	546	38.1	17.2	44.7
Divide	372	40.3	17.7	41.9
Dove Creek	43	*	*	*
Durango	812	44.1	18.1	37.8
Eads	25	*	*	*
Eagle	316	38.0	22.2	39.9
Eastside	7,186	40.1	17.0	42.9
Edgewater	1,494	34.7	18.1	47.2
El Jebel	226	41.6	15.0	43.4
El Paso M	6,571	37.8	16.8	45.5
El Paso N	5,075	36.8	19.7	43.5
Elizabeth	85	*	*	*
Englewood	2,292	41.2	16.7	42.1
Estes Park	183	38.3	13.7	48.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Fairplay	115	39.1	13.9	47.0
Firestone	1,033	41.0	19.7	39.2
Flag/Strat	198	27.8	16.2	56.1
Florence	64	*	*	*
Fnt Valley	2,753	37.6	17.3	45.0
Frisco	521	33.4	18.4	48.2
Ft Collins	2,763	37.2	19.9	42.9
Ft. Morgan	1,442	37.5	17.4	45.1
Gilpin	33	*	*	*
Glenwood	839	41.0	19.1	39.9
Grand Junc	3,645	41.0	19.1	39.9
Gunnison	254	31.9	18.9	49.2
Holyoke	180	32.2	17.2	50.6
Hot Sulphr	189	37.0	22.2	40.7
Hugo	177	39.5	15.8	44.6
Idaho Sprg	136	39.7	22.1	38.2
Ignacio	130	35.4	20.0	44.6
Illiff	6,559	42.6	16.1	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Julesburg	61	*	*	*
La Junta	518	33.6	17.6	48.8
Lafayette	707	31.7	19.0	49.4
Lake Plaza	2,789	35.4	20.7	44.0
Lakewood	3,413	38.4	20.6	41.0
Lamar	618	31.4	20.2	48.4
Las Animas	178	34.8	20.2	44.9
Leadville	293	34.5	21.8	43.7
Lonetree	889	42.1	19.2	38.7
Longmont	2,789	35.9	17.0	47.1
Loveland	1,619	35.0	20.4	44.5
Manzanola	98	*	*	*
Meeker	79	*	*	*
Montbello	3,245	36.2	19.4	44.5
Monte Vist	451	36.6	17.3	46.1
Montrose	1,347	32.9	16.0	51.1
Northglenn	6,094	39.5	19.2	41.3
Norwood	29	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Nucla	70	*	*	*
Olathe	164	28.0	18.3	53.7
Ordwy/Manz	41	*	*	*
Ouray	41	*	*	*
Pagosa Spr	297	40.1	15.2	44.8
Pan/Hot/Ce	51	*	*	*
Pecos	3,581	38.3	16.0	45.7
Pitkin	76	*	*	*
Pueblo	5,868	33.8	19.5	46.7
Rangely	72	*	*	*
Rifle	770	38.2	16.5	45.3
Rocky Ford	368	31.3	13.9	54.9
Salida	202	43.1	19.3	37.6
Springfield	115	33.0	20.0	47.0
Steamboat	214	43.9	17.3	38.8
Sterling	622	37.6	17.8	44.5
Sunrise	4,266	41.4	19.9	38.7
Telluride	80	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Trinidad	425	37.2	18.6	44.2
Walden	25	*	*	*
Walsenburg	163	49.7	12.9	37.4
Westcliffe	42	*	*	*
Westside	7,578	39.8	19.4	40.7
Yuma	422	33.4	17.1	49.5
Unknown Clinics	33	*	*	*
Colorado	120,293	37.7	18.4	43.9
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Akron	14	* *	* *	78	* *	* *	* *	41	* *	* *	58	* *
Alamosa	303	10.2 (33)	1.7 (3)	1,292	13.6 (71)	3.7 (42)	8.6 (45)	588	18.4 (53)	11.7 (46)	842	16.0 (53)
Altn-Colfx	1,048	10.0 (29)	4.2 (18)	4,777	5.3 (7)	7.1 (68)	7.3 (28)	2,229	7.2 (2)	6.0 (9)	3,140	12.9 (46)
Arvada	573	9.2 (21)	2.8 (8)	2,536	8.4 (42)	4.0 (46)	7.7 (31)	1,079	14.2 (29)	10.1 (40)	1,483	10.5 (29)
Aurora	876	7.9 (11)	4.9 (24)	3,975	7.1 (24)	3.5 (38)	9.8 (57)	1,831	15.0 (37)	9.6 (38)	2,559	13.9 (49)
Avon	148	6.8 (6)	2.0 (6)	563	8.0 (37)	2.7 (18)	6.9 (19)	220	14.5 (32)	8.2 (21)	333	29.7 (64)
Avondale	9	* *	* *	69	* *	* *	* *	41	* *	* *	57	* *
Bailey	21	* *	* *	92	* *	* *	* *	45	* *	* *	43	* *
Bennett R	23	* *	* *	102	14.7 (72)	0.0 (1)	8.8 (48)	48	* *	* *	66	* *
Bennett Y	19	* *	* *	106	12.3 (69)	2.8 (21)	8.5 (43)	52	* *	* *	71	* *
Boulder M	220	10.5 (37)	5.5 (33)	1,077	5.6 (10)	4.8 (55)	7.8 (32)	502	13.9 (26)	9.2 (33)	654	8.1 (13)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Brighton	319	6.9 (7)	6.0 (39)	1,439	7.4 (33)	3.5 (38)	7.8 (32)	649	13.1 (18)	9.2 (33)	864	10.8 (33)
Broomfield	126	5.6 (3)	5.6 (35)	568	9.0 (49)	5.1 (57)	7.0 (21)	242	12.0 (11)	7.4 (14)	328	13.7 (48)
Buena Vist	25	* *	* *	84	* *	* *	* *	27	* *	* *	51	* *
Canon City	218	9.2 (21)	1.4 (1)	1,064	6.0 (14)	2.9 (24)	5.4 (9)	508	13.2 (19)	6.3 (11)	622	9.3 (19)
Center	58	* *	* *	297	9.4 (55)	6.7 (65)	6.1 (14)	160	15.6 (40)	8.8 (29)	195	17.9 (58)
Chey Wells	35	* *	* *	198	10.1 (63)	4.5 (52)	11.6 (68)	105	12.4 (12)	15.2 (55)	136	8.1 (13)
Comm City	551	8.2 (14)	5.6 (35)	2,568	6.3 (18)	2.3 (13)	8.4 (39)	1,246	14.6 (34)	8.2 (21)	1,716	17.6 (57)
Cortez	175	9.1 (19)	6.9 (43)	742	9.4 (55)	5.0 (56)	6.6 (15)	336	10.4 (6)	7.4 (14)	428	11.0 (36)
Craig	100	8.0 (12)	2.0 (6)	462	7.1 (24)	5.4 (59)	8.2 (37)	187	14.4 (30)	8.0 (19)	274	17.5 (55)
Crst Butte	7	* *	* *	24	* *	* *	* *	9	* *	* *	13	* *
Cstle Rock	224	12.1 (42)	7.1 (44)	916	7.2 (27)	4.1 (48)	7.0 (21)	378	13.5 (22)	6.3 (11)	519	10.2 (26)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Delta	133	15.8 (44)	1.5 (2)	543	6.1 (16)	4.4 (49)	7.2 (26)	246	13.4 (21)	8.5 (24)	307	12.4 (40)
Divide	98	* *	* *	367	12.0 (67)	5.2 (58)	1.9 (2)	149	10.7 (7)	2.0 (1)	212	10.8 (33)
Dove Creek	7	* *	* *	43	* *	* *	* *	18	* *	* *	24	* *
Durango	203	10.3 (34)	3.4 (13)	806	6.0 (14)	4.6 (54)	5.8 (13)	304	10.9 (8)	8.6 (25)	416	12.5 (41)
Eads	6	* *	* *	25	* *	* *	* *	8	* *	* *	14	* *
Eagle	80	* *	* *	316	5.4 (8)	0.6 (2)	11.1 (65)	127	18.9 (55)	14.2 (54)	187	11.2 (37)
Eastside	1,821	11.4 (40)	4.3 (19)	7,131	7.3 (30)	3.9 (44)	8.4 (39)	3,054	14.4 (30)	9.0 (32)	4,281	12.5 (41)
Edgewater	335	9.3 (25)	5.1 (27)	1,480	7.4 (33)	3.0 (27)	8.3 (38)	699	17.2 (49)	9.6 (38)	899	9.7 (23)
El Jebel	58	* *	* *	223	9.0 (49)	1.3 (7)	15.2 (73)	97	* *	* *	143	13.3 (47)
El Paso M	1,618	10.0 (29)	3.3 (12)	6,525	9.0 (49)	3.1 (31)	6.6 (15)	2,977	14.0 (27)	6.1 (10)	3,739	9.3 (19)
El Paso N	1,141	13.1 (43)	3.4 (13)	5,051	10.0 (60)	2.4 (14)	6.6 (15)	2,208	16.5 (47)	5.4 (6)	3,142	20.4 (61)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Elizabeth	20	* *	* *	83	* *	* *	* *	38	* *	* *		50	* *
Englewood	522	10.3 (34)	5.4 (32)	2,277	9.0 (49)	1.4 (8)	12.9 (71)	954	17.7 (52)	13.7 (52)		1,417	15.8 (51)
Estes Park	39	* *	* *	182	5.5 (9)	7.7 (71)	5.5 (11)	87	* *	* *		105	27.6 (63)
Fairplay	20	* *	* *	115	14.8 (73)	7.0 (66)	7.0 (21)	52	* *	* *		61	* *
Firestone	282	10.3 (34)	5.3 (28)	1,029	6.2 (17)	3.1 (31)	8.7 (46)	405	17.5 (51)	8.1 (20)		593	6.7 (8)
Flag/Strat	30	* *	* *	195	5.1 (6)	3.6 (41)	8.7 (46)	103	16.5 (47)	12.6 (48)		149	4.0 (4)
Florence	13	* *	* *	64	* *	* *	* *	37	* *	* *		46	* *
Fnt Valley	648	10.6 (38)	3.9 (16)	2,737	8.0 (37)	2.7 (18)	4.7 (6)	1,245	8.0 (3)	3.1 (3)		1,703	11.8 (39)
Frisco	104	8.7 (17)	1.9 (4)	519	9.1 (54)	8.3 (72)	7.3 (28)	251	16.3 (44)	7.6 (17)		385	22.6 (62)
Ft Collins	671	9.2 (21)	4.9 (24)	2,728	6.9 (23)	3.7 (42)	8.0 (34)	1,170	13.8 (24)	10.8 (42)		1,660	10.5 (29)
Ft. Morgan	326	6.4 (5)	4.3 (19)	1,432	5.7 (12)	1.0 (4)	9.6 (55)	653	14.1 (28)	8.3 (23)		861	8.0 (12)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Gilpin	9	* *	* *	32	* *	* *	* *	10	* *	* *		15	* *
Glenwood	217	9.2 (21)	4.6 (23)	833	8.8 (47)	2.5 (16)	9.5 (52)	347	17.3 (50)	9.2 (33)		498	9.6 (21)
Grand Junc	862	7.0 (8)	4.3 (19)	3,618	6.8 (21)	3.5 (38)	9.1 (49)	1,428	12.5 (14)	10.9 (43)		1,939	15.8 (51)
Gunnison	54	* *	* *	252	5.6 (10)	6.3 (62)	7.5 (30)	127	11.8 (10)	9.4 (37)		168	17.3 (54)
Holyoke	36	* *	* *	180	4.4 (3)	2.8 (21)	12.8 (70)	90	* *	* *		117	7.7 (10)
Hot Sulphr	41	* *	* *	187	9.6 (58)	7.0 (66)	5.3 (8)	74	* *	* *		126	10.3 (28)
Hugo	44	* *	* *	177	9.0 (49)	4.5 (52)	8.5 (43)	78	* *	* *		115	2.6 (1)
Idaho Sprg	35	* *	* *	133	6.8 (21)	7.5 (70)	1.5 (1)	51	* *	* *		62	* *
Ignacio	30	* *	* *	129	11.6 (66)	3.9 (44)	10.9 (64)	58	* *	* *		78	* *
Illiff	1,587	9.8 (28)	5.3 (28)	6,502	7.2 (27)	4.4 (49)	8.4 (39)	2,701	12.4 (12)	9.3 (36)		4,018	17.5 (55)
Julesburg	9	* *	* *	61	* *	* *	* *	28	* *	* *		37	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
La Junta	104	9.6 (27)	1.9 (4)	516	7.2 (27)	3.1 (31)	7.2 (26)	254	15.4 (39)	7.9 (18)	329	8.8 (17)
Lafayette	137	5.1 (2)	8.0 (45)	699	4.9 (4)	2.4 (14)	9.6 (55)	345	14.5 (32)	13.3 (51)	437	9.8 (24)
Lake Plaza	637	8.5 (16)	5.8 (38)	2,767	8.8 (47)	2.8 (21)	6.7 (18)	1,222	15.1 (38)	6.8 (13)	1,736	19.3 (59)
Lakewood	811	11.2 (39)	3.9 (16)	3,385	7.5 (35)	4.0 (46)	6.9 (19)	1,372	13.0 (17)	8.7 (26)	1,967	10.5 (29)
Lamar	122	2.5 (1)	5.7 (37)	616	5.7 (12)	4.4 (49)	13.5 (72)	286	15.7 (41)	17.8 (57)	411	8.3 (15)
Las Animas	36	* *	* *	176	9.7 (59)	1.7 (9)	10.8 (63)	79	* *	* *	109	6.4 (7)
Leadville	68	* *	* *	292	11.0 (65)	6.2 (61)	4.1 (4)	126	8.7 (4)	4.0 (4)	152	7.9 (11)
Lonetree	232	18.1 (45)	6.0 (39)	880	8.4 (42)	6.3 (62)	5.7 (12)	348	9.5 (5)	4.9 (5)	468	8.8 (17)
Longmont	600	8.3 (15)	5.3 (28)	2,761	6.7 (20)	3.0 (27)	10.4 (61)	1,288	16.0 (43)	14.1 (53)	1,723	10.9 (35)
Loveland	357	11.5 (41)	2.8 (8)	1,601	8.0 (37)	3.4 (36)	8.0 (34)	715	13.6 (23)	8.8 (29)	955	12.6 (44)
Manzanola	11	* *	* *	97	* *	* *	* *	49	* *	* *	70	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Meeker	17	* *	* *	79	* *	* *	* *	35	* *	* *	50	* *
Montbello	717	9.5 (26)	4.9 (24)	3,222	7.1 (24)	3.2 (34)	10.4 (61)	1,433	12.9 (16)	11.9 (47)	2,026	10.2 (26)
Monte Vist	96	* *	* *	448	10.0 (60)	6.5 (64)	5.4 (9)	201	11.4 (9)	5.5 (7)	278	2.9 (2)
Montrose	248	10.1 (31)	2.8 (8)	1,321	8.5 (45)	2.0 (10)	9.5 (52)	680	13.8 (24)	7.5 (16)	153	3.9 (3)
Northglenn	1,487	9.1 (19)	3.8 (15)	6,049	7.5 (35)	3.0 (27)	8.0 (34)	2,485	16.3 (44)	8.7 (26)	3,369	10.6 (32)
Norwood	3	* *	* *	29	* *	* *	* *	18	* *	* *	19	* *
Nucla	11	* *	* *	69	* *	* *	* *	35	* *	* *	25	* *
Olathe	28	* *	* *	163	3.1 (1)	1.2 (5)	12.3 (69)	87	* *	* *	19	* *
Ordwy/Manz	11	* *	* *	41	* *	* *	* *	17	* *	* *	29	* *
Ouray	7	* *	* *	41	* *	* *	* *	22	* *	* *	24	* *
Pagosa Spr	75	* *	* *	296	12.2 (68)	2.7 (18)	4.4 (5)	133	6.0 (1)	2.3 (2)	72	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pan/Hot/Ce	8	* *	* *	51	* *	* *	* *	28	* *	* *	36	* *
Pecos	783	8.9 (18)	6.0 (39)	3,548	8.1 (40)	2.1 (11)	11.2 (66)	1,618	16.4 (46)	11.1 (45)	2,276	12.5 (41)
Pitkin	22	* *	* *	76	* *	* *	* *	27	* *	* *	39	* *
Pueblo	1,297	10.1 (31)	3.1 (11)	5,810	8.5 (45)	2.9 (24)	9.9 (58)	2,709	14.9 (35)	11.0 (44)	3,812	10.1 (25)
Rangely	18	* *	* *	71	* *	* *	* *	28	* *	* *	40	* *
Rifle	189	5.8 (4)	6.3 (42)	766	5.0 (5)	2.2 (12)	9.5 (52)	345	13.3 (20)	8.7 (26)	412	4.9 (6)
Rocky Ford	75	* *	* *	368	8.2 (41)	0.8 (3)	7.1 (24)	199	21.1 (56)	5.5 (7)	257	4.3 (5)
Salida	50	* *	* *	200	10.0 (60)	5.5 (60)	3.0 (3)	79	* *	* *	127	8.7 (16)
Springfield	26	* *	* *	112	10.7 (64)	7.1 (68)	7.1 (24)	50	* *	* *	58	* *
Steamboat	46	* *	* *	213	12.7 (70)	8.5 (73)	4.7 (6)	76	* *	* *	108	19.4 (60)
Sterling	131	7.6 (9)	5.3 (28)	617	6.6 (19)	3.4 (36)	11.5 (67)	276	21.7 (57)	15.6 (56)	397	12.6 (44)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Sunrise	1,148	7.8 (10)	5.5 (33)	4,215	8.4 (42)	2.9 (24)	10.1 (60)	1,625	15.8 (42)	13.1 (50)	2,461	11.2 (37)
Telluride	18	* *	* *	78	* *	* *	* *	39	* *	* *	47	* *
Trinidad	88	* *	* *	422	7.3 (30)	3.3 (35)	9.2 (50)	189	12.7 (15)	12.7 (49)	267	15.0 (50)
Walden	5	* *	* *	24	* *	* *	* *	14	* *	* *	12	* *
Walsenburg	42	* *	* *	160	9.4 (55)	2.5 (16)	10.0 (59)	60	* *	* *	80	* *
Westcliffe	6	* *	* *	42	* *	* *	* *	21	* *	* *	19	* *
Westside	1,825	8.1 (13)	4.5 (22)	7,535	7.3 (30)	3.0 (27)	9.2 (50)	3,066	14.9 (35)	10.4 (41)	4,784	9.6 (21)
Yuma	86	* *	* *	417	3.1 (1)	1.2 (5)	8.4 (39)	203	18.7 (54)	8.9 (31)	289	7.6 (9)
Unknown Clinics	16	* *	* *	32	* *	* *	* *	13	* *	* *	17	* *
Colorado	27,885	9.7	4.3	119,309	7.7	3.5	8.4	52,292	14.1	9.1	71,978	12.4

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Akron	14	* *	14	* *	8	* *	0	* *	0	* *
Alamosa	303	62.7 (43)	231	32.0 (14)	195	22.6 (9)	0	* *	0	* *
Altn-Colfx	1,049	81.4 (18)	934	34.6 (12)	695	25.3 (6)	0	* *	0	* *
Arvada	575	73.9 (34)	532	31.2 (16)	463	19.9 (18)	0	* *	0	* *
Aurora	876	82.3 (14)	795	30.1 (19)	531	20.7 (15)	0	* *	0	* *
Avon	148	93.9 (3)	115	39.1 (6)	83	* *	0	* *	0	* *
Avondale	9	* *	6	* *	8	* *	0	* *	0	* *
Bailey	21	* *	21	* *	11	* *	0	* *	0	* *
Bennett R	23	* *	17	* *	10	* *	0	* *	0	* *
Bennett Y	19	* *	23	* *	13	* *	0	* *	0	* *
Boulder M	220	94.5 (2)	203	54.2 (2)	168	43.5 (1)	0	* *	0	* *
Brighton	319	77.1 (29)	287	40.8 (5)	200	24.0 (7)	0	* *	0	* *
Broomfield	126	79.4 (22)	109	38.5 (7)	69	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Buena Vist	25	* *	22	* *	21	* *	0	* *	0	* *
Canon City	218	78.4 (24)	208	30.3 (18)	154	20.1 (17)	0	* *	0	* *
Center	58	* *	50	* *	42	* *	0	* *	0	* *
Chey Wells	35	* *	33	* *	29	* *	0	* *	0	* *
Comm City	551	69.1 (40)	465	24.3 (34)	317	12.6 (34)	0	* *	0	* *
Cortez	175	86.9 (10)	123	44.7 (3)	105	28.6 (3)	0	* *	0	* *
Craig	100	90.0 (4)	92	* *	70	* *	0	* *	0	* *
Crst Butte	7	* *	4	* *	2	* *	0	* *	0	* *
Cstle Rock	224	80.8 (20)	204	28.9 (24)	124	16.9 (24)	0	* *	0	* *
Delta	133	83.5 (11)	93	* *	74	* *	0	* *	0	* *
Divide	98	* *	67	* *	44	* *	0	* *	0	* *
Dove Creek	7	* *	6	* *	12	* *	0	* *	0	* *
Durango	203	88.7 (7)	179	38.5 (7)	104	22.1 (10)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Eads	6	* *	3	* *	4	* *	0	* *	0	* *
Eagle	80	* *	63	* *	52	* *	0	* *	0	* *
Eastside	1,822	77.2 (28)	1,334	26.8 (28)	900	20.4 (16)	0	* *	0	* *
Edgewater	335	72.2 (37)	301	27.9 (27)	209	15.8 (26)	0	* *	0	* *
El Jebel	58	* *	45	* *	26	* *	0	* *	0	* *
El Paso M	1,619	69.9 (38)	1,133	29.5 (20)	820	21.8 (12)	0	* *	0	* *
El Paso N	1,141	74.0 (32)	978	33.6 (13)	749	23.6 (8)	0	* *	0	* *
Elizabeth	20	* *	18	* *	10	* *	0	* *	0	* *
Englewood	523	78.2 (25)	494	26.1 (30)	294	14.6 (31)	0	* *	0	* *
Estes Park	39	* *	39	* *	28	* *	0	* *	0	* *
Fairplay	20	* *	21	* *	23	* *	0	* *	0	* *
Firestone	282	67.7 (42)	226	35.4 (11)	164	29.3 (2)	0	* *	0	* *
Flag/Strat	31	* *	33	* *	27	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Florence	13	* *	6	* *	6	* *	0	* *	0	* *
Fnt Valley	648	72.5 (36)	525	26.7 (29)	326	16.3 (25)	0	* *	0	* *
Frisco	104	89.4 (5)	77	* *	62	* *	0	* *	0	* *
Ft Collins	671	82.9 (12)	519	35.5 (10)	417	18.9 (20)	0	* *	0	* *
Ft. Morgan	326	60.4 (44)	283	15.2 (40)	189	7.4 (35)	0	* *	0	* *
Gilpin	9	* *	4	* *	4	* *	0	* *	0	* *
Glenwood	217	97.2 (1)	164	56.1 (1)	122	27.0 (4)	0	* *	0	* *
Grand Junc	864	80.8 (20)	828	25.1 (33)	571	15.1 (29)	0	* *	0	* *
Gunnison	54	* *	49	* *	39	* *	0	* *	0	* *
Holyoke	36	* *	28	* *	23	* *	0	* *	0	* *
Hot Sulphr	42	* *	39	* *	32	* *	0	* *	0	* *
Hugo	44	* *	30	* *	23	* *	0	* *	0	* *
Idaho Sprg	35	* *	29	* *	22	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Ignacio	30	* *	23	* *	21	* *	0	* *	0	* *
Illiff	1,588	82.8 (13)	1,505	29.0 (23)	856	21.5 (13)	0	* *	0	* *
Julesburg	9	* *	11	* *	9	* *	0	* *	0	* *
La Junta	104	58.7 (45)	91	* *	84	* *	0	* *	0	* *
Lafayette	138	87.7 (8)	117	42.7 (4)	94	* *	0	* *	0	* *
Lake Plaza	638	68.0 (41)	499	25.9 (31)	390	18.5 (22)	0	* *	0	* *
Lakewood	812	78.1 (26)	771	25.9 (31)	566	15.2 (27)	0	* *	0	* *
Lamar	122	75.4 (31)	116	13.8 (41)	90	* *	0	* *	0	* *
Las Animas	36	* *	23	* *	25	* *	0	* *	0	* *
Leadville	68	* *	53	* *	44	* *	0	* *	0	* *
Lonetree	233	81.5 (17)	191	31.9 (15)	118	26.3 (5)	0	* *	0	* *
Longmont	601	87.5 (9)	518	29.5 (20)	337	18.7 (21)	0	* *	0	* *
Loveland	357	78.7 (23)	296	28.0 (26)	238	19.3 (19)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Manzanola	11	* *	18	* *	16	* *	0	* *	0	* *
Meeker	17	* *	14	* *	7	* *	0	* *	0	* *
Montbello	717	82.1 (16)	632	23.7 (36)	453	15.0 (30)	0	* *	0	* *
Monte Vist	96	* *	97	* *	55	* *	0	* *	0	* *
Montrose	248	77.4 (27)	211	28.4 (25)	178	20.8 (14)	0	* *	0	* *
Northglenn	1,489	72.8 (35)	1,338	23.9 (35)	961	15.2 (27)	0	* *	0	* *
Norwood	3	* *	2	* *	3	* *	0	* *	0	* *
Nucla	11	* *	10	* *	10	* *	0	* *	0	* *
Olathe	28	* *	27	* *	23	* *	0	* *	0	* *
Ordwy/Manz	11	* *	6	* *	7	* *	0	* *	0	* *
Ouray	7	* *	10	* *	7	* *	0	* *	0	* *
Pagosa Spr	75	* *	55	* *	45	* *	0	* *	0	* *
Pan/Hot/Ce	8	* *	5	* *	8	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Pecos	783	82.2 (15)	744	22.0 (37)	471	13.4 (32)	0	* *	0	* *	0	* *
Pitkin	22	* *	16	* *	14	* *	0	* *	0	* *	0	* *
Pueblo	1,297	69.9 (38)	1,199	20.1 (38)	953	13.4 (32)	0	* *	0	* *	0	* *
Rangely	18	* *	19	* *	10	* *	0	* *	0	* *	0	* *
Rifle	189	88.9 (6)	130	36.2 (9)	92	* *	0	* *	0	* *	0	* *
Rocky Ford	75	* *	49	* *	35	* *	0	* *	0	* *	0	* *
Salida	50	* *	46	* *	36	* *	0	* *	0	* *	0	* *
Springfield	26	* *	21	* *	15	* *	0	* *	0	* *	0	* *
Steamboat	46	* *	49	* *	36	* *	0	* *	0	* *	0	* *
Sterling	131	74.0 (32)	118	16.1 (39)	84	* *	0	* *	0	* *	0	* *
Sunrise	1,148	76.4 (30)	899	29.4 (22)	654	22.0 (11)	0	* *	0	* *	0	* *
Telluride	18	* *	19	* *	13	* *	0	* *	0	* *	0	* *
Trinidad	88	* *	89	* *	67	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Walden	5	* *	2	* *	2	* *	0	* *	0	* *
Walsenburg	42	* *	42	* *	23	* *	0	* *	0	* *
Westcliffe	6	* *	9	* *	8	* *	0	* *	0	* *
Westside	1,826	81.2 (19)	1,485	30.6 (17)	1,048	17.6 (23)	0	* *	0	* *
Yuma	86	* *	62	* *	57	* *	0	* *	0	* *
Unknown Clinics	16	* *	4	* *	3	* *	0	* *	0	* *
Colorado	27,904	77.5	23,743	29.1	16,960	19.2	0	*	0	*
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3
									1,022,933	77.3
									4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Akron	36	* *	* *	191	9.4 (68)	1.6 (10)	9.9 (69)	97	* *	* *	120	2.5 (2)
Alamosa	863	12.9 (59)	2.2 (11)	3,569	11.8 (85)	4.5 (65)	8.1 (45)	1,604	15.7 (51)	11.2 (63)	2,237	15.8 (67)
Altn-Colfx	3,269	9.6 (28)	4.6 (44)	13,858	5.2 (10)	6.6 (85)	7.0 (34)	6,133	7.8 (2)	5.8 (14)	8,827	13.5 (56)
Arvada	1,849	9.0 (23)	3.6 (25)	7,461	8.3 (51)	3.7 (54)	7.9 (43)	3,061	16.5 (64)	10.9 (59)	4,412	10.7 (36)
Aurora	2,579	8.8 (21)	4.8 (47)	10,954	7.6 (42)	3.2 (39)	10.6 (77)	4,875	15.8 (54)	10.7 (57)	6,914	13.0 (51)
Avon	448	7.4 (9)	2.7 (15)	1,582	8.0 (48)	2.3 (19)	7.9 (43)	579	16.2 (61)	8.6 (33)	948	30.7 (84)
Avondale	45	* *	* *	217	16.1 (93)	1.4 (8)	22.6 (93)	116	15.5 (50)	24.1 (80)	152	5.3 (10)
Bailey	53	* *	* *	271	9.2 (65)	8.9 (93)	1.5 (1)	130	11.5 (15)	1.5 (1)	132	11.4 (41)
Bennett R	68	* *	* *	257	12.5 (87)	0.4 (1)	8.9 (60)	99	* *	* *	148	8.1 (20)
Bennett Y	54	* *	* *	280	10.4 (81)	5.7 (78)	6.8 (30)	141	9.2 (5)	9.2 (41)	183	7.1 (16)
Boulder M	733	8.7 (20)	5.9 (63)	3,292	4.9 (9)	3.9 (58)	7.5 (38)	1,552	12.6 (21)	9.1 (40)	1,974	10.3 (32)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Brighton	1,062	10.6 (47)	4.2 (36)	4,391	8.1 (50)	2.7 (27)	7.8 (41)	1,933	16.0 (57)	9.8 (48)	2,597	10.9 (37)
Broomfield	421	6.2 (4)	5.0 (49)	1,750	8.6 (56)	4.3 (63)	7.1 (35)	763	12.1 (18)	8.7 (36)	1,005	14.0 (60)
Buena Vist	58	* *	* *	228	13.2 (89)	4.8 (70)	2.2 (2)	88	* *	* *	136	0.0 (1)
Canon City	687	9.9 (33)	3.3 (21)	3,150	7.4 (36)	2.4 (21)	6.7 (27)	1,429	13.6 (34)	6.6 (17)	1,839	11.1 (38)
Center	154	15.6 (65)	0.0 (1)	830	8.6 (56)	5.9 (82)	5.8 (19)	430	15.8 (54)	7.0 (21)	578	20.9 (79)
Chey Wells	114	8.8 (21)	6.1 (65)	580	10.3 (79)	4.8 (70)	11.0 (83)	294	12.6 (21)	13.9 (72)	387	8.5 (21)
Comm City	1,669	8.1 (16)	5.8 (62)	7,623	6.3 (21)	2.5 (23)	9.2 (66)	3,646	16.3 (63)	9.9 (50)	4,730	17.1 (75)
Cortez	491	7.3 (7)	3.7 (27)	2,143	8.9 (62)	3.5 (49)	7.4 (37)	990	11.5 (15)	7.5 (24)	1,295	9.2 (25)
Craig	361	10.2 (41)	3.0 (17)	1,377	8.0 (48)	5.7 (78)	6.5 (24)	533	14.4 (42)	8.6 (33)	793	14.8 (62)
Crst Butte	19	* *	* *	69	* *	* *	* *	25	* *	* *	37	* *
Cstle Rock	650	12.3 (56)	4.5 (42)	2,472	7.8 (45)	3.6 (51)	6.8 (30)	968	14.3 (40)	6.6 (17)	1,278	7.7 (19)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Delta	384	13.0 (60)	3.1 (19)	1,598	6.1 (19)	4.2 (61)	8.4 (50)	725	13.2 (27)	9.4 (44)	921	12.3 (50)
Divide	270	18.1 (67)	1.5 (5)	1,048	12.6 (88)	5.1 (72)	3.1 (4)	429	10.7 (11)	2.3 (4)	631	13.5 (56)
Dove Creek	29	* *	* *	122	13.9 (90)	1.6 (10)	4.1 (7)	55	* *	* *	64	* *
Durango	632	10.0 (36)	2.5 (13)	2,271	6.9 (26)	4.1 (60)	5.7 (16)	829	14.5 (44)	8.9 (39)	1,201	13.2 (54)
Eads	16	* *	* *	70	* *	* *	* *	26	* *	* *	42	* *
Eagle	226	10.2 (41)	5.3 (56)	842	7.0 (28)	1.1 (3)	11.5 (84)	337	20.5 (80)	13.9 (72)	502	16.1 (69)
Eastside	5,448	10.5 (46)	4.4 (38)	21,428	7.4 (36)	3.8 (57)	8.7 (57)	9,078	14.1 (38)	9.3 (43)	13,257	11.6 (47)
Edgewater	1,034	9.1 (24)	4.9 (48)	4,472	7.0 (28)	3.0 (37)	8.5 (52)	2,032	16.2 (61)	10.2 (52)	2,715	10.3 (32)
El Jebel	162	2.5 (1)	5.6 (59)	586	9.2 (65)	1.4 (8)	16.0 (92)	235	17.9 (71)	17.4 (78)	370	10.5 (34)
El Paso M	4,915	10.3 (43)	3.2 (20)	20,998	8.6 (56)	3.4 (47)	6.2 (22)	9,368	13.1 (24)	6.0 (15)	10,017	13.9 (58)
El Paso N	3,388	11.2 (51)	3.4 (23)	13,953	10.1 (77)	2.2 (15)	6.6 (25)	6,068	16.8 (66)	5.7 (11)	8,575	16.7 (72)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Elizabeth	57	* *	* *	255	7.8 (45)	3.5 (49)	6.3 (23)	117	10.3 (10)	6.8 (20)	149	17.4 (76)
Englewood	1,666	9.7 (30)	5.0 (49)	6,805	9.2 (65)	1.6 (10)	12.2 (87)	2,794	18.0 (73)	13.3 (69)	4,144	15.7 (66)
Estes Park	127	11.0 (48)	5.5 (58)	582	6.0 (17)	5.8 (80)	5.7 (16)	280	11.1 (14)	10.7 (57)	341	25.8 (82)
Fairplay	55	* *	* *	278	14.7 (91)	6.5 (84)	6.8 (30)	131	13.7 (35)	7.6 (25)	113	15.9 (68)
Firestone	687	9.9 (33)	4.5 (42)	2,320	6.4 (23)	3.3 (41)	8.8 (58)	894	16.0 (57)	7.8 (27)	1,327	10.6 (35)
Flag/Strat	109	7.3 (7)	3.7 (27)	617	5.7 (13)	2.9 (33)	8.9 (60)	306	14.4 (42)	12.4 (67)	429	5.4 (11)
Florence	40	* *	* *	212	16.0 (92)	0.5 (2)	10.4 (75)	113	19.5 (77)	8.8 (37)	137	3.6 (6)
Fnt Valley	1,741	10.1 (40)	3.6 (25)	7,665	7.8 (45)	3.3 (41)	4.8 (8)	3,437	9.8 (7)	4.0 (6)	4,805	11.4 (41)
Frisco	381	12.3 (56)	2.4 (12)	1,594	10.8 (82)	7.5 (90)	7.7 (40)	651	13.4 (31)	8.8 (37)	1,119	23.7 (81)
Fruita	38	* *	* *	156	4.5 (6)	4.5 (65)	9.0 (62)	51	* *	* *	71	* *
Ft Collins	2,073	8.1 (16)	5.0 (49)	7,972	7.1 (31)	3.7 (54)	8.2 (47)	3,354	14.6 (45)	10.6 (55)	4,744	11.4 (41)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ft Lupton	54	* *	* *	189	7.4 (36)	2.1 (14)	10.6 (77)	51	* *	* *	99	* *
Ft. Morgan	961	6.3 (5)	3.7 (27)	3,987	5.8 (14)	1.2 (4)	10.7 (79)	1,777	16.5 (64)	9.5 (45)	2,376	9.1 (23)
Gilpin	21	* *	* *	77	* *	* *	* *	24	* *	* *	29	* *
Glenwood	633	10.0 (36)	4.4 (38)	2,154	9.5 (71)	2.6 (24)	10.5 (76)	763	16.9 (68)	10.9 (59)	1,172	9.7 (27)
Grand Junc	2,603	7.7 (13)	4.1 (33)	9,919	7.0 (28)	3.3 (41)	9.0 (62)	3,816	13.2 (27)	11.1 (61)	5,210	14.4 (61)
Gunnison	159	8.2 (18)	3.8 (31)	699	6.2 (20)	5.2 (73)	6.7 (27)	312	10.9 (12)	8.0 (28)	432	16.4 (71)
Holyoke	96	* *	* *	517	5.8 (14)	2.9 (33)	13.0 (89)	261	16.1 (59)	13.4 (71)	350	6.6 (13)
Hot Sulphr	129	14.0 (63)	1.6 (6)	512	9.4 (68)	5.3 (75)	5.7 (16)	207	10.1 (8)	5.3 (9)	331	8.8 (22)
Hugo	125	12.0 (54)	1.6 (6)	513	9.6 (72)	4.7 (68)	6.8 (30)	226	9.7 (6)	10.2 (52)	311	4.8 (9)
Idaho Sprg	104	12.5 (58)	1.9 (8)	408	9.8 (74)	5.9 (82)	2.7 (3)	172	12.8 (23)	1.7 (2)	164	3.0 (3)
Ignacio	87	* *	* *	407	10.8 (82)	4.4 (64)	8.8 (58)	175	19.4 (76)	5.7 (11)	250	11.2 (40)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Illiff	4,631	10.4 (44)	4.6 (44)	18,342	7.3 (33)	4.5 (65)	8.6 (56)	7,595	13.1 (24)	9.7 (47)	11,133	16.3 (70)
Julesburg	31	* *	* *	185	3.8 (4)	2.2 (15)	13.5 (91)	95	* *	* *	131	7.6 (18)
La Junta	337	11.0 (48)	3.0 (17)	1,614	7.4 (36)	3.0 (37)	7.8 (41)	788	14.8 (46)	9.6 (46)	1,041	11.1 (38)
Lafayette	456	6.6 (6)	6.4 (67)	2,151	5.8 (14)	2.2 (15)	11.7 (85)	1,027	17.2 (69)	14.5 (76)	1,312	11.4 (41)
Lake Plaza	1,666	9.7 (30)	5.0 (49)	6,730	8.7 (61)	2.8 (29)	6.6 (25)	2,939	13.9 (37)	6.7 (19)	4,153	21.4 (80)
Lakewood	2,544	11.0 (48)	4.4 (38)	10,107	7.5 (40)	4.0 (59)	6.7 (27)	4,082	13.1 (24)	8.6 (33)	5,981	10.1 (29)
Lamar	414	7.5 (10)	6.0 (64)	1,857	5.6 (12)	3.3 (41)	11.9 (86)	861	15.7 (51)	17.5 (79)	1,193	10.1 (29)
Las Animas	127	13.4 (61)	0.8 (4)	522	10.2 (78)	3.4 (47)	12.6 (88)	229	18.8 (75)	14.0 (74)	323	9.6 (26)
Leadville	204	15.7 (66)	0.5 (2)	850	9.9 (75)	7.2 (88)	4.8 (8)	371	10.2 (9)	6.5 (16)	416	13.2 (54)
Lonetree	655	11.9 (53)	5.0 (49)	2,375	6.8 (24)	5.8 (80)	5.6 (13)	888	12.2 (19)	4.8 (8)	1,264	6.6 (13)
Longmont	1,894	7.9 (15)	5.6 (59)	8,437	6.3 (21)	2.6 (24)	10.3 (73)	3,867	16.8 (66)	13.1 (68)	5,336	11.4 (41)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Loveland	1,103	9.8 (32)	4.4 (38)	4,776	8.5 (54)	3.3 (41)	8.5 (52)	2,090	14.1 (38)	9.8 (48)	2,756	13.0 (51)
Manzanola	63	* *	* *	329	11.9 (86)	1.2 (4)	5.8 (19)	163	19.6 (78)	4.3 (7)	217	6.9 (15)
Meeker	54	* *	* *	234	3.8 (4)	4.7 (68)	8.5 (52)	109	7.3 (1)	10.1 (51)	155	14.8 (62)
Montbello	2,419	9.1 (24)	4.7 (46)	9,627	6.9 (26)	2.9 (33)	10.0 (71)	3,990	13.3 (29)	11.9 (65)	5,955	11.6 (47)
Monte Vist	282	9.9 (33)	2.1 (9)	1,315	9.7 (73)	5.4 (77)	6.1 (21)	615	13.5 (32)	7.6 (25)	827	3.4 (4)
Montrose	848	10.0 (36)	4.1 (33)	4,080	7.7 (43)	2.4 (21)	8.1 (45)	2,003	13.5 (32)	5.7 (11)	657	12.0 (49)
Northglenn	4,446	10.0 (36)	4.1 (33)	16,878	7.3 (33)	3.7 (54)	7.1 (35)	6,838	15.9 (56)	8.3 (31)	9,246	11.4 (41)
Norwood	15	* *	* *	93	* *	* *	* *	45	* *	* *	56	* *
Nucla	42	* *	* *	213	9.4 (68)	7.0 (87)	5.6 (13)	111	11.7 (17)	5.4 (10)	81	* *
Olathe	78	* *	* *	419	6.0 (17)	1.2 (4)	13.1 (90)	210	14.3 (40)	13.3 (69)	35	* *
Ordwy/Manz	17	* *	* *	84	* *	* *	* *	43	* *	* *	60	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ouray	22	* *	* *	124	7.3 (33)	7.3 (89)	5.6 (13)	58	* *	* *	77	* *
Pagosa Spr	195	8.2 (18)	2.1 (9)	795	11.7 (84)	3.6 (51)	5.0 (10)	344	8.4 (3)	3.8 (5)	189	19.6 (78)
Pan/Hot/Ce	30	* *	* *	150	4.7 (8)	5.3 (75)	10.7 (79)	66	* *	* *	91	* *
Pecos	2,580	7.8 (14)	5.7 (61)	10,972	7.5 (40)	2.7 (27)	10.7 (79)	4,809	14.9 (48)	9.2 (41)	6,767	15.5 (64)
Pitkin	56	* *	* *	204	1.5 (1)	8.8 (92)	5.4 (12)	78	* *	* *	117	32.5 (85)
Pueblo	3,126	9.1 (24)	3.7 (27)	12,769	8.6 (56)	2.6 (24)	10.3 (73)	5,750	14.8 (46)	11.1 (61)	8,219	9.9 (28)
Rangely	58	* *	* *	221	3.6 (3)	6.8 (86)	9.0 (62)	87	* *	* *	127	18.1 (77)
Rifle	512	6.1 (3)	5.1 (54)	2,061	5.2 (10)	2.2 (15)	8.4 (50)	864	12.5 (20)	7.3 (22)	1,120	7.3 (17)
Rocky Ford	212	10.4 (44)	3.3 (21)	1,050	6.8 (24)	1.9 (13)	9.6 (68)	542	17.2 (69)	10.3 (54)	732	4.6 (8)
S Pueblo	871	9.6 (28)	3.4 (23)	4,581	8.6 (56)	2.8 (29)	9.1 (65)	2,181	13.3 (29)	8.5 (32)	3,027	5.5 (12)
Salida	145	13.8 (62)	2.8 (16)	552	8.9 (62)	3.6 (51)	3.3 (5)	217	8.8 (4)	1.8 (3)	324	3.4 (4)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
San Luis	3	* *	* *	17	* *	* *	* *	9	* *	* *	13	* *
Springfield	68	* *	* *	324	9.0 (64)	5.2 (73)	9.9 (69)	151	17.9 (71)	14.6 (77)	186	15.6 (65)
Steamboat	159	11.3 (52)	2.5 (13)	575	10.3 (79)	7.5 (90)	5.2 (11)	200	11.0 (13)	8.0 (28)	280	13.9 (58)
Sterling	428	7.5 (10)	4.2 (36)	1,899	7.7 (43)	3.2 (39)	10.8 (82)	866	18.7 (74)	14.4 (75)	1,203	13.1 (53)
Sunrise	3,444	7.5 (10)	5.3 (56)	11,610	8.4 (52)	2.9 (33)	10.0 (71)	3,969	15.7 (51)	12.1 (66)	6,722	10.1 (29)
Telluride	60	* *	* *	212	9.9 (75)	4.2 (61)	7.5 (38)	88	* *	* *	114	16.7 (72)
Trinidad	311	12.2 (55)	0.6 (3)	1,300	8.5 (54)	2.8 (29)	8.3 (49)	565	13.8 (36)	11.2 (63)	795	17.0 (74)
Walden	14	* *	* *	85	* *	* *	* *	47	* *	* *	45	* *
Walsenburg	129	14.0 (63)	3.9 (32)	526	8.4 (52)	2.3 (19)	9.5 (67)	217	16.1 (59)	7.4 (23)	253	30.0 (83)
Westcliffe	23	* *	* *	108	4.6 (7)	2.8 (29)	3.7 (6)	49	* *	* *	62	* *
Westside	5,934	9.5 (27)	5.2 (55)	21,219	7.2 (32)	3.3 (41)	8.5 (52)	8,130	15.4 (49)	10.6 (55)	12,779	9.1 (23)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Yuma	261	4.2 (2)	6.1 (65)	1,239	2.8 (2)	1.2 (4)	8.2 (47)	588	19.9 (79)	8.2 (30)	831	4.5 (7)
Unknown Clinics	16	* *	* *	32	* *	* *	* *	13	* *	* *	17	* *
Colorado	85,116	9.6	4.3	345,614	7.7	3.4	8.3	147,427	14.3	9.2	203,538	12.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Akron	53	* *	53	* *	38	* *	0	* *	0	* *
Alamosa	975	67.7 (56)	866	27.4 (35)	760	18.2 (17)	0	* *	0	* *
Altn-Colfx	3,724	79.6 (25)	3,523	31.5 (25)	2,919	18.6 (15)	0	* *	0	* *
Arvada	2,166	72.7 (44)	2,047	28.4 (32)	1,772	17.9 (19)	0	* *	0	* *
Aurora	3,051	81.6 (21)	2,789	28.5 (31)	2,213	16.2 (34)	0	* *	0	* *
Avon	536	91.2 (4)	465	39.1 (11)	371	16.7 (29)	0	* *	0	* *
Avondale	51	* *	46	* *	43	* *	0	* *	0	* *
Bailey	74	* *	75	* *	57	* *	0	* *	0	* *
Bennett R	85	* *	81	* *	59	* *	0	* *	0	* *
Bennett Y	73	* *	67	* *	60	* *	0	* *	0	* *
Boulder M	855	93.9 (2)	774	56.8 (2)	660	39.4 (2)	0	* *	0	* *
Brighton	1,203	73.7 (40)	1,085	33.6 (19)	868	23.7 (11)	0	* *	0	* *
Broomfield	534	77.5 (34)	458	30.6 (28)	357	15.7 (36)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Buena Vist	69	* *	68	* *	58	* *	0	* *	0	* *
Canon City	827	71.2 (49)	808	25.2 (45)	686	15.9 (35)	0	* *	0	* *
Center	181	72.9 (43)	185	24.9 (47)	174	17.8 (22)	0	* *	0	* *
Chey Wells	128	64.1 (60)	128	23.4 (54)	110	14.5 (42)	0	* *	0	* *
Comm City	1,886	63.9 (61)	1,756	22.0 (58)	1,459	13.8 (48)	0	* *	0	* *
Cortez	620	85.8 (15)	534	39.1 (11)	483	24.0 (10)	0	* *	0	* *
Craig	409	82.9 (19)	375	29.9 (30)	279	14.3 (44)	0	* *	0	* *
Crst Butte	21	* *	17	* *	12	* *	0	* *	0	* *
Cstle Rock	847	74.1 (39)	710	36.8 (15)	544	27.0 (5)	0	* *	0	* *
Delta	467	84.2 (18)	386	27.2 (36)	337	16.3 (33)	0	* *	0	* *
Divide	333	88.6 (8)	279	34.1 (18)	232	21.1 (14)	0	* *	0	* *
Dove Creek	33	* *	37	* *	34	* *	0	* *	0	* *
Durango	738	89.0 (6)	640	37.8 (14)	481	21.6 (13)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Eads	25	* *	20	* *	15	* *	0	* *	0	* *
Eagle	276	90.9 (5)	235	41.3 (8)	195	12.8 (52)	0	* *	0	* *
Eastside	6,113	74.2 (38)	5,232	26.2 (40)	4,281	15.3 (40)	0	* *	0	* *
Edgewater	1,201	71.4 (47)	1,135	22.2 (57)	935	12.4 (54)	0	* *	0	* *
El Jebel	193	93.8 (3)	162	58.0 (1)	131	24.4 (9)	0	* *	0	* *
El Paso M	5,571	70.5 (53)	4,917	26.2 (40)	4,128	16.9 (28)	0	* *	0	* *
El Paso N	4,334	71.5 (46)	3,795	31.9 (23)	3,042	18.2 (17)	0	* *	0	* *
Elizabeth	69	* *	61	* *	55	* *	0	* *	0	* *
Englewood	1,972	74.8 (36)	1,821	25.4 (43)	1,356	14.4 (43)	0	* *	0	* *
Estes Park	143	87.4 (11)	133	40.6 (10)	113	18.6 (15)	0	* *	0	* *
Fairplay	89	* *	86	* *	81	* *	0	* *	0	* *
Firestone	882	62.4 (62)	720	31.3 (26)	559	22.5 (12)	0	* *	0	* *
Flag/Strat	137	68.6 (55)	131	23.7 (53)	123	15.4 (38)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Florence	51	* *	47	* *	42	* *	0	* *	0	* *	0	* *
Fnt Valley	2,322	71.2 (49)	2,079	24.3 (50)	1,650	11.8 (55)	0	* *	0	* *	0	* *
Frisco	446	87.7 (10)	410	43.2 (7)	349	28.1 (4)	0	* *	0	* *	0	* *
Fruita	23	* *	39	* *	34	* *	0	* *	0	* *	0	* *
Ft Collins	2,400	79.2 (27)	2,091	30.4 (29)	1,706	17.8 (22)	0	* *	0	* *	0	* *
Ft Lupton	29	* *	47	* *	47	* *	0	* *	0	* *	0	* *
Ft. Morgan	1,120	60.5 (65)	1,035	13.7 (68)	823	5.7 (67)	0	* *	0	* *	0	* *
Gilpin	35	* *	25	* *	19	* *	0	* *	0	* *	0	* *
Glenwood	766	94.5 (1)	634	47.8 (5)	503	25.2 (8)	0	* *	0	* *	0	* *
Grand Junc	3,165	81.2 (23)	2,853	25.0 (46)	2,233	13.5 (49)	0	* *	0	* *	0	* *
Gunnison	200	88.0 (9)	188	48.9 (4)	174	27.0 (5)	0	* *	0	* *	0	* *
Holyoke	117	86.3 (13)	112	24.1 (51)	103	9.7 (62)	0	* *	0	* *	0	* *
Hot Sulphr	174	81.6 (21)	150	32.7 (20)	123	15.4 (38)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Hugo	146	78.1 (31)	122	32.0 (22)	104	11.5 (58)	0	* *	0	* *	0	* *
Idaho Sprg	131	77.9 (32)	112	34.8 (17)	90	* *	0	* *	0	* *	0	* *
Ignacio	107	79.4 (26)	103	21.4 (59)	89	* *	0	* *	0	* *	0	* *
Illiff	5,500	78.9 (28)	5,133	28.1 (33)	3,744	16.4 (31)	0	* *	0	* *	0	* *
Julesburg	45	* *	47	* *	46	* *	0	* *	0	* *	0	* *
La Junta	375	61.1 (64)	358	18.2 (62)	318	11.6 (56)	0	* *	0	* *	0	* *
Lafayette	546	87.0 (12)	471	43.5 (6)	438	25.6 (7)	0	* *	0	* *	0	* *
Lake Plaza	2,300	67.3 (58)	1,916	24.7 (48)	1,554	14.2 (46)	0	* *	0	* *	0	* *
Lakewood	3,001	74.8 (36)	2,812	25.4 (43)	2,272	15.2 (41)	0	* *	0	* *	0	* *
Lamar	487	70.8 (51)	464	18.1 (63)	383	10.4 (59)	0	* *	0	* *	0	* *
Las Animas	136	71.3 (48)	114	13.2 (69)	104	5.8 (66)	0	* *	0	* *	0	* *
Leadville	261	54.8 (68)	245	41.2 (9)	202	40.1 (1)	0	* *	0	* *	0	* *
Lonetree	859	76.5 (35)	736	31.0 (27)	560	17.7 (25)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Longmont	2,134	85.1 (17)	1,959	31.8 (24)	1,622	17.8 (22)	0	* *	0	* *	0	* *
Loveland	1,369	78.8 (29)	1,270	27.2 (36)	1,045	16.4 (31)	0	* *	0	* *	0	* *
Manzanola	78	* *	85	* *	71	* *	0	* *	0	* *	0	* *
Meeker	73	* *	60	* *	59	* *	0	* *	0	* *	0	* *
Montbello	2,724	77.9 (32)	2,478	24.1 (51)	1,985	13.4 (50)	0	* *	0	* *	0	* *
Monte Vist	320	56.6 (67)	314	15.9 (64)	242	9.9 (61)	0	* *	0	* *	0	* *
Montrose	1,018	73.6 (41)	944	27.9 (34)	814	15.5 (37)	0	* *	0	* *	0	* *
Northglenn	5,212	70.8 (51)	4,679	23.3 (55)	3,578	12.9 (51)	0	* *	0	* *	0	* *
Norwood	19	* *	24	* *	23	* *	0	* *	0	* *	0	* *
Nucla	52	* *	47	* *	45	* *	0	* *	0	* *	0	* *
Olathe	96	* *	92	* *	92	* *	0	* *	0	* *	0	* *
Ordwy/Manz	22	* *	16	* *	13	* *	0	* *	0	* *	0	* *
Ouray	31	* *	35	* *	35	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Pagosa Spr	234	85.5 (16)	201	32.3 (21)	175	17.7 (25)	0	* *	0	* *	0	* *
Pan/Hot/Ce	46	* *	41	* *	34	* *	0	* *	0	* *	0	* *
Pecos	2,909	79.9 (24)	2,763	24.5 (49)	2,183	12.6 (53)	0	* *	0	* *	0	* *
Pitkin	73	* *	58	* *	46	* *	0	* *	0	* *	0	* *
Pueblo	3,785	67.4 (57)	3,324	20.7 (60)	2,795	11.6 (56)	0	* *	0	* *	0	* *
Rangely	74	* *	58	* *	44	* *	0	* *	0	* *	0	* *
Rifle	670	86.0 (14)	544	35.5 (16)	449	16.7 (29)	0	* *	0	* *	0	* *
Rocky Ford	231	51.1 (69)	214	14.5 (67)	198	8.6 (64)	0	* *	0	* *	0	* *
S Pueblo	650	60.2 (66)	853	15.8 (66)	915	8.7 (63)	0	* *	0	* *	0	* *
Salida	184	82.6 (20)	153	37.9 (13)	114	17.5 (27)	0	* *	0	* *	0	* *
San Luis	2	* *	2	* *	2	* *	0	* *	0	* *	0	* *
Springfield	86	* *	82	* *	72	* *	0	* *	0	* *	0	* *
Steamboat	207	88.9 (7)	184	49.5 (3)	142	29.6 (3)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Sterling	495	68.9 (54)	468	18.8 (61)	371	8.6 (64)	0	* *	0	* *	0	* *
Sunrise	3,945	72.3 (45)	3,461	27.2 (36)	2,721	17.9 (19)	0	* *	0	* *	0	* *
Telluride	69	* *	63	* *	49	* *	0	* *	0	* *	0	* *
Trinidad	363	61.4 (63)	337	25.8 (42)	274	17.9 (19)	0	* *	0	* *	0	* *
Walden	17	* *	16	* *	18	* *	0	* *	0	* *	0	* *
Walsenburg	144	73.6 (41)	138	15.9 (64)	110	10.0 (60)	0	* *	0	* *	0	* *
Westcliffe	28	* *	26	* *	23	* *	0	* *	0	* *	0	* *
Westside	6,565	78.7 (30)	5,709	26.4 (39)	4,400	14.3 (44)	0	* *	0	* *	0	* *
Yuma	319	66.8 (59)	293	22.9 (56)	253	14.2 (46)	0	* *	0	* *	0	* *
Unknown Clinics	24	* *	15	* *	10	* *	0	* *	0	* *	0	* *
Colorado	99,954	75.3	90,049	27.5	72,812	16.0	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

