

Table 4B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams	11,920	18.2	1.8	76.2	0.7	1.8	1.2	0.1
Alamosa	1,108	24.3	0.6	72.6	1.0	0.3	1.3	0.0
Arapahoe	14,851	16.9	13.5	63.3	0.9	2.1	3.2	0.1
Archuleta	228	44.3	0.0	53.1	0.4	0.9	0.9	0.4
Baca	128	66.4	0.8	27.3	0.8	0.0	4.7	0.0
Bent	191	47.6	0.0	50.3	0.0	0.0	2.1	0.0
Boulder	4,548	22.8	0.9	71.5	0.7	1.8	2.2	0.0
Broomfield	581	41.7	1.4	46.8	1.4	4.6	4.0	0.2
Chaffee	265	58.9	1.5	30.6	0.4	0.0	8.7	0.0
Cheyenne	175	41.1	1.7	53.7	1.1	1.1	1.1	0.0
Clear Crk	134	72.4	0.7	11.2	0.7	0.0	14.9	0.0
Costilla	15	*	*	*	*	*	*	*
Crowley	97	*	*	*	*	*	*	*
Custer	27	*	*	*	*	*	*	*
Delta	558	48.0	0.2	49.3	0.0	0.2	2.3	0.0
Denver	10,405	8.5	14.6	71.4	1.5	1.7	2.3	0.0
Dolores	56	*	*	*	*	*	*	*
Douglas	685	46.4	1.2	45.0	0.6	1.6	5.1	0.1
Eagle	840	6.0	0.4	92.9	0.0	0.0	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
El Paso	15,455	40.5	9.5	40.1	0.8	1.3	7.8	0.0
Fremont	1,147	82.1	0.9	15.3	0.2	0.3	1.2	0.1
Garfield	1,181	19.4	0.1	78.0	0.7	0.2	1.6	0.1
Grand	172	57.6	1.2	35.5	0.6	0.0	5.2	0.0
Gunnison	203	61.1	0.5	33.5	0.5	1.0	3.0	0.5
Huerfano	190	23.7	0.5	70.0	1.6	0.5	3.7	0.0
Jackson	36	*	*	*	*	*	*	*
Jefferson	7,025	42.4	2.8	49.6	0.9	2.7	1.6	0.0
Kiowa	20	*	*	*	*	*	*	*
Kit Carson	180	46.7	1.1	48.9	1.1	1.1	1.1	0.0
La Plata	697	40.9	0.1	41.6	13.2	0.0	4.2	0.0
Lake	246	19.1	0.0	71.5	2.0	0.0	7.3	0.0
Larimer	3,934	49.5	1.1	46.1	0.5	0.7	2.1	0.1
Las Animas	423	23.6	0.9	70.2	1.4	0.7	3.1	0.0
Lincoln	172	77.9	2.9	15.7	0.6	0.0	2.9	0.0
Logan	605	64.8	1.2	31.1	0.8	0.0	2.1	0.0
Mesa	2,573	54.0	0.7	41.2	1.0	0.7	2.4	0.0
Moffat	353	48.2	0.0	49.6	0.3	0.0	2.0	0.0
Montezuma	601	50.7	0.0	32.1	14.3	0.2	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Montrose	1,411	39.5	0.6	53.0	0.8	0.3	5.7	0.1
Morgan	1,187	23.6	0.1	74.5	0.4	0.2	1.2	0.1
Otero	1,078	27.6	0.1	70.9	0.3	0.0	1.1	0.0
Ouray	37	*	*	*	*	*	*	*
Park	156	55.1	2.6	30.8	0.6	0.0	10.9	0.0
Phillips	164	48.8	0.0	50.6	0.0	0.0	0.6	0.0
Pitkin	41	*	*	*	*	*	*	*
Prowers	666	26.4	0.6	70.7	0.0	0.0	2.3	0.0
Pueblo	5,484	22.7	1.4	72.4	0.5	0.3	2.7	0.0
Rio Blanco	124	68.5	0.0	27.4	3.2	0.0	0.8	0.0
Rio Grande	435	19.8	0.0	78.2	0.7	0.2	0.9	0.2
Routt	108	50.9	2.8	42.6	1.9	0.0	1.9	0.0
Saguache	350	13.7	0.0	84.6	0.9	0.6	0.3	0.0
San Miguel	76	*	*	*	*	*	*	*
Sedgwick	42	*	*	*	*	*	*	*
Summit	440	16.6	0.0	82.5	0.0	0.5	0.5	0.0
Teller	304	85.2	0.7	9.9	0.0	0.3	3.6	0.3
Washinton	79	*	*	*	*	*	*	*
Weld	2,472	20.5	0.6	77.0	0.2	0.6	0.9	0.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Yuma	387	41.1	0.0	54.3	0.5	0.0	3.9	0.3
Unknown Counties	541	48.1	6.8	35.7	0.6	3.5	5.2	0.2
Colorado	97,607	29.1	5.9	59.4	1.0	1.4	3.2	0.1
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams	11,920	39.7	18.1	42.2
Alamosa	1,108	39.9	19.8	40.3
Arapahoe	14,851	42.5	17.4	40.1
Archuleta	228	38.2	18.4	43.4
Baca	128	33.6	15.6	50.8
Bent	191	36.6	19.4	44.0
Boulder	4,548	36.0	18.0	46.0
Broomfield	581	41.3	15.8	42.9
Chaffee	265	43.4	15.5	41.1
Cheyenne	175	37.7	19.4	42.9
Clear Crk	134	42.5	17.2	40.3
Costilla	15	*	*	*
Crowley	97	*	*	*
Custer	27	*	*	*
Delta	558	37.1	18.1	44.8
Denver	10,405	60.3	21.6	18.1
Dolores	56	*	*	*
Douglas	685	42.3	18.0	39.7

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Eagle	840	46.2	17.1	36.7
El Paso	15,455	38.8	19.0	42.2
Fremont	1,147	39.2	17.8	43.0
Garfield	1,181	44.7	18.8	36.5
Grand	172	39.5	17.4	43.0
Gunnison	203	37.4	21.2	41.4
Huerfano	190	36.3	15.8	47.9
Jackson	36	*	*	*
Jefferson	7,025	40.4	20.2	39.4
Kiowa	20	*	*	*
Kit Carson	180	33.9	17.2	48.9
La Plata	697	43.8	17.6	38.6
Lake	246	36.2	16.3	47.6
Larimer	3,934	41.0	19.6	39.4
Las Animas	423	44.2	14.7	41.1
Lincoln	172	43.6	13.4	43.0
Logan	605	38.0	17.9	44.1
Mesa	2,573	46.4	18.6	35.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Moffat	353	41.4	17.6	41.1
Montezuma	601	35.8	20.3	43.9
Montrose	1,411	37.0	18.2	44.8
Morgan	1,187	37.3	15.9	46.8
Otero	1,078	29.8	17.4	52.8
Ouray	37	*	*	*
Park	156	30.8	17.3	51.9
Phillips	164	32.3	18.3	49.4
Pitkin	41	*	*	*
Prowers	666	34.7	19.2	46.1
Pueblo	5,484	35.3	20.1	44.6
Rio Blanco	124	43.5	24.2	32.3
Rio Grande	435	37.0	18.9	44.1
Routt	108	47.2	16.7	36.1
Saguache	350	35.1	15.7	49.1
San Miguel	76	*	*	*
Sedgwick	42	*	*	*
Summit	440	43.0	19.3	37.7

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	304	43.8	16.1	40.1
Washinton	79	*	*	*
Weld	2,472	65.3	20.6	14.1
Yuma	387	35.1	17.8	47.0
Unknown Counties	541	53.0	16.8	30.1
Colorado	97,607	42.6	18.9	38.5
Nation (Prior Year)	7,117,562	35.3	22.0	42.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	3,030	9.4 (9)	4.9 (19)	11,804	6.8 (10)	3.6 (25)	8.7 (31)	4,944	14.6 (17)	10.3 (20)	6,829	13.4 (30)
Alamosa	280	12.1 (23)	2.1 (3)	1,099	9.5 (30)	3.9 (29)	6.4 (10)	433	13.6 (9)	8.5 (11)	681	11.0 (18)
Arapahoe	3,932	9.9 (13)	4.6 (17)	14,690	6.9 (12)	4.4 (33)	8.2 (23)	5,897	13.9 (11)	9.5 (16)	8,201	13.8 (32)
Archuleta	50	* *	* *	227	4.8 (3)	5.7 (41)	4.0 (2)	96	* *	* *	55	* *
Baca	26	* *	* *	120	14.2 (46)	2.5 (9)	12.5 (47)	62	* *	* *	68	* *
Bent	46	* *	* *	189	7.9 (23)	4.2 (32)	6.9 (13)	79	* *	* *	113	10.6 (16)
Boulder	1,010	7.4 (5)	6.5 (26)	4,509	5.5 (4)	3.7 (27)	10.1 (39)	2,072	14.8 (19)	12.5 (30)	2,756	15.7 (37)
Broomfield	154	13.0 (27)	5.2 (22)	571	11.2 (38)	4.0 (31)	9.8 (37)	245	15.1 (22)	11.4 (27)	329	11.6 (20)
Chaffee	67	* *	* *	263	12.2 (44)	4.6 (35)	7.2 (18)	109	11.0 (5)	5.5 (1)	135	3.7 (3)
Cheyenne	43	* *	* *	172	10.5 (36)	3.5 (22)	13.4 (48)	77	* *	* *	111	8.1 (11)
Clear Crk	39	* *	* *	132	9.1 (28)	6.8 (45)	3.8 (1)	55	* *	* *	64	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)			(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Costilla	2	* *	* *	15	* *	* *	* *	6	* *	* *	11	* *
Crowley	15	* *	* *	95	* *	* *	* *	50	* *	* *	63	* *
Custer	2	* *	* *	27	* *	* *	* *	15	* *	* *	14	* *
Delta	131	6.1 (1)	4.6 (17)	553	9.9 (33)	3.8 (28)	11.0 (44)	249	14.1 (13)	12.9 (32)	281	12.8 (28)
Denver	3,950	10.8 (18)	4.5 (15)	10,310	9.2 (29)	3.5 (22)	8.2 (23)	1,845	14.7 (18)	10.8 (23)	5,325	12.6 (27)
Dolores	8	* *	* *	56	* *	* *	* *	29	* *	* *	37	* *
Douglas	179	12.8 (26)	5.0 (20)	677	7.7 (21)	3.2 (16)	8.3 (27)	259	8.9 (2)	6.2 (5)	300	8.7 (14)
Eagle	268	11.6 (22)	3.0 (5)	828	7.1 (14)	3.6 (25)	9.8 (37)	309	17.2 (30)	15.9 (34)	453	19.0 (40)
El Paso	3,868	10.5 (16)	4.1 (13)	15,340	9.6 (32)	3.4 (20)	7.0 (15)	6,456	14.1 (13)	7.5 (8)	6,293	12.3 (24)
Fremont	278	10.4 (15)	3.2 (7)	1,140	8.3 (26)	3.1 (13)	7.1 (17)	494	18.0 (31)	6.1 (3)	619	12.0 (23)
Garfield	319	9.4 (9)	3.4 (8)	1,167	6.1 (7)	2.3 (6)	7.9 (20)	415	13.7 (10)	7.2 (6)	660	8.9 (15)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	50	* *	* *	168	9.5 (30)	6.0 (43)	6.0 (6)	73	* *	* *	104	13.5 (31)
Gunnison	41	* *	* *	201	11.9 (43)	5.0 (37)	6.0 (6)	82	* *	* *	123	14.6 (34)
Huerfano	47	* *	* *	188	17.0 (48)	3.2 (16)	9.0 (34)	91	* *	* *	88	* *
Jackson	10	* *	* *	34	* *	* *	* *	16	* *	* *	23	* *
Jefferson	1,868	9.6 (12)	4.5 (15)	6,940	7.6 (20)	4.4 (33)	6.7 (11)	2,721	14.9 (20)	9.0 (13)	4,039	10.7 (17)
Kiowa	5	* *	* *	20	* *	* *	* *	7	* *	* *	13	* *
Kit Carson	38	* *	* *	179	3.4 (1)	2.8 (11)	8.4 (29)	91	* *	* *	121	6.6 (9)
La Plata	188	12.2 (25)	3.7 (11)	692	8.2 (25)	2.9 (12)	8.1 (21)	269	16.0 (27)	7.8 (9)	374	14.2 (33)
Lake	64	* *	* *	244	7.4 (16)	7.4 (46)	8.2 (23)	116	8.6 (1)	12.1 (29)	128	7.0 (10)
Larimer	1,049	11.0 (20)	6.2 (25)	3,882	6.4 (9)	5.1 (40)	6.9 (13)	1,544	15.8 (26)	10.1 (19)	2,328	14.6 (34)
Las Animas	114	14.9 (28)	2.6 (4)	415	9.9 (33)	3.1 (13)	8.7 (31)	166	12.7 (6)	12.0 (28)	264	8.3 (13)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lincoln	42	* *	* *	168	6.0 (6)	7.7 (48)	4.8 (4)	70	* *	* *	104	22.1 (41)
Logan	148	8.1 (6)	6.8 (27)	601	7.8 (22)	3.2 (16)	9.7 (36)	265	15.1 (22)	12.8 (31)	392	5.9 (6)
Mesa	716	7.3 (3)	5.2 (22)	2,555	7.2 (15)	3.5 (22)	8.5 (30)	896	16.4 (28)	10.6 (21)	1,344	11.8 (21)
Moffat	91	* *	* *	339	5.9 (5)	5.0 (37)	8.3 (27)	135	13.3 (8)	9.6 (17)	175	16.0 (38)
Montezuma	133	6.8 (2)	10.5 (28)	596	7.4 (16)	2.2 (5)	6.7 (11)	262	14.1 (13)	9.2 (14)	373	4.6 (4)
Montrose	311	8.7 (8)	5.1 (21)	1,393	7.4 (16)	2.4 (7)	8.2 (23)	639	19.4 (34)	7.2 (6)	389	13.1 (29)
Morgan	259	7.3 (3)	1.9 (1)	1,169	6.8 (10)	1.3 (1)	10.2 (40)	554	19.3 (33)	9.6 (17)	728	12.5 (26)
Otero	202	10.9 (19)	3.5 (10)	1,061	6.9 (12)	2.4 (7)	9.3 (35)	547	14.4 (16)	11.0 (25)	722	5.0 (5)
Ouray	14	* *	* *	37	* *	* *	* *	10	* *	* *	16	* *
Park	28	* *	* *	153	11.8 (41)	1.3 (1)	5.9 (5)	82	* *	* *	77	* *
Phillips	31	* *	* *	163	7.4 (16)	3.1 (13)	11.7 (46)	83	* *	* *	111	6.3 (7)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pitkin	15	* *	* *	37	* *	* *	* *	6	* *	* *	20	* *
Prowers	149	9.4 (9)	4.0 (12)	655	8.1 (24)	3.4 (20)	11.5 (45)	305	18.4 (32)	14.4 (33)	435	11.0 (18)
Pueblo	1,383	10.3 (14)	3.4 (8)	5,440	9.9 (33)	2.0 (4)	10.7 (42)	2,407	15.0 (21)	10.6 (21)	3,476	6.4 (8)
Rio Blanco	32	* *	* *	120	13.3 (45)	2.5 (9)	10.8 (43)	38	* *	* *	44	* *
Rio Grande	106	11.3 (21)	1.9 (1)	432	10.9 (37)	5.8 (42)	8.8 (33)	189	10.6 (3)	8.5 (11)	289	0.7 (1)
Routt	33	* *	* *	107	15.0 (47)	7.5 (47)	10.3 (41)	40	* *	* *	51	* *
Saguache	91	* *	* *	347	6.1 (7)	6.3 (44)	6.1 (8)	171	16.4 (28)	9.4 (15)	206	18.0 (39)
San Miguel	23	* *	* *	74	* *	* *	* *	29	* *	* *	40	* *
Sedgwick	9	* *	* *	41	* *	* *	* *	12	* *	* *	24	* *
Summit	132	12.1 (23)	3.0 (5)	431	11.8 (41)	3.9 (29)	7.0 (15)	166	13.9 (11)	7.8 (9)	245	14.7 (36)
Teller	71	* *	* *	299	11.4 (40)	5.0 (37)	4.0 (2)	120	10.8 (4)	5.8 (2)	159	11.9 (22)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washinton	18	* *	* *	79	* *	* *	* *	36	* *	* *		48	* *
Weld	1,143	8.2 (7)	6.0 (24)	2,434	11.2 (38)	3.3 (19)	8.1 (21)	334	15.3 (24)	10.8 (23)		1,011	12.3 (24)
Yuma	76	* *	* *	385	3.6 (2)	1.3 (1)	7.5 (19)	180	15.6 (25)	6.1 (3)		244	8.2 (12)
Unknown Counties	207	10.6 (17)	4.3 (14)	537	8.4 (27)	4.8 (36)	6.3 (9)	163	12.9 (7)	11.0 (25)		248	3.2 (2)
Colorado	26,634	10.1	4.6	96,600	8.1	3.7	8.2	37,111	14.7	9.6		51,974	12.1
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7		4,381,087	13.6

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	3,033	70.9 (20)	2,326	23.4 (18)	1,647	13.5 (16)	0	* *	0	* *	0	* *
Alamosa	280	67.9 (23)	207	31.4 (8)	177	20.9 (6)	0	* *	0	* *	0	* *
Arapahoe	3,937	77.9 (11)	3,091	26.9 (16)	2,048	17.1 (11)	0	* *	0	* *	0	* *
Archuleta	50	* *	41	* *	30	* *	0	* *	0	* *	0	* *
Baca	26	* *	10	* *	20	* *	0	* *	0	* *	0	* *
Bent	46	* *	33	* *	30	* *	0	* *	0	* *	0	* *
Boulder	1,010	83.1 (6)	839	43.0 (4)	637	28.6 (3)	0	* *	0	* *	0	* *
Broomfield	154	70.1 (21)	117	29.9 (11)	63	* *	0	* *	0	* *	0	* *
Chaffee	67	* *	53	* *	41	* *	0	* *	0	* *	0	* *
Cheyenne	43	* *	36	* *	25	* *	0	* *	0	* *	0	* *
Clear Crk	39	* *	28	* *	20	* *	0	* *	0	* *	0	* *
Costilla	2	* *	5	* *	3	* *	0	* *	0	* *	0	* *
Crowley	15	* *	17	* *	12	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Custer	2	* *	3	* *	4	* *	0	* *	0	* *
Delta	132	79.5 (9)	92	* *	70	* *	0	* *	0	* *
Denver	3,952	72.9 (18)	3,101	27.2 (14)	1,673	16.3 (13)	0	* *	0	* *
Dolores	8	* *	7	* *	6	* *	0	* *	0	* *
Douglas	179	69.3 (22)	132	47.0 (2)	85	* *	0	* *	0	* *
Eagle	268	89.6 (2)	176	38.1 (7)	125	20.8 (7)	0	* *	0	* *
El Paso	3,869	71.4 (19)	2,949	29.5 (13)	2,155	18.1 (9)	0	* *	0	* *
Fremont	278	73.7 (15)	239	20.1 (20)	184	14.7 (15)	0	* *	0	* *
Garfield	319	91.2 (1)	247	40.1 (5)	177	30.5 (2)	0	* *	0	* *
Grand	50	* *	35	* *	27	* *	0	* *	0	* *
Gunnison	41	* *	38	* *	38	* *	0	* *	0	* *
Huerfano	47	* *	27	* *	24	* *	0	* *	0	* *
Jackson	10	* *	6	* *	3	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jefferson	1,872	75.2 (13)	1,535	29.8 (12)	1,081	16.3 (13)	0	* *	0	* *	0	* *
Kiowa	5	* *	3	* *	2	* *	0	* *	0	* *	0	* *
Kit Carson	38	* *	23	* *	22	* *	0	* *	0	* *	0	* *
La Plata	188	87.2 (5)	160	39.4 (6)	108	26.9 (4)	0	* *	0	* *	0	* *
Lake	64	* *	39	* *	31	* *	0	* *	0	* *	0	* *
Larimer	1,052	80.1 (7)	845	30.3 (10)	582	21.8 (5)	0	* *	0	* *	0	* *
Las Animas	115	56.5 (25)	90	* *	55	* *	0	* *	0	* *	0	* *
Lincoln	42	* *	45	* *	33	* *	0	* *	0	* *	0	* *
Logan	148	78.4 (10)	119	21.8 (19)	69	* *	0	* *	0	* *	0	* *
Mesa	716	79.6 (8)	602	24.9 (17)	419	16.7 (12)	0	* *	0	* *	0	* *
Moffat	91	* *	66	* *	46	* *	0	* *	0	* *	0	* *
Montezuma	133	89.5 (3)	109	50.5 (1)	95	* *	0	* *	0	* *	0	* *
Montrose	312	73.7 (15)	270	27.0 (15)	211	19.4 (8)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Morgan	259	56.0 (26)	224	14.7 (24)	140	10.0 (17)	0	* * *
Otero	202	55.4 (27)	156	19.9 (21)	132	17.4 (10)	0	* * *
Ouray	14	* * *	8	* * *	7	* * *	0	* * *
Park	28	* * *	26	* * *	15	* * *	0	* * *
Phillips	31	* * *	24	* * *	22	* * *	0	* * *
Pitkin	15	* * *	13	* * *	10	* * *	0	* * *
Prowers	149	75.2 (13)	108	19.4 (22)	86	* * *	0	* * *
Pueblo	1,384	65.1 (24)	1,161	17.6 (23)	955	9.3 (18)	0	* * *
Rio Blanco	35	* * *	21	* * *	22	* * *	0	* * *
Rio Grande	106	53.8 (28)	97	* * *	60	* * *	0	* * *
Routt	33	* * *	28	* * *	19	* * *	0	* * *
Saguache	91	* * *	72	* * *	35	* * *	0	* * *
San Miguel	23	* * *	15	* * *	11	* * *	0	* * *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Sedgwick	9	* *	7	* *	6	* *	0	* *
Summit	132	89.4 (4)	72	* *	54	* *	0	* *
Teller	71	* *	59	* *	37	* *	0	* *
Washinton	18	* *	18	* *	11	* *	0	* *
Weld	1,144	76.2 (12)	725	46.2 (3)	435	40.0 (1)	0	* *
Yuma	76	* *	82	* *	59	* *	0	* *
Unknown Counties	207	73.4 (17)	143	30.8 (9)	72	* *	0	* *
Colorado	26,660	74.2	20,820	28.9	14,266	18.5	0	*
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6
							136,891	6.8
							343,170	64.7
							1,120,034	16.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	8,739	9.2 (11)	5.2 (35)	34,770	6.9 (12)	3.3 (19)	9.3 (34)	14,614	14.5 (22)	10.2 (24)	19,932	10.5 (30)
Alamosa	846	14.9 (41)	2.7 (10)	3,308	11.0 (49)	4.1 (35)	6.7 (10)	1,336	15.6 (30)	9.2 (18)	2,050	11.5 (34)
Arapahoe	11,175	10.0 (20)	4.9 (33)	43,476	6.9 (12)	3.9 (30)	8.8 (32)	17,496	14.3 (21)	10.3 (27)	24,536	11.0 (31)
Archuleta	179	11.7 (32)	6.1 (40)	736	6.9 (12)	4.9 (43)	5.7 (3)	311	19.0 (46)	7.4 (10)	221	14.9 (43)
Baca	82	* *	* *	409	8.6 (32)	3.4 (20)	9.8 (39)	213	15.5 (29)	12.2 (42)	211	6.6 (12)
Bent	142	16.2 (44)	2.1 (5)	564	8.3 (28)	4.4 (37)	8.2 (25)	260	16.5 (35)	11.5 (38)	354	9.0 (21)
Boulder	3,125	7.9 (5)	6.1 (40)	13,787	6.4 (6)	3.1 (16)	9.9 (41)	6,239	14.7 (24)	11.1 (34)	8,071	11.5 (34)
Broomfield	395	9.9 (17)	4.1 (21)	1,670	9.4 (39)	4.0 (33)	8.2 (25)	744	15.7 (31)	10.1 (23)	898	12.2 (38)
Chaffee	189	15.9 (42)	2.6 (8)	827	12.1 (52)	3.1 (16)	6.2 (7)	357	11.8 (8)	3.9 (2)	458	2.0 (1)
Cheyenne	110	10.0 (20)	10.9 (45)	513	9.4 (39)	2.5 (8)	11.1 (53)	254	17.7 (42)	14.2 (46)	341	10.0 (29)
Clear Crk	107	15.9 (42)	3.7 (16)	375	10.7 (46)	6.9 (53)	3.5 (1)	133	12.8 (15)	3.8 (1)	188	3.2 (6)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Costilla	7	* *	* *	40	* *	* *	* *	15	* *	* *	26	* *
Crowley	65	* *	* *	321	10.0 (44)	3.4 (20)	11.2 (54)	164	17.7 (42)	13.4 (45)	201	2.0 (1)
Custer	18	* *	* *	97	* *	* *	* *	47	* *	* *	54	* *
Delta	402	10.4 (23)	4.5 (26)	1,777	8.9 (35)	3.5 (24)	9.6 (37)	827	15.1 (27)	10.5 (30)	851	8.3 (18)
Denver	10,966	10.6 (26)	4.4 (25)	24,875	9.7 (42)	3.6 (25)	7.7 (23)	2,105	13.9 (20)	10.0 (22)	11,584	9.7 (25)
Dolores	28	* *	* *	159	7.5 (19)	4.4 (37)	7.5 (20)	77	* *	* *	98	* *
Douglas	678	10.6 (26)	3.2 (12)	2,504	8.0 (27)	3.8 (29)	9.6 (37)	998	13.7 (19)	7.8 (12)	1,199	9.3 (22)
Eagle	694	8.6 (7)	3.9 (19)	2,349	7.5 (19)	3.9 (30)	9.3 (34)	884	17.0 (40)	12.1 (41)	1,347	9.4 (23)
El Paso	11,105	10.7 (29)	4.0 (20)	45,890	8.9 (35)	3.4 (20)	6.7 (10)	19,818	13.1 (16)	6.9 (8)	18,711	9.4 (23)
Fremont	823	10.7 (29)	4.3 (23)	3,445	8.5 (29)	2.6 (9)	8.3 (28)	1,518	18.2 (44)	8.9 (16)	1,936	8.2 (16)
Garfield	1,000	9.4 (14)	4.3 (23)	3,646	6.4 (6)	2.0 (3)	8.2 (25)	1,294	11.4 (6)	6.8 (7)	2,066	8.7 (19)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	123	12.2 (34)	5.7 (37)	473	9.3 (38)	6.6 (50)	6.1 (4)	199	8.5 (2)	4.0 (3)	309	18.8 (47)
Gunnison	152	10.5 (24)	2.6 (8)	674	13.2 (55)	3.9 (30)	6.8 (13)	281	19.6 (47)	9.6 (21)	400	11.0 (31)
Huerfano	147	12.2 (34)	1.4 (3)	627	13.2 (55)	4.3 (36)	10.4 (46)	290	10.3 (4)	10.3 (27)	278	13.3 (41)
Jackson	18	* *	* *	107	13.1 (54)	8.4 (55)	8.4 (29)	60	* *	* *	68	* *
Jefferson	5,531	9.8 (16)	4.6 (29)	21,472	7.7 (23)	4.0 (33)	7.3 (18)	8,753	15.8 (32)	10.2 (24)	12,796	9.9 (27)
Kiowa	18	* *	* *	75	* *	* *	* *	24	* *	* *	41	* *
Kit Carson	114	7.0 (4)	5.3 (36)	559	3.9 (2)	3.4 (20)	10.7 (49)	282	12.1 (10)	14.2 (46)	389	8.0 (15)
La Plata	557	9.3 (12)	3.8 (17)	2,173	6.4 (6)	3.7 (27)	7.5 (20)	888	17.5 (41)	8.7 (15)	1,202	9.9 (27)
Lake	196	16.8 (45)	3.6 (15)	868	9.9 (43)	7.3 (54)	8.5 (30)	424	12.3 (13)	12.3 (43)	472	9.7 (25)
Larimer	3,003	9.9 (17)	5.1 (34)	11,206	6.9 (12)	4.8 (41)	7.3 (18)	4,549	14.5 (22)	9.5 (20)	6,406	12.7 (40)
Las Animas	334	12.9 (37)	2.4 (6)	1,330	9.5 (41)	2.6 (9)	9.5 (36)	564	13.1 (16)	10.8 (32)	823	6.9 (13)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lincoln	120	10.0 (20)	3.3 (13)	554	6.0 (5)	6.7 (52)	6.1 (4)	251	8.8 (3)	5.2 (6)	338	19.2 (48)
Logan	410	6.8 (3)	5.9 (38)	1,802	7.8 (24)	2.6 (9)	10.5 (47)	812	16.4 (34)	12.8 (44)	1,181	4.0 (8)
Mesa	2,255	9.0 (10)	4.5 (26)	7,445	7.6 (21)	3.7 (27)	8.1 (24)	2,378	16.7 (36)	10.2 (24)	3,847	11.0 (31)
Moffat	261	12.3 (36)	3.8 (17)	1,032	5.5 (4)	4.9 (43)	7.6 (22)	388	11.9 (9)	11.9 (40)	586	15.5 (44)
Montezuma	418	8.6 (7)	6.9 (43)	1,900	8.7 (33)	2.7 (12)	10.6 (48)	877	15.3 (28)	11.4 (36)	1,208	8.2 (16)
Montrose	954	8.8 (9)	4.6 (29)	4,172	7.6 (21)	3.0 (15)	9.2 (33)	1,953	16.1 (33)	9.1 (17)	1,236	16.6 (45)
Morgan	823	6.7 (2)	4.5 (26)	3,683	6.4 (6)	1.6 (2)	11.0 (51)	1,684	20.0 (48)	11.4 (36)	2,394	8.9 (20)
Otero	661	14.1 (39)	2.4 (6)	3,245	7.8 (24)	2.2 (7)	9.8 (39)	1,594	16.8 (37)	11.6 (39)	2,125	2.9 (4)
Ouray	35	* *	* *	110	3.6 (1)	2.7 (12)	10.0 (42)	42	* *	* *	60	* *
Park	98	* *	* *	454	10.6 (45)	4.8 (41)	6.2 (7)	215	12.1 (10)	7.9 (13)	218	6.9 (13)
Phillips	100	8.0 (6)	6.0 (39)	510	7.3 (18)	2.0 (3)	10.0 (42)	243	14.8 (25)	10.3 (27)	341	2.9 (4)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)													
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾			
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			(8)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pitkin	52	* *	* *	163	6.7 (10)	10.4 (56)	6.7 (10)	49	* *	* *	* *	91	* *
Prowers	461	9.3 (12)	4.6 (29)	2,080	6.7 (10)	3.2 (18)	11.3 (55)	960	21.4 (50)	14.4 (48)		1,322	11.6 (36)
Pueblo	3,958	9.4 (14)	3.5 (14)	16,687	9.2 (37)	2.0 (3)	10.9 (50)	7,600	16.8 (37)	10.5 (30)		10,870	5.8 (11)
Rio Blanco	104	10.6 (26)	4.8 (32)	366	8.5 (29)	4.4 (37)	6.8 (13)	131	16.8 (37)	4.6 (4)		187	22.5 (49)
Rio Grande	313	14.7 (40)	1.0 (1)	1,164	11.3 (50)	5.3 (45)	7.0 (15)	422	12.1 (10)	7.6 (11)		724	2.3 (3)
Routt	98	* *	* *	316	11.7 (51)	5.4 (46)	7.0 (15)	110	8.2 (1)	15.5 (49)		161	14.3 (42)
Saguache	232	9.9 (17)	3.0 (11)	1,121	6.9 (12)	5.8 (48)	8.7 (31)	589	13.1 (16)	11.2 (35)		772	12.4 (39)
San Miguel	63	* *	* *	230	7.8 (24)	5.7 (47)	6.1 (4)	91	* *	* *	* *	134	31.3 (51)
Sedgwick	33	* *	* *	141	7.1 (17)	1.4 (1)	16.3 (56)	51	* *	* *	* *	89	* *
Summit	364	12.1 (33)	1.9 (4)	1,189	10.7 (46)	6.6 (50)	7.0 (15)	432	11.6 (7)	7.9 (13)		650	24.3 (50)
Teller	226	13.7 (38)	1.3 (2)	936	10.8 (48)	6.4 (49)	4.4 (2)	400	10.8 (5)	5.0 (5)		505	18.6 (46)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Washinton	54	* *	* *	249	8.8 (34)	3.6 (25)	10.0 (42)	120	20.8 (49)	9.2 (18)	143	5.6 (10)
Weld	2,685	10.7 (29)	6.7 (42)	6,089	12.8 (53)	2.9 (14)	11.0 (51)	835	14.9 (26)	17.1 (50)	2,446	11.7 (37)
Yuma	261	5.7 (1)	8.4 (44)	1,233	4.0 (3)	2.1 (6)	10.1 (45)	572	18.2 (44)	7.0 (9)	784	5.2 (9)
Unknown Counties	219	10.5 (24)	4.1 (21)	553	8.5 (29)	4.7 (40)	6.5 (9)	165	12.7 (14)	10.9 (33)	252	3.6 (7)
Colorado	76,326	10.1	4.6	282,526	8.0	3.5	8.4	108,982	14.8	9.6	151,181	10.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Adams	10,314	67.8 (37)	8,885	22.9 (34)	7,098	13.8 (26)	0	* *	0	* *
Alamosa	945	66.2 (39)	832	27.0 (24)	694	13.4 (28)	0	* *	0	* *
Arapahoe	13,215	74.7 (21)	11,577	25.6 (29)	8,893	15.3 (21)	0	* *	0	* *
Archuleta	209	85.2 (5)	181	34.8 (14)	153	17.6 (16)	0	* *	0	* *
Baca	85	* *	69	* *	69	* *	0	* *	0	* *
Bent	149	71.1 (27)	133	14.3 (44)	104	6.7 (42)	0	* *	0	* *
Boulder	3,711	80.2 (13)	3,291	38.5 (9)	2,764	26.4 (9)	0	* *	0	* *
Broomfield	484	69.0 (32)	407	26.5 (26)	315	15.6 (20)	0	* *	0	* *
Chaffee	236	77.1 (16)	207	29.5 (20)	171	16.4 (19)	0	* *	0	* *
Cheyenne	127	70.1 (31)	116	30.2 (16)	90	* *	0	* *	0	* *
Clear Crk	127	76.4 (17)	116	27.6 (23)	88	* *	0	* *	0	* *
Costilla	12	* *	13	* *	8	* *	0	* *	0	* *
Crowley	64	* *	60	* *	59	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Custer	27	* *	21	* *	20	* *	0	* *	0	* *
Delta	517	80.5 (12)	422	36.3 (11)	367	27.2 (8)	0	* *	0	* *
Denver	12,815	71.1 (27)	10,362	25.2 (30)	6,718	14.1 (25)	0	* *	0	* *
Dolores	37	* *	38	* *	35	* *	0	* *	0	* *
Douglas	805	72.2 (24)	603	43.9 (6)	472	33.9 (2)	0	* *	0	* *
Eagle	847	82.9 (8)	624	35.6 (13)	518	19.3 (14)	0	* *	0	* *
El Paso	13,543	68.9 (33)	11,681	26.2 (27)	9,477	15.0 (22)	0	* *	0	* *
Fremont	962	65.0 (40)	878	21.2 (37)	722	12.7 (31)	0	* *	0	* *
Garfield	1,192	90.4 (2)	1,007	41.3 (7)	758	25.5 (10)	0	* *	0	* *
Grand	150	82.7 (9)	125	28.8 (21)	114	21.1 (13)	0	* *	0	* *
Gunnison	194	90.7 (1)	178	49.4 (3)	143	29.4 (5)	0	* *	0	* *
Huerfano	158	71.5 (25)	126	20.6 (38)	117	12.0 (32)	0	* *	0	* *
Jackson	22	* *	22	* *	19	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Jefferson	6,567	71.0 (30)	5,786	25.8 (28)	4,565	14.2 (24)	0	* *	0	* *	0	* *
Kiowa	22	* *	20	* *	17	* *	0	* *	0	* *	0	* *
Kit Carson	132	67.4 (38)	116	19.0 (40)	102	13.7 (27)	0	* *	0	* *	0	* *
La Plata	658	85.7 (4)	573	39.1 (8)	443	23.7 (12)	0	* *	0	* *	0	* *
Lake	224	49.1 (47)	182	49.5 (2)	181	50.3 (1)	0	* *	0	* *	0	* *
Larimer	3,595	76.2 (18)	3,034	29.6 (19)	2,399	18.9 (15)	0	* *	0	* *	0	* *
Las Animas	386	62.2 (43)	338	21.6 (36)	261	9.6 (37)	0	* *	0	* *	0	* *
Lincoln	145	72.4 (23)	144	31.9 (15)	112	24.1 (11)	0	* *	0	* *	0	* *
Logan	483	68.7 (35)	436	16.5 (43)	376	7.7 (40)	0	* *	0	* *	0	* *
Mesa	2,668	78.6 (14)	2,359	25.2 (30)	1,770	14.9 (23)	0	* *	0	* *	0	* *
Moffat	330	76.1 (19)	301	26.6 (25)	235	13.2 (30)	0	* *	0	* *	0	* *
Montezuma	523	88.1 (3)	463	46.2 (5)	392	32.7 (4)	0	* *	0	* *	0	* *
Montrose	1,152	75.1 (20)	1,035	29.7 (18)	851	17.2 (17)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Morgan	939	57.2 (45)	864	13.5 (45)	712	8.1 (39)	0	* *	0	* *	0	* *
Otero	729	58.7 (44)	665	17.0 (42)	622	10.5 (36)	0	* *	0	* *	0	* *
Ouray	37	* *	24	* *	18	* *	0	* *	0	* *	0	* *
Park	134	68.7 (35)	114	36.0 (12)	99	* *	0	* *	0	* *	0	* *
Phillips	129	77.5 (15)	124	21.8 (35)	125	7.2 (41)	0	* *	0	* *	0	* *
Pitkin	64	* *	55	* *	39	* *	0	* *	0	* *	0	* *
Prowers	528	68.8 (34)	488	19.9 (39)	430	10.9 (34)	0	* *	0	* *	0	* *
Pueblo	4,366	64.3 (41)	3,996	17.2 (41)	3,486	9.4 (38)	0	* *	0	* *	0	* *
Rio Blanco	137	73.0 (22)	108	28.7 (22)	92	* *	0	* *	0	* *	0	* *
Rio Grande	354	52.5 (46)	329	11.6 (46)	272	10.7 (35)	0	* *	0	* *	0	* *
Routt	116	84.5 (7)	84	* *	62	* *	0	* *	0	* *	0	* *
Saguache	249	71.1 (27)	221	29.9 (17)	194	13.4 (28)	0	* *	0	* *	0	* *
San Miguel	73	* *	59	* *	52	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Sedgwick	39	* *	33	* *	27	* *	0	* *	0	* *
Summit	430	84.9 (6)	297	50.8 (1)	255	28.6 (6)	0	* *	0	* *
Teller	295	81.7 (10)	239	38.1 (10)	199	28.6 (6)	0	* *	0	* *
Washinton	63	* *	61	* *	48	* *	0	* *	0	* *
Weld	3,100	81.4 (11)	2,285	47.4 (4)	1,307	33.7 (3)	0	* *	0	* *
Yuma	321	64.2 (42)	318	23.6 (33)	279	11.1 (33)	0	* *	0	* *
Unknown Counties	359	71.3 (26)	236	24.6 (32)	140	17.1 (18)	0	* *	0	* *
Colorado	90,294	72.1	77,361	26.9	60,148	16.1	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

