

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams	11,988	18.7	1.8	75.3	0.8	1.7	1.6	0.0
Alamosa	1,113	25.5	1.0	72.4	0.5	0.2	0.4	0.0
Arapahoe	15,019	16.7	14.5	61.9	1.0	2.2	3.6	0.2
Archuleta	245	44.9	0.0	53.1	0.4	0.4	1.2	0.0
Baca	126	72.2	0.0	26.2	0.0	0.0	1.6	0.0
Bent	158	46.2	0.0	51.3	0.0	0.0	2.5	0.0
Boulder	4,638	23.5	0.7	70.9	0.8	1.8	2.4	0.0
Broomfield	554	39.0	0.5	53.1	1.1	4.2	2.2	0.0
Chaffee	243	57.6	1.2	32.1	0.8	0.0	8.2	0.0
Cheyenne	165	41.8	1.2	52.7	2.4	0.0	1.8	0.0
Clear Crk	168	80.4	0.0	11.9	0.0	0.6	7.1	0.0
Costilla	10	*	*	*	*	*	*	*
Crowley	77	*	*	*	*	*	*	*
Custer	33	*	*	*	*	*	*	*
Delta	555	49.5	0.2	45.2	0.2	0.5	4.3	0.0
Denver	10,521	8.6	19.1	66.7	1.5	1.6	2.5	0.0
Dolores	42	*	*	*	*	*	*	*
Douglas	680	49.6	1.6	40.6	0.7	1.3	6.2	0.0
Eagle	903	6.0	0.4	93.5	0.0	0.1	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
El Paso	15,856	41.1	9.3	40.0	0.7	1.2	7.8	0.0
Fremont	1,139	80.7	1.1	15.5	0.3	0.2	2.2	0.1
Garfield	1,177	20.2	0.2	76.2	0.6	0.1	2.7	0.0
Grand	165	53.3	1.2	41.2	0.6	0.0	3.6	0.0
Gunnison	213	52.6	0.9	41.3	0.5	0.9	3.8	0.0
Huerfano	194	25.3	0.5	67.5	0.5	0.5	5.7	0.0
Jackson	32	*	*	*	*	*	*	*
Jefferson	7,210	43.4	2.6	49.1	1.0	2.1	1.7	0.0
Kiowa	22	*	*	*	*	*	*	*
Kit Carson	201	58.7	0.5	40.8	0.0	0.0	0.0	0.0
La Plata	746	38.6	0.7	44.4	11.7	0.1	4.6	0.0
Lake	244	19.3	0.0	79.1	1.2	0.0	0.4	0.0
Larimer	4,111	48.9	1.2	46.4	0.6	0.7	2.2	0.0
Las Animas	427	27.4	0.7	69.3	0.2	0.5	1.9	0.0
Lincoln	201	74.1	2.5	21.4	0.5	0.0	1.5	0.0
Logan	624	65.5	1.0	31.1	0.8	0.0	1.6	0.0
Mesa	2,634	52.8	0.8	41.1	0.6	0.6	4.0	0.0
Moffat	363	47.1	0.0	50.4	0.0	0.0	2.5	0.0
Montezuma	619	52.2	0.2	31.7	12.3	0.5	3.1	0.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Montrose	1,445	38.5	0.5	50.5	1.4	0.4	8.6	0.1
Morgan	1,093	23.7	0.7	73.6	0.5	0.3	1.1	0.1
Otero	1,029	28.0	0.2	70.4	0.1	0.1	1.3	0.0
Ouray	44	*	*	*	*	*	*	*
Park	157	58.0	0.6	25.5	0.6	0.6	14.6	0.0
Phillips	156	46.2	0.0	53.8	0.0	0.0	0.0	0.0
Pitkin	49	*	*	*	*	*	*	*
Prowers	604	27.5	0.7	70.4	0.0	0.2	1.2	0.2
Pueblo	5,631	22.5	1.3	71.5	0.6	0.4	3.6	0.0
Rio Blanco	102	54.9	0.0	40.2	2.0	0.0	2.9	0.0
Rio Grande	460	23.7	0.2	75.2	0.2	0.2	0.4	0.0
Routt	146	45.2	0.7	50.7	0.0	0.0	3.4	0.0
Saguache	305	12.1	0.0	85.9	1.0	0.7	0.3	0.0
San Miguel	90	*	*	*	*	*	*	*
Sedgwick	42	*	*	*	*	*	*	*
Summit	485	16.3	0.4	81.0	0.4	0.8	0.8	0.2
Teller	324	83.6	0.3	10.8	0.6	1.2	3.4	0.0
Washinton	70	*	*	*	*	*	*	*
Weld	3,221	22.5	0.6	75.5	0.2	0.4	0.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Yuma	365	39.2	0.0	58.9	0.3	0.0	1.6	0.0
Unknown Counties	4,072	17.6	2.8	72.6	3.0	2.1	1.9	0.0
Colorado	103,306	28.8	6.3	59.1	1.1	1.3	3.4	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams	11,988	41.2	17.7	41.1
Alamosa	1,113	40.3	19.0	40.8
Arapahoe	15,019	42.9	17.1	40.0
Archuleta	245	46.1	13.9	40.0
Baca	126	37.3	14.3	48.4
Bent	158	39.9	13.3	46.8
Boulder	4,638	37.1	18.8	44.1
Broomfield	554	40.6	15.9	43.5
Chaffee	243	44.0	16.5	39.5
Cheyenne	165	32.7	23.0	44.2
Clear Crk	168	33.3	20.2	46.4
Costilla	10	*	*	*
Crowley	77	*	*	*
Custer	33	*	*	*
Delta	555	35.5	19.6	44.9
Denver	10,521	48.5	19.3	32.2
Dolores	42	*	*	*
Douglas	680	43.8	16.8	39.4

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Eagle	903	45.2	20.6	34.2
El Paso	15,856	39.3	18.6	42.1
Fremont	1,139	40.3	17.9	41.8
Garfield	1,177	44.9	17.6	37.5
Grand	165	43.0	14.5	42.4
Gunnison	213	41.8	18.8	39.4
Huerfano	194	34.5	22.2	43.3
Jackson	32	*	*	*
Jefferson	7,210	39.7	20.6	39.7
Kiowa	22	*	*	*
Kit Carson	201	42.8	14.4	42.8
La Plata	746	43.8	18.2	37.9
Lake	244	38.5	18.9	42.6
Larimer	4,111	40.2	20.1	39.7
Las Animas	427	42.2	16.2	41.7
Lincoln	201	33.8	20.9	45.3
Logan	624	38.3	17.9	43.8
Mesa	2,634	46.2	18.8	35.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Moffat	363	46.0	18.2	35.8
Montezuma	619	37.6	20.2	42.2
Montrose	1,445	39.0	16.3	44.8
Morgan	1,093	38.3	14.3	47.4
Otero	1,029	32.8	16.0	51.2
Ouray	44	*	*	*
Park	157	35.7	19.7	44.6
Phillips	156	34.6	14.7	50.6
Pitkin	49	*	*	*
Prowers	604	34.9	18.0	47.0
Pueblo	5,631	36.0	20.5	43.5
Rio Blanco	102	49.0	22.5	28.4
Rio Grande	460	32.2	20.2	47.6
Routt	146	47.3	20.5	32.2
Saguache	305	33.1	18.4	48.5
San Miguel	90	*	*	*
Sedgwick	42	*	*	*
Summit	485	44.7	19.4	35.9

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	324	41.0	16.0	42.9
Washinton	70	*	*	*
Weld	3,221	58.1	22.4	19.5
Yuma	365	36.2	16.2	47.7
Unknown Counties	4,072	48.7	17.5	33.8
Colorado	103,306	42.0	18.6	39.4
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	3,098	9.1 (9)	4.9 (16)	11,849	7.3 (15)	3.9 (29)	8.3 (25)	4,881	14.1 (14)	10.5 (21)	7,038	12.9 (19)
Alamosa	296	14.2 (25)	2.4 (5)	1,098	11.5 (43)	4.5 (36)	7.4 (21)	435	11.7 (3)	10.3 (19)	656	13.1 (21)
Arapahoe	3,866	11.2 (22)	4.4 (12)	14,876	7.1 (10)	4.1 (32)	8.3 (25)	5,960	13.3 (7)	9.7 (17)	8,745	13.0 (20)
Archuleta	69	* *	* *	242	8.7 (27)	2.9 (15)	2.5 (1)	95	* *	* *	61	* *
Baca	28	* *	* *	118	8.5 (24)	4.2 (34)	11.0 (41)	56	* *	* *	69	* *
Bent	33	* *	* *	157	8.9 (29)	4.5 (36)	14.0 (47)	70	* *	* *	106	17.9 (35)
Boulder	1,113	7.1 (2)	5.8 (26)	4,593	5.7 (4)	3.2 (19)	9.4 (37)	2,038	16.9 (29)	12.1 (27)	2,838	14.4 (26)
Broomfield	132	10.6 (15)	5.3 (21)	544	10.7 (41)	3.1 (16)	10.1 (39)	245	14.3 (16)	13.1 (29)	295	9.8 (13)
Chaffee	52	* *	* *	241	12.4 (45)	2.1 (8)	7.1 (17)	94	* *	* *	149	3.4 (2)
Cheyenne	31	* *	* *	162	10.5 (40)	0.6 (1)	11.7 (43)	72	* *	* *	113	9.7 (11)
Clear Crk	39	* *	* *	167	10.2 (39)	5.4 (40)	4.2 (3)	74	* *	* *	82	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Costilla	1	* *	* *	10	* *	* *	* *	4	* *	* *	7	* *
Crowley	15	* *	* *	76	* *	* *	* *	42	* *	* *	54	* *
Custer	6	* *	* *	33	* *	* *	* *	20	* *	* *	21	* *
Delta	133	8.3 (6)	5.3 (21)	547	9.0 (31)	3.3 (21)	10.8 (40)	247	16.6 (26)	10.5 (21)	309	13.6 (23)
Denver	3,023	9.5 (12)	5.0 (17)	10,430	7.7 (20)	3.8 (28)	8.4 (28)	3,391	13.8 (13)	9.6 (16)	6,208	13.8 (25)
Dolores	7	* *	* *	42	* *	* *	* *	19	* *	* *	19	* *
Douglas	168	17.3 (27)	3.6 (9)	674	6.8 (9)	3.3 (21)	7.6 (22)	262	13.7 (9)	8.4 (7)	329	4.0 (3)
Eagle	258	6.2 (1)	3.1 (7)	896	8.1 (22)	3.1 (16)	12.5 (45)	301	16.6 (26)	14.0 (30)	499	21.8 (39)
El Paso	3,932	10.7 (19)	3.9 (10)	15,724	9.5 (35)	3.2 (19)	7.1 (17)	6,645	13.7 (9)	7.6 (5)	6,652	15.3 (31)
Fremont	286	10.8 (20)	2.4 (5)	1,134	8.5 (24)	1.8 (5)	7.3 (19)	482	16.8 (28)	5.0 (3)	654	11.5 (15)
Garfield	302	8.9 (8)	5.0 (17)	1,163	5.8 (5)	2.8 (12)	8.4 (28)	430	15.6 (19)	8.6 (9)	662	9.7 (11)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	48	* *	* *	162	4.9 (2)	7.4 (45)	6.2 (9)	68	* *	* *	90	* *
Gunnison	60	* *	* *	213	6.1 (7)	6.6 (43)	6.1 (8)	81	* *	* *	112	15.2 (30)
Huerfano	49	* *	* *	192	12.5 (46)	4.2 (34)	4.7 (4)	86	* *	* *	99	* *
Jackson	6	* *	* *	30	* *	* *	* *	13	* *	* *	23	* *
Jefferson	1,839	10.6 (15)	4.6 (13)	7,138	8.1 (22)	3.6 (25)	6.9 (14)	2,855	15.9 (21)	9.2 (12)	4,290	11.5 (15)
Kiowa	4	* *	* *	22	* *	* *	* *	13	* *	* *	14	* *
Kit Carson	54	* *	* *	201	6.0 (6)	1.0 (3)	6.5 (11)	91	* *	* *	126	6.3 (6)
La Plata	217	11.5 (24)	4.6 (13)	737	7.6 (18)	3.9 (29)	6.8 (13)	284	15.1 (18)	9.2 (12)	407	10.8 (14)
Lake	61	* *	* *	242	9.9 (37)	8.3 (47)	3.7 (2)	97	* *	* *	103	21.4 (38)
Larimer	1,025	8.2 (4)	5.3 (21)	4,084	7.3 (15)	3.6 (25)	7.6 (22)	1,629	16.1 (22)	10.5 (21)	2,456	14.5 (28)
Las Animas	110	16.4 (26)	0.9 (1)	421	10.7 (41)	2.4 (10)	9.0 (34)	171	14.6 (17)	9.4 (15)	252	16.7 (33)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lincoln	48	* *	* *	194	5.2 (3)	5.2 (39)	6.7 (12)	90	* *	* *	104	14.4 (26)
Logan	141	10.6 (15)	5.0 (17)	620	8.7 (27)	1.9 (6)	12.4 (44)	271	13.3 (7)	14.4 (31)	404	11.9 (18)
Mesa	751	8.7 (7)	4.3 (11)	2,619	7.2 (12)	3.3 (21)	9.0 (34)	909	16.1 (22)	11.2 (25)	1,327	16.0 (32)
Moffat	109	10.1 (14)	4.6 (13)	361	8.6 (26)	3.3 (21)	5.0 (6)	133	12.0 (4)	4.5 (2)	216	11.6 (17)
Montezuma	149	9.4 (11)	8.1 (28)	611	9.2 (33)	2.8 (12)	8.3 (25)	260	13.1 (6)	8.5 (8)	380	7.9 (7)
Montrose	349	10.6 (15)	1.7 (4)	1,426	9.4 (34)	2.4 (10)	8.7 (32)	644	13.7 (9)	7.9 (6)	291	13.4 (22)
Morgan	238	7.1 (2)	5.0 (17)	1,084	7.7 (20)	1.1 (4)	11.6 (42)	511	20.7 (31)	11.4 (26)	680	6.0 (4)
Otero	220	8.2 (4)	0.9 (1)	1,014	6.3 (8)	2.8 (12)	7.6 (22)	524	13.7 (9)	9.0 (11)	661	9.4 (10)
Ouray	13	* *	* *	44	* *	* *	* *	10	* *	* *	27	* *
Park	36	* *	* *	150	7.3 (15)	8.0 (46)	7.3 (19)	67	* *	* *	59	* *
Phillips	30	* *	* *	154	7.1 (10)	1.9 (6)	9.1 (36)	77	* *	* *	97	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pitkin	15	* *	* *	49	* *	* *	* *	13	* *	* *	32	* *
Prowers	140	11.4 (23)	5.7 (25)	594	7.2 (12)	3.7 (27)	13.1 (46)	273	16.5 (25)	18.3 (32)	379	18.2 (36)
Pueblo	1,397	10.8 (20)	3.1 (7)	5,579	9.8 (36)	2.2 (9)	9.8 (38)	2,439	15.7 (20)	10.3 (19)	3,601	8.9 (8)
Rio Blanco	30	* *	* *	98	* *	* *	* *	28	* *	* *	48	* *
Rio Grande	96	* *	* *	454	11.5 (43)	4.0 (31)	7.0 (15)	216	11.1 (2)	8.8 (10)	321	2.5 (1)
Routt	49	* *	* *	143	9.1 (32)	5.6 (41)	8.4 (28)	45	* *	* *	75	* *
Saguache	54	* *	* *	301	7.6 (18)	5.6 (41)	6.3 (10)	141	19.9 (30)	9.2 (12)	204	20.1 (37)
San Miguel	24	* *	* *	87	* *	* *	* *	35	* *	* *	48	* *
Sedgwick	8	* *	* *	42	* *	* *	* *	24	* *	* *	26	* *
Summit	139	21.6 (28)	1.4 (3)	471	13.0 (47)	5.1 (38)	8.5 (31)	174	16.1 (22)	10.9 (24)	299	14.7 (29)
Teller	86	* *	* *	320	10.0 (38)	6.6 (43)	4.7 (4)	133	10.5 (1)	6.0 (4)	190	13.7 (24)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washinton	19	* *	* *	70	* *	* *	* *	21	* *	* *	42	* *
Weld	1,255	9.2 (10)	6.2 (27)	3,196	8.9 (29)	3.1 (16)	8.9 (33)	630	12.9 (5)	12.1 (27)	1,602	9.1 (9)
Yuma	87	* *	* *	364	3.6 (1)	0.8 (2)	5.5 (7)	163	23.3 (32)	3.7 (1)	227	17.6 (34)
Unknown Counties	1,463	10.0 (13)	5.3 (21)	4,034	7.2 (12)	4.1 (32)	7.0 (15)	1,350	14.1 (14)	9.8 (18)	2,279	6.2 (5)
Colorado	27,307	10.1	4.5	102,297	8.0	3.5	8.2	40,432	14.6	9.7	57,157	12.6
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	3,101	71.8 (17)	2,510	21.7 (22)	1,733	13.3 (15)	0	* *	0	* *	0	* *
Alamosa	297	70.7 (21)	220	24.1 (19)	168	16.1 (10)	0	* *	0	* *	0	* *
Arapahoe	3,867	78.8 (11)	3,367	26.0 (16)	2,133	15.2 (13)	0	* *	0	* *	0	* *
Archuleta	69	* *	69	* *	30	* *	0	* *	0	* *	0	* *
Baca	28	* *	24	* *	22	* *	0	* *	0	* *	0	* *
Bent	33	* *	30	* *	27	* *	0	* *	0	* *	0	* *
Boulder	1,113	85.1 (6)	842	37.1 (4)	639	27.1 (1)	0	* *	0	* *	0	* *
Broomfield	133	72.9 (16)	111	26.1 (15)	78	* *	0	* *	0	* *	0	* *
Chaffee	52	* *	58	* *	34	* *	0	* *	0	* *	0	* *
Cheyenne	31	* *	26	* *	34	* *	0	* *	0	* *	0	* *
Clear Crk	39	* *	27	* *	29	* *	0	* *	0	* *	0	* *
Costilla	1	* *	0	* *	2	* *	0	* *	0	* *	0	* *
Crowley	15	* *	7	* *	9	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Custer	6	* *	6	* *	4	* *	0	* *	0	* *
Delta	133	82.7 (8)	101	33.7 (7)	80	* *	0	* *	0	* *
Denver	3,024	73.4 (14)	2,568	26.7 (14)	1,555	16.9 (6)	0	* *	0	* *
Dolores	7	* *	9	* *	6	* *	0	* *	0	* *
Douglas	168	63.1 (24)	159	44.7 (1)	69	* *	0	* *	0	* *
Eagle	258	86.0 (5)	225	35.1 (5)	133	15.8 (11)	0	* *	0	* *
El Paso	3,935	71.4 (18)	3,195	27.7 (10)	2,205	17.4 (5)	0	* *	0	* *
Fremont	286	71.0 (20)	240	21.3 (23)	171	16.4 (8)	0	* *	0	* *
Garfield	302	91.1 (2)	245	38.0 (3)	184	22.3 (4)	0	* *	0	* *
Grand	48	* *	28	* *	16	* *	0	* *	0	* *
Gunnison	60	* *	36	* *	30	* *	0	* *	0	* *
Huerfano	49	* *	30	* *	28	* *	0	* *	0	* *
Jackson	6	* *	6	* *	6	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Jefferson	1,841	73.4 (14)	1,584	27.0 (12)	1,240	16.9 (6)	0	* * *
Kiowa	4	* * *	4	* * *	3	* * *	0	* * *
Kit Carson	55	* * *	45	* * *	24	* * *	0	* * *
La Plata	217	88.0 (3)	156	31.4 (8)	119	23.5 (3)	0	* * *
Lake	61	* * *	47	* * *	44	* * *	0	* * *
Larimer	1,025	77.3 (12)	887	31.0 (9)	631	16.3 (9)	0	* * *
Las Animas	110	60.9 (27)	104	26.9 (13)	55	* * *	0	* * *
Lincoln	48	* * *	40	* * *	30	* * *	0	* * *
Logan	141	62.4 (25)	135	24.4 (18)	96	* * *	0	* * *
Mesa	751	81.2 (9)	607	23.1 (20)	415	14.2 (14)	0	* * *
Moffat	109	84.4 (7)	89	* * *	63	* * *	0	* * *
Montezuma	149	87.2 (4)	130	43.1 (2)	86	* * *	0	* * *
Montrose	350	79.7 (10)	259	25.5 (17)	204	10.3 (17)	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Morgan	238	60.5 (28)	223	11.2 (25)	131	6.1 (19)	0	* *	0	* *	0	* *
Otero	220	64.1 (23)	161	9.9 (26)	130	10.0 (18)	0	* *	0	* *	0	* *
Ouray	13	* *	13	* *	6	* *	0	* *	0	* *	0	* *
Park	36	* *	27	* *	19	* *	0	* *	0	* *	0	* *
Phillips	30	* *	30	* *	15	* *	0	* *	0	* *	0	* *
Pitkin	15	* *	13	* *	15	* *	0	* *	0	* *	0	* *
Prowers	140	70.0 (22)	109	22.9 (21)	90	* *	0	* *	0	* *	0	* *
Pueblo	1,398	62.2 (26)	1,210	17.8 (24)	1,030	11.0 (16)	0	* *	0	* *	0	* *
Rio Blanco	30	* *	18	* *	16	* *	0	* *	0	* *	0	* *
Rio Grande	96	* *	73	* *	79	* *	0	* *	0	* *	0	* *
Routt	49	* *	35	* *	18	* *	0	* *	0	* *	0	* *
Saguache	54	* *	55	* *	62	* *	0	* *	0	* *	0	* *
San Miguel	24	* *	15	* *	13	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Sedgwick	8	* *	2	* *	6	* *	0	* *
Summit	139	92.1 (1)	77	* *	81	* *	0	* *
Teller	86	* *	71	* *	34	* *	0	* *
Washinton	19	* *	18	* *	12	* *	0	* *
Weld	1,255	74.3 (13)	922	35.1 (5)	637	23.9 (2)	0	* *
Yuma	87	* *	65	* *	48	* *	0	* *
Unknown Counties	1,465	71.2 (19)	879	27.1 (11)	567	15.7 (12)	0	* *
Colorado	27,324	74.3	22,242	26.8	15,444	16.6	0	*
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3
							143,261	5.6
							584,732	73.3
							2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	9,003	9.0 (13)	5.0 (30)	35,203	7.0 (16)	3.5 (24)	8.8 (36)	14,665	14.5 (24)	10.3 (27)	20,334	12.3 (30)
Alamosa	847	14.4 (37)	2.1 (6)	3,327	10.8 (49)	4.2 (36)	6.6 (7)	1,337	14.0 (16)	8.5 (16)	2,061	11.4 (25)
Arapahoe	11,433	10.5 (22)	4.8 (28)	43,813	7.0 (16)	4.1 (35)	8.6 (34)	17,650	13.9 (14)	10.1 (25)	24,957	12.5 (31)
Archuleta	186	11.8 (30)	5.9 (36)	732	7.1 (18)	4.8 (42)	3.8 (2)	302	18.2 (43)	5.3 (4)	205	20.0 (48)
Baca	79	* *	* *	368	8.7 (35)	3.5 (24)	10.9 (49)	187	18.2 (43)	14.4 (44)	204	10.3 (18)
Bent	127	13.4 (35)	2.4 (8)	527	8.3 (31)	4.6 (41)	9.3 (42)	231	17.7 (41)	14.7 (45)	337	13.4 (34)
Boulder	3,164	7.3 (4)	5.9 (36)	13,761	5.9 (7)	3.2 (19)	9.8 (43)	6,197	15.4 (29)	11.8 (40)	8,299	13.9 (37)
Broomfield	404	10.6 (24)	4.7 (27)	1,655	10.7 (48)	3.9 (31)	9.1 (39)	745	15.6 (32)	11.5 (38)	916	13.9 (37)
Chaffee	176	14.8 (40)	3.4 (11)	788	12.2 (54)	3.0 (16)	6.5 (6)	335	11.6 (7)	3.6 (1)	452	2.9 (3)
Cheyenne	107	8.4 (6)	6.5 (41)	506	9.3 (39)	2.0 (4)	11.7 (52)	235	18.7 (46)	15.3 (46)	340	8.8 (15)
Clear Crk	109	17.4 (43)	3.7 (15)	417	10.3 (46)	6.2 (50)	3.4 (1)	169	14.2 (22)	5.3 (4)	206	4.4 (4)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Costilla	6	* *	* *	39	* *	* *	* *	17	* *	* *	27	* *
Crowley	53	* *	* *	280	6.4 (9)	2.5 (10)	13.6 (55)	144	13.2 (10)	16.0 (48)	183	2.7 (2)
Custer	13	* *	* *	90	* *	* *	* *	50	* *	* *	54	* *
Delta	369	8.7 (10)	4.9 (29)	1,683	9.7 (43)	3.5 (24)	10.8 (48)	778	15.7 (34)	11.6 (39)	879	11.9 (27)
Denver	10,735	10.5 (22)	4.5 (23)	28,671	9.0 (37)	3.6 (29)	8.0 (26)	5,412	14.0 (16)	9.8 (22)	15,035	11.7 (26)
Dolores	25	* *	* *	152	8.6 (34)	7.2 (53)	7.9 (25)	73	* *	* *	89	* *
Douglas	591	11.7 (29)	4.1 (19)	2,277	7.9 (28)	3.1 (17)	9.0 (38)	890	13.4 (11)	7.6 (12)	1,065	7.8 (12)
Eagle	746	8.8 (12)	3.8 (16)	2,451	7.7 (26)	3.5 (24)	10.6 (47)	884	17.1 (40)	13.8 (43)	1,374	16.5 (44)
El Paso	11,603	10.7 (25)	4.1 (19)	46,284	9.4 (40)	3.3 (20)	6.9 (10)	19,651	13.6 (12)	7.3 (10)	18,736	13.0 (32)
Fremont	846	10.0 (18)	3.8 (16)	3,417	8.4 (33)	2.2 (6)	7.3 (19)	1,477	18.1 (42)	6.3 (8)	1,901	11.2 (23)
Garfield	964	8.7 (10)	4.1 (19)	3,547	6.3 (8)	2.4 (8)	8.0 (26)	1,279	14.1 (19)	7.3 (10)	1,994	9.7 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	136	12.5 (33)	5.1 (31)	482	7.5 (24)	6.2 (50)	6.8 (9)	208	6.3 (1)	5.8 (6)	296	13.2 (33)
Gunnison	153	11.1 (27)	3.3 (10)	643	9.6 (42)	5.3 (45)	7.0 (12)	260	16.9 (39)	10.4 (30)	381	14.7 (42)
Huerfano	146	15.8 (42)	3.4 (11)	596	13.4 (55)	4.4 (40)	8.2 (30)	277	14.8 (26)	7.9 (13)	266	23.3 (50)
Jackson	19	* *	* *	93	* *	* *	* *	46	* *	* *	68	* *
Jefferson	5,476	10.2 (21)	4.5 (23)	21,225	7.8 (27)	3.9 (31)	7.1 (15)	8,543	15.6 (32)	9.6 (21)	12,607	10.9 (20)
Kiowa	13	* *	* *	66	* *	* *	* *	28	* *	* *	37	* *
Kit Carson	123	4.1 (1)	7.3 (42)	562	4.3 (3)	2.3 (7)	8.0 (26)	271	15.1 (28)	10.3 (27)	375	6.9 (8)
La Plata	590	11.2 (28)	4.2 (22)	2,151	7.3 (20)	3.3 (20)	7.4 (20)	856	16.1 (35)	8.8 (19)	1,180	12.1 (28)
Lake	185	20.0 (44)	1.6 (2)	779	8.9 (36)	7.7 (54)	7.4 (20)	359	10.6 (5)	11.4 (37)	393	12.2 (29)
Larimer	3,060	9.6 (15)	5.2 (33)	11,624	6.9 (15)	4.3 (38)	7.2 (16)	4,637	15.4 (29)	9.9 (23)	6,779	14.3 (40)
Las Animas	327	15.0 (41)	2.1 (6)	1,249	10.2 (45)	2.8 (14)	9.9 (44)	509	13.8 (13)	11.2 (34)	776	11.2 (23)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lincoln	134	9.7 (17)	6.0 (38)	550	5.3 (5)	6.2 (50)	5.6 (4)	242	7.4 (2)	5.0 (3)	317	18.3 (46)
Logan	409	8.6 (8)	5.6 (35)	1,791	7.6 (25)	2.6 (13)	10.9 (49)	797	14.8 (26)	13.2 (42)	1,176	7.1 (9)
Mesa	2,245	8.6 (8)	4.5 (23)	7,797	7.4 (23)	3.5 (24)	8.4 (31)	2,668	16.5 (38)	10.3 (27)	4,006	13.4 (34)
Moffat	285	11.9 (31)	4.6 (26)	1,035	6.5 (10)	4.0 (33)	6.9 (10)	385	12.7 (9)	8.8 (19)	585	13.5 (36)
Montezuma	425	8.5 (7)	8.0 (43)	1,827	8.3 (31)	2.9 (15)	9.1 (39)	800	13.9 (14)	10.4 (30)	1,146	7.7 (11)
Montrose	971	9.5 (14)	3.4 (11)	4,231	8.1 (30)	2.5 (10)	8.7 (35)	1,941	16.1 (35)	8.6 (17)	1,074	14.3 (40)
Morgan	769	6.6 (3)	3.9 (18)	3,475	6.8 (13)	1.4 (1)	10.9 (49)	1,617	20.2 (49)	10.9 (33)	2,212	9.2 (16)
Otero	627	12.1 (32)	1.9 (4)	3,146	7.2 (19)	2.4 (8)	8.9 (37)	1,599	15.5 (31)	10.2 (26)	2,076	5.3 (6)
Ouray	35	* *	* *	117	2.6 (1)	3.4 (23)	7.7 (24)	34	* *	* *	68	* *
Park	97	* *	* *	445	9.9 (44)	4.9 (44)	7.0 (12)	210	11.4 (6)	8.1 (14)	202	8.4 (13)
Phillips	94	* *	* *	484	6.6 (12)	2.5 (10)	10.1 (45)	241	14.5 (24)	11.2 (34)	320	4.4 (4)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)													
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pitkin	42	* *	* *	136	5.1 (4)	9.6 (55)	6.6 (7)	36	* *	* *		83	* *
Prowers	434	10.8 (26)	5.1 (31)	1,977	7.3 (20)	3.3 (20)	12.2 (53)	935	19.5 (48)	15.8 (47)		1,267	13.9 (37)
Pueblo	4,050	10.1 (19)	3.4 (11)	16,545	9.5 (41)	2.1 (5)	10.4 (46)	7,365	16.2 (37)	10.5 (32)		10,731	7.3 (10)
Rio Blanco	99	* *	* *	343	9.0 (37)	3.8 (30)	7.6 (23)	114	18.4 (45)	7.0 (9)		164	22.6 (49)
Rio Grande	303	13.9 (36)	1.3 (1)	1,305	11.5 (52)	4.8 (42)	7.2 (16)	579	11.7 (8)	8.1 (14)		881	2.5 (1)
Routt	116	14.7 (39)	6.0 (38)	359	10.9 (51)	5.6 (46)	8.4 (31)	119	10.1 (4)	17.6 (49)		180	11.1 (21)
Saguache	208	8.2 (5)	2.4 (8)	1,023	6.8 (13)	5.9 (47)	7.5 (22)	528	14.2 (22)	11.2 (34)		679	15.8 (43)
San Miguel	70	* *	* *	232	6.5 (10)	4.3 (38)	5.6 (4)	87	* *	* *		124	32.3 (51)
Sedgwick	31	* *	* *	137	5.8 (6)	1.5 (2)	13.1 (54)	56	* *	* *		86	* *
Summit	385	14.5 (38)	1.8 (3)	1,280	11.6 (53)	5.9 (47)	7.2 (16)	476	14.1 (19)	8.6 (17)		719	17.2 (45)
Teller	244	13.1 (34)	2.0 (5)	928	10.5 (47)	5.9 (47)	4.1 (3)	384	9.9 (3)	4.9 (2)		511	18.4 (47)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washinton	52	* *	* *	224	8.0 (29)	4.0 (33)	8.5 (33)	95	* *	* *		128	8.6 (14)
Weld	3,180	9.6 (15)	6.1 (40)	7,504	10.8 (49)	3.1 (17)	9.2 (41)	1,231	14.1 (19)	12.5 (41)		3,392	11.1 (21)
Yuma	256	5.1 (2)	8.2 (44)	1,179	4.2 (2)	1.5 (2)	8.1 (29)	545	19.4 (47)	6.1 (7)		739	10.3 (18)
Unknown Counties	1,682	10.1 (19)	5.2 (33)	4,587	7.3 (20)	4.2 (36)	7.0 (12)	1,515	14.0 (16)	9.9 (23)		2,531	6.0 (7)
Colorado	79,057	10.1	4.5	292,115	8.1	3.5	8.3	113,301	14.7	9.6		158,203	11.7

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	10,506	69.0 (33)	9,037	21.6 (38)	7,033	13.5 (28)	0	* *	0	* *	0	* *
Alamosa	947	68.5 (34)	825	27.8 (20)	692	14.6 (23)	0	* *	0	* *	0	* *
Arapahoe	13,351	76.8 (17)	11,735	25.7 (25)	8,758	15.0 (22)	0	* *	0	* *	0	* *
Archuleta	220	82.7 (8)	188	31.9 (15)	144	20.1 (12)	0	* *	0	* *	0	* *
Baca	97	* *	81	* *	72	* *	0	* *	0	* *	0	* *
Bent	139	67.6 (37)	128	15.6 (45)	106	9.4 (40)	0	* *	0	* *	0	* *
Boulder	3,684	82.8 (7)	3,217	38.3 (9)	2,643	26.5 (7)	0	* *	0	* *	0	* *
Broomfield	489	67.5 (38)	431	25.3 (27)	325	14.5 (25)	0	* *	0	* *	0	* *
Chaffee	215	80.9 (11)	203	28.6 (18)	161	15.5 (20)	0	* *	0	* *	0	* *
Cheyenne	124	61.3 (42)	119	26.1 (24)	102	18.6 (13)	0	* *	0	* *	0	* *
Clear Crk	135	71.9 (24)	116	24.1 (33)	107	8.4 (42)	0	* *	0	* *	0	* *
Costilla	9	* *	9	* *	9	* *	0	* *	0	* *	0	* *
Crowley	58	* *	53	* *	54	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Custer	24	* *	23	* *	21	* *	0	* *	0	* *	0	* *
Delta	471	80.0 (13)	413	34.9 (12)	365	25.8 (8)	0	* *	0	* *	0	* *
Denver	11,862	71.5 (26)	10,293	25.3 (27)	7,110	14.5 (25)	0	* *	0	* *	0	* *
Dolores	34	* *	41	* *	31	* *	0	* *	0	* *	0	* *
Douglas	718	68.4 (36)	593	42.7 (4)	445	36.9 (2)	0	* *	0	* *	0	* *
Eagle	884	84.8 (6)	707	34.9 (12)	502	18.3 (14)	0	* *	0	* *	0	* *
El Paso	14,103	69.4 (32)	12,049	26.5 (23)	9,384	15.8 (19)	0	* *	0	* *	0	* *
Fremont	981	68.5 (34)	890	21.8 (37)	703	12.9 (31)	0	* *	0	* *	0	* *
Garfield	1,195	90.5 (1)	1,013	40.0 (8)	762	23.4 (11)	0	* *	0	* *	0	* *
Grand	171	80.1 (12)	129	31.0 (16)	97	* *	0	* *	0	* *	0	* *
Gunnison	197	87.8 (2)	155	41.9 (6)	139	27.3 (6)	0	* *	0	* *	0	* *
Huerfano	160	74.4 (21)	123	22.8 (35)	119	10.9 (36)	0	* *	0	* *	0	* *
Jackson	25	* *	20	* *	18	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Jefferson	6,528	71.4 (27)	5,835	25.5 (26)	4,625	14.6 (23)	0	* *	0	* *	0	* *
Kiowa	17	* *	21	* *	15	* *	0	* *	0	* *	0	* *
Kit Carson	149	69.8 (30)	128	30.5 (17)	106	13.2 (30)	0	* *	0	* *	0	* *
La Plata	710	85.2 (5)	560	36.4 (11)	426	24.2 (9)	0	* *	0	* *	0	* *
Lake	213	49.8 (47)	183	43.2 (3)	155	45.8 (1)	0	* *	0	* *	0	* *
Larimer	3,713	77.0 (15)	3,145	28.6 (18)	2,493	16.9 (15)	0	* *	0	* *	0	* *
Las Animas	380	60.0 (43)	341	22.0 (36)	246	11.8 (35)	0	* *	0	* *	0	* *
Lincoln	153	71.9 (24)	147	24.5 (29)	118	16.1 (16)	0	* *	0	* *	0	* *
Logan	482	70.5 (29)	463	21.6 (38)	375	8.5 (41)	0	* *	0	* *	0	* *
Mesa	2,645	79.2 (14)	2,284	23.6 (34)	1,728	13.5 (28)	0	* *	0	* *	0	* *
Moffat	333	75.7 (19)	310	24.5 (29)	233	14.2 (27)	0	* *	0	* *	0	* *
Montezuma	543	85.5 (4)	481	42.0 (5)	376	30.3 (3)	0	* *	0	* *	0	* *
Montrose	1,154	74.3 (22)	1,033	27.2 (22)	878	15.5 (20)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Morgan	881	56.1 (46)	836	13.0 (46)	644	7.0 (43)	0	* *	0	* *	0	* *
Otero	695	59.9 (44)	631	16.6 (44)	581	11.9 (34)	0	* *	0	* *	0	* *
Ouray	47	* *	38	* *	25	* *	0	* *	0	* *	0	* *
Park	137	67.2 (39)	126	27.8 (20)	119	16.0 (17)	0	* *	0	* *	0	* *
Phillips	122	77.0 (15)	111	24.3 (31)	90	* *	0	* *	0	* *	0	* *
Pitkin	59	* *	55	* *	44	* *	0	* *	0	* *	0	* *
Prowers	482	71.0 (28)	457	20.1 (41)	385	10.9 (36)	0	* *	0	* *	0	* *
Pueblo	4,489	63.8 (40)	4,086	17.7 (42)	3,552	10.1 (39)	0	* *	0	* *	0	* *
Rio Blanco	136	75.7 (19)	97	* *	78	* *	0	* *	0	* *	0	* *
Rio Grande	337	58.2 (45)	310	17.4 (43)	279	10.8 (38)	0	* *	0	* *	0	* *
Routt	141	82.3 (10)	106	45.3 (2)	73	* *	0	* *	0	* *	0	* *
Saguache	232	72.4 (23)	207	33.8 (14)	188	16.0 (17)	0	* *	0	* *	0	* *
San Miguel	86	* *	67	* *	50	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Sedgwick	39	* *	35	* *	33	* *	0	* *	0	* *
Summit	452	86.5 (3)	339	48.7 (1)	295	29.8 (4)	0	* *	0	* *
Teller	304	82.6 (9)	261	36.8 (10)	194	23.7 (10)	0	* *	0	* *
Washinton	64	* *	62	* *	43	* *	0	* *	0	* *
Weld	3,687	76.8 (17)	2,768	41.4 (7)	1,803	29.2 (5)	0	* *	0	* *
Yuma	315	63.5 (41)	283	20.8 (40)	231	12.1 (33)	0	* *	0	* *
Unknown Counties	2,707	69.5 (31)	1,763	24.2 (32)	1,213	12.2 (32)	0	* *	0	* *
Colorado	93,231	72.7	80,160	26.5	61,596	16.0	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

