

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adams	12,456	19.3	1.6	75.3	0.7	1.7	1.4	0.0
Alamosa	1,021	24.3	1.4	73.2	0.6	0.3	0.3	0.0
Arapahoe	15,662	17.5	14.7	61.1	0.9	2.3	3.4	0.1
Archuleta	225	40.0	0.0	58.7	0.0	0.0	1.3	0.0
Baca	118	73.7	0.8	25.4	0.0	0.0	0.0	0.0
Bent	167	51.5	0.0	44.3	0.0	0.0	4.2	0.0
Boulder	4,519	22.9	0.9	71.5	0.7	1.6	2.5	0.0
Broomfield	573	46.6	1.0	47.3	1.0	2.3	1.7	0.0
Chaffee	225	56.9	0.0	28.4	1.3	0.0	13.3	0.0
Cheyenne	183	39.9	1.1	54.6	1.6	0.5	2.2	0.0
Clear Crk	146	80.8	0.7	13.0	1.4	1.4	2.7	0.0
Costilla	11	*	*	*	*	*	*	*
Crowley	43	*	*	*	*	*	*	*
Custer	33	*	*	*	*	*	*	*
Delta	565	44.2	0.5	48.8	0.2	0.2	6.0	0.0
Denver	9,905	8.5	21.4	64.0	1.3	2.0	2.8	0.0
Dolores	25	*	*	*	*	*	*	*
Douglas	716	51.5	3.1	39.9	0.7	0.8	3.8	0.1
Eagle	841	5.0	0.6	94.4	0.0	0.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
El Paso	15,698	41.4	9.1	39.8	0.9	1.3	7.4	0.0
Fremont	1,064	77.6	0.8	18.9	0.3	0.4	2.1	0.0
Garfield	1,177	17.0	0.3	80.8	0.7	0.1	1.1	0.0
Grand	146	47.3	0.0	47.9	0.0	0.0	4.8	0.0
Gunnison	228	48.7	0.9	46.1	0.4	0.0	3.9	0.0
Huerfano	182	26.4	1.6	66.5	0.0	0.0	5.5	0.0
Jackson	33	*	*	*	*	*	*	*
Jefferson	7,059	43.2	2.6	49.3	1.0	2.2	1.8	0.0
Kiowa	19	*	*	*	*	*	*	*
Kit Carson	213	53.1	1.9	44.1	0.0	0.0	0.9	0.0
La Plata	824	36.8	0.2	44.7	12.1	0.5	5.7	0.0
Lake	234	15.4	0.0	82.1	0.9	1.3	0.4	0.0
Larimer	4,195	47.8	1.1	47.0	0.5	0.6	3.0	0.0
Las Animas	414	26.8	1.2	70.0	0.5	0.0	1.2	0.2
Lincoln	179	75.4	3.4	20.7	0.0	0.0	0.6	0.0
Logan	614	66.4	1.0	30.6	0.5	0.0	1.5	0.0
Mesa	2,694	53.0	0.8	42.2	0.4	0.4	3.1	0.0
Moffat	432	50.5	0.5	47.7	0.2	0.0	1.2	0.0
Montezuma	648	52.5	0.0	31.5	12.8	0.5	2.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Montrose	1,498	39.4	0.1	49.2	0.9	0.7	9.7	0.0
Morgan	1,177	24.5	2.0	71.4	0.7	0.1	1.3	0.1
Otero	946	27.6	0.1	70.7	0.4	0.1	1.1	0.0
Ouray	38	*	*	*	*	*	*	*
Park	166	64.5	0.0	22.9	1.8	1.2	9.6	0.0
Phillips	167	45.5	1.2	53.3	0.0	0.0	0.0	0.0
Pitkin	57	*	*	*	*	*	*	*
Prowers	586	27.6	0.5	70.0	0.5	0.0	1.2	0.2
Pueblo	5,714	22.6	1.2	71.2	0.6	0.2	4.1	0.0
Rio Blanco	125	50.4	0.0	45.6	2.4	0.0	1.6	0.0
Rio Grande	426	20.0	0.2	78.9	0.5	0.0	0.5	0.0
Routt	159	42.1	3.1	52.8	0.0	0.0	1.9	0.0
Saguache	257	14.4	0.0	84.0	0.8	0.8	0.0	0.0
San Miguel	96	*	*	*	*	*	*	*
Sedgwick	58	*	*	*	*	*	*	*
Summit	534	17.0	0.4	80.1	0.2	0.4	1.7	0.2
Teller	303	83.2	0.3	11.9	0.3	1.7	2.6	0.0
Washinton	51	*	*	*	*	*	*	*
Weld	4,018	24.2	1.0	73.1	0.4	0.7	0.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Yuma	395	42.0	0.3	55.4	0.0	0.0	2.3	0.0
Unknown Counties	7,056	14.1	3.4	76.8	1.7	1.8	2.1	0.0
Colorado	107,314	28.3	6.4	59.6	1.0	1.4	3.3	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adams	12,456	38.2	19.7	42.1
Alamosa	1,021	37.3	20.1	42.6
Arapahoe	15,662	39.8	18.9	41.2
Archuleta	225	40.0	20.9	39.1
Baca	118	34.7	19.5	45.8
Bent	167	38.9	19.8	41.3
Boulder	4,519	35.8	19.2	45.1
Broomfield	573	40.0	16.4	43.6
Chaffee	225	42.2	16.9	40.9
Cheyenne	183	35.0	18.0	47.0
Clear Crk	146	37.0	18.5	44.5
Costilla	11	*	*	*
Crowley	43	*	*	*
Custer	33	*	*	*
Delta	565	33.8	22.8	43.4
Denver	9,905	39.0	21.7	39.3
Dolores	25	*	*	*
Douglas	716	40.9	22.1	37.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Eagle	841	44.4	21.2	34.5
El Paso	15,698	37.4	19.8	42.8
Fremont	1,064	39.8	18.5	41.7
Garfield	1,177	47.9	16.8	35.3
Grand	146	37.0	29.5	33.6
Gunnison	228	38.2	21.9	39.9
Huerfano	182	37.9	16.5	45.6
Jackson	33	*	*	*
Jefferson	7,059	38.3	21.7	40.0
Kiowa	19	*	*	*
Kit Carson	213	32.9	22.5	44.6
La Plata	824	46.0	18.3	35.7
Lake	234	39.3	18.8	41.9
Larimer	4,195	37.9	20.6	41.5
Las Animas	414	40.3	18.4	41.3
Lincoln	179	35.2	21.2	43.6
Logan	614	38.4	14.7	46.9
Mesa	2,694	44.3	19.9	35.7

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Moffat	432	43.8	18.3	38.0
Montezuma	648	33.8	21.8	44.4
Montrose	1,498	36.5	16.6	46.9
Morgan	1,177	40.9	15.5	43.6
Otero	946	35.1	16.5	48.4
Ouray	38	*	*	*
Park	166	25.9	19.3	54.8
Phillips	167	29.3	21.0	49.7
Pitkin	57	*	*	*
Prowers	586	37.4	17.6	45.1
Pueblo	5,714	33.3	22.6	44.1
Rio Blanco	125	37.6	27.2	35.2
Rio Grande	426	33.8	17.4	48.8
Routt	159	50.3	16.4	33.3
Saguache	257	28.8	23.3	47.9
San Miguel	96	*	*	*
Sedgwick	58	*	*	*
Summit	534	44.4	21.5	34.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	303	41.6	20.5	38.0
Washinton	51	*	*	*
Weld	4,018	48.1	22.7	29.2
Yuma	395	37.2	17.7	45.1
Unknown Counties	7,056	46.3	18.1	35.6
Colorado	107,314	39.2	19.9	40.8
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	3,206	9.2 (12)	5.1 (23)	12,348	7.2 (11)	3.5 (22)	8.4 (30)	5,209	15.8 (27)	9.3 (12)	7,058	13.2 (25)
Alamosa	264	12.5 (23)	2.3 (5)	1,013	11.9 (44)	4.8 (40)	6.9 (15)	438	12.8 (6)	9.6 (16)	617	13.9 (27)
Arapahoe	4,058	11.1 (21)	4.7 (21)	15,519	7.3 (13)	4.2 (34)	8.8 (32)	6,374	13.2 (10)	9.5 (13)	9,139	14.0 (28)
Archuleta	52	* *	* *	224	9.8 (40)	4.0 (30)	5.8 (8)	86	* *	* *	55	* *
Baca	26	* *	* *	114	9.6 (38)	3.5 (22)	8.8 (32)	49	* *	* *	57	* *
Bent	47	* *	* *	160	9.4 (36)	4.4 (36)	15.0 (47)	65	* *	* *	99	* *
Boulder	1,052	9.0 (11)	5.7 (27)	4,476	6.2 (4)	3.0 (16)	9.8 (40)	2,012	15.6 (25)	12.7 (30)	2,708	12.0 (22)
Broomfield	153	6.5 (3)	3.3 (11)	565	8.7 (25)	4.6 (39)	8.1 (26)	254	12.2 (4)	9.8 (18)	321	16.8 (33)
Chaffee	59	* *	* *	223	10.3 (41)	1.8 (5)	4.5 (3)	90	* *	* *	123	0.0 (1)
Cheyenne	40	* *	* *	180	10.6 (42)	4.4 (36)	12.8 (46)	85	* *	* *	119	9.2 (13)
Clear Crk	40	* *	* *	145	11.7 (43)	4.1 (32)	5.5 (7)	65	* *	* *	58	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Costilla	3	* *	* *	11	* *	* *	* *	5	* *	* *	8	* *
Crowley	6	* *	* *	43	* *	* *	* *	26	* *	* *	31	* *
Custer	8	* *	* *	32	* *	* *	* *	15	* *	* *	20	* *
Delta	135	12.6 (24)	1.5 (3)	561	6.8 (9)	3.9 (29)	9.1 (37)	244	13.1 (8)	10.2 (21)	320	11.6 (20)
Denver	2,586	10.5 (18)	4.0 (15)	9,827	7.2 (11)	3.4 (20)	8.9 (34)	3,891	13.1 (8)	10.0 (19)	6,029	10.9 (19)
Dolores	6	* *	* *	25	* *	* *	* *	10	* *	* *	7	* *
Douglas	192	13.0 (26)	3.6 (12)	708	8.6 (23)	3.7 (26)	6.5 (14)	268	13.8 (14)	6.3 (4)	324	2.5 (2)
Eagle	260	8.1 (7)	5.4 (25)	831	8.8 (27)	1.6 (3)	10.1 (42)	291	20.6 (32)	10.0 (19)	481	27.7 (37)
El Paso	3,830	10.7 (20)	3.1 (9)	15,561	9.1 (33)	3.3 (19)	5.9 (12)	6,667	13.2 (10)	6.0 (2)	7,099	15.9 (31)
Fremont	257	11.7 (22)	4.3 (18)	1,053	9.7 (39)	1.6 (3)	8.5 (31)	439	13.4 (12)	8.2 (8)	584	10.1 (15)
Garfield	367	9.5 (14)	4.4 (19)	1,160	9.1 (33)	2.2 (6)	8.9 (34)	402	13.9 (15)	9.2 (10)	613	10.4 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	34	* *	* *	139	7.9 (19)	3.6 (25)	5.8 (8)	51	* *	* *	* *	86	* *
Gunnison	60	* *	* *	225	6.7 (7)	4.0 (30)	5.8 (8)	89	* *	* *	* *	126	12.7 (23)
Huerfano	36	* *	* *	181	7.7 (16)	2.8 (13)	7.7 (22)	83	* *	* *	* *	94	* *
Jackson	5	* *	* *	32	* *	* *	* *	17	* *	* *	* *	14	* *
Jefferson	1,893	9.2 (12)	3.9 (13)	6,996	8.1 (21)	3.4 (20)	7.6 (20)	2,824	16.8 (29)	10.7 (23)		4,034	9.6 (14)
Kiowa	5	* *	* *	19	* *	* *	* *	9	* *	* *	* *	12	* *
Kit Carson	44	* *	* *	211	6.6 (6)	2.4 (9)	8.1 (26)	97	* *	* *	* *	135	3.7 (3)
La Plata	248	10.1 (16)	2.4 (7)	820	8.9 (29)	3.8 (28)	7.3 (18)	294	15.3 (20)	10.2 (21)		411	15.1 (29)
Lake	67	* *	* *	231	9.5 (37)	9.5 (48)	5.2 (6)	99	* *	* *	* *	96	* *
Larimer	1,088	7.7 (5)	5.4 (25)	4,155	7.8 (18)	3.5 (22)	8.3 (29)	1,723	15.3 (20)	11.1 (26)		2,352	12.8 (24)
Las Animas	108	16.7 (28)	0.0 (1)	410	9.0 (31)	2.9 (15)	7.6 (20)	169	15.4 (22)	9.5 (13)		251	18.7 (35)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lincoln	44	* *	* *	175	13.7 (47)	5.7 (43)	4.0 (2)	76	* *	* *	98	* *	
Logan	147	6.1 (2)	2.0 (4)	611	9.3 (35)	2.5 (11)	11.6 (44)	282	16.7 (28)	14.2 (31)	376	15.4 (30)	
Mesa	762	7.7 (5)	4.2 (16)	2,674	7.7 (16)	2.8 (13)	9.1 (37)	952	15.0 (17)	11.4 (27)	1,240	13.2 (25)	
Moffat	127	12.6 (24)	3.9 (13)	432	8.8 (27)	6.3 (45)	5.8 (8)	163	12.9 (7)	9.2 (10)	247	10.5 (18)	
Montezuma	160	5.6 (1)	1.3 (2)	641	7.6 (15)	2.3 (8)	7.8 (24)	287	15.0 (17)	7.0 (5)	369	7.3 (7)	
Montrose	357	9.5 (14)	4.8 (22)	1,475	6.7 (7)	2.2 (6)	7.7 (22)	685	13.4 (12)	6.1 (3)	286	16.1 (32)	
Morgan	327	8.3 (8)	3.1 (9)	1,172	6.1 (3)	1.4 (2)	11.6 (44)	516	19.0 (30)	9.5 (13)	643	9.0 (10)	
Otero	217	8.8 (10)	2.3 (5)	930	7.4 (14)	2.4 (9)	9.0 (36)	449	12.5 (5)	12.0 (29)	600	9.0 (10)	
Ouray	5	* *	* *	38	* *	* *	* *	17	* *	* *	22	* *	
Park	26	* *	* *	163	12.3 (46)	7.4 (47)	4.9 (5)	85	* *	* *	75	* *	
Phillips	28	* *	* *	164	7.9 (19)	4.3 (35)	15.2 (48)	78	* *	* *	108	8.3 (9)	

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pitkin	15	* *	* *	57	* *	* *	* *	22	* *	* *		39	* *
Prowers	151	10.6 (19)	6.0 (28)	580	6.4 (5)	3.1 (17)	9.5 (39)	267	15.4 (22)	16.9 (32)		348	10.3 (16)
Pueblo	1,386	8.7 (9)	4.2 (16)	5,665	8.7 (25)	2.6 (12)	10.4 (43)	2,519	14.2 (16)	10.7 (23)		3,550	7.4 (8)
Rio Blanco	36	* *	* *	123	5.7 (2)	4.1 (32)	8.1 (26)	46	* *	* *		68	* *
Rio Grande	88	* *	* *	423	9.0 (31)	4.5 (38)	6.9 (15)	206	12.1 (3)	10.7 (23)		265	3.8 (4)
Routt	48	* *	* *	157	8.3 (22)	6.4 (46)	4.5 (3)	52	* *	* *		92	* *
Saguache	46	* *	* *	255	8.6 (23)	5.1 (42)	6.3 (13)	121	15.7 (26)	7.4 (6)		183	16.9 (34)
San Miguel	36	* *	* *	94	* *	* *	* *	35	* *	* *		38	* *
Sedgwick	11	* *	* *	58	* *	* *	* *	30	* *	* *		42	* *
Summit	165	13.3 (27)	2.4 (7)	526	12.0 (45)	6.1 (44)	7.2 (17)	181	8.3 (1)	8.3 (9)		337	22.0 (36)
Teller	90	* *	* *	300	15.0 (48)	5.0 (41)	3.7 (1)	113	9.7 (2)	2.7 (1)		181	11.6 (20)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washinton	9	* *	* *	51	* *	* *	* *	24	* *	* *		32	* *
Weld	1,357	6.9 (4)	4.6 (20)	3,980	8.9 (29)	3.1 (17)	9.8 (40)	1,154	15.0 (17)	11.4 (27)		2,217	9.1 (12)
Yuma	86	* *	* *	393	2.3 (1)	1.3 (1)	7.9 (25)	180	20.0 (31)	7.8 (7)		246	4.5 (5)
Unknown Counties	2,323	10.3 (17)	5.2 (24)	7,007	6.8 (9)	3.7 (26)	7.5 (19)	2,496	15.4 (22)	9.7 (17)		3,775	5.0 (6)
Colorado	28,282	9.8	4.2	106,342	7.9	3.5	8.2	43,476	14.4	9.4		58,958	11.9
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9		4,759,588	15.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B
2008 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	3,208	71.4 (20)	2,712	25.0 (20)	2,042	12.8 (19)	0	* * *	0	* * *	0	* * *
Alamosa	264	73.9 (15)	193	27.5 (16)	185	16.8 (11)	0	* * *	0	* * *	0	* * *
Arapahoe	4,062	79.7 (10)	3,477	28.1 (14)	2,533	16.6 (14)	0	* * *	0	* * *	0	* * *
Archuleta	52	* * *	49	* * *	47	* * *	0	* * *	0	* * *	0	* * *
Baca	26	* * *	23	* * *	21	* * *	0	* * *	0	* * *	0	* * *
Bent	47	* * *	28	* * *	23	* * *	0	* * *	0	* * *	0	* * *
Boulder	1,053	87.6 (6)	868	41.9 (5)	707	25.2 (3)	0	* * *	0	* * *	0	* * *
Broomfield	153	76.5 (13)	114	32.5 (8)	70	* * *	0	* * *	0	* * *	0	* * *
Chaffee	59	* * *	52	* * *	36	* * *	0	* * *	0	* * *	0	* * *
Cheyenne	40	* * *	44	* * *	29	* * *	0	* * *	0	* * *	0	* * *
Clear Crk	40	* * *	28	* * *	21	* * *	0	* * *	0	* * *	0	* * *
Costilla	3	* * *	3	* * *	3	* * *	0	* * *	0	* * *	0	* * *
Crowley	6	* * *	8	* * *	6	* * *	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Custer	8	* *	11 * *	5 * *	0 * *	0 * *	0	* *	0	* *
Delta	135	83.0 (8)	118 22.9 (23)	112 21.4 (6)	0 * *	0 * *	0	* *	0	* *
Denver	2,588	74.1 (14)	2,110 26.8 (17)	1,679 13.9 (18)	0 * *	0 * *	0	* *	0	* *
Dolores	6	* *	7 * *	5 * *	0 * *	0 * *	0	* *	0	* *
Douglas	192	70.3 (21)	136 44.9 (2)	110 33.6 (1)	0 * *	0 * *	0	* *	0	* *
Eagle	261	91.6 (2)	181 45.3 (1)	162 22.2 (5)	0 * *	0 * *	0	* *	0	* *
El Paso	3,832	73.2 (18)	3,317 29.0 (12)	2,406 16.7 (13)	0 * *	0 * *	0	* *	0	* *
Fremont	257	68.9 (22)	234 26.5 (18)	183 17.5 (9)	0 * *	0 * *	0	* *	0	* *
Garfield	367	91.0 (3)	274 43.8 (3)	168 26.8 (2)	0 * *	0 * *	0	* *	0	* *
Grand	34	* *	25 * *	31 * *	0 * *	0 * *	0	* *	0	* *
Gunnison	60	* *	45 * *	47 * *	0 * *	0 * *	0	* *	0	* *
Huerfano	36	* *	51 * *	27 * *	0 * *	0 * *	0	* *	0	* *
Jackson	5	* *	7 * *	9 * *	0 * *	0 * *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Jefferson	1,894	73.6 (16)	1,659	28.6 (13)	1,297	16.8 (11)	0	* * *
Kiowa	5	* * *	3	* * *	1	* * *	0	* * *
Kit Carson	45	* * *	39	* * *	42	* * *	0	* * *
La Plata	248	87.9 (5)	198	36.9 (7)	129	20.2 (7)	0	* * *
Lake	67	* * *	56	* * *	43	* * *	0	* * *
Larimer	1,089	78.1 (11)	896	31.6 (9)	698	19.5 (8)	0	* * *
Las Animas	108	57.4 (28)	97	* * *	73	* * *	0	* * *
Lincoln	44	* * *	30	* * *	35	* * *	0	* * *
Logan	147	68.7 (23)	132	16.7 (26)	77	* * *	0	* * *
Mesa	764	80.2 (9)	653	25.0 (20)	440	15.5 (15)	0	* * *
Moffat	127	83.5 (7)	104	27.9 (15)	60	* * *	0	* * *
Montezuma	160	88.1 (4)	125	42.4 (4)	113	23.9 (4)	0	* * *
Montrose	357	73.1 (19)	292	29.8 (11)	221	14.9 (17)	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Morgan	327	57.8 (27)	269	11.2 (27)	165	7.3 (22)	0	* * *	0	* * *	0	* * *
Otero	217	62.7 (25)	183	24.0 (22)	146	11.0 (20)	0	* * *	0	* * *	0	* * *
Ouray	5	* * *	6	* * *	12	* * *	0	* * *	0	* * *	0	* * *
Park	26	* * *	26	* * *	22	* * *	0	* * *	0	* * *	0	* * *
Phillips	28	* * *	28	* * *	22	* * *	0	* * *	0	* * *	0	* * *
Pitkin	15	* * *	10	* * *	8	* * *	0	* * *	0	* * *	0	* * *
Prowers	152	67.8 (24)	120	18.3 (25)	82	* * *	0	* * *	0	* * *	0	* * *
Pueblo	1,387	62.4 (26)	1,193	18.7 (24)	1,146	9.6 (21)	0	* * *	0	* * *	0	* * *
Rio Blanco	36	* * *	20	* * *	19	* * *	0	* * *	0	* * *	0	* * *
Rio Grande	88	* * *	92	* * *	61	* * *	0	* * *	0	* * *	0	* * *
Routt	48	* * *	40	* * *	32	* * *	0	* * *	0	* * *	0	* * *
Saguache	46	* * *	49	* * *	46	* * *	0	* * *	0	* * *	0	* * *
San Miguel	36	* * *	24	* * *	7	* * *	0	* * *	0	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)
Sedgwick	11	* *	11	* *	12	* *	0	* *	0	* *
Summit	165	94.5 (1)	120	39.2 (6)	82	* *	0	* *	0	* *
Teller	90	* *	59	* *	53	* *	0	* *	0	* *
Washinton	9	* *	10	* *	9	* *	0	* *	0	* *
Weld	1,358	73.3 (17)	1,102	29.9 (10)	831	17.4 (10)	0	* *	0	* *
Yuma	86	* *	82	* *	72	* *	0	* *	0	* *
Unknown Counties	2,325	76.9 (12)	1,718	25.3 (19)	1,057	15.4 (16)	0	* *	0	* *
Colorado	28,304	75.3	23,561	28.1	17,780	16.1	0	*	0	*
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2
							687,613	75.0	3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	9,334	9.2 (14)	5.0 (33)	36,001	7.1 (13)	3.7 (29)	8.4 (33)	15,034	14.9 (29)	10.0 (29)	20,925	13.2 (30)
Alamosa	840	13.0 (36)	2.3 (5)	3,210	10.9 (51)	4.4 (39)	6.9 (17)	1,306	12.7 (11)	9.5 (25)	1,954	12.6 (27)
Arapahoe	11,856	10.7 (27)	4.6 (28)	45,085	7.1 (13)	4.2 (36)	8.5 (36)	18,231	13.5 (15)	9.6 (26)	26,085	13.6 (34)
Archuleta	171	8.2 (9)	3.5 (13)	693	7.8 (22)	4.2 (36)	4.0 (1)	277	16.6 (41)	4.3 (2)	171	22.8 (48)
Baca	80	* *	* *	352	10.8 (50)	3.4 (23)	10.8 (46)	167	18.6 (46)	16.2 (46)	194	13.4 (33)
Bent	126	12.7 (35)	2.4 (7)	506	8.7 (35)	4.3 (38)	11.7 (51)	214	19.6 (48)	14.5 (45)	318	14.5 (42)
Boulder	3,175	7.8 (5)	6.0 (39)	13,578	5.8 (6)	3.3 (21)	9.8 (43)	6,122	15.8 (36)	12.4 (40)	8,302	14.0 (37)
Broomfield	439	10.0 (22)	4.6 (28)	1,680	10.2 (44)	3.9 (32)	9.3 (42)	744	13.8 (20)	11.4 (38)	945	12.8 (29)
Chaffee	178	15.7 (41)	3.9 (21)	727	11.7 (52)	2.9 (15)	6.3 (12)	293	10.2 (3)	3.8 (1)	407	2.5 (2)
Cheyenne	114	9.6 (17)	7.0 (43)	514	10.5 (47)	2.9 (15)	12.6 (54)	234	16.7 (42)	17.1 (48)	343	9.0 (12)
Clear Crk	118	11.9 (33)	3.4 (12)	444	10.4 (46)	5.4 (46)	4.5 (3)	194	13.9 (21)	6.2 (6)	204	3.4 (3)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Obese ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Costilla	6	* *	* *	36	* *	* *	* *	15	* *	* *	26	* *
Crowley	36	* *	* *	214	7.0 (10)	2.3 (6)	16.8 (55)	118	11.9 (7)	17.8 (49)	148	4.7 (4)
Custer	16	* *	* *	92	* *	* *	* *	50	* *	* *	55	* *
Delta	399	9.0 (12)	3.8 (17)	1,661	8.5 (32)	3.7 (29)	10.3 (44)	740	14.6 (27)	11.2 (37)	910	12.6 (27)
Denver	9,559	10.3 (25)	4.5 (26)	30,567	8.1 (27)	3.5 (27)	8.5 (36)	9,127	13.7 (17)	10.0 (29)	17,562	12.5 (25)
Dolores	21	* *	* *	123	9.8 (42)	7.3 (53)	7.3 (21)	58	* *	* *	63	* *
Douglas	539	14.3 (37)	4.1 (22)	2,059	7.7 (21)	3.4 (23)	7.4 (23)	789	12.2 (8)	7.0 (11)	953	4.9 (5)
Eagle	786	8.7 (11)	3.8 (17)	2,555	8.0 (26)	2.8 (13)	10.8 (46)	901	18.1 (45)	13.3 (42)	1,433	22.9 (49)
El Paso	11,630	10.7 (27)	3.7 (16)	46,625	9.4 (38)	3.3 (21)	6.7 (15)	19,768	13.7 (17)	7.0 (11)	20,044	14.6 (44)
Fremont	821	11.0 (29)	3.3 (10)	3,327	8.8 (36)	2.2 (5)	7.6 (26)	1,415	16.2 (39)	6.4 (8)	1,857	11.2 (22)
Garfield	988	9.3 (16)	4.3 (23)	3,490	7.0 (10)	2.5 (10)	8.4 (33)	1,247	14.4 (25)	8.3 (17)	1,935	9.7 (16)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	132	9.8 (20)	3.8 (17)	469	7.5 (19)	5.8 (49)	6.0 (8)	192	6.8 (1)	6.8 (9)	280	11.1 (21)
Gunnison	161	14.9 (38)	4.3 (23)	639	8.1 (27)	5.2 (45)	5.9 (7)	252	13.1 (14)	8.7 (18)	361	14.1 (39)
Huerfano	132	18.2 (43)	6.8 (42)	561	12.5 (55)	3.4 (23)	7.1 (19)	260	16.5 (40)	6.2 (6)	281	25.6 (50)
Jackson	21	* *	* *	96	* *	* *	* *	46	* *	* *	60	* *
Jefferson	5,600	9.8 (20)	4.3 (23)	21,074	7.9 (24)	3.8 (31)	7.1 (19)	8,400	15.9 (38)	9.6 (26)	12,363	10.6 (19)
Kiowa	14	* *	* *	61	* *	* *	* *	29	* *	* *	39	* *
Kit Carson	136	4.4 (1)	5.9 (38)	591	5.4 (4)	2.0 (3)	7.6 (26)	279	14.0 (22)	9.3 (23)	382	5.5 (7)
La Plata	653	11.2 (30)	3.5 (13)	2,249	8.3 (31)	3.6 (28)	7.4 (23)	847	15.5 (34)	9.1 (22)	1,192	13.3 (32)
Lake	192	19.8 (44)	1.0 (1)	717	8.9 (37)	8.4 (55)	5.7 (6)	312	11.2 (5)	9.0 (20)	327	14.4 (41)
Larimer	3,162	9.0 (12)	5.6 (36)	12,121	7.2 (15)	4.1 (35)	7.6 (26)	4,896	15.7 (35)	10.6 (34)	7,136	14.0 (37)
Las Animas	332	16.0 (42)	1.2 (2)	1,246	9.9 (43)	2.8 (13)	8.4 (33)	506	14.2 (24)	10.3 (32)	767	14.5 (42)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lincoln	134	9.7 (19)	6.0 (39)	537	8.2 (30)	6.1 (51)	5.2 (4)	236	8.1 (2)	4.7 (3)		306	13.7 (35)
Logan	436	8.3 (10)	4.6 (28)	1,832	8.6 (34)	2.5 (10)	11.2 (49)	818	15.0 (31)	13.8 (43)		1,172	11.0 (20)
Mesa	2,229	7.9 (6)	4.5 (26)	7,848	7.4 (18)	3.2 (19)	8.9 (39)	2,757	15.8 (36)	11.1 (36)		3,911	13.7 (35)
Moffat	327	12.2 (34)	4.6 (28)	1,132	7.9 (24)	4.9 (42)	6.3 (12)	431	12.8 (13)	7.9 (14)		638	12.4 (24)
Montezuma	442	7.2 (3)	6.3 (41)	1,848	8.1 (27)	2.4 (8)	7.6 (26)	809	14.1 (23)	8.2 (16)		1,122	6.6 (9)
Montrose	1,017	9.6 (17)	3.8 (17)	4,294	7.8 (22)	2.4 (8)	8.2 (32)	1,968	15.4 (33)	7.1 (13)		966	14.1 (39)
Morgan	824	7.6 (4)	3.3 (10)	3,425	6.9 (8)	1.3 (2)	11.1 (48)	1,581	19.7 (49)	10.1 (31)		2,051	9.3 (15)
Otero	639	9.2 (14)	2.2 (4)	3,005	6.9 (8)	2.5 (10)	8.7 (38)	1,520	13.6 (16)	10.6 (34)		1,983	7.7 (11)
Ouray	32	* *	* *	119	3.4 (3)	5.0 (43)	6.7 (15)	37	* *	* *		65	* *
Park	90	* *	* *	466	10.5 (47)	5.6 (48)	6.0 (8)	234	13.7 (17)	6.8 (9)		211	11.4 (23)
Phillips	89	* *	* *	481	7.5 (19)	3.1 (18)	12.1 (52)	238	14.7 (28)	13.0 (41)		316	6.3 (8)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Pitkin	45	* *	* *	143	2.8 (1)	7.7 (54)	6.3 (12)	41	* *	* *	91	* *
Prowers	440	10.5 (26)	5.2 (34)	1,829	7.3 (16)	3.4 (23)	11.4 (50)	845	16.8 (43)	16.4 (47)	1,162	13.2 (30)
Pueblo	4,166	10.0 (22)	3.6 (15)	16,684	9.5 (39)	2.3 (6)	10.3 (44)	7,365	15.0 (31)	10.5 (33)	10,627	7.6 (10)
Rio Blanco	98	* *	* *	341	8.5 (32)	4.4 (39)	9.1 (40)	112	12.5 (10)	8.0 (15)	160	20.6 (47)
Rio Grande	290	11.4 (31)	2.8 (9)	1,309	10.5 (47)	4.7 (41)	7.6 (26)	611	11.3 (6)	9.3 (23)	875	2.3 (1)
Routt	130	11.5 (32)	4.6 (28)	407	10.3 (45)	6.4 (52)	7.4 (23)	137	12.4 (9)	13.9 (44)	218	9.2 (14)
Saguache	191	7.9 (6)	1.6 (3)	903	7.3 (16)	5.8 (49)	6.2 (11)	433	17.3 (44)	8.8 (19)	593	18.4 (46)
San Miguel	83	* *	* *	255	6.7 (7)	3.9 (32)	5.5 (5)	99	* *	* *	126	32.5 (51)
Sedgwick	28	* *	* *	141	5.7 (5)	2.1 (4)	12.1 (52)	66	* *	* *	92	* *
Summit	436	15.6 (40)	2.3 (5)	1,428	12.3 (54)	5.1 (44)	7.6 (26)	521	12.7 (11)	9.0 (20)	881	17.5 (45)
Teller	247	15.0 (39)	2.4 (7)	919	12.1 (53)	5.5 (47)	4.1 (2)	366	10.4 (4)	4.9 (4)	530	12.5 (25)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washinton	46	* *	* *	200	9.5 (39)	3.0 (17)	6.0 (8)	81	* *	* *		122	9.0 (12)
Weld	3,755	8.1 (8)	5.6 (36)	9,610	9.5 (39)	3.2 (19)	9.1 (40)	2,118	14.4 (25)	11.5 (39)		4,830	9.7 (16)
Yuma	249	4.4 (1)	7.6 (44)	1,142	3.2 (2)	1.1 (1)	7.0 (18)	523	19.5 (47)	5.9 (5)		717	9.9 (18)
Unknown Counties	3,993	10.2 (24)	5.2 (34)	11,578	7.0 (10)	3.9 (32)	7.3 (21)	4,009	14.9 (29)	9.8 (28)		6,302	5.4 (6)
Colorado	82,223	10.0	4.5	305,239	8.0	3.5	8.2	121,019	14.5	9.5		168,089	12.2

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams	10,841	69.6 (33)	9,445	21.9 (38)	7,515	12.0 (34)	0	* *	0	* *	0	* *
Alamosa	928	71.1 (28)	770	27.8 (20)	691	18.1 (13)	0	* *	0	* *	0	* *
Arapahoe	13,954	77.7 (18)	12,241	26.4 (25)	9,459	14.8 (22)	0	* *	0	* *	0	* *
Archuleta	214	87.4 (3)	194	27.8 (20)	149	12.8 (33)	0	* *	0	* *	0	* *
Baca	99	* *	83	* *	79	* *	0	* *	0	* *	0	* *
Bent	138	67.4 (39)	107	15.0 (46)	101	7.9 (42)	0	* *	0	* *	0	* *
Boulder	3,655	84.0 (8)	3,205	38.6 (8)	2,672	23.7 (7)	0	* *	0	* *	0	* *
Broomfield	534	71.0 (29)	453	25.6 (30)	348	14.9 (21)	0	* *	0	* *	0	* *
Chaffee	218	79.4 (12)	204	27.5 (22)	159	15.1 (20)	0	* *	0	* *	0	* *
Cheyenne	139	64.0 (41)	131	18.3 (43)	114	10.5 (37)	0	* *	0	* *	0	* *
Clear Crk	140	70.0 (32)	117	23.9 (36)	103	6.8 (44)	0	* *	0	* *	0	* *
Costilla	5	* *	8	* *	9	* *	0	* *	0	* *	0	* *
Crowley	40	* *	42	* *	41	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Custer	25	* *	23	* *	20	* *	0	* *	0	* *
Delta	490	80.8 (10)	422	32.0 (13)	363	24.2 (4)	0	* *	0	* *
Denver	10,293	72.3 (23)	9,286	25.2 (32)	7,065	13.5 (31)	0	* *	0	* *
Dolores	32	* *	30	* *	23	* *	0	* *	0	* *
Douglas	697	67.9 (36)	597	39.5 (7)	443	33.2 (2)	0	* *	0	* *
Eagle	933	86.6 (5)	752	36.8 (10)	552	18.1 (13)	0	* *	0	* *
El Paso	14,219	70.5 (31)	12,329	26.4 (25)	9,841	14.6 (23)	0	* *	0	* *
Fremont	953	70.7 (30)	880	23.0 (37)	712	14.2 (28)	0	* *	0	* *
Garfield	1,262	88.7 (2)	1,008	39.9 (5)	729	23.7 (7)	0	* *	0	* *
Grand	166	78.3 (15)	127	28.3 (19)	109	21.1 (11)	0	* *	0	* *
Gunnison	202	87.1 (4)	173	41.0 (4)	159	24.5 (3)	0	* *	0	* *
Huerfano	152	72.4 (22)	144	19.4 (39)	110	11.8 (35)	0	* *	0	* *
Jackson	26	* *	24	* *	22	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Jefferson	6,580	72.0 (25)	5,850 26.2 (28)	4,696 14.6 (23)	0 * *	0 * *	0 * *	0 * *	0 * *	
Kiowa	17	* *	13 * *	12 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Kit Carson	163	66.3 (40)	138 29.7 (16)	125 15.2 (19)	0 * *	0 * *	0 * *	0 * *	0 * *	
La Plata	780	86.3 (6)	655 36.5 (11)	483 21.5 (9)	0 * *	0 * *	0 * *	0 * *	0 * *	
Lake	234	47.9 (47)	188 39.9 (5)	154 42.9 (1)	0 * *	0 * *	0 * *	0 * *	0 * *	
Larimer	3,859	77.1 (19)	3,363 28.6 (18)	2,690 16.0 (17)	0 * *	0 * *	0 * *	0 * *	0 * *	
Las Animas	373	57.6 (44)	349 27.5 (22)	257 16.7 (16)	0 * *	0 * *	0 * *	0 * *	0 * *	
Lincoln	145	77.9 (17)	137 29.9 (15)	123 13.8 (30)	0 * *	0 * *	0 * *	0 * *	0 * *	
Logan	507	68.4 (34)	466 19.3 (40)	341 8.8 (41)	0 * *	0 * *	0 * *	0 * *	0 * *	
Mesa	2,698	78.9 (13)	2,325 24.3 (34)	1,722 13.9 (29)	0 * *	0 * *	0 * *	0 * *	0 * *	
Moffat	382	78.3 (15)	319 26.3 (27)	227 15.4 (18)	0 * *	0 * *	0 * *	0 * *	0 * *	
Montezuma	569	85.1 (7)	498 41.2 (3)	426 24.2 (4)	0 * *	0 * *	0 * *	0 * *	0 * *	
Montrose	1,190	72.8 (20)	1,056 25.7 (29)	883 14.6 (23)	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Morgan	957	56.4 (45)	863	11.4 (47)	635	7.1 (43)	0	* * *
Otero	699	60.2 (43)	610	18.0 (44)	539	10.8 (36)	0	* * *
Ouray	42	* * *	41	* * *	34	* * *	0	* * *
Park	132	71.2 (27)	125	28.8 (17)	112	14.3 (27)	0	* * *
Phillips	124	71.8 (26)	117	25.6 (30)	96	* * *	0	* * *
Pitkin	61	* * *	54	* * *	48	* * *	0	* * *
Prowers	499	67.9 (36)	421	18.8 (41)	358	10.3 (38)	0	* * *
Pueblo	4,632	63.2 (42)	4,181	18.0 (44)	3,704	10.0 (39)	0	* * *
Rio Blanco	140	78.6 (14)	101	26.7 (24)	87	* * *	0	* * *
Rio Grande	323	56.3 (46)	307	18.6 (42)	256	14.5 (26)	0	* * *
Routt	166	80.7 (11)	132	41.7 (2)	95	* * *	0	* * *
Saguache	223	68.2 (35)	201	30.3 (14)	177	17.5 (15)	0	* * *
San Miguel	96	* * *	70	* * *	47	* * *	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)
Sedgwick	39	* *	40	* *	39	* *	0	* *	0	* *
Summit	514	89.7 (1)	394	43.9 (1)	308	24.0 (6)	0	* *	0	* *
Teller	295	83.4 (9)	275	37.5 (9)	207	19.8 (12)	0	* *	0	* *
Washinton	58	* *	61	* *	53	* *	0	* *	0	* *
Weld	4,379	72.2 (24)	3,484	32.6 (12)	2,505	21.4 (10)	0	* *	0	* *
Yuma	307	67.8 (38)	296	24.7 (33)	251	10.0 (39)	0	* *	0	* *
Unknown Counties	5,467	72.8 (20)	4,013	24.3 (34)	2,785	13.1 (32)	0	* *	0	* *
Colorado	97,005	73.2	83,938	26.4	66,063	15.0	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

