

**Table 4F**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Local Agency</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Alamosa	229	26.2	0.0	57.6	0.0	0.0	0.0	16.2
Baca	131	61.1	0.8	22.9	0.8	0.0	2.3	12.2
Bent	212	46.7	1.9	38.7	0.5	0.0	1.4	10.8
Boulder	4,686	20.4	0.8	62.2	0.5	1.4	1.3	13.4
Broomfield	546	42.7	0.9	35.5	1.1	5.1	1.6	13.0
Clear Crk	121	69.4	0.8	15.7	0.0	0.0	4.1	9.9
Delta	587	44.0	0.2	39.0	0.3	0.5	2.4	13.6
Denver	8,014	7.4	12.1	63.3	0.8	1.5	1.5	13.3
Dolores	56	*	*	*	*	*	*	*
Eagle	741	5.3	0.5	81.0	0.3	0.0	0.4	12.6
El Paso	15,341	38.1	8.6	31.6	0.5	1.2	4.4	15.6
Garfield	1,229	17.9	0.0	65.8	0.4	0.0	0.6	15.3
Grand	155	43.9	1.3	34.8	0.6	0.0	3.9	15.5
Gunnison	230	56.5	0.4	28.3	0.4	0.9	2.6	10.9
Jackson	30	*	*	*	*	*	*	*
Jefferson	7,210	37.6	2.1	42.6	0.9	2.1	0.8	13.9
Kit Carson	357	42.9	0.8	38.1	0.8	0.3	1.4	15.7
Larimer	3,709	44.3	1.2	39.8	0.3	0.5	1.3	12.8
Las Animas	644	25.0	0.5	59.2	0.8	0.6	2.6	11.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4F**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Local Agency</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Lincoln	190	65.8	4.7	13.2	0.5	0.0	2.1	13.7
Mesa	2,645	53.6	0.9	31.5	0.6	1.1	1.0	11.3
Montezuma	629	48.2	0.5	25.8	14.3	0.2	0.8	10.3
Montrose	1,431	37.4	0.4	42.5	0.8	0.3	1.5	17.1
NECHD	2,543	34.3	0.2	51.3	0.2	0.1	0.9	12.9
NWVNA	449	51.2	0.4	38.1	0.9	0.0	1.3	8.0
Otero	1,194	31.0	0.3	53.8	0.2	0.0	0.9	13.8
Ouray	36	*	*	*	*	*	*	*
Park	147	59.9	1.4	17.7	2.0	0.0	8.8	10.2
Pitkin	50	*	*	*	*	*	*	*
Prowers	741	25.0	0.8	63.6	0.0	0.0	0.7	10.0
Pueblo	5,560	22.1	1.2	62.6	0.4	0.2	1.4	12.1
Rio Blanco	126	73.8	0.0	15.9	0.0	0.0	0.0	10.3
Saguache	54	*	*	*	*	*	*	*
San Juan	990	39.7	0.2	33.2	8.4	0.2	2.2	16.1
San Miguel	71	*	*	*	*	*	*	*
Summit	393	17.0	0.0	68.7	0.0	0.3	0.8	13.2
Sunrise	1,910	17.4	0.4	64.9	0.2	0.3	1.2	15.5
TCHD	26,988	17.7	6.9	57.6	0.6	1.9	1.3	14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4F**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by Local Agency</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Teller	315	73.7	1.6	7.6	0.3	0.6	2.9	13.3
UAACOG	1,765	63.9	0.9	19.3	0.3	0.1	1.8	13.7
VWHS	1,671	17.8	0.2	67.7	0.8	0.3	0.7	12.5
Unknown Local Agen	16	*	*	*	*	*	*	*
<b>Colorado</b>	<b>94,142</b>	<b>27.7</b>	<b>4.9</b>	<b>49.8</b>	<b>0.7</b>	<b>1.2</b>	<b>1.8</b>	<b>13.9</b>
<b>Nation (Prior Year)</b>	<b>6,948,667</b>	<b>35.6</b>	<b>20.3</b>	<b>37.1</b>	<b>1.2</b>	<b>2.9</b>	<b>0.1</b>	<b>2.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5F**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Local Agency</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Alamosa	229	29.7	17.5	52.8
Baca	131	29.0	17.6	53.4
Bent	212	40.1	17.5	42.5
Boulder	4,686	36.0	18.7	45.3
Broomfield	546	37.0	16.8	46.2
Clear Crk	121	40.5	26.4	33.1
Delta	587	31.5	19.9	48.6
Denver	8,014	72.1	25.7	2.2
Dolores	56	*	*	*
Eagle	741	43.2	18.9	37.9
El Paso	15,341	38.4	18.6	43.0
Garfield	1,229	47.3	16.3	36.5
Grand	155	34.8	20.6	44.5
Gunnison	230	37.0	21.3	41.7
Jackson	30	*	*	*
Jefferson	7,210	38.3	20.4	41.2
Kit Carson	357	33.6	17.1	49.3
Larimer	3,709	40.6	19.5	40.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5F**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Local Agency</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Las Animas	644	38.2	17.7	44.1
Lincoln	190	37.9	16.8	45.3
Mesa	2,645	46.4	20.5	33.2
Montezuma	629	34.0	21.6	44.4
Montrose	1,431	35.6	17.6	46.8
NECHD	2,543	36.5	17.3	46.2
NWVNA	449	45.7	20.0	34.3
Otero	1,194	31.2	18.3	50.4
Ouray	36	*	*	*
Park	147	35.4	21.8	42.9
Pitkin	50	*	*	*
Prowers	741	32.7	18.4	49.0
Pueblo	5,560	33.5	20.8	45.6
Rio Blanco	126	42.9	19.0	38.1
Saguache	54	*	*	*
San Juan	990	41.7	16.2	42.1
San Miguel	71	*	*	*
Summit	393	45.5	19.3	35.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5F**  
**2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by Local Agency</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Sunrise	1,910	68.5	17.2	14.3
TCHD	26,988	40.4	18.4	41.2
Teller	315	41.0	17.5	41.6
UAACOG	1,765	35.8	18.9	45.3
VWHS	1,671	37.3	19.4	43.3
Unknown Local Agen	16	*	*	*
<b>Colorado</b>	<b>94,142</b>	<b>42.2</b>	<b>19.4</b>	<b>38.4</b>
<b>Nation (Prior Year)</b>	<b>6,948,667</b>	<b>35.4</b>	<b>22.2</b>	<b>42.4</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alamosa	29	* *	* *	226	8.8 (21)	2.2 (4)	11.1 (31)	122	23.8 (27)	12.3 (22)	152	15.8 (25)
Baca	25	* *	* *	130	3.8 (1)	3.8 (20)	9.2 (21)	69	* *	* *	67	* *
Bent	52	* *	* *	205	7.3 (13)	7.8 (34)	7.8 (17)	90	* *	* *	128	10.9 (14)
Boulder	1,041	7.3 (2)	5.5 (18)	4,659	6.6 (7)	2.9 (10)	10.0 (27)	2,087	14.6 (11)	10.9 (17)	2,705	11.5 (17)
Broomfield	118	7.6 (3)	3.4 (5)	540	10.2 (28)	4.4 (26)	7.4 (12)	255	17.3 (21)	10.2 (11)	292	20.5 (29)
Clear Crk	31	* *	* *	118	11.9 (34)	6.8 (33)	1.7 (1)	40	* *	* *	60	* *
Delta	105	12.4 (21)	4.8 (16)	583	10.1 (27)	3.4 (14)	10.5 (28)	282	16.3 (17)	11.3 (19)	289	9.3 (9)
Denver	3,762	10.8 (16)	4.0 (9)	7,931	10.4 (30)	3.6 (16)	7.2 (9)	176	10.8 (3)	3.4 (2)	3,502	6.4 (2)
Dolores	10	* *	* *	54	* *	* *	* *	25	* *	* *	33	* *
Eagle	220	8.6 (5)	5.5 (18)	727	7.7 (16)	3.9 (23)	9.2 (21)	274	17.5 (22)	11.3 (19)	422	7.6 (5)
El Paso	3,803	10.8 (16)	4.2 (13)	15,220	9.1 (23)	3.3 (13)	6.6 (7)	6,550	13.0 (7)	6.9 (5)	5,791	11.2 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Garfield	343	7.9 (4)	4.1 (11)	1,217	7.1 (10)	2.0 (1)	7.8 (17)	434	12.9 (5)	6.2 (3)	672	10.6 (13)
Grand	38	* *	* *	152	7.9 (18)	5.3 (29)	8.6 (19)	67	* *	* *	102	17.6 (27)
Gunnison	52	* *	* *	229	10.9 (32)	4.4 (26)	8.7 (20)	97	* *	* *	146	14.4 (24)
Jackson	3	* *	* *	29	* *	* *	* *	17	* *	* *	22	* *
Jefferson	1,769	10.3 (13)	4.2 (13)	7,147	7.8 (17)	3.8 (20)	7.6 (14)	2,967	15.8 (15)	10.6 (14)	4,278	10.5 (12)
Kit Carson	64	* *	* *	354	5.1 (3)	2.5 (7)	9.6 (25)	175	16.0 (16)	12.6 (23)	244	8.2 (7)
Larimer	986	9.7 (11)	4.0 (9)	3,658	7.1 (10)	4.3 (25)	7.2 (9)	1,464	14.1 (9)	8.9 (8)	1,995	13.7 (23)
Las Animas	153	10.5 (14)	2.0 (4)	629	10.3 (29)	3.8 (20)	11.6 (33)	272	13.2 (8)	11.4 (21)	339	11.2 (15)
Lincoln	44	* *	* *	188	4.8 (2)	5.9 (31)	5.3 (4)	82	* *	* *	109	18.3 (28)
Mesa	778	9.9 (12)	4.1 (11)	2,623	7.6 (15)	3.6 (16)	7.7 (15)	863	17.0 (19)	8.9 (8)	1,335	12.4 (19)
Montezuma	143	9.1 (8)	5.6 (21)	620	8.4 (20)	3.7 (19)	12.1 (34)	278	14.4 (10)	13.3 (25)	393	10.4 (10)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	<b>Birthweight</b> (5)			<b>Height and Weight</b>						<b>Anemia Low Hb/Hct</b> (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montrose	311	9.0 (7)	3.5 (7)	1,412	7.4 (14)	2.8 (8)	9.3 (23)	658	15.2 (13)	10.5 (12)	394	16.2 (26)
NECHD	547	6.2 (1)	5.7 (23)	2,518	6.0 (5)	2.2 (4)	10.9 (30)	1,154	19.0 (25)	11.1 (18)	1,638	6.7 (3)
NWVNA	119	13.4 (22)	3.4 (5)	444	5.9 (4)	3.6 (16)	7.2 (9)	151	10.6 (2)	13.2 (24)	248	13.3 (21)
Otero	228	16.2 (23)	1.3 (3)	1,180	8.1 (19)	2.0 (1)	9.7 (26)	580	18.3 (24)	10.7 (16)	759	1.6 (1)
Ouray	8	* *	* *	36	* *	* *	* *	14	* *	* *	25	* *
Park	33	* *	* *	142	10.6 (31)	5.6 (30)	7.7 (15)	61	* *	* *	66	* *
Pitkin	12	* *	* *	50	* *	* *	* *	17	* *	* *	31	* *
Prowers	145	11.7 (18)	5.5 (18)	728	6.7 (8)	3.0 (12)	12.2 (35)	357	22.7 (26)	15.1 (26)	453	13.0 (20)
Pueblo	1,270	9.2 (9)	3.6 (8)	5,526	8.8 (21)	2.0 (1)	10.7 (29)	2,519	17.8 (23)	10.6 (14)	3,654	6.7 (3)
Rio Blanco	37	* *	* *	125	7.2 (12)	2.4 (6)	4.0 (3)	48	* *	* *	72	* *
Saguache	1	* *	* *	54	* *	* *	* *	31	* *	* *	44	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	<b>Birthweight</b> (5)			<b>Height and Weight</b>						<b>Anemia Low Hb/Hct</b> (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
San Juan	252	11.9 (19)	5.6 (21)	985	6.4 (6)	3.9 (23)	6.7 (8)	414	17.1 (20)	8.9 (8)	488	12.1 (18)
San Miguel	23	* *	* *	71	* *	* *	* *	23	* *	* *	36	* *
Summit	114	8.8 (6)	0.9 (1)	378	9.8 (25)	9.0 (35)	5.8 (5)	136	11.8 (4)	6.6 (4)	175	25.1 (30)
Sunrise	782	12.1 (20)	6.1 (24)	1,874	13.7 (35)	2.9 (10)	11.3 (32)	267	15.7 (14)	15.7 (27)	779	13.6 (22)
TCHD	6,754	9.5 (10)	5.2 (17)	26,723	7.0 (9)	3.4 (14)	9.4 (24)	11,002	14.7 (12)	10.5 (12)	14,914	10.4 (10)
Teller	87	* *	* *	309	10.0 (26)	6.1 (32)	3.6 (2)	131	8.4 (1)	3.1 (1)	162	30.2 (31)
UAACOG	404	10.6 (15)	4.7 (15)	1,750	9.1 (23)	2.8 (8)	7.4 (12)	794	16.5 (18)	7.9 (6)	977	8.6 (8)
VWHS	408	16.2 (23)	1.2 (2)	1,658	10.9 (32)	4.7 (28)	6.3 (6)	713	12.9 (5)	8.1 (7)	1,077	8.1 (6)
Unknown Local Agenc	12	* *	* *	16	* *	* *	* *	2	* *	* *	4	* *
<b>Colorado</b>	<b>25,116</b>	<b>10.2</b>	<b>4.4</b>	<b>93,218</b>	<b>8.1</b>	<b>3.4</b>	<b>8.5</b>	<b>35,758</b>	<b>15.0</b>	<b>9.7</b>	<b>49,072</b>	<b>10.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	<b>Birthweight</b> (5)			<b>Height and Weight</b>						<b>Anemia Low Hb/Hct</b> (8)		
	<b>Low</b>	<b>High</b>		<b>Short Stature</b> (6)	<b>Under- weight</b> (7)	<b>Over- weight</b> (7)	<b>≥ 2 Yrs Over- weight</b> (7)					
	<b>Number</b>	<b>% &lt;2500 g (Rank)</b>	<b>% &gt;4000 g (Rank)</b>	<b>Number</b>	<b>% &lt;5th (Rank)</b>	<b>% &lt;5th (Rank)</b>	<b>% &gt;95th (Rank)</b>	<b>Number</b>	<b>% 85th- (Rank)</b>	<b>% &lt;95th (Rank)</b>	<b>% &gt;95th (Rank)</b>	<b>Number</b>
<b>Nation (Prior Year)</b>	<b>1,633,363</b>	<b>9.3</b>	<b>6.8</b>	<b>6,600,078</b>	<b>6.4</b>	<b>4.7</b>	<b>14.1</b>	<b>2,822,660</b>	<b>16.1</b>	<b>14.8</b>	<b>4,020,684</b>	<b>13.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Alamosa	29	* *	38	* *	31	* *	0	* *	0	* *
Baca	25	* *	21	* *	18	* *	0	* *	0	* *
Bent	52	* *	47	* *	32	* *	0	* *	0	* *
Boulder	1,042	82.1 (9)	878	40.7 (5)	675	30.5 (2)	0	* *	0	* *
Broomfield	118	68.6 (18)	101	24.8 (16)	63	* *	0	* *	0	* *
Clear Crk	31	* *	18	* *	19	* *	0	* *	0	* *
Delta	105	82.9 (8)	101	36.6 (7)	97	* *	0	* *	0	* *
Denver	3,763	72.5 (14)	2,886	26.6 (14)	1,640	16.0 (12)	0	* *	0	* *
Dolores	10	* *	12	* *	9	* *	0	* *	0	* *
Eagle	222	86.0 (5)	134	38.1 (6)	96	* *	0	* *	0	* *
El Paso	3,807	69.9 (16)	3,047	28.9 (11)	2,041	19.9 (7)	0	* *	0	* *
Garfield	343	95.3 (1)	263	45.6 (3)	163	29.4 (4)	0	* *	0	* *
Grand	38	* *	35	* *	22	* *	0	* *	0	* *
Gunnison	52	* *	36	* *	33	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



**Table 7F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Jackson	3	* *	1 * *	3 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Jefferson	1,772	69.9 (16)	1,542 27.4 (12)	1,165 18.5 (8)	0 * *	0 * *	0 * *	0 * *	0 * *	
Kit Carson	64	* *	70 * *	56 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Larimer	986	78.7 (11)	737 31.6 (10)	572 22.4 (6)	0 * *	0 * *	0 * *	0 * *	0 * *	
Las Animas	153	66.7 (19)	137 16.1 (23)	91 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Lincoln	44	* *	35 * *	20 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Mesa	779	80.2 (10)	613 23.5 (17)	434 14.3 (14)	0 * *	0 * *	0 * *	0 * *	0 * *	
Montezuma	143	87.4 (4)	127 50.4 (2)	89 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Montrose	312	76.9 (12)	275 35.6 (8)	210 17.1 (11)	0 * *	0 * *	0 * *	0 * *	0 * *	
NECHD	547	63.8 (22)	477 17.2 (22)	364 9.3 (17)	0 * *	0 * *	0 * *	0 * *	0 * *	
NWVNA	120	85.8 (6)	107 31.8 (9)	69 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Otero	228	63.2 (24)	213 19.2 (20)	188 14.9 (13)	0 * *	0 * *	0 * *	0 * *	0 * *	
Ouray	8	* *	8 * *	8 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Park	33	* *	23 * *	23 * *	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



**Table 7F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Pitkin	12	* *	16	* *	7	* *	0	* *	0	* *
Prowers	145	70.3 (15)	154	21.4 (19)	117	17.9 (10)	0	* *	0	* *
Pueblo	1,270	65.7 (20)	1,157	18.2 (21)	1,006	9.6 (15)	0	* *	0	* *
Rio Blanco	37	* *	22	* *	18	* *	0	* *	0	* *
Saguache	1	* *	4	* *	13	* *	0	* *	0	* *
San Juan	252	85.7 (7)	185	41.6 (4)	127	29.9 (3)	0	* *	0	* *
San Miguel	23	* *	18	* *	8	* *	0	* *	0	* *
Summit	114	87.7 (3)	65	* *	58	* *	0	* *	0	* *
Sunrise	782	88.4 (2)	586	54.8 (1)	344	37.5 (1)	0	* *	0	* *
TCHD	6,761	73.0 (13)	5,479	26.1 (15)	3,860	18.0 (9)	0	* *	0	* *
Teller	87	* *	62	* *	39	* *	0	* *	0	* *
UAACOG	405	63.7 (23)	310	27.4 (12)	254	23.6 (5)	0	* *	0	* *
VWHS	408	65.2 (21)	349	22.9 (18)	262	9.5 (16)	0	* *	0	* *
Unknown Local Agen	12	* *	4	* *	2	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



**Table 7F**  
**2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency</b> (4,5)														
	Breastfeeding (5)				Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household					
<b>Local Agency</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
<b>Colorado</b>	<b>25,138</b>	<b>73.5</b>	<b>20,393</b>	<b>28.5</b>	<b>14,346</b>	<b>19.0</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>
<b>Nation (Prior Year)</b>	<b>1,469,572</b>	<b>56.1</b>	<b>718,598</b>	<b>23.4</b>	<b>792,792</b>	<b>17.6</b>	<b>37,398</b>	<b>9.8</b>	<b>39,388</b>	<b>6.7</b>	<b>64,128</b>	<b>40.5</b>	<b>389,446</b>	<b>20.1</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



**Table 6F**  
**2003 - 2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> <sup>(3,4)</sup>												
<b>Local Agency</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>		Number      %  (Rank)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)			% >95th (Rank)
Alamosa	206	12.1 (24)	2.9 (10)	1,197	12.4 (39)	3.1 (8)	12.2 (39)	655	17.4 (32)	15.3 (36)	714	17.6 (34)
Baca	93	* *	* *	480	6.9 (13)	3.8 (18)	9.2 (27)	263	18.3 (35)	10.6 (24)	204	2.0 (2)
Bent	181	12.7 (27)	1.1 (2)	825	6.8 (12)	5.5 (29)	10.7 (33)	415	11.3 (10)	12.3 (32)	449	7.1 (12)
Boulder	3,411	8.1 (6)	6.1 (32)	15,549	6.5 (10)	3.1 (8)	9.5 (28)	7,252	14.7 (21)	10.2 (23)	8,071	8.0 (16)
Broomfield	369	8.9 (9)	3.8 (15)	1,529	8.5 (26)	3.9 (20)	7.7 (19)	680	15.6 (24)	9.6 (19)	733	10.0 (23)
Clear Crk	112	17.0 (33)	1.8 (6)	394	10.7 (33)	7.9 (38)	4.3 (1)	132	8.3 (2)	4.5 (4)	192	3.6 (3)
Delta	457	12.3 (26)	3.9 (16)	2,096	7.2 (16)	3.7 (13)	9.0 (25)	1,018	15.6 (24)	9.5 (18)	901	4.1 (4)
Denver	11,347	10.5 (19)	4.5 (22)	21,145	11.0 (35)	4.0 (21)	8.0 (21)	380	7.6 (1)	3.2 (2)	7,173	7.7 (14)
Dolores	36	* *	* *	161	5.6 (4)	3.7 (13)	7.5 (16)	78	* *	* *	87	* *
Eagle	720	7.5 (4)	4.6 (23)	2,516	7.9 (19)	4.9 (27)	8.7 (24)	953	15.5 (23)	10.6 (24)	1,301	4.2 (5)
El Paso	11,970	10.5 (19)	4.3 (21)	50,961	8.3 (24)	3.8 (18)	6.6 (10)	22,935	12.1 (12)	6.4 (9)	20,830	7.5 (13)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2003 - 2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> <sup>(3,4)</sup>												
<b>Local Agency</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>	≥ 2 Yrs Over- weight <sup>(7)</sup>					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Garfield	1,091	8.6 (8)	5.2 (26)	4,072	6.3 (8)	2.2 (3)	8.0 (21)	1,501	10.9 (6)	6.9 (10)	2,137	7.7 (14)
Grand	129	14.7 (31)	3.1 (11)	503	11.1 (36)	6.2 (34)	6.0 (7)	211	10.9 (6)	3.8 (3)	320	23.4 (36)
Gunnison	189	9.0 (10)	1.6 (4)	831	12.5 (40)	3.5 (11)	6.4 (9)	371	16.7 (28)	7.8 (12)	462	9.5 (22)
Jackson	23	* *	* *	139	10.8 (34)	10.1 (40)	5.8 (5)	79	* *	* *	59	* *
Jefferson	6,066	10.7 (21)	4.6 (23)	23,915	7.6 (18)	4.1 (23)	7.7 (19)	10,206	15.9 (26)	10.8 (27)	13,373	9.3 (19)
Kit Carson	215	6.0 (1)	8.8 (34)	1,257	5.8 (6)	3.7 (13)	12.5 (40)	691	16.9 (30)	15.2 (35)	789	8.7 (18)
Larimer	3,114	9.2 (12)	5.5 (29)	11,961	7.1 (15)	5.5 (29)	7.3 (14)	5,123	12.7 (13)	8.4 (14)	6,080	9.4 (20)
Las Animas	562	8.4 (7)	1.6 (4)	2,406	9.8 (32)	3.7 (13)	10.2 (31)	1,116	13.5 (15)	11.8 (29)	1,205	6.1 (10)
Lincoln	141	9.2 (12)	3.5 (12)	660	5.6 (4)	5.5 (29)	6.1 (8)	312	9.9 (4)	6.1 (7)	356	16.0 (30)
Mesa	2,540	9.9 (16)	4.1 (17)	6,187	8.0 (21)	4.1 (23)	7.3 (14)	1,495	16.7 (28)	9.9 (20)	2,594	10.6 (26)
Montezuma	477	10.9 (22)	5.9 (31)	2,234	9.5 (29)	3.3 (10)	11.4 (38)	1,087	13.8 (16)	10.9 (28)	1,281	10.2 (24)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2003 - 2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Montrose	1,035	7.7 (5)	4.1 (17)	4,672	7.3 (17)	4.0 (21)	10.0 (29)	2,257	14.3 (18)	10.1 (22)	1,407	15.5 (29)
NECHD	2,079	6.8 (3)	5.8 (30)	9,137	6.6 (11)	2.1 (2)	11.2 (37)	4,267	18.7 (36)	12.4 (33)	5,385	4.9 (6)
NWVNA	414	11.4 (23)	4.1 (17)	1,522	8.1 (22)	4.5 (25)	7.6 (18)	574	10.3 (5)	11.8 (29)	803	17.2 (33)
Otero	892	12.8 (28)	2.0 (8)	4,206	7.9 (19)	2.6 (4)	10.5 (32)	2,055	17.8 (34)	12.2 (31)	2,400	1.6 (1)
Ouray	25	* *	* *	103	2.9 (1)	2.9 (6)	10.7 (33)	46	* *	* *	62	* *
Park	109	18.3 (34)	1.8 (6)	518	9.5 (29)	6.6 (35)	5.0 (2)	241	11.2 (9)	5.4 (5)	233	6.0 (9)
Pitkin	65	* *	* *	229	3.9 (2)	10.9 (41)	10.0 (29)	83	* *	* *	146	11.0 (27)
Prowers	529	9.5 (14)	5.3 (28)	2,375	6.2 (7)	2.6 (4)	10.9 (36)	1,119	20.7 (37)	14.1 (34)	1,329	12.3 (28)
Pueblo	4,414	9.6 (15)	3.5 (12)	19,582	8.8 (27)	2.0 (1)	10.8 (35)	9,363	16.6 (27)	10.6 (24)	11,595	5.3 (7)
Rio Blanco	122	6.6 (2)	4.1 (17)	415	4.6 (3)	6.0 (32)	5.3 (4)	168	13.1 (14)	2.4 (1)	255	16.5 (31)
Saguache	87	* *	* *	519	8.3 (24)	7.5 (36)	7.1 (13)	264	9.5 (3)	7.2 (11)	349	16.6 (32)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6F**  
**2003 - 2005 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by Local Agency</b> <sup>(3,4)</sup>												
<b>Local Agency</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
San Juan	853	9.1 (11)	5.2 (26)	3,348	6.3 (8)	4.6 (26)	7.0 (12)	1,462	17.1 (31)	9.4 (17)	1,585	8.3 (17)
San Miguel	72	* *	* *	268	8.2 (23)	6.0 (32)	7.5 (16)	115	17.4 (32)	7.8 (12)	150	30.7 (38)
Summit	363	12.1 (24)	1.4 (3)	1,242	9.2 (28)	7.8 (37)	5.9 (6)	450	10.9 (6)	6.0 (6)	653	29.4 (37)
Sunrise	2,515	13.0 (29)	6.9 (33)	5,620	14.8 (41)	2.9 (6)	13.7 (41)	766	14.4 (19)	22.5 (37)	2,178	10.2 (24)
TCHD	22,031	9.9 (16)	5.1 (25)	87,965	6.9 (13)	3.7 (13)	9.1 (26)	37,304	14.0 (17)	10.0 (21)	46,036	9.4 (20)
Teller	273	13.9 (30)	0.7 (1)	1,107	11.7 (38)	8.7 (39)	5.1 (3)	497	11.7 (11)	6.2 (8)	547	19.0 (35)
UAACOG	1,363	10.1 (18)	3.7 (14)	6,118	9.6 (31)	3.6 (12)	8.2 (23)	2,911	15.1 (22)	8.9 (15)	3,203	5.6 (8)
VWHS	1,248	15.1 (32)	2.5 (9)	4,594	11.2 (37)	5.1 (28)	6.7 (11)	1,747	14.5 (20)	9.2 (16)	2,692	7.0 (11)
Unknown Local Agenc	12	* *	* *	16	* *	* *	* *	2	* *	* *	4	* *
<b>Colorado</b>	<b>81,950</b>	<b>10.1</b>	<b>4.7</b>	<b>304,574</b>	<b>8.0</b>	<b>3.7</b>	<b>8.6</b>	<b>122,644</b>	<b>14.3</b>	<b>9.5</b>	<b>150,323</b>	<b>8.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7F**  
**2003 - 2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number % Breastfed At Least 12 Months  (Rank)	Number % Breastfed At Least 3 Months  (Rank)	Number % Breastfed At Least 6 Months  (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Alamosa	210	66.7 (27)	194 23.7 (25)	194 13.4 (25)	0 * *	0 * *	0 * *	0 * *	0 * *	
Baca	108	65.7 (28)	91 * *	86 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Bent	202	69.3 (22)	174 14.4 (33)	141 6.4 (33)	0 * *	0 * *	0 * *	0 * *	0 * *	
Boulder	4,148	77.7 (11)	3,306 36.7 (8)	3,005 25.5 (6)	0 * *	0 * *	0 * *	0 * *	0 * *	
Broomfield	468	69.2 (23)	424 24.8 (23)	341 16.4 (16)	0 * *	0 * *	0 * *	0 * *	0 * *	
Clear Crk	131	77.1 (14)	97 * *	85 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Delta	569	75.4 (15)	445 33.3 (11)	413 21.3 (10)	0 * *	0 * *	0 * *	0 * *	0 * *	
Denver	12,905	72.1 (18)	8,762 25.7 (19)	5,096 14.0 (23)	0 * *	0 * *	0 * *	0 * *	0 * *	
Dolores	43	* *	38 * *	33 * *	0 * *	0 * *	0 * *	0 * *	0 * *	
Eagle	907	82.6 (8)	620 35.2 (10)	531 23.0 (9)	0 * *	0 * *	0 * *	0 * *	0 * *	
El Paso	14,820	67.7 (26)	11,509 24.7 (24)	9,918 13.8 (24)	0 * *	0 * *	0 * *	0 * *	0 * *	
Garfield	1,322	87.0 (4)	1,019 43.6 (3)	796 25.0 (8)	0 * *	0 * *	0 * *	0 * *	0 * *	
Grand	165	85.5 (7)	121 30.6 (14)	110 16.4 (16)	0 * *	0 * *	0 * *	0 * *	0 * *	
Gunnison	232	91.4 (1)	176 52.3 (1)	162 34.0 (1)	0 * *	0 * *	0 * *	0 * *	0 * *	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.



**Table 7F**  
**2003 - 2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%	Number	%
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Jackson	31	* *	20	* *	20	* *	0	* *	0	* *	0	* *
Jefferson	7,233	68.0 (25)	5,739	25.2 (21)	4,861	14.3 (21)	0	* *	0	* *	0	* *
Kit Carson	258	70.2 (20)	233	22.7 (26)	218	12.4 (26)	0	* *	0	* *	0	* *
Larimer	3,768	74.4 (16)	2,831	29.5 (16)	2,355	18.8 (14)	0	* *	0	* *	0	* *
Las Animas	629	65.2 (29)	495	18.8 (29)	453	11.3 (28)	0	* *	0	* *	0	* *
Lincoln	171	69.0 (24)	137	31.4 (13)	118	26.3 (5)	0	* *	0	* *	0	* *
Mesa	3,047	77.5 (13)	2,258	25.6 (20)	1,484	14.4 (20)	0	* *	0	* *	0	* *
Montezuma	601	85.7 (6)	485	42.1 (5)	442	27.8 (4)	0	* *	0	* *	0	* *
Montrose	1,217	77.6 (12)	947	31.6 (12)	836	16.5 (15)	0	* *	0	* *	0	* *
NECHD	2,420	64.5 (30)	1,928	17.4 (31)	1,671	9.4 (31)	0	* *	0	* *	0	* *
NWVNA	527	79.3 (10)	392	30.4 (15)	305	16.1 (18)	0	* *	0	* *	0	* *
Otero	987	57.6 (35)	788	16.8 (32)	788	8.8 (32)	0	* *	0	* *	0	* *
Ouray	31	* *	25	* *	23	* *	0	* *	0	* *	0	* *
Park	142	73.2 (17)	120	36.7 (8)	107	20.6 (12)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.  
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.  
 (3) Analyses based on one record per child.  
 (4) Excludes records with unknown data or errors.  
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate. Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
 (7) Children ages 2 years and older included in the analyses.



**Table 7F**  
**2003 - 2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency**  
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household		
	Number  (Rank)	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number  (Rank)	%  (Rank)	Number  (Rank)	%  (Rank)
Pitkin	74	* *	55	* *	37	* *	0	* *	0	* *
Prowers	625	64.5 (30)	523	19.5 (28)	462	11.5 (27)	0	* *	0	* *
Pueblo	4,867	63.9 (33)	3,983	17.5 (30)	3,908	9.5 (30)	0	* *	0	* *
Rio Blanco	151	70.9 (19)	107	28.0 (17)	79	* *	0	* *	0	* *
Saguache	98	* *	79	* *	100	15.0 (19)	0	* *	0	* *
San Juan	992	87.2 (3)	743	37.3 (7)	640	20.9 (11)	0	* *	0	* *
San Miguel	88	* *	62	* *	50	* *	0	* *	0	* *
Summit	437	86.7 (5)	280	43.2 (4)	235	25.1 (7)	0	* *	0	* *
Sunrise	2,835	87.5 (2)	1,993	49.6 (2)	1,154	31.0 (2)	0	* *	0	* *
TCHD	26,386	69.7 (21)	20,651	25.0 (22)	17,284	14.2 (22)	0	* *	0	* *
Teller	334	80.8 (9)	243	39.9 (6)	202	30.2 (3)	0	* *	0	* *
UAACOG	1,655	62.5 (34)	1,260	27.1 (18)	1,171	20.6 (12)	0	* *	0	* *
VWHS	1,438	64.1 (32)	1,139	20.5 (27)	977	10.4 (29)	0	* *	0	* *
Unknown Local Agen	10	* *	3	* *	1	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) Children ages 2 years and older included in the analyses.



**Table 7F**  
**2003 - 2005 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency</b> (4,5)														
	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)	Smoking in Household				
<b>Local Agency</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
<b>Colorado</b>	<b>97,282</b>	<b>71.1</b>	<b>74,495</b>	<b>26.6</b>	<b>60,892</b>	<b>15.4</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

