

Table 4F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Baca	128	66.4	0.8	27.3	0.8	0.0	4.7	0.0
Bent	211	51.7	0.0	46.4	0.0	0.0	1.9	0.0
Boulder	4,548	22.8	0.9	71.5	0.7	1.8	2.2	0.0
Broomfield	581	41.7	1.4	46.8	1.4	4.6	4.0	0.2
Clear Crk	134	72.4	0.7	11.2	0.7	0.0	14.9	0.0
Delta	558	48.0	0.2	49.3	0.0	0.2	2.3	0.0
Denver	10,405	8.5	14.6	71.4	1.5	1.7	2.3	0.0
Dolores	56	*	*	*	*	*	*	*
Eagle	840	6.0	0.4	92.9	0.0	0.0	0.8	0.0
El Paso	15,455	40.5	9.5	40.1	0.8	1.3	7.8	0.0
Garfield	1,181	19.4	0.1	78.0	0.7	0.2	1.6	0.1
Grand	172	57.6	1.2	35.5	0.6	0.0	5.2	0.0
Gunnison	203	61.1	0.5	33.5	0.5	1.0	3.0	0.5
Jackson	36	*	*	*	*	*	*	*
Jefferson	7,025	42.4	2.8	49.6	0.9	2.7	1.6	0.0
Kit Carson	355	43.9	1.4	51.3	1.1	1.1	1.1	0.0
Larimer	3,934	49.5	1.1	46.1	0.5	0.7	2.1	0.1
Las Animas	613	23.7	0.8	70.1	1.5	0.7	3.3	0.0
Lincoln	172	77.9	2.9	15.7	0.6	0.0	2.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Mesa	2,573	54.0	0.7	41.2	1.0	0.7	2.4	0.0
Montezuma	601	50.7	0.0	32.1	14.3	0.2	2.7	0.0
Montrose	1,411	39.5	0.6	53.0	0.8	0.3	5.7	0.1
NECHD	2,464	40.4	0.3	56.9	0.5	0.1	1.8	0.1
NWVNA	461	48.8	0.7	47.9	0.7	0.0	2.0	0.0
Otero	1,175	30.2	0.1	68.3	0.3	0.0	1.0	0.0
Ouray	37	*	*	*	*	*	*	*
Park	156	55.1	2.6	30.8	0.6	0.0	10.9	0.0
Pitkin	41	*	*	*	*	*	*	*
Prowers	666	26.4	0.6	70.7	0.0	0.0	2.3	0.0
Pueblo	5,484	22.7	1.4	72.4	0.5	0.3	2.7	0.0
Rio Blanco	124	68.5	0.0	27.4	3.2	0.0	0.8	0.0
San Juan	925	41.7	0.1	44.4	10.1	0.2	3.4	0.1
San Miguel	76	*	*	*	*	*	*	*
Summit	440	16.6	0.0	82.5	0.0	0.5	0.5	0.0
Sunrise	2,472	20.5	0.6	77.0	0.2	0.6	0.9	0.2
TCHD	27,456	18.2	8.1	68.4	0.8	2.0	2.4	0.1
Teller	304	85.2	0.7	9.9	0.0	0.3	3.6	0.3
UAACOG	1,685	69.4	0.8	25.8	0.5	0.2	3.3	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
VWHS	1,908	21.2	0.4	76.2	0.9	0.3	1.0	0.1
Unknown Local Ag.	541	48.1	6.8	35.7	0.6	3.5	5.2	0.2
Colorado	97,607	29.1	5.9	59.4	1.0	1.4	3.2	0.1
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Baca	128	33.6	15.6	50.8
Bent	211	36.0	21.3	42.7
Boulder	4,548	36.0	18.0	46.0
Broomfield	581	41.3	15.8	42.9
Clear Crk	134	42.5	17.2	40.3
Delta	558	37.1	18.1	44.8
Denver	10,405	60.3	21.6	18.1
Dolores	56	*	*	*
Eagle	840	46.2	17.1	36.7
El Paso	15,455	38.8	19.0	42.2
Garfield	1,181	44.7	18.8	36.5
Grand	172	39.5	17.4	43.0
Gunnison	203	37.4	21.2	41.4
Jackson	36	*	*	*
Jefferson	7,025	40.4	20.2	39.4
Kit Carson	355	35.8	18.3	45.9
Larimer	3,934	41.0	19.6	39.4
Las Animas	613	41.8	15.0	43.2

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln	172	43.6	13.4	43.0
Mesa	2,573	46.4	18.6	35.0
Montezuma	601	35.8	20.3	43.9
Montrose	1,411	37.0	18.2	44.8
NECHD	2,464	37.0	17.0	46.0
NWVNA	461	42.7	17.4	39.9
Otero	1,175	29.7	17.7	52.6
Ouray	37	*	*	*
Park	156	30.8	17.3	51.9
Pitkin	41	*	*	*
Prowers	666	34.7	19.2	46.1
Pueblo	5,484	35.3	20.1	44.6
Rio Blanco	124	43.5	24.2	32.3
San Juan	925	42.4	17.8	39.8
San Miguel	76	*	*	*
Summit	440	43.0	19.3	37.7
Sunrise	2,472	65.3	20.6	14.1
TCHD	27,456	41.3	17.7	41.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	304	43.8	16.1	40.1
UAACOG	1,685	39.2	17.3	43.6
VWHS	1,908	38.4	18.8	42.8
Unknown Local Ag.	541	53.0	16.8	30.1
Colorado	97,607	42.6	18.9	38.5
Nation (Prior Year)	7,117,562	35.3	22.0	42.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Baca	26	* *	* *	120	14.2 (35)	2.5 (7)	12.5 (35)	62	* *	* *	68	* *
Bent	51	* *	* *	209	7.7 (15)	3.8 (20)	6.2 (7)	86	* *	* *	126	9.5 (8)
Boulder	1,010	7.4 (4)	6.5 (23)	4,509	5.5 (1)	3.7 (19)	10.1 (29)	2,072	14.8 (14)	12.5 (23)	2,756	15.7 (27)
Broomfield	154	13.0 (22)	5.2 (19)	571	11.2 (27)	4.0 (24)	9.8 (26)	245	15.1 (17)	11.4 (20)	329	11.6 (14)
Clear Crk	39	* *	* *	132	9.1 (20)	6.8 (34)	3.8 (1)	55	* *	* *	64	* *
Delta	131	6.1 (1)	4.6 (15)	553	9.9 (25)	3.8 (20)	11.0 (33)	249	14.1 (8)	12.9 (24)	281	12.8 (20)
Denver	3,950	10.8 (16)	4.5 (13)	10,310	9.2 (21)	3.5 (15)	8.2 (19)	1,845	14.7 (13)	10.8 (16)	5,325	12.6 (19)
Dolores	8	* *	* *	56	* *	* *	* *	29	* *	* *	37	* *
Eagle	268	11.6 (19)	3.0 (2)	828	7.1 (8)	3.6 (17)	9.8 (26)	309	17.2 (24)	15.9 (27)	453	19.0 (30)
El Paso	3,868	10.5 (13)	4.1 (10)	15,340	9.6 (24)	3.4 (13)	7.0 (13)	6,456	14.1 (8)	7.5 (6)	6,293	12.3 (17)
Garfield	319	9.4 (8)	3.4 (7)	1,167	6.1 (3)	2.3 (5)	7.9 (17)	415	13.7 (5)	7.2 (4)	660	8.9 (6)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia	
	Low	High		Short Stature	Under-weight	Over-weight		≥ 2 Yrs Over-weight (7)			Low Hb/Hct	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	50	* *	* *	168	9.5 (23)	6.0 (33)	6.0 (5)	73	* *	* *	104	13.5 (22)
Gunnison	41	* *	* *	201	11.9 (32)	5.0 (29)	6.0 (5)	82	* *	* *	123	14.6 (24)
Jackson	10	* *	* *	34	* *	* *	* *	16	* *	* *	23	* *
Jefferson	1,868	9.6 (10)	4.5 (13)	6,940	7.6 (14)	4.4 (26)	6.7 (9)	2,721	14.9 (15)	9.0 (9)	4,039	10.7 (11)
Kit Carson	81	* *	* *	351	6.8 (6)	3.1 (10)	10.8 (31)	168	16.1 (21)	13.7 (25)	232	7.3 (5)
Larimer	1,049	11.0 (18)	6.2 (22)	3,882	6.4 (4)	5.1 (31)	6.9 (11)	1,544	15.8 (20)	10.1 (13)	2,328	14.6 (24)
Las Animas	161	19.3 (25)	3.1 (4)	603	12.1 (33)	3.2 (11)	8.8 (24)	257	11.3 (2)	10.9 (18)	352	11.1 (13)
Lincoln	42	* *	* *	168	6.0 (2)	7.7 (35)	4.8 (3)	70	* *	* *	104	22.1 (31)
Mesa	716	7.3 (3)	5.2 (19)	2,555	7.2 (10)	3.5 (15)	8.5 (22)	896	16.4 (22)	10.6 (14)	1,344	11.8 (15)
Montezuma	133	6.8 (2)	10.5 (25)	596	7.4 (11)	2.2 (4)	6.7 (9)	262	14.1 (8)	9.2 (10)	373	4.6 (2)
Montrose	311	8.7 (7)	5.1 (18)	1,393	7.4 (11)	2.4 (6)	8.2 (19)	639	19.4 (27)	7.2 (4)	389	13.1 (21)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
NECHD	541	8.1 (5)	4.8 (17)	2,438	6.7 (5)	2.0 (2)	9.7 (25)	1,130	17.5 (25)	10.0 (12)	1,547	9.4 (7)
NWVNA	124	13.7 (24)	7.3 (24)	446	8.1 (16)	5.6 (32)	8.7 (23)	175	13.7 (5)	12.0 (22)	226	16.8 (29)
Otero	217	12.0 (20)	3.2 (5)	1,156	7.1 (8)	2.5 (7)	9.8 (26)	597	14.6 (12)	11.6 (21)	785	5.1 (3)
Ouray	14	* *	* *	37	* *	* *	* *	10	* *	* *	16	* *
Park	28	* *	* *	153	11.8 (30)	1.3 (1)	5.9 (4)	82	* *	* *	77	* *
Pitkin	15	* *	* *	37	* *	* *	* *	6	* *	* *	20	* *
Prowers	149	9.4 (8)	4.0 (9)	655	8.1 (16)	3.4 (13)	11.5 (34)	305	18.4 (26)	14.4 (26)	435	11.0 (12)
Pueblo	1,383	10.3 (12)	3.4 (7)	5,440	9.9 (25)	2.0 (2)	10.7 (30)	2,407	15.0 (16)	10.6 (14)	3,476	6.4 (4)
Rio Blanco	32	* *	* *	120	13.3 (34)	2.5 (7)	10.8 (31)	38	* *	* *	44	* *
San Juan	238	10.5 (13)	4.2 (11)	919	7.4 (11)	3.6 (17)	7.1 (15)	365	16.7 (23)	6.6 (2)	429	16.3 (28)
San Miguel	23	* *	* *	74	* *	* *	* *	29	* *	* *	40	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Summit	132	12.1 (21)	3.0 (2)	431	11.8 (30)	3.9 (22)	7.0 (13)	166	13.9 (7)	7.8 (7)	245	14.7 (26)
Sunrise	1,143	8.2 (6)	6.0 (21)	2,434	11.2 (27)	3.3 (12)	8.1 (18)	334	15.3 (19)	10.8 (16)	1,011	12.3 (17)
TCHD	7,141	9.8 (11)	4.7 (16)	27,171	6.9 (7)	4.0 (24)	8.4 (21)	11,100	14.1 (8)	9.8 (11)	15,330	13.5 (22)
Teller	71	* *	* *	299	11.4 (29)	5.0 (29)	4.0 (2)	120	10.8 (1)	5.8 (1)	159	11.9 (16)
UAACOG	411	13.4 (23)	3.2 (5)	1,674	8.9 (19)	3.9 (22)	7.3 (16)	734	15.1 (17)	6.9 (3)	896	9.9 (10)
VWHS	479	10.9 (17)	2.1 (1)	1,893	9.2 (21)	4.8 (27)	6.9 (11)	799	13.5 (4)	8.9 (8)	1,187	9.6 (9)
Unknown Local Ag.	207	10.6 (15)	4.3 (12)	537	8.4 (18)	4.8 (27)	6.3 (8)	163	12.9 (3)	11.0 (19)	248	3.2 (1)
Colorado	26,634	10.1	4.6	96,600	8.1	3.7	8.2	37,111	14.7	9.6	51,974	12.1
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7	4,381,087	13.6

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Baca	26	* *	10	* *	20	* *	0	* *
Bent	51	* *	36	* *	32	* *	0	* *
Boulder	1,010	83.1 (6)	839	43.0 (3)	637	28.6 (3)	0	* *
Broomfield	154	70.1 (20)	117	29.9 (9)	63	* *	0	* *
Clear Crk	39	* *	28	* *	20	* *	0	* *
Delta	132	79.5 (9)	92	* *	70	* *	0	* *
Denver	3,952	72.9 (17)	3,101	27.2 (14)	1,673	16.3 (13)	0	* *
Dolores	8	* *	7	* *	6	* *	0	* *
Eagle	268	89.6 (2)	176	38.1 (5)	125	20.8 (7)	0	* *
El Paso	3,869	71.4 (18)	2,949	29.5 (12)	2,155	18.1 (10)	0	* *
Garfield	319	91.2 (1)	247	40.1 (4)	177	30.5 (2)	0	* *
Grand	50	* *	35	* *	27	* *	0	* *
Gunnison	41	* *	38	* *	38	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jackson	10	* *	6	* *	3	* *	0	* *	0	* *	0	* *
Jefferson	1,872	75.2 (11)	1,535	29.8 (11)	1,081	16.3 (13)	0	* *	0	* *	0	* *
Kit Carson	81	* *	59	* *	47	* *	0	* *	0	* *	0	* *
Larimer	1,052	80.1 (7)	845	30.3 (8)	582	21.8 (5)	0	* *	0	* *	0	* *
Las Animas	162	59.9 (24)	117	28.2 (13)	79	* *	0	* *	0	* *	0	* *
Lincoln	42	* *	45	* *	33	* *	0	* *	0	* *	0	* *
Mesa	716	79.6 (8)	602	24.9 (17)	419	16.7 (12)	0	* *	0	* *	0	* *
Montezuma	133	89.5 (3)	109	50.5 (1)	95	* *	0	* *	0	* *	0	* *
Montrose	312	73.7 (15)	270	27.0 (15)	211	19.4 (8)	0	* *	0	* *	0	* *
NECHD	541	65.4 (21)	474	21.3 (19)	307	10.4 (16)	0	* *	0	* *	0	* *
NWVNA	124	74.2 (14)	94	* *	65	* *	0	* *	0	* *	0	* *
Otero	217	55.8 (25)	173	18.5 (21)	144	17.4 (11)	0	* *	0	* *	0	* *
Ouray	14	* *	8	* *	7	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Park	28	* *	26	* *	15	* *	0	* *	0	* *
Pitkin	15	* *	13	* *	10	* *	0	* *	0	* *
Prowers	149	75.2 (11)	108	19.4 (20)	86	* *	0	* *	0	* *
Pueblo	1,384	65.1 (22)	1,161	17.6 (22)	955	9.3 (17)	0	* *	0	* *
Rio Blanco	35	* *	21	* *	22	* *	0	* *	0	* *
San Juan	238	87.0 (5)	201	37.8 (6)	138	24.6 (4)	0	* *	0	* *
San Miguel	23	* *	15	* *	11	* *	0	* *	0	* *
Summit	132	89.4 (4)	72	* *	54	* *	0	* *	0	* *
Sunrise	1,144	76.2 (10)	725	46.2 (2)	435	40.0 (1)	0	* *	0	* *
TCHD	7,149	74.7 (13)	5,549	25.9 (16)	3,780	16.1 (15)	0	* *	0	* *
Teller	71	* *	59	* *	37	* *	0	* *	0	* *
UAACOG	411	70.3 (19)	334	24.9 (17)	260	21.2 (6)	0	* *	0	* *
VWHS	479	65.1 (22)	381	29.9 (9)	275	18.2 (9)	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Unknown Local Ag.	207	73.4 (16)	143	30.8 (7)	72	* *	0	* *	0	* *	0	* *
Colorado	26,660	74.2	20,820	28.9	14,266	18.5	0	*	0	*	0	*
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6	136,891	6.8	343,170	64.7

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alamosa	106	14.2 (32)	3.8 (11)	613	10.8 (38)	2.6 (5)	12.2 (42)	336	19.9 (36)	16.1 (36)	405	16.8 (31)
Baca	82	* *	* *	409	8.6 (24)	3.4 (14)	9.8 (31)	213	15.5 (22)	12.2 (32)	211	6.6 (5)
Bent	160	15.0 (33)	2.5 (6)	639	7.7 (18)	5.6 (33)	7.8 (21)	284	15.8 (24)	10.6 (24)	395	8.1 (9)
Boulder	3,125	7.9 (2)	6.1 (31)	13,787	6.4 (3)	3.1 (11)	9.9 (33)	6,239	14.7 (17)	11.1 (28)	8,071	11.5 (24)
Broomfield	395	9.9 (13)	4.1 (15)	1,670	9.4 (31)	4.0 (23)	8.2 (24)	744	15.7 (23)	10.1 (18)	898	12.2 (27)
Clear Crk	107	15.9 (34)	3.7 (10)	375	10.7 (35)	6.9 (39)	3.5 (1)	133	12.8 (11)	3.8 (1)	188	3.2 (2)
Delta	402	10.4 (17)	4.5 (20)	1,777	8.9 (26)	3.5 (16)	9.6 (30)	827	15.1 (20)	10.5 (22)	851	8.3 (11)
Denver	10,966	10.6 (20)	4.4 (19)	24,875	9.7 (32)	3.6 (18)	7.7 (20)	2,105	13.9 (14)	10.0 (17)	11,584	9.7 (18)
Dolores	28	* *	* *	159	7.5 (14)	4.4 (26)	7.5 (19)	77	* *	* *	98	* *
Eagle	694	8.6 (4)	3.9 (13)	2,349	7.5 (14)	3.9 (21)	9.3 (29)	884	17.0 (32)	12.1 (31)	1,347	9.4 (16)
El Paso	11,105	10.7 (22)	4.0 (14)	45,890	8.9 (26)	3.4 (14)	6.7 (9)	19,818	13.1 (12)	6.9 (8)	18,711	9.4 (16)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Garfield	1,000	9.4 (9)	4.3 (17)	3,646	6.4 (3)	2.0 (1)	8.2 (24)	1,294	11.4 (6)	6.8 (7)	2,066	8.7 (14)
Grand	123	12.2 (25)	5.7 (30)	473	9.3 (29)	6.6 (36)	6.1 (3)	199	8.5 (2)	4.0 (2)	309	18.8 (34)
Gunnison	152	10.5 (18)	2.6 (7)	674	13.2 (42)	3.9 (21)	6.8 (11)	281	19.6 (35)	9.6 (16)	400	11.0 (22)
Jackson	18	* *	* *	107	13.1 (41)	8.4 (40)	8.4 (26)	60	* *	* *	68	* *
Jefferson	5,531	9.8 (12)	4.6 (22)	21,472	7.7 (18)	4.0 (23)	7.3 (16)	8,753	15.8 (24)	10.2 (19)	12,796	9.9 (19)
Kit Carson	224	8.5 (3)	8.0 (34)	1,072	6.5 (5)	3.0 (9)	10.9 (38)	536	14.7 (17)	14.2 (34)	730	8.9 (15)
Larimer	3,003	9.9 (13)	5.1 (28)	11,206	6.9 (11)	4.8 (29)	7.3 (16)	4,549	14.5 (16)	9.5 (15)	6,406	12.7 (28)
Las Animas	481	12.7 (28)	2.1 (3)	1,957	10.7 (35)	3.1 (11)	9.8 (31)	854	12.2 (9)	10.7 (25)	1,101	8.5 (13)
Lincoln	120	10.0 (16)	3.3 (8)	554	6.0 (2)	6.7 (38)	6.1 (3)	251	8.8 (3)	5.2 (5)	338	19.2 (35)
Mesa	2,255	9.0 (7)	4.5 (20)	7,445	7.6 (16)	3.7 (20)	8.1 (23)	2,378	16.7 (28)	10.2 (19)	3,847	11.0 (22)
Montezuma	418	8.6 (4)	6.9 (33)	1,900	8.7 (25)	2.7 (6)	10.6 (36)	877	15.3 (21)	11.4 (29)	1,208	8.2 (10)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montrose	954	8.8 (6)	4.6 (22)	4,172	7.6 (16)	3.0 (9)	9.2 (28)	1,953	16.1 (27)	9.1 (14)		1,236	16.6 (30)
NECHD	1,681	7.1 (1)	5.4 (29)	7,618	6.5 (5)	2.0 (1)	10.7 (37)	3,482	18.5 (34)	10.9 (26)		4,932	6.6 (5)
NWVNA	359	12.5 (26)	4.7 (25)	1,348	7.0 (13)	5.0 (32)	7.4 (18)	498	11.0 (5)	12.7 (33)		747	15.3 (29)
Otero	726	13.9 (30)	2.2 (4)	3,566	8.0 (21)	2.4 (4)	9.9 (33)	1,758	16.8 (29)	11.8 (30)		2,326	2.8 (1)
Ouray	35	* *	* *	110	3.6 (1)	2.7 (6)	10.0 (35)	42	* *	* *		60	* *
Park	98	* *	* *	454	10.6 (34)	4.8 (29)	6.2 (6)	215	12.1 (8)	7.9 (9)		218	6.9 (7)
Pitkin	52	* *	* *	163	6.7 (8)	10.4 (42)	6.7 (9)	49	* *	* *		91	* *
Prowers	461	9.3 (8)	4.6 (22)	2,080	6.7 (8)	3.2 (13)	11.3 (41)	960	21.4 (37)	14.4 (35)		1,322	11.6 (25)
Pueblo	3,958	9.4 (9)	3.5 (9)	16,687	9.2 (28)	2.0 (1)	10.9 (38)	7,600	16.8 (29)	10.5 (22)		10,870	5.8 (4)
Rio Blanco	104	10.6 (20)	4.8 (26)	366	8.5 (22)	4.4 (26)	6.8 (11)	131	16.8 (29)	4.6 (3)		187	22.5 (36)
Saguache	38	* *	* *	251	6.8 (10)	8.8 (41)	7.2 (15)	125	8.0 (1)	6.4 (6)		186	17.7 (32)

- (1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (5) Infants born during the reporting period included in the analysis.
 (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
 (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
San Juan	736	9.9 (13)	4.3 (17)	2,909	6.6 (7)	4.0 (23)	7.1 (14)	1,199	17.8 (33)	8.3 (11)		1,423	10.7 (20)
San Miguel	63	* *	* *	230	7.8 (20)	5.7 (34)	6.1 (3)	91	* *	* *		134	31.3 (38)
Summit	364	12.1 (24)	1.9 (2)	1,189	10.7 (35)	6.6 (36)	7.0 (13)	432	11.6 (7)	7.9 (9)		650	24.3 (37)
Sunrise	2,685	10.7 (22)	6.7 (32)	6,089	12.8 (40)	2.9 (8)	11.0 (40)	835	14.9 (19)	17.1 (37)		2,446	11.7 (26)
TCHD	20,592	9.7 (11)	5.0 (27)	80,750	6.9 (11)	3.6 (18)	9.0 (27)	33,108	14.4 (15)	10.2 (19)		45,667	10.7 (20)
Teller	226	13.7 (29)	1.3 (1)	936	10.8 (38)	6.4 (35)	4.4 (2)	400	10.8 (4)	5.0 (4)		505	18.6 (33)
UAACOG	1,226	12.5 (26)	3.8 (11)	5,237	9.3 (29)	3.5 (16)	8.0 (22)	2,346	16.0 (26)	8.7 (13)		2,920	7.4 (8)
VWHS	1,254	14.1 (31)	2.2 (4)	4,769	10.4 (33)	4.8 (29)	6.5 (7)	1,901	13.8 (13)	8.5 (12)		2,981	8.4 (12)
Unknown Local Ag.	219	10.5 (18)	4.1 (15)	553	8.5 (22)	4.7 (28)	6.5 (7)	165	12.7 (10)	10.9 (26)		252	3.6 (3)
Colorado	76,326	10.1	4.6	282,526	8.0	3.5	8.4	108,982	14.8	9.6		151,181	10.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Alamosa	77	* *	89	* *	98	* *	0	* *	0	* *
Baca	85	* *	69	* *	69	* *	0	* *	0	* *
Bent	171	70.8 (23)	153	15.7 (34)	121	5.8 (31)	0	* *	0	* *
Boulder	3,711	80.2 (11)	3,291	38.5 (6)	2,764	26.4 (7)	0	* *	0	* *
Broomfield	484	69.0 (24)	407	26.5 (20)	315	15.6 (18)	0	* *	0	* *
Clear Crk	127	76.4 (14)	116	27.6 (18)	88	* *	0	* *	0	* *
Delta	517	80.5 (10)	422	36.3 (9)	367	27.2 (6)	0	* *	0	* *
Denver	12,815	71.1 (21)	10,362	25.2 (23)	6,718	14.1 (24)	0	* *	0	* *
Dolores	37	* *	38	* *	35	* *	0	* *	0	* *
Eagle	847	82.9 (6)	624	35.6 (11)	518	19.3 (13)	0	* *	0	* *
El Paso	13,543	68.9 (25)	11,681	26.2 (21)	9,477	15.0 (21)	0	* *	0	* *
Garfield	1,192	90.4 (2)	1,007	41.3 (5)	758	25.5 (8)	0	* *	0	* *
Grand	150	82.7 (7)	125	28.8 (16)	114	21.1 (11)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Gunnison	194	90.7 (1)	178	49.4 (2)	143	29.4 (3)	0	* *	0	* *	0	* *
Jackson	22	* *	22	* *	19	* *	0	* *	0	* *	0	* *
Jefferson	6,567	71.0 (22)	5,786	25.8 (22)	4,565	14.2 (23)	0	* *	0	* *	0	* *
Kit Carson	259	68.7 (27)	232	24.6 (26)	192	15.1 (20)	0	* *	0	* *	0	* *
Larimer	3,595	76.2 (15)	3,034	29.6 (15)	2,399	18.9 (14)	0	* *	0	* *	0	* *
Las Animas	544	64.9 (30)	464	21.3 (29)	378	10.3 (28)	0	* *	0	* *	0	* *
Lincoln	145	72.4 (18)	144	31.9 (12)	112	24.1 (9)	0	* *	0	* *	0	* *
Mesa	2,668	78.6 (12)	2,359	25.2 (23)	1,770	14.9 (22)	0	* *	0	* *	0	* *
Montezuma	523	88.1 (3)	463	46.2 (4)	392	32.7 (2)	0	* *	0	* *	0	* *
Montrose	1,152	75.1 (16)	1,035	29.7 (14)	851	17.2 (15)	0	* *	0	* *	0	* *
NECHD	1,974	63.2 (33)	1,836	17.4 (31)	1,567	8.9 (30)	0	* *	0	* *	0	* *
NWVNA	446	78.3 (13)	385	31.7 (13)	297	15.8 (17)	0	* *	0	* *	0	* *
Otero	793	58.6 (34)	725	17.0 (33)	681	10.4 (27)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Ouray	37	* *	24	* *	18	* *	0	* *
Park	134	68.7 (27)	114	36.0 (10)	99	* *	0	* *
Pitkin	64	* *	55	* *	39	* *	0	* *
Prowers	528	68.8 (26)	488	19.9 (30)	430	10.9 (26)	0	* *
Pueblo	4,366	64.3 (31)	3,996	17.2 (32)	3,486	9.4 (29)	0	* *
Rio Blanco	137	73.0 (17)	108	28.7 (17)	92	* *	0	* *
Saguache	25	* *	32	* *	48	* *	0	* *
San Juan	867	85.6 (4)	754	38.1 (7)	596	22.1 (10)	0	* *
San Miguel	73	* *	59	* *	52	* *	0	* *
Summit	430	84.9 (5)	297	50.8 (1)	255	28.6 (4)	0	* *
Sunrise	3,100	81.4 (9)	2,285	47.4 (3)	1,307	33.7 (1)	0	* *
TCHD	24,334	71.7 (19)	21,065	25.0 (25)	16,463	15.2 (19)	0	* *
Teller	295	81.7 (8)	239	38.1 (7)	199	28.6 (4)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
UAACOG	1,449	65.0 (29)	1,288	26.9 (19)	1,094	20.0 (12)	0	* *	0	* *
VVHS	1,458	63.4 (32)	1,274	23.6 (28)	1,022	12.4 (25)	0	* *	0	* *
Unknown Local Ag.	359	71.3 (20)	236	24.6 (26)	140	17.1 (16)	0	* *	0	* *
Colorado	90,294	72.1	77,361	26.9	60,148	16.1	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

