

Table 4F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Baca	126	72.2	0.0	26.2	0.0	0.0	1.6	0.0
Bent	180	51.7	0.0	46.1	0.0	0.0	2.2	0.0
Boulder	4,638	23.5	0.7	70.9	0.8	1.8	2.4	0.0
Broomfield	554	39.0	0.5	53.1	1.1	4.2	2.2	0.0
Clear Crk	168	80.4	0.0	11.9	0.0	0.6	7.1	0.0
Delta	555	49.5	0.2	45.2	0.2	0.5	4.3	0.0
Denver	10,521	8.6	19.1	66.7	1.5	1.6	2.5	0.0
Dolores	42	*	*	*	*	*	*	*
Eagle	903	6.0	0.4	93.5	0.0	0.1	0.0	0.0
El Paso	15,856	41.1	9.3	40.0	0.7	1.2	7.8	0.0
Garfield	1,177	20.2	0.2	76.2	0.6	0.1	2.7	0.0
Grand	165	53.3	1.2	41.2	0.6	0.0	3.6	0.0
Gunnison	213	52.6	0.9	41.3	0.5	0.9	3.8	0.0
Jackson	32	*	*	*	*	*	*	*
Jefferson	7,210	43.4	2.6	49.1	1.0	2.1	1.7	0.0
Kit Carson	366	51.1	0.8	46.2	1.1	0.0	0.8	0.0
Larimer	4,111	48.9	1.2	46.4	0.6	0.7	2.2	0.0
Las Animas	621	26.7	0.6	68.8	0.3	0.5	3.1	0.0
Lincoln	201	74.1	2.5	21.4	0.5	0.0	1.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Mesa	2,634	52.8	0.8	41.1	0.6	0.6	4.0	0.0
Montezuma	619	52.2	0.2	31.7	12.3	0.5	3.1	0.2
Montrose	1,445	38.5	0.5	50.5	1.4	0.4	8.6	0.1
NECHD	2,350	41.2	0.6	56.3	0.5	0.1	1.2	0.0
NWVNA	509	46.6	0.2	50.5	0.0	0.0	2.8	0.0
Otero	1,106	29.4	0.2	69.1	0.1	0.1	1.2	0.0
Ouray	44	*	*	*	*	*	*	*
Park	157	58.0	0.6	25.5	0.6	0.6	14.6	0.0
Pitkin	49	*	*	*	*	*	*	*
Prowers	604	27.5	0.7	70.4	0.0	0.2	1.2	0.2
Pueblo	5,631	22.5	1.3	71.5	0.6	0.4	3.6	0.0
Rio Blanco	102	54.9	0.0	40.2	2.0	0.0	2.9	0.0
San Juan	991	40.2	0.5	46.5	8.9	0.2	3.7	0.0
San Miguel	90	*	*	*	*	*	*	*
Summit	485	16.3	0.4	81.0	0.4	0.8	0.8	0.2
Sunrise	3,221	22.5	0.6	75.5	0.2	0.4	0.7	0.0
TCHD	27,687	18.4	8.7	67.2	0.9	2.0	2.8	0.1
Teller	324	83.6	0.3	10.8	0.6	1.2	3.4	0.0
UAACOG	1,659	68.3	1.1	27.2	0.5	0.1	2.8	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
VWHS	1,888	22.9	0.6	75.3	0.5	0.3	0.4	0.0
Unknown Local Ag.	4,072	17.6	2.8	72.6	3.0	2.1	1.9	0.0
Colorado	103,306	28.8	6.3	59.1	1.1	1.3	3.4	0.0
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Baca	126	37.3	14.3	48.4
Bent	180	38.3	14.4	47.2
Boulder	4,638	37.1	18.8	44.1
Broomfield	554	40.6	15.9	43.5
Clear Crk	168	33.3	20.2	46.4
Delta	555	35.5	19.6	44.9
Denver	10,521	48.5	19.3	32.2
Dolores	42	*	*	*
Eagle	903	45.2	20.6	34.2
El Paso	15,856	39.3	18.6	42.1
Garfield	1,177	44.9	17.6	37.5
Grand	165	43.0	14.5	42.4
Gunnison	213	41.8	18.8	39.4
Jackson	32	*	*	*
Jefferson	7,210	39.7	20.6	39.7
Kit Carson	366	38.3	18.3	43.4
Larimer	4,111	40.2	20.1	39.7
Las Animas	621	39.8	18.0	42.2

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln	201	33.8	20.9	45.3
Mesa	2,634	46.2	18.8	35.0
Montezuma	619	37.6	20.2	42.2
Montrose	1,445	39.0	16.3	44.8
NECHD	2,350	37.7	16.0	46.3
NWVNA	509	46.4	18.9	34.8
Otero	1,106	32.6	16.0	51.4
Ouray	44	*	*	*
Park	157	35.7	19.7	44.6
Pitkin	49	*	*	*
Prowers	604	34.9	18.0	47.0
Pueblo	5,631	36.0	20.5	43.5
Rio Blanco	102	49.0	22.5	28.4
San Juan	991	44.4	17.2	38.4
San Miguel	90	*	*	*
Summit	485	44.7	19.4	35.9
Sunrise	3,221	58.1	22.4	19.5
TCHD	27,687	42.2	17.3	40.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2007 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	324	41.0	16.0	42.9
UAACOG	1,659	40.4	17.7	41.9
VWHS	1,888	37.0	19.3	43.7
Unknown Local Ag.	4,072	48.7	17.5	33.8
Colorado	103,306	42.0	18.6	39.4
Nation (Prior Year)	7,599,318	37.6	21.8	40.6

(1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Records rejected if date of birth and date of visit unknown.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Baca	28	* *	* *	118	8.5 (20)	4.2 (26)	11.0 (31)	56	* *	* *	* *	69	* *
Bent	37	* *	* *	179	7.8 (15)	3.9 (22)	12.3 (32)	83	* *	* *	* *	120	17.5 (27)
Boulder	1,113	7.1 (2)	5.8 (23)	4,593	5.7 (3)	3.2 (13)	9.4 (26)	2,038	16.9 (24)	12.1 (23)		2,838	14.4 (20)
Broomfield	132	10.6 (14)	5.3 (18)	544	10.7 (31)	3.1 (10)	10.1 (28)	245	14.3 (12)	13.1 (25)		295	9.8 (10)
Clear Crk	39	* *	* *	167	10.2 (30)	5.4 (30)	4.2 (1)	74	* *	* *	* *	82	* *
Delta	133	8.3 (6)	5.3 (18)	547	9.0 (23)	3.3 (15)	10.8 (30)	247	16.6 (22)	10.5 (17)		309	13.6 (17)
Denver	3,023	9.5 (11)	5.0 (15)	10,430	7.7 (14)	3.8 (21)	8.4 (18)	3,391	13.8 (10)	9.6 (11)		6,208	13.8 (19)
Dolores	7	* *	* *	42	* *	* *	* *	19	* *	* *	* *	19	* *
Eagle	258	6.2 (1)	3.1 (7)	896	8.1 (18)	3.1 (10)	12.5 (33)	301	16.6 (22)	14.0 (26)		499	21.8 (30)
El Paso	3,932	10.7 (17)	3.9 (9)	15,724	9.5 (27)	3.2 (13)	7.1 (11)	6,645	13.7 (7)	7.6 (3)		6,652	15.3 (25)
Garfield	302	8.9 (8)	5.0 (15)	1,163	5.8 (4)	2.8 (7)	8.4 (18)	430	15.6 (14)	8.6 (9)		662	9.7 (9)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	48	* *	* *	162	4.9 (1)	7.4 (33)	6.2 (6)	68	* *	* *	90	* *
Gunnison	60	* *	* *	213	6.1 (5)	6.6 (31)	6.1 (5)	81	* *	* *	112	15.2 (24)
Jackson	6	* *	* *	30	* *	* *	* *	13	* *	* *	23	* *
Jefferson	1,839	10.6 (14)	4.6 (13)	7,138	8.1 (18)	3.6 (17)	6.9 (9)	2,855	15.9 (16)	9.2 (10)	4,290	11.5 (13)
Kit Carson	85	* *	* *	363	8.0 (17)	0.8 (1)	8.8 (23)	163	18.4 (27)	11.7 (22)	239	7.9 (2)
Larimer	1,025	8.2 (5)	5.3 (18)	4,084	7.3 (12)	3.6 (17)	7.6 (14)	1,629	16.1 (17)	10.5 (17)	2,456	14.5 (22)
Las Animas	159	15.7 (24)	2.5 (6)	613	11.3 (33)	2.9 (9)	7.7 (15)	257	17.9 (25)	7.8 (4)	351	20.5 (29)
Lincoln	48	* *	* *	194	5.2 (2)	5.2 (29)	6.7 (7)	90	* *	* *	104	14.4 (20)
Mesa	751	8.7 (7)	4.3 (11)	2,619	7.2 (7)	3.3 (15)	9.0 (25)	909	16.1 (17)	11.2 (21)	1,327	16.0 (26)
Montezuma	149	9.4 (10)	8.1 (25)	611	9.2 (24)	2.8 (7)	8.3 (16)	260	13.1 (4)	8.5 (8)	380	7.9 (2)
Montrose	349	10.6 (14)	1.7 (2)	1,426	9.4 (26)	2.4 (4)	8.7 (22)	644	13.7 (7)	7.9 (5)	291	13.4 (16)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
NECHD	523	7.3 (3)	5.2 (17)	2,334	7.2 (7)	1.5 (2)	10.5 (29)	1,067	18.3 (26)	11.0 (20)	1,476	9.4 (7)
NWVNA	158	11.4 (19)	4.4 (12)	504	8.7 (21)	4.0 (23)	6.0 (4)	178	11.8 (2)	7.9 (5)	291	9.6 (8)
Otero	235	8.1 (4)	2.1 (3)	1,090	6.1 (5)	2.7 (5)	8.4 (18)	566	13.1 (4)	9.7 (12)	715	8.8 (4)
Ouray	13	* *	* *	44	* *	* *	* *	10	* *	* *	27	* *
Park	36	* *	* *	150	7.3 (12)	8.0 (34)	7.3 (13)	67	* *	* *	59	* *
Pitkin	15	* *	* *	49	* *	* *	* *	13	* *	* *	32	* *
Prowers	140	11.4 (19)	5.7 (22)	594	7.2 (7)	3.7 (19)	13.1 (34)	273	16.5 (21)	18.3 (27)	379	18.2 (28)
Pueblo	1,397	10.8 (18)	3.1 (7)	5,579	9.8 (28)	2.2 (3)	9.8 (27)	2,439	15.7 (15)	10.3 (16)	3,601	8.9 (5)
Rio Blanco	30	* *	* *	98	* *	* *	* *	28	* *	* *	48	* *
San Juan	286	11.5 (21)	4.2 (10)	979	7.9 (16)	3.7 (19)	5.7 (3)	379	16.1 (17)	7.9 (5)	468	11.8 (14)
San Miguel	24	* *	* *	87	* *	* *	* *	35	* *	* *	48	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Summit	139	21.6 (25)	1.4 (1)	471	13.0 (34)	5.1 (28)	8.5 (21)	174	16.1 (17)	10.9 (19)	299	14.7 (23)
Sunrise	1,255	9.2 (9)	6.2 (24)	3,196	8.9 (22)	3.1 (10)	8.9 (24)	630	12.9 (3)	12.1 (23)	1,602	9.1 (6)
TCHD	7,132	10.4 (13)	4.6 (13)	27,399	7.2 (7)	4.0 (23)	8.3 (16)	11,103	13.7 (7)	10.0 (15)	16,112	12.8 (15)
Teller	86	* *	* *	320	10.0 (29)	6.6 (31)	4.7 (2)	133	10.5 (1)	6.0 (2)	190	13.7 (18)
UAACOG	405	12.6 (22)	2.2 (4)	1,650	9.3 (25)	2.7 (5)	6.8 (8)	693	15.4 (13)	5.1 (1)	927	11.2 (11)
VWHS	447	13.9 (23)	2.2 (4)	1,863	10.8 (32)	4.6 (27)	7.1 (11)	796	13.1 (4)	9.8 (13)	1,188	11.4 (12)
Unknown Local Ag.	1,463	10.0 (12)	5.3 (18)	4,034	7.2 (7)	4.1 (25)	7.0 (10)	1,350	14.1 (11)	9.8 (13)	2,279	6.2 (1)
Colorado	27,307	10.1	4.5	102,297	8.0	3.5	8.2	40,432	14.6	9.7	57,157	12.6
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Baca	28	* *	24	* *	22	* *	0	* *
Bent	37	* *	34	* *	30	* *	0	* *
Boulder	1,113	85.1 (6)	842	37.1 (3)	639	27.1 (1)	0	* *
Broomfield	133	72.9 (16)	111	26.1 (16)	78	* *	0	* *
Clear Crk	39	* *	27	* *	29	* *	0	* *
Delta	133	82.7 (8)	101	33.7 (6)	80	* *	0	* *
Denver	3,024	73.4 (14)	2,568	26.7 (14)	1,555	16.9 (7)	0	* *
Dolores	7	* *	9	* *	6	* *	0	* *
Eagle	258	86.0 (5)	225	35.1 (4)	133	15.8 (11)	0	* *
El Paso	3,935	71.4 (17)	3,195	27.7 (10)	2,205	17.4 (6)	0	* *
Garfield	302	91.1 (2)	245	38.0 (2)	184	22.3 (5)	0	* *
Grand	48	* *	28	* *	16	* *	0	* *
Gunnison	60	* *	36	* *	30	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Jackson	6	* *	6	* *	6	* *	0	* *
Jefferson	1,841	73.4 (14)	1,584	27.0 (12)	1,240	16.9 (7)	0	* *
Kit Carson	86	* *	71	* *	58	* *	0	* *
Larimer	1,025	77.3 (11)	887	31.0 (7)	631	16.3 (10)	0	* *
Las Animas	159	66.7 (22)	134	26.9 (13)	83	* *	0	* *
Lincoln	48	* *	40	* *	30	* *	0	* *
Mesa	751	81.2 (9)	607	23.1 (20)	415	14.2 (14)	0	* *
Montezuma	149	87.2 (4)	130	43.1 (1)	86	* *	0	* *
Montrose	350	79.7 (10)	259	25.5 (17)	204	10.3 (16)	0	* *
NECHD	523	63.7 (24)	473	16.5 (23)	308	8.1 (18)	0	* *
NWVNA	158	82.9 (7)	124	28.2 (9)	81	* *	0	* *
Otero	235	65.1 (23)	168	10.7 (24)	139	9.4 (17)	0	* *
Ouray	13	* *	13	* *	6	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Park	36	* *	27	* *	19	* *	0	* *
Pitkin	15	* *	13	* *	15	* *	0	* *
Prowers	140	70.0 (19)	109	22.9 (21)	90	* *	0	* *
Pueblo	1,398	62.2 (25)	1,210	17.8 (22)	1,030	11.0 (15)	0	* *
Rio Blanco	30	* *	18	* *	16	* *	0	* *
San Juan	286	88.8 (3)	225	30.2 (8)	149	23.5 (4)	0	* *
San Miguel	24	* *	15	* *	13	* *	0	* *
Summit	139	92.1 (1)	77	* *	81	* *	0	* *
Sunrise	1,255	74.3 (13)	922	35.1 (4)	637	23.9 (3)	0	* *
TCHD	7,136	75.4 (12)	6,036	24.7 (18)	3,935	14.7 (13)	0	* *
Teller	86	* *	71	* *	34	* *	0	* *
UAACOG	405	69.4 (20)	351	26.5 (15)	253	24.5 (2)	0	* *
VWHS	448	69.4 (20)	348	23.6 (19)	311	16.7 (9)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Unknown Local Ag.	1,465	71.2 (18)	879	27.1 (11)	567	15.7 (12)	0	* *	0	* *	0	* *
Colorado	27,324	74.3	22,242	26.8	15,444	16.6	0	*	0	*	0	*
Nation (Prior Year)	1,577,832	60.1	790,341	25.2	875,205	18.1	104,492	10.3	143,261	5.6	584,732	73.3
											2,855,911	10.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alamosa	29	* *	* *	226	8.8 (25)	2.2 (3)	11.1 (39)	122	23.8 (36)	12.3 (30)	152	15.8 (31)
Baca	79	* *	* *	368	8.7 (24)	3.5 (16)	10.9 (38)	187	18.2 (32)	14.4 (35)	204	10.3 (12)
Bent	140	12.1 (23)	2.9 (6)	593	7.6 (17)	5.2 (32)	8.6 (24)	259	17.8 (31)	13.1 (33)	374	12.6 (18)
Boulder	3,164	7.3 (3)	5.9 (28)	13,761	5.9 (4)	3.2 (10)	9.8 (33)	6,197	15.4 (18)	11.8 (29)	8,299	13.9 (24)
Broomfield	404	10.6 (18)	4.7 (19)	1,655	10.7 (37)	3.9 (24)	9.1 (27)	745	15.6 (20)	11.5 (27)	916	13.9 (24)
Clear Crk	109	17.4 (32)	3.7 (11)	417	10.3 (34)	6.2 (36)	3.4 (1)	169	14.2 (15)	5.3 (3)	206	4.4 (1)
Delta	369	8.7 (6)	4.9 (21)	1,683	9.7 (32)	3.5 (16)	10.8 (37)	778	15.7 (22)	11.6 (28)	879	11.9 (16)
Denver	10,735	10.5 (17)	4.5 (15)	28,671	9.0 (26)	3.6 (20)	8.0 (21)	5,412	14.0 (9)	9.8 (15)	15,035	11.7 (15)
Dolores	25	* *	* *	152	8.6 (23)	7.2 (39)	7.9 (20)	73	* *	* *	89	* *
Eagle	746	8.8 (8)	3.8 (12)	2,451	7.7 (19)	3.5 (16)	10.6 (36)	884	17.1 (30)	13.8 (34)	1,374	16.5 (32)
El Paso	11,603	10.7 (19)	4.1 (13)	46,284	9.4 (29)	3.3 (12)	6.9 (9)	19,651	13.6 (7)	7.3 (7)	18,736	13.0 (20)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Garfield	964	8.7 (6)	4.1 (13)	3,547	6.3 (5)	2.4 (5)	8.0 (21)	1,279	14.1 (11)	7.3 (7)		1,994	9.7 (9)
Grand	136	12.5 (26)	5.1 (23)	482	7.5 (16)	6.2 (36)	6.8 (7)	208	6.3 (1)	5.8 (4)		296	13.2 (21)
Gunnison	153	11.1 (21)	3.3 (7)	643	9.6 (31)	5.3 (33)	7.0 (10)	260	16.9 (29)	10.4 (21)		381	14.7 (30)
Jackson	19	* *	* *	93	* *	* *	* *	46	* *	* *		68	* *
Jefferson	5,476	10.2 (16)	4.5 (15)	21,225	7.8 (20)	3.9 (24)	7.1 (13)	8,543	15.6 (20)	9.6 (14)		12,607	10.9 (13)
Kit Carson	230	6.1 (1)	7.0 (31)	1,068	6.6 (7)	2.2 (3)	9.7 (32)	506	16.8 (28)	12.6 (32)		715	7.8 (6)
Larimer	3,060	9.6 (10)	5.2 (25)	11,624	6.9 (9)	4.3 (27)	7.2 (14)	4,637	15.4 (18)	9.9 (16)		6,779	14.3 (27)
Las Animas	473	15.2 (31)	2.5 (5)	1,845	11.2 (39)	3.3 (12)	9.4 (31)	786	14.1 (11)	10.1 (18)		1,042	14.3 (27)
Lincoln	134	9.7 (12)	6.0 (29)	550	5.3 (3)	6.2 (36)	5.6 (3)	242	7.4 (2)	5.0 (2)		317	18.3 (34)
Mesa	2,245	8.6 (5)	4.5 (15)	7,797	7.4 (15)	3.5 (16)	8.4 (23)	2,668	16.5 (26)	10.3 (20)		4,006	13.4 (23)
Montezuma	425	8.5 (4)	8.0 (32)	1,827	8.3 (22)	2.9 (8)	9.1 (27)	800	13.9 (8)	10.4 (21)		1,146	7.7 (5)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montrose	971	9.5 (9)	3.4 (8)	4,231	8.1 (21)	2.5 (7)	8.7 (25)	1,941	16.1 (24)	8.6 (11)	1,074	14.3 (27)
NECHD	1,611	7.2 (2)	5.2 (25)	7,290	6.6 (7)	1.9 (1)	10.4 (34)	3,351	18.3 (33)	10.7 (24)	4,661	8.5 (8)
NWVNA	401	12.7 (27)	5.0 (22)	1,394	7.6 (17)	4.4 (29)	7.2 (14)	504	12.1 (5)	10.9 (26)	765	12.9 (19)
Otero	680	12.1 (23)	2.2 (4)	3,426	7.1 (11)	2.4 (5)	9.3 (30)	1,743	15.3 (17)	10.7 (24)	2,259	5.1 (2)
Ouray	35	* *	* *	117	2.6 (1)	3.4 (15)	7.7 (19)	34	* *	* *	68	* *
Park	97	* *	* *	445	9.9 (33)	4.9 (31)	7.0 (10)	210	11.4 (4)	8.1 (10)	202	8.4 (7)
Pitkin	42	* *	* *	136	5.1 (2)	9.6 (40)	6.6 (6)	36	* *	* *	83	* *
Prowers	434	10.8 (20)	5.1 (23)	1,977	7.3 (13)	3.3 (12)	12.2 (40)	935	19.5 (35)	15.8 (36)	1,267	13.9 (24)
Pueblo	4,050	10.1 (14)	3.4 (8)	16,545	9.5 (30)	2.1 (2)	10.4 (34)	7,365	16.2 (25)	10.5 (23)	10,731	7.3 (4)
Rio Blanco	99	* *	* *	343	9.0 (26)	3.8 (22)	7.6 (18)	114	18.4 (34)	7.0 (6)	164	22.6 (36)
Saguache	1	* *	* *	54	* *	* *	* *	31	* *	* *	44	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
San Juan	776	11.3 (22)	4.6 (18)	2,883	7.2 (12)	3.7 (21)	6.5 (5)	1,158	16.7 (27)	7.9 (9)		1,385	13.3 (22)
San Miguel	70	* *	* *	232	6.5 (6)	4.3 (27)	5.6 (3)	87	* *	* *		124	32.3 (37)
Summit	385	14.5 (30)	1.8 (1)	1,280	11.6 (40)	5.9 (34)	7.2 (14)	476	14.1 (11)	8.6 (11)		719	17.2 (33)
Sunrise	3,180	9.6 (10)	6.1 (30)	7,504	10.8 (38)	3.1 (9)	9.2 (29)	1,231	14.1 (11)	12.5 (31)		3,392	11.1 (14)
TCHD	21,027	9.9 (13)	4.8 (20)	81,293	7.0 (10)	3.8 (22)	8.7 (25)	33,205	14.2 (15)	10.1 (18)		46,356	12.3 (17)
Teller	244	13.1 (28)	2.0 (3)	928	10.5 (36)	5.9 (34)	4.1 (2)	384	9.9 (3)	4.9 (1)		511	18.4 (35)
UAACOG	1,220	12.2 (25)	3.4 (8)	5,074	9.1 (28)	3.2 (10)	7.2 (14)	2,221	15.7 (22)	6.7 (5)		2,800	9.9 (11)
VWHS	1,334	13.5 (29)	1.9 (2)	5,414	10.3 (34)	4.7 (30)	6.8 (7)	2,308	13.2 (6)	9.0 (13)		3,452	9.8 (10)
Unknown Local Ag.	1,682	10.1 (14)	5.2 (25)	4,587	7.3 (13)	4.2 (26)	7.0 (10)	1,515	14.0 (9)	9.9 (16)		2,531	6.0 (3)
Colorado	79,057	10.1	4.5	292,115	8.1	3.5	8.3	113,301	14.7	9.6		158,203	11.7

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Alamosa	15	* *	29	* *	32	* *	0	* *	0	* *	0	* *
Baca	97	* *	81	* *	72	* *	0	* *	0	* *	0	* *
Bent	156	67.3 (27)	149	15.4 (33)	121	8.3 (32)	0	* *	0	* *	0	* *
Boulder	3,684	82.8 (7)	3,217	38.3 (6)	2,643	26.5 (5)	0	* *	0	* *	0	* *
Broomfield	489	67.5 (26)	431	25.3 (21)	325	14.5 (21)	0	* *	0	* *	0	* *
Clear Crk	135	71.9 (18)	116	24.1 (26)	107	8.4 (31)	0	* *	0	* *	0	* *
Delta	471	80.0 (10)	413	34.9 (9)	365	25.8 (6)	0	* *	0	* *	0	* *
Denver	11,862	71.5 (20)	10,293	25.3 (21)	7,110	14.5 (21)	0	* *	0	* *	0	* *
Dolores	34	* *	41	* *	31	* *	0	* *	0	* *	0	* *
Eagle	884	84.8 (5)	707	34.9 (9)	502	18.3 (11)	0	* *	0	* *	0	* *
El Paso	14,103	69.4 (24)	12,049	26.5 (17)	9,384	15.8 (17)	0	* *	0	* *	0	* *
Garfield	1,195	90.5 (1)	1,013	40.0 (5)	762	23.4 (8)	0	* *	0	* *	0	* *
Grand	171	80.1 (9)	129	31.0 (11)	97	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Gunnison	197	87.8 (2)	155	41.9 (3)	139	27.3 (4)	0	* *	0	* *	0	* *
Jackson	25	* *	20	* *	18	* *	0	* *	0	* *	0	* *
Jefferson	6,528	71.4 (21)	5,835	25.5 (20)	4,625	14.6 (20)	0	* *	0	* *	0	* *
Kit Carson	273	65.9 (30)	247	28.3 (14)	208	15.9 (16)	0	* *	0	* *	0	* *
Larimer	3,713	77.0 (13)	3,145	28.6 (13)	2,493	16.9 (12)	0	* *	0	* *	0	* *
Las Animas	540	64.3 (31)	464	22.2 (28)	365	11.5 (27)	0	* *	0	* *	0	* *
Lincoln	153	71.9 (18)	147	24.5 (23)	118	16.1 (14)	0	* *	0	* *	0	* *
Mesa	2,645	79.2 (11)	2,284	23.6 (27)	1,728	13.5 (24)	0	* *	0	* *	0	* *
Montezuma	543	85.5 (4)	481	42.0 (2)	376	30.3 (1)	0	* *	0	* *	0	* *
Montrose	1,154	74.3 (16)	1,033	27.2 (16)	878	15.5 (18)	0	* *	0	* *	0	* *
NECHD	1,903	63.3 (33)	1,790	17.6 (31)	1,416	8.8 (30)	0	* *	0	* *	0	* *
NWVNA	474	77.6 (12)	416	29.8 (12)	306	16.7 (13)	0	* *	0	* *	0	* *
Otero	753	60.3 (34)	684	17.0 (32)	635	11.8 (26)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)
Ouray	47	* *	38	* *	25	* *	0	* *	0	* *	0	* *
Park	137	67.2 (28)	126	27.8 (15)	119	16.0 (15)	0	* *	0	* *	0	* *
Pitkin	59	* *	55	* *	44	* *	0	* *	0	* *	0	* *
Prowers	482	71.0 (22)	457	20.1 (29)	385	10.9 (28)	0	* *	0	* *	0	* *
Pueblo	4,489	63.8 (32)	4,086	17.7 (30)	3,552	10.1 (29)	0	* *	0	* *	0	* *
Rio Blanco	136	75.7 (15)	97	* *	78	* *	0	* *	0	* *	0	* *
Saguache	1	* *	2	* *	7	* *	0	* *	0	* *	0	* *
San Juan	930	84.6 (6)	748	35.3 (8)	570	23.2 (9)	0	* *	0	* *	0	* *
San Miguel	86	* *	67	* *	50	* *	0	* *	0	* *	0	* *
Summit	452	86.5 (3)	339	48.7 (1)	295	29.8 (2)	0	* *	0	* *	0	* *
Sunrise	3,687	76.8 (14)	2,768	41.4 (4)	1,803	29.2 (3)	0	* *	0	* *	0	* *
TCHD	24,575	73.3 (17)	21,365	24.4 (24)	16,236	14.9 (19)	0	* *	0	* *	0	* *
Teller	304	82.6 (8)	261	36.8 (7)	194	23.7 (7)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2005 - 2007 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
UAACOG	1,433	67.8 (25)	1,299	26.4 (18)	1,040	19.0 (10)	0	* *	0	* *
VVHS	1,509	66.7 (29)	1,320	26.1 (19)	1,129	13.8 (23)	0	* *	0	* *
Unknown Local Ag.	2,707	69.5 (23)	1,763	24.2 (25)	1,213	12.2 (25)	0	* *	0	* *
Colorado	93,231	72.7	80,160	26.5	61,596	16.0	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

