

Table 4F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Baca	118	73.7	0.8	25.4	0.0	0.0	0.0	0.0
Bent	186	55.4	0.0	40.3	0.0	0.0	4.3	0.0
Boulder	4,519	22.9	0.9	71.5	0.7	1.6	2.5	0.0
Broomfield	573	46.6	1.0	47.3	1.0	2.3	1.7	0.0
Clear Crk	146	80.8	0.7	13.0	1.4	1.4	2.7	0.0
Delta	565	44.2	0.5	48.8	0.2	0.2	6.0	0.0
Denver	9,905	8.5	21.4	64.0	1.3	2.0	2.8	0.0
Dolores	25	*	*	*	*	*	*	*
Eagle	841	5.0	0.6	94.4	0.0	0.0	0.0	0.0
El Paso	15,698	41.4	9.1	39.8	0.9	1.3	7.4	0.0
Garfield	1,177	17.0	0.3	80.8	0.7	0.1	1.1	0.0
Grand	146	47.3	0.0	47.9	0.0	0.0	4.8	0.0
Gunnison	228	48.7	0.9	46.1	0.4	0.0	3.9	0.0
Jackson	33	*	*	*	*	*	*	*
Jefferson	7,059	43.2	2.6	49.3	1.0	2.2	1.8	0.0
Kit Carson	396	47.0	1.5	49.0	0.8	0.3	1.5	0.0
Larimer	4,195	47.8	1.1	47.0	0.5	0.6	3.0	0.0
Las Animas	596	26.7	1.3	69.0	0.3	0.0	2.5	0.2
Lincoln	179	75.4	3.4	20.7	0.0	0.0	0.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Mesa	2,694	53.0	0.8	42.2	0.4	0.4	3.1	0.0
Montezuma	648	52.5	0.0	31.5	12.8	0.5	2.8	0.0
Montrose	1,498	39.4	0.1	49.2	0.9	0.7	9.7	0.0
NECHD	2,462	41.5	1.3	55.3	0.4	0.0	1.4	0.0
NWVNA	591	48.2	1.2	49.1	0.2	0.0	1.4	0.0
Otero	989	28.9	0.1	69.5	0.4	0.1	1.0	0.0
Ouray	38	*	*	*	*	*	*	*
Park	166	64.5	0.0	22.9	1.8	1.2	9.6	0.0
Pitkin	57	*	*	*	*	*	*	*
Prowers	586	27.6	0.5	70.0	0.5	0.0	1.2	0.2
Pueblo	5,714	22.6	1.2	71.2	0.6	0.2	4.1	0.0
Rio Blanco	125	50.4	0.0	45.6	2.4	0.0	1.6	0.0
San Juan	1,049	37.5	0.2	47.7	9.5	0.4	4.8	0.0
San Miguel	96	*	*	*	*	*	*	*
Summit	534	17.0	0.4	80.1	0.2	0.4	1.7	0.2
Sunrise	4,018	24.2	1.0	73.1	0.4	0.7	0.6	0.0
TCHD	28,834	19.1	8.8	66.7	0.8	2.0	2.5	0.1
Teller	303	83.2	0.3	11.9	0.3	1.7	2.6	0.0
UAACOG	1,556	65.4	0.6	29.6	0.5	0.4	3.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
VWHS	1,715	21.6	0.9	76.3	0.6	0.3	0.3	0.0
Unknown Local Ag.	7,056	14.1	3.4	76.8	1.7	1.8	2.1	0.0
Colorado	107,314	28.3	6.4	59.6	1.0	1.4	3.3	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Baca	118	34.7	19.5	45.8
Bent	186	39.2	19.4	41.4
Boulder	4,519	35.8	19.2	45.1
Broomfield	573	40.0	16.4	43.6
Clear Crk	146	37.0	18.5	44.5
Delta	565	33.8	22.8	43.4
Denver	9,905	39.0	21.7	39.3
Dolores	25	*	*	*
Eagle	841	44.4	21.2	34.5
El Paso	15,698	37.4	19.8	42.8
Garfield	1,177	47.9	16.8	35.3
Grand	146	37.0	29.5	33.6
Gunnison	228	38.2	21.9	39.9
Jackson	33	*	*	*
Jefferson	7,059	38.3	21.7	40.0
Kit Carson	396	33.8	20.5	45.7
Larimer	4,195	37.9	20.6	41.5
Las Animas	596	39.6	17.8	42.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln	179	35.2	21.2	43.6
Mesa	2,694	44.3	19.9	35.7
Montezuma	648	33.8	21.8	44.4
Montrose	1,498	36.5	16.6	46.9
NECHD	2,462	38.5	16.2	45.3
NWVNA	591	45.5	17.8	36.7
Otero	989	35.0	16.3	48.7
Ouray	38	*	*	*
Park	166	25.9	19.3	54.8
Pitkin	57	*	*	*
Prowers	586	37.4	17.6	45.1
Pueblo	5,714	33.3	22.6	44.1
Rio Blanco	125	37.6	27.2	35.2
San Juan	1,049	44.7	18.9	36.4
San Miguel	96	*	*	*
Summit	534	44.4	21.5	34.1
Sunrise	4,018	48.1	22.7	29.2
TCHD	28,834	39.2	19.3	41.5

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	303	41.6	20.5	38.0
UAACOG	1,556	40.0	18.3	41.7
VWHS	1,715	35.2	19.9	45.0
Unknown Local Ag.	7,056	46.3	18.1	35.6
Colorado	107,314	39.2	19.9	40.8
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Baca	26	* *	* *	114	9.6 (27)	3.5 (18)	8.8 (22)	49	* *	* *	57	* *
Bent	52	* *	* *	179	10.1 (29)	4.5 (28)	14.0 (35)	74	* *	* *	111	14.4 (22)
Boulder	1,052	9.0 (9)	5.7 (24)	4,476	6.2 (2)	3.0 (11)	9.8 (29)	2,012	15.6 (23)	12.7 (25)	2,708	12.0 (17)
Broomfield	153	6.5 (2)	3.3 (10)	565	8.7 (19)	4.6 (29)	8.1 (18)	254	12.2 (4)	9.8 (14)	321	16.8 (26)
Clear Crk	40	* *	* *	145	11.7 (31)	4.1 (26)	5.5 (5)	65	* *	* *	58	* *
Delta	135	12.6 (22)	1.5 (2)	561	6.8 (7)	3.9 (23)	9.1 (25)	244	13.1 (7)	10.2 (17)	320	11.6 (14)
Denver	2,586	10.5 (17)	4.0 (13)	9,827	7.2 (9)	3.4 (16)	8.9 (23)	3,891	13.1 (7)	10.0 (15)	6,029	10.9 (13)
Dolores	6	* *	* *	25	* *	* *	* *	10	* *	* *	7	* *
Eagle	260	8.1 (7)	5.4 (22)	831	8.8 (22)	1.6 (1)	10.1 (31)	291	20.6 (27)	10.0 (15)	481	27.7 (29)
El Paso	3,830	10.7 (19)	3.1 (9)	15,561	9.1 (24)	3.3 (14)	5.9 (8)	6,667	13.2 (10)	6.0 (2)	7,099	15.9 (24)
Garfield	367	9.5 (12)	4.4 (17)	1,160	9.1 (24)	2.2 (3)	8.9 (23)	402	13.9 (13)	9.2 (9)	613	10.4 (12)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	34	* *	* *	139	7.9 (15)	3.6 (20)	5.8 (6)	51	* *	* *	86	* *
Gunnison	60	* *	* *	225	6.7 (5)	4.0 (25)	5.8 (6)	89	* *	* *	126	12.7 (18)
Jackson	5	* *	* *	32	* *	* *	* *	17	* *	* *	14	* *
Jefferson	1,893	9.2 (11)	3.9 (12)	6,996	8.1 (16)	3.4 (16)	7.6 (14)	2,824	16.8 (25)	10.7 (19)	4,034	9.6 (8)
Kit Carson	84	* *	* *	391	8.4 (17)	3.3 (14)	10.2 (32)	182	11.5 (3)	13.2 (26)	254	6.3 (2)
Larimer	1,088	7.7 (5)	5.4 (22)	4,155	7.8 (14)	3.5 (18)	8.3 (20)	1,723	15.3 (20)	11.1 (21)	2,352	12.8 (19)
Las Animas	144	14.6 (25)	2.8 (7)	591	8.6 (18)	2.9 (9)	7.6 (14)	252	15.9 (24)	7.9 (6)	345	20.9 (27)
Lincoln	44	* *	* *	175	13.7 (34)	5.7 (32)	4.0 (2)	76	* *	* *	98	* *
Mesa	762	7.7 (5)	4.2 (15)	2,674	7.7 (13)	2.8 (8)	9.1 (25)	952	15.0 (17)	11.4 (22)	1,240	13.2 (20)
Montezuma	160	5.6 (1)	1.3 (1)	641	7.6 (12)	2.3 (5)	7.8 (17)	287	15.0 (17)	7.0 (4)	369	7.3 (3)
Montrose	357	9.5 (12)	4.8 (19)	1,475	6.7 (5)	2.2 (3)	7.7 (16)	685	13.4 (12)	6.1 (3)	286	16.1 (25)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
NECHD	608	6.9 (3)	4.1 (14)	2,449	6.5 (4)	1.8 (2)	11.1 (34)	1,110	17.9 (26)	10.6 (18)		1,447	9.9 (10)
NWVNA	175	11.4 (21)	2.9 (8)	589	8.7 (19)	6.3 (34)	5.4 (4)	215	12.6 (5)	8.4 (8)		339	9.7 (9)
Otero	223	9.0 (9)	2.2 (3)	973	7.5 (11)	2.3 (5)	9.4 (27)	475	12.6 (5)	12.2 (24)		631	8.9 (5)
Ouray	5	* *	* *	38	* *	* *	* *	17	* *	* *		22	* *
Park	26	* *	* *	163	12.3 (33)	7.4 (35)	4.9 (3)	85	* *	* *		75	* *
Pitkin	15	* *	* *	57	* *	* *	* *	22	* *	* *		39	* *
Prowers	151	10.6 (18)	6.0 (25)	580	6.4 (3)	3.1 (12)	9.5 (28)	267	15.4 (21)	16.9 (27)		348	10.3 (11)
Pueblo	1,386	8.7 (8)	4.2 (15)	5,665	8.7 (19)	2.6 (7)	10.4 (33)	2,519	14.2 (14)	10.7 (19)		3,550	7.4 (4)
Rio Blanco	36	* *	* *	123	5.7 (1)	4.1 (26)	8.1 (18)	46	* *	* *		68	* *
San Juan	300	9.7 (14)	2.3 (4)	1,044	9.1 (24)	3.8 (22)	7.0 (10)	380	14.5 (16)	9.2 (9)		466	15.7 (23)
San Miguel	36	* *	* *	94	* *	* *	* *	35	* *	* *		38	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Summit	165	13.3 (23)	2.4 (5)	526	12.0 (32)	6.1 (33)	7.2 (11)	181	8.3 (1)	8.3 (7)	337	22.0 (28)
Sunrise	1,357	6.9 (3)	4.6 (18)	3,980	8.9 (23)	3.1 (12)	9.8 (29)	1,154	15.0 (17)	11.4 (22)	2,217	9.1 (6)
TCHD	7,456	10.3 (15)	4.8 (19)	28,575	7.3 (10)	3.9 (23)	8.6 (21)	11,851	14.4 (15)	9.3 (11)	16,521	13.4 (21)
Teller	90	* *	* *	300	15.0 (35)	5.0 (31)	3.7 (1)	113	9.7 (2)	2.7 (1)	181	11.6 (14)
UAACOG	391	13.3 (23)	3.6 (11)	1,539	9.6 (27)	2.9 (9)	7.2 (11)	643	13.1 (7)	7.2 (5)	823	9.1 (6)
VWHS	401	11.0 (20)	2.5 (6)	1,702	10.7 (30)	4.8 (30)	6.8 (9)	770	13.2 (10)	9.5 (12)	1,073	11.9 (16)
Unknown Local Ag.	2,323	10.3 (15)	5.2 (21)	7,007	6.8 (7)	3.7 (21)	7.5 (13)	2,496	15.4 (21)	9.7 (13)	3,775	5.0 (1)
Colorado	28,282	9.8	4.2	106,342	7.9	3.5	8.2	43,476	14.4	9.4	58,958	11.9
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Baca	26	* *	23	* *	21	* *	0	* *	0	* *	0	* *
Bent	52	* *	31	* *	24	* *	0	* *	0	* *	0	* *
Boulder	1,053	87.6 (6)	868	41.9 (4)	707	25.2 (2)	0	* *	0	* *	0	* *
Broomfield	153	76.5 (12)	114	32.5 (8)	70	* *	0	* *	0	* *	0	* *
Clear Crk	40	* *	28	* *	21	* *	0	* *	0	* *	0	* *
Delta	135	83.0 (8)	118	22.9 (21)	112	21.4 (6)	0	* *	0	* *	0	* *
Denver	2,588	74.1 (14)	2,110	26.8 (16)	1,679	13.9 (18)	0	* *	0	* *	0	* *
Dolores	6	* *	7	* *	5	* *	0	* *	0	* *	0	* *
Eagle	261	91.6 (2)	181	45.3 (1)	162	22.2 (5)	0	* *	0	* *	0	* *
El Paso	3,832	73.2 (17)	3,317	29.0 (13)	2,406	16.7 (12)	0	* *	0	* *	0	* *
Garfield	367	91.0 (3)	274	43.8 (2)	168	26.8 (1)	0	* *	0	* *	0	* *
Grand	34	* *	25	* *	31	* *	0	* *	0	* *	0	* *
Gunnison	60	* *	45	* *	47	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Jackson	5	* *	7	* *	9	* *	0	* *	0	* *
Jefferson	1,894	73.6 (15)	1,659	28.6 (14)	1,297	16.8 (11)	0	* *	0	* *
Kit Carson	85	* *	83	* *	71	* *	0	* *	0	* *
Larimer	1,089	78.1 (10)	896	31.6 (9)	698	19.5 (8)	0	* *	0	* *
Las Animas	144	60.4 (25)	148	25.7 (17)	100	20.0 (7)	0	* *	0	* *
Lincoln	44	* *	30	* *	35	* *	0	* *	0	* *
Mesa	764	80.2 (9)	653	25.0 (19)	440	15.5 (14)	0	* *	0	* *
Montezuma	160	88.1 (4)	125	42.4 (3)	113	23.9 (3)	0	* *	0	* *
Montrose	357	73.1 (18)	292	29.8 (11)	221	14.9 (17)	0	* *	0	* *
NECHD	608	64.3 (22)	532	16.5 (25)	357	9.2 (21)	0	* *	0	* *
NWVNA	175	85.1 (7)	144	36.1 (6)	92	* *	0	* *	0	* *
Otero	223	62.8 (23)	191	24.6 (20)	152	11.2 (19)	0	* *	0	* *
Ouray	5	* *	6	* *	12	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Park	26	* *	26	* *	22	* *	0	* *
Pitkin	15	* *	10	* *	8	* *	0	* *
Prowers	152	67.8 (20)	120	18.3 (24)	82	* *	0	* *
Pueblo	1,387	62.4 (24)	1,193	18.7 (23)	1,146	9.6 (20)	0	* *
Rio Blanco	36	* *	20	* *	19	* *	0	* *
San Juan	300	87.7 (5)	247	36.0 (7)	176	18.2 (9)	0	* *
San Miguel	36	* *	24	* *	7	* *	0	* *
Summit	165	94.5 (1)	120	39.2 (5)	82	* *	0	* *
Sunrise	1,358	73.3 (16)	1,102	29.9 (10)	831	17.4 (10)	0	* *
TCHD	7,462	75.9 (13)	6,325	27.1 (15)	4,685	15.3 (16)	0	* *
Teller	90	* *	59	* *	53	* *	0	* *
UAACOG	391	68.8 (19)	353	29.2 (12)	267	22.8 (4)	0	* *
VWHS	401	67.6 (21)	337	22.6 (22)	295	15.9 (13)	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Unknown Local Ag.	2,325	76.9 (11)	1,718	25.3 (18)	1,057	15.4 (15)	0	* *	0	* *	0	* *
Colorado	28,304	75.3	23,561	28.1	17,780	16.1	0	*	0	*	0	*
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0
											3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Baca	80	* *	* *	352	10.8 (37)	3.4 (15)	10.8 (37)	167	18.6 (34)	16.2 (34)		194	13.4 (22)
Bent	140	12.9 (27)	2.9 (6)	567	8.5 (23)	4.1 (25)	10.6 (36)	243	18.9 (35)	13.2 (32)		357	13.7 (23)
Boulder	3,175	7.8 (4)	6.0 (29)	13,578	5.8 (3)	3.3 (13)	9.8 (31)	6,122	15.8 (28)	12.4 (30)		8,302	14.0 (26)
Broomfield	439	10.0 (16)	4.6 (21)	1,680	10.2 (32)	3.9 (21)	9.3 (30)	744	13.8 (13)	11.4 (28)		945	12.8 (19)
Clear Crk	118	11.9 (24)	3.4 (8)	444	10.4 (34)	5.4 (33)	4.5 (2)	194	13.9 (14)	6.2 (3)		204	3.4 (1)
Delta	399	9.0 (8)	3.8 (12)	1,661	8.5 (23)	3.7 (18)	10.3 (33)	740	14.6 (19)	11.2 (27)		910	12.6 (18)
Denver	9,559	10.3 (20)	4.5 (19)	30,567	8.1 (18)	3.5 (17)	8.5 (25)	9,127	13.7 (10)	10.0 (21)		17,562	12.5 (16)
Dolores	21	* *	* *	123	9.8 (31)	7.3 (38)	7.3 (16)	58	* *	* *		63	* *
Eagle	786	8.7 (7)	3.8 (12)	2,555	8.0 (17)	2.8 (8)	10.8 (37)	901	18.1 (33)	13.3 (33)		1,433	22.9 (35)
El Paso	11,630	10.7 (23)	3.7 (11)	46,625	9.4 (28)	3.3 (13)	6.7 (11)	19,768	13.7 (10)	7.0 (7)		20,044	14.6 (31)
Garfield	988	9.3 (10)	4.3 (16)	3,490	7.0 (7)	2.5 (6)	8.4 (23)	1,247	14.4 (17)	8.3 (12)		1,935	9.7 (8)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	132	9.8 (14)	3.8 (12)	469	7.5 (13)	5.8 (36)	6.0 (6)	192	6.8 (1)	6.8 (5)		280	11.1 (13)
Gunnison	161	14.9 (29)	4.3 (16)	639	8.1 (18)	5.2 (31)	5.9 (5)	252	13.1 (7)	8.7 (13)		361	14.1 (28)
Jackson	21	* *	* *	96	* *	* *	* *	46	* *	* *		60	* *
Jefferson	5,600	9.8 (14)	4.3 (16)	21,074	7.9 (16)	3.8 (20)	7.1 (14)	8,400	15.9 (30)	9.6 (18)		12,363	10.6 (11)
Kit Carson	250	6.8 (1)	6.4 (32)	1,105	7.8 (14)	2.4 (3)	10.0 (32)	513	15.2 (24)	12.9 (31)		725	7.2 (4)
Larimer	3,162	9.0 (8)	5.6 (27)	12,121	7.2 (10)	4.1 (25)	7.6 (18)	4,896	15.7 (26)	10.6 (24)		7,136	14.0 (26)
Las Animas	464	16.6 (32)	2.8 (5)	1,807	10.7 (36)	3.0 (9)	8.0 (21)	766	15.0 (22)	8.9 (14)		1,048	17.5 (32)
Lincoln	134	9.7 (13)	6.0 (29)	537	8.2 (21)	6.1 (37)	5.2 (3)	236	8.1 (2)	4.7 (1)		306	13.7 (23)
Mesa	2,229	7.9 (5)	4.5 (19)	7,848	7.4 (12)	3.2 (10)	8.9 (26)	2,757	15.8 (28)	11.1 (25)		3,911	13.7 (23)
Montezuma	442	7.2 (2)	6.3 (31)	1,848	8.1 (18)	2.4 (3)	7.6 (18)	809	14.1 (15)	8.2 (11)		1,122	6.6 (3)
Montrose	1,017	9.6 (11)	3.8 (12)	4,294	7.8 (14)	2.4 (3)	8.2 (22)	1,968	15.4 (25)	7.1 (8)		966	14.1 (28)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
NECHD	1,672	7.4 (3)	4.7 (23)	7,221	6.8 (5)	1.7 (1)	10.4 (35)	3,307	17.9 (32)	10.5 (22)		4,470	9.6 (7)
NWVNA	457	12.0 (26)	4.6 (21)	1,539	8.5 (23)	5.3 (32)	6.6 (9)	568	12.7 (5)	9.3 (16)		856	11.6 (15)
Otero	675	9.6 (11)	2.5 (4)	3,219	6.9 (6)	2.5 (6)	9.2 (29)	1,638	13.5 (9)	11.1 (25)		2,131	7.5 (5)
Ouray	32	* *	* *	119	3.4 (2)	5.0 (29)	6.7 (11)	37	* *	* *		65	* *
Park	90	* *	* *	466	10.5 (35)	5.6 (35)	6.0 (6)	234	13.7 (10)	6.8 (5)		211	11.4 (14)
Pitkin	45	* *	* *	143	2.8 (1)	7.7 (39)	6.3 (8)	41	* *	* *		91	* *
Prowers	440	10.5 (21)	5.2 (25)	1,829	7.3 (11)	3.4 (15)	11.4 (39)	845	16.8 (31)	16.4 (35)		1,162	13.2 (20)
Pueblo	4,166	10.0 (16)	3.6 (10)	16,684	9.5 (29)	2.3 (2)	10.3 (33)	7,365	15.0 (22)	10.5 (22)		10,627	7.6 (6)
Rio Blanco	98	* *	* *	341	8.5 (23)	4.4 (27)	9.1 (27)	112	12.5 (4)	8.0 (10)		160	20.6 (34)
San Juan	824	10.6 (22)	3.5 (9)	2,942	8.2 (21)	3.7 (18)	6.6 (9)	1,124	15.7 (26)	7.9 (9)		1,363	14.5 (30)
San Miguel	83	* *	* *	255	6.7 (4)	3.9 (21)	5.5 (4)	99	* *	* *		126	32.5 (36)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)													
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Summit	436	15.6 (31)	2.3 (1)	1,428	12.3 (39)	5.1 (30)	7.6 (18)	521	12.7 (5)	9.0 (15)		881	17.5 (32)
Sunrise	3,755	8.1 (6)	5.6 (27)	9,610	9.5 (29)	3.2 (10)	9.1 (27)	2,118	14.4 (17)	11.5 (29)		4,830	9.7 (8)
TCHD	21,729	10.2 (18)	4.7 (23)	83,145	7.1 (9)	4.0 (24)	8.4 (23)	34,054	14.1 (15)	9.7 (19)		47,963	13.2 (20)
Teller	247	15.0 (30)	2.4 (3)	919	12.1 (38)	5.5 (34)	4.1 (1)	366	10.4 (3)	4.9 (2)		530	12.5 (16)
UAACOG	1,207	13.1 (28)	3.0 (7)	4,863	9.3 (27)	3.2 (10)	7.1 (14)	2,070	14.6 (19)	6.4 (4)		2,646	10.1 (10)
VWHS	1,327	11.9 (24)	2.3 (1)	5,458	10.2 (32)	4.7 (28)	7.0 (13)	2,365	13.3 (8)	9.4 (17)		3,448	11.0 (12)
Unknown Local Ag.	3,993	10.2 (18)	5.2 (25)	11,578	7.0 (7)	3.9 (21)	7.3 (16)	4,009	14.9 (21)	9.8 (20)		6,302	5.4 (2)
Colorado	82,223	10.0	4.5	305,239	8.0	3.5	8.2	121,019	14.5	9.5		168,089	12.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)
Baca	99	* *	83	* *	79	* *	0	* *	0	* *	0	* *
Bent	155	68.4 (27)	120	15.8 (34)	113	7.1 (32)	0	* *	0	* *	0	* *
Boulder	3,655	84.0 (7)	3,205	38.6 (5)	2,672	23.7 (5)	0	* *	0	* *	0	* *
Broomfield	534	71.0 (23)	453	25.6 (22)	348	14.9 (17)	0	* *	0	* *	0	* *
Clear Crk	140	70.0 (25)	117	23.9 (29)	103	6.8 (33)	0	* *	0	* *	0	* *
Delta	490	80.8 (9)	422	32.0 (10)	363	24.2 (2)	0	* *	0	* *	0	* *
Denver	10,293	72.3 (19)	9,286	25.2 (23)	7,065	13.5 (25)	0	* *	0	* *	0	* *
Dolores	32	* *	30	* *	23	* *	0	* *	0	* *	0	* *
Eagle	933	86.6 (4)	752	36.8 (7)	552	18.1 (12)	0	* *	0	* *	0	* *
El Paso	14,219	70.5 (24)	12,329	26.4 (18)	9,841	14.6 (18)	0	* *	0	* *	0	* *
Garfield	1,262	88.7 (2)	1,008	39.9 (4)	729	23.7 (5)	0	* *	0	* *	0	* *
Grand	166	78.3 (13)	127	28.3 (15)	109	21.1 (8)	0	* *	0	* *	0	* *
Gunnison	202	87.1 (3)	173	41.0 (3)	159	24.5 (1)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)
Jackson	26	* *	24	* *	22	* *	0	* *	0	* *
Jefferson	6,580	72.0 (21)	5,850	26.2 (19)	4,696	14.6 (18)	0	* *	0	* *
Kit Carson	302	65.2 (30)	269	24.2 (28)	239	13.0 (27)	0	* *	0	* *
Larimer	3,859	77.1 (15)	3,363	28.6 (14)	2,690	16.0 (15)	0	* *	0	* *
Las Animas	525	61.9 (33)	493	25.2 (23)	367	15.3 (16)	0	* *	0	* *
Lincoln	145	77.9 (14)	137	29.9 (12)	123	13.8 (24)	0	* *	0	* *
Mesa	2,698	78.9 (11)	2,325	24.3 (26)	1,722	13.9 (23)	0	* *	0	* *
Montezuma	569	85.1 (6)	498	41.2 (2)	426	24.2 (2)	0	* *	0	* *
Montrose	1,190	72.8 (17)	1,056	25.7 (21)	883	14.6 (18)	0	* *	0	* *
NECHD	1,992	63.1 (32)	1,843	17.2 (33)	1,415	9.0 (31)	0	* *	0	* *
NWVNA	548	79.0 (10)	451	30.8 (11)	322	17.7 (13)	0	* *	0	* *
Otero	739	60.8 (34)	652	18.3 (31)	580	11.0 (28)	0	* *	0	* *
Ouray	42	* *	41	* *	34	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in
 (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Park	132	71.2 (22)	125	28.8 (13)	112	14.3 (21)	0	* *	0	* *	0	* *
Pitkin	61	* *	54	* *	48	* *	0	* *	0	* *	0	* *
Prowers	499	67.9 (28)	421	18.8 (30)	358	10.3 (29)	0	* *	0	* *	0	* *
Pueblo	4,632	63.2 (31)	4,181	18.0 (32)	3,704	10.0 (30)	0	* *	0	* *	0	* *
Rio Blanco	140	78.6 (12)	101	26.7 (16)	87	* *	0	* *	0	* *	0	* *
San Juan	994	86.5 (5)	849	34.5 (8)	632	19.5 (10)	0	* *	0	* *	0	* *
San Miguel	96	* *	70	* *	47	* *	0	* *	0	* *	0	* *
Summit	514	89.7 (1)	394	43.9 (1)	308	24.0 (4)	0	* *	0	* *	0	* *
Sunrise	4,379	72.2 (20)	3,484	32.6 (9)	2,505	21.4 (7)	0	* *	0	* *	0	* *
TCHD	25,492	74.0 (16)	22,283	24.9 (25)	17,417	14.1 (22)	0	* *	0	* *	0	* *
Teller	295	83.4 (8)	275	37.5 (6)	207	19.8 (9)	0	* *	0	* *	0	* *
UAACOG	1,430	68.6 (26)	1,295	26.5 (17)	1,045	19.1 (11)	0	* *	0	* *	0	* *
VWHS	1,479	67.5 (29)	1,286	26.2 (19)	1,133	17.2 (14)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
 (4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Unknown Local Ag.	5,467	72.8 (17)	4,013	24.3 (26)	2,785	13.1 (26)	0	* *	0	* *	0	* *
Colorado	97,005	73.2	83,938	26.4	66,063	15.0	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

