

**Table 4F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Baca	115	64.3	0.0	30.4	0.0	0.0	5.2	0.0
Bent	203	62.1	0.5	34.5	0.0	0.5	2.5	0.0
Boulder	4,580	25.2	0.9	68.0	0.7	2.3	2.8	0.0
Broomfield	574	45.3	1.6	45.5	0.5	3.1	3.7	0.3
Clear Crk	169	82.8	0.0	11.2	0.6	0.6	4.7	0.0
Delta	597	49.9	1.2	44.6	0.7	0.8	2.7	0.2
Denver	18,009	9.0	14.8	70.9	1.1	2.0	2.2	0.0
Dolores	43	*	*	*	*	*	*	*
Eagle	1,106	5.7	0.6	93.7	0.0	0.0	0.0	0.0
El Paso	17,188	43.4	8.4	38.6	0.7	1.4	7.4	0.1
Garfield	1,609	19.0	0.6	78.9	0.3	0.1	1.0	0.1
Grand	189	55.0	0.0	39.7	0.5	0.5	4.2	0.0
Gunnison	278	55.8	0.4	41.4	0.4	0.0	2.2	0.0
Jackson	25	*	*	*	*	*	*	*
Jefferson	7,468	46.7	2.5	46.1	0.9	2.0	1.9	0.0
Kit Carson	397	41.3	1.3	52.9	0.8	0.0	3.8	0.0
Larimer	4,565	50.4	1.1	44.4	0.5	0.9	2.6	0.0
Las Animas	588	24.8	0.7	72.3	0.5	0.0	1.7	0.0
Lincoln	177	78.5	1.1	19.2	0.0	0.0	1.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Mesa	3,645	55.8	0.4	39.5	0.4	0.4	3.4	0.0
Montezuma	744	55.2	0.0	31.0	9.4	0.7	3.6	0.0
Montrose	1,581	42.5	0.3	51.3	0.6	0.3	5.0	0.0
NECHD	2,805	38.9	3.7	56.0	0.2	0.2	0.9	0.0
NWVNA	678	54.7	0.7	41.2	0.3	0.3	2.8	0.0
Otero	1,025	28.6	0.0	69.6	0.1	0.2	1.6	0.0
Ouray	41	*	*	*	*	*	*	*
Park	208	76.4	1.0	16.3	0.0	1.4	4.8	0.0
Pitkin	76	*	*	*	*	*	*	*
Prowers	618	31.7	0.2	65.0	1.3	0.0	1.5	0.3
Pueblo	5,938	25.1	1.1	66.7	0.7	0.4	5.9	0.1
Rio Blanco	151	66.2	0.0	27.8	2.0	0.7	3.3	0.0
San Juan	1,239	37.4	0.3	48.2	6.4	0.3	7.3	0.0
San Miguel	109	32.1	0.0	63.3	2.8	0.0	1.8	0.0
Summit	521	21.7	0.8	75.8	0.4	0.6	0.8	0.0
Sunrise	5,299	25.6	2.2	69.1	0.5	1.4	1.1	0.0
TCHD	33,515	22.4	9.3	61.9	0.8	2.5	3.1	0.0
Teller	372	87.9	1.1	6.5	0.0	0.8	3.8	0.0
UAACOG	1,757	64.4	0.5	30.2	0.7	0.4	3.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years (2)**

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
VWHS	2,058	21.6	0.5	76.5	0.7	0.1	0.4	0.1
Unknown Local Ag.	33	*	*	*	*	*	*	*
<b>Colorado</b>	<b>120,293</b>	<b>30.2</b>	<b>6.6</b>	<b>57.3</b>	<b>0.9</b>	<b>1.6</b>	<b>3.4</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>31.8</b>	<b>18.7</b>	<b>40.6</b>	<b>0.9</b>	<b>2.6</b>	<b>2.5</b>	<b>3.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Baca	115	33.0	20.0	47.0
Bent	203	35.0	20.7	44.3
Boulder	4,580	34.9	17.7	47.5
Broomfield	574	38.3	17.8	43.9
Clear Crk	169	40.2	23.1	36.7
Delta	597	36.9	17.8	45.4
Denver	18,009	39.3	18.5	42.3
Dolores	43	*	*	*
Eagle	1,106	39.3	20.2	40.5
El Paso	17,188	37.1	18.4	44.6
Garfield	1,609	39.7	17.8	42.5
Grand	189	37.0	22.2	40.7
Gunnison	278	33.1	18.3	48.6
Jackson	25	*	*	*
Jefferson	7,468	36.9	20.4	42.6
Kit Carson	397	30.0	16.4	53.7
Larimer	4,565	36.5	19.8	43.7
Las Animas	588	40.6	17.0	42.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Lincoln	177	39.5	15.8	44.6
Mesa	3,645	41.0	19.1	39.9
Montezuma	744	36.6	16.5	46.9
Montrose	1,581	32.3	16.3	51.4
NECHD	2,805	36.3	17.6	46.2
NWVNA	678	41.7	18.9	39.4
Otero	1,025	33.0	15.9	51.1
Ouray	41	*	*	*
Park	208	39.4	12.5	48.1
Pitkin	76	*	*	*
Prowers	618	31.4	20.2	48.4
Pueblo	5,938	33.6	19.5	46.9
Rio Blanco	151	39.7	17.9	42.4
San Juan	1,239	42.2	17.6	40.2
San Miguel	109	29.4	21.1	49.5
Summit	521	33.4	18.4	48.2
Sunrise	5,299	41.3	19.9	38.8
TCHD	33,515	38.5	17.7	43.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Colorado**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Teller	372	40.3	17.7	41.9
UAACOG	1,757	36.5	18.4	45.1
VWHS	2,058	34.4	19.1	46.6
Unknown Local Ag.	33	*	*	*
<b>Colorado</b>	<b>120,293</b>	<b>37.7</b>	<b>18.4</b>	<b>43.9</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>34.5</b>	<b>22.6</b>	<b>42.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Baca	26	* *	* *	112	10.7 (32)	7.1 (31)	7.1 (12)	50	* *	* *	58	* *
Bent	42	* *	* *	201	10.0 (31)	1.5 (1)	10.4 (33)	87	* *	* *	123	5.7 (3)
Boulder	957	8.4 (8)	5.7 (22)	4,537	6.1 (4)	3.4 (11)	9.7 (27)	2,135	15.3 (19)	12.8 (25)	2,814	10.1 (12)
Broomfield	126	5.6 (2)	5.6 (21)	568	9.0 (25)	5.1 (26)	7.0 (11)	242	12.0 (4)	7.4 (7)	328	13.7 (23)
Clear Crk	44	* *	* *	165	8.5 (22)	8.5 (34)	2.4 (2)	61	* *	* *	77	* *
Delta	141	15.6 (23)	2.8 (7)	594	6.2 (5)	4.7 (22)	7.4 (15)	274	13.1 (7)	8.4 (11)	343	12.0 (20)
Denver	4,363	9.7 (13)	4.5 (16)	17,888	7.3 (12)	3.4 (11)	9.1 (21)	7,553	14.3 (15)	10.2 (18)	11,091	10.8 (16)
Dolores	7	* *	* *	43	* *	* *	* *	18	* *	* *	24	* *
Eagle	286	6.6 (4)	3.8 (11)	1,102	7.4 (13)	1.8 (3)	9.8 (28)	444	15.8 (22)	11.7 (23)	663	21.0 (30)
El Paso	4,044	10.7 (20)	3.8 (11)	17,080	9.1 (27)	2.8 (7)	6.3 (7)	7,652	13.9 (14)	5.5 (3)	10,320	14.8 (25)
Garfield	406	7.6 (6)	5.4 (19)	1,599	6.9 (9)	2.4 (6)	9.5 (24)	692	15.3 (19)	9.0 (14)	910	7.5 (6)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	41	* *	* *	187	9.6 (30)	7.0 (30)	5.3 (5)	74	* *	* *	126	10.3 (13)
Gunnison	61	* *	* *	276	6.2 (5)	6.2 (28)	6.9 (10)	136	13.2 (8)	8.8 (12)	181	16.6 (27)
Jackson	5	* *	* *	24	* *	* *	* *	14	* *	* *	12	* *
Jefferson	1,719	10.2 (17)	3.8 (11)	7,401	7.8 (16)	3.8 (15)	7.5 (16)	3,150	14.3 (15)	9.4 (15)	4,349	10.3 (13)
Kit Carson	65	* *	* *	393	7.6 (14)	4.1 (18)	10.2 (31)	208	14.4 (17)	13.9 (26)	285	6.0 (4)
Larimer	1,067	9.9 (15)	4.2 (14)	4,511	7.2 (10)	3.7 (14)	7.9 (18)	1,972	13.5 (12)	10.0 (17)	2,720	11.9 (19)
Las Animas	130	16.2 (24)	2.3 (5)	582	7.9 (18)	3.1 (10)	9.5 (24)	249	13.3 (9)	11.6 (22)	347	19.0 (29)
Lincoln	44	* *	* *	177	9.0 (25)	4.5 (21)	8.5 (19)	78	* *	* *	115	2.6 (1)
Mesa	862	7.0 (5)	4.3 (15)	3,618	6.8 (8)	3.5 (13)	9.1 (21)	1,428	12.5 (5)	10.9 (20)	1,939	15.8 (26)
Montezuma	175	9.1 (11)	6.9 (24)	742	9.4 (29)	5.0 (25)	6.6 (8)	336	10.4 (1)	7.4 (7)	428	11.0 (18)
Montrose	287	9.8 (14)	2.4 (6)	1,553	7.7 (15)	2.1 (5)	9.5 (24)	802	13.3 (9)	7.9 (10)	197	5.6 (2)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
NECHD	602	6.5 (3)	4.5 (16)	2,785	5.5 (2)	1.7 (2)	10.2 (31)	1,291	16.7 (26)	10.6 (19)	1,759	8.7 (9)
NWVNA	146	10.3 (18)	2.1 (4)	675	8.9 (24)	6.4 (29)	7.1 (12)	263	12.5 (5)	7.2 (6)	382	18.1 (28)
Otero	201	8.5 (9)	3.0 (8)	1,022	8.2 (21)	2.0 (4)	6.8 (9)	519	19.5 (27)	6.4 (4)	685	7.0 (5)
Ouray	7	* *	* *	41	* *	* *	* *	22	* *	* *	24	* *
Park	41	* *	* *	207	11.6 (33)	9.2 (35)	4.8 (4)	97	* *	* *	104	9.6 (10)
Pitkin	22	* *	* *	76	* *	* *	* *	27	* *	* *	39	* *
Prowers	122	2.5 (1)	5.7 (22)	616	5.7 (3)	4.4 (20)	13.5 (35)	286	15.7 (21)	17.8 (27)	411	8.3 (7)
Pueblo	1,306	10.1 (16)	3.1 (9)	5,879	8.5 (22)	2.9 (8)	10.1 (30)	2,750	14.9 (18)	11.2 (21)	3,869	10.0 (11)
Rio Blanco	35	* *	* *	150	4.0 (1)	7.3 (32)	11.3 (34)	63	* *	* *	90	* *
San Juan	308	10.4 (19)	3.6 (10)	1,231	8.0 (19)	4.1 (18)	6.0 (6)	495	11.1 (3)	6.7 (5)	566	12.7 (21)
San Miguel	21	* *	* *	107	6.5 (7)	4.7 (22)	9.3 (23)	57	* *	* *	66	* *

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Summit	104	8.7 (10)	1.9 (3)	519	9.1 (27)	8.3 (33)	7.3 (14)	251	16.3 (24)	7.6 (9)	385	22.6 (31)
Sunrise	1,430	8.3 (7)	5.5 (20)	5,244	8.0 (19)	3.0 (9)	9.8 (28)	2,030	16.1 (23)	12.1 (24)	3,054	10.3 (13)
TCHD	7,691	9.6 (12)	5.0 (18)	33,222	7.2 (10)	3.8 (15)	8.8 (20)	14,577	13.5 (12)	8.9 (13)	20,533	13.8 (24)
Teller	98	* *	* *	367	12.0 (34)	5.2 (27)	1.9 (1)	149	10.7 (2)	2.0 (1)	212	10.8 (16)
UAACOG	380	11.3 (21)	1.8 (2)	1,746	7.8 (16)	3.8 (15)	4.7 (3)	798	13.3 (9)	5.3 (2)	1,017	8.3 (7)
VWHS	457	11.8 (22)	1.3 (1)	2,037	12.2 (35)	4.8 (24)	7.5 (16)	949	16.4 (25)	9.9 (16)	1,315	13.5 (22)
Unknown Local Ag.	16	* *	* *	32	* *	* *	* *	13	* *	* *	17	* *
<b>Colorado</b>	<b>27,885</b>	<b>9.7</b>	<b>4.3</b>	<b>119,309</b>	<b>7.7</b>	<b>3.5</b>	<b>8.4</b>	<b>52,292</b>	<b>14.1</b>	<b>9.1</b>	<b>71,978</b>	<b>12.4</b>
<b>Nation (Prior Year)</b>	<b>1,961,342</b>	<b>8.9</b>	<b>6.4</b>	<b>8,451,215</b>	<b>6.0</b>	<b>4.3</b>	<b>14.0</b>	<b>3,678,355</b>	<b>16.4</b>	<b>14.7</b>	<b>5,524,196</b>	<b>14.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Baca	26	* *	21	* *	15	* *	0	* *	0	* *
Bent	42	* *	26	* *	29	* *	0	* *	0	* *
Boulder	959	89.2 (5)	838	37.4 (6)	599	26.9 (3)	0	* *	0	* *
Broomfield	126	79.4 (12)	109	38.5 (5)	69	* *	0	* *	0	* *
Clear Crk	44	* *	33	* *	26	* *	0	* *	0	* *
Delta	141	83.0 (8)	98	* *	82	* *	0	* *	0	* *
Denver	4,365	79.7 (11)	3,451	27.9 (16)	2,401	18.2 (14)	0	* *	0	* *
Dolores	7	* *	6	* *	12	* *	0	* *	0	* *
Eagle	286	92.7 (2)	223	46.2 (2)	161	21.7 (8)	0	* *	0	* *
El Paso	4,046	71.2 (19)	3,135	29.7 (12)	2,285	21.1 (9)	0	* *	0	* *
Garfield	406	93.3 (1)	294	47.3 (1)	214	23.8 (5)	0	* *	0	* *
Grand	42	* *	39	* *	32	* *	0	* *	0	* *
Gunnison	61	* *	53	* *	41	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jackson	5	* *	2	* *	2	* *	0	* *	0	* *
Jefferson	1,722	75.6 (15)	1,604	28.1 (14)	1,238	17.0 (15)	0	* *	0	* *
Kit Carson	66	* *	66	* *	56	* *	0	* *	0	* *
Larimer	1,067	81.5 (9)	854	33.1 (9)	683	19.3 (12)	0	* *	0	* *
Las Animas	130	66.2 (22)	131	22.1 (18)	90	* *	0	* *	0	* *
Lincoln	44	* *	30	* *	23	* *	0	* *	0	* *
Mesa	864	80.8 (10)	828	25.1 (17)	571	15.1 (16)	0	* *	0	* *
Montezuma	175	86.9 (7)	123	44.7 (3)	105	28.6 (2)	0	* *	0	* *
Montrose	287	78.4 (14)	248	29.8 (11)	211	22.7 (7)	0	* *	0	* *
NECHD	602	66.9 (21)	516	17.1 (20)	370	9.5 (18)	0	* *	0	* *
NWVNA	146	90.4 (3)	141	39.0 (4)	106	29.2 (1)	0	* *	0	* *
Otero	201	57.7 (24)	164	14.0 (21)	142	7.7 (19)	0	* *	0	* *
Ouray	7	* *	10	* *	7	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Park	41	* *	42	* *	34	* *	0	* *	0	* *	0	* *
Pitkin	22	* *	16	* *	14	* *	0	* *	0	* *	0	* *
Prowers	122	75.4 (16)	116	13.8 (22)	90	* *	0	* *	0	* *	0	* *
Pueblo	1,306	69.8 (20)	1,205	20.0 (19)	961	13.4 (17)	0	* *	0	* *	0	* *
Rio Blanco	35	* *	33	* *	17	* *	0	* *	0	* *	0	* *
San Juan	308	87.7 (6)	257	37.4 (6)	170	19.4 (11)	0	* *	0	* *	0	* *
San Miguel	21	* *	21	* *	16	* *	0	* *	0	* *	0	* *
Summit	104	89.4 (4)	77	* *	62	* *	0	* *	0	* *	0	* *
Sunrise	1,430	74.7 (17)	1,125	30.6 (10)	818	23.5 (6)	0	* *	0	* *	0	* *
TCHD	7,697	78.9 (13)	7,015	28.2 (13)	4,600	18.9 (13)	0	* *	0	* *	0	* *
Teller	98	* *	67	* *	44	* *	0	* *	0	* *	0	* *
UAACOG	380	74.7 (17)	344	35.8 (8)	269	24.2 (4)	0	* *	0	* *	0	* *
VWHS	457	65.2 (23)	378	28.0 (15)	292	19.9 (10)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)								
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)
Unknown Local Ag.	16	* *	4	* *	3	* *	0	* *
<b>Colorado</b>	<b>27,904</b>	<b>77.5</b>	<b>23,743</b>	<b>29.1</b>	<b>16,960</b>	<b>19.2</b>	<b>0</b>	<b>*</b>
<b>Nation (Prior Year)</b>	<b>1,769,160</b>	<b>61.7</b>	<b>911,779</b>	<b>27.0</b>	<b>1,092,573</b>	<b>18.5</b>	<b>317,037</b>	<b>9.9</b>
							<b>420,655</b>	<b>5.3</b>
							<b>1,022,933</b>	<b>77.3</b>
							<b>4,355,723</b>	<b>10.2</b>

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Baca	68	* *	* *	324	9.0 (29)	5.2 (30)	9.9 (31)	151	17.9 (34)	14.6 (34)	186	15.6 (30)
Bent	143	14.0 (29)	0.7 (1)	592	10.3 (32)	3.4 (14)	11.7 (37)	255	18.0 (35)	13.3 (33)	365	8.8 (7)
Boulder	3,083	7.9 (9)	5.8 (32)	13,880	5.9 (5)	2.9 (9)	9.9 (31)	6,446	15.9 (30)	12.4 (31)	8,622	11.1 (16)
Broomfield	421	6.2 (2)	5.0 (30)	1,750	8.6 (24)	4.3 (23)	7.1 (14)	763	12.1 (8)	8.7 (12)	1,005	14.0 (25)
Clear Crk	125	14.4 (31)	1.6 (3)	485	10.3 (32)	6.8 (34)	2.9 (1)	196	14.8 (25)	2.6 (2)	193	3.1 (1)
Delta	414	12.3 (25)	3.6 (15)	1,748	5.9 (5)	4.3 (23)	8.6 (23)	791	12.8 (10)	9.6 (18)	1,012	12.5 (18)
Denver	13,801	9.8 (17)	4.8 (26)	52,274	7.2 (9)	3.4 (14)	8.8 (26)	21,198	14.5 (22)	10.3 (24)	31,991	10.6 (15)
Dolores	29	* *	* *	122	13.9 (38)	1.6 (1)	4.1 (3)	55	* *	* *	64	* *
Eagle	836	7.2 (4)	3.9 (19)	3,010	7.9 (17)	1.8 (2)	10.5 (35)	1,151	17.8 (33)	12.0 (30)	1,820	22.6 (34)
El Paso	11,710	10.5 (20)	3.6 (15)	49,346	8.9 (27)	3.0 (10)	6.2 (12)	21,812	13.7 (18)	5.7 (5)	27,550	15.5 (29)
Garfield	1,145	8.2 (11)	4.7 (25)	4,215	7.4 (12)	2.4 (4)	9.5 (29)	1,627	14.6 (24)	9.0 (14)	2,292	8.6 (5)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grand	129	14.0 (29)	1.6 (3)	512	9.4 (30)	5.3 (31)	5.7 (7)	207	10.1 (2)	5.3 (4)	331	8.8 (7)
Gunnison	178	9.6 (15)	3.9 (19)	768	6.3 (7)	5.1 (28)	6.1 (10)	337	11.0 (4)	7.4 (9)	469	15.4 (28)
Jackson	14	* *	* *	85	* *	* *	* *	47	* *	* *	45	* *
Jefferson	5,427	10.0 (18)	4.3 (23)	22,040	7.7 (15)	3.7 (18)	7.5 (17)	9,175	14.9 (26)	9.7 (20)	13,108	10.4 (14)
Kit Carson	223	8.1 (10)	4.9 (29)	1,197	7.9 (17)	3.8 (20)	9.9 (31)	600	13.5 (14)	13.2 (32)	816	6.9 (3)
Larimer	3,303	8.8 (12)	4.8 (26)	13,330	7.5 (13)	3.7 (18)	8.2 (20)	5,724	14.3 (20)	10.3 (24)	7,841	12.6 (19)
Las Animas	440	12.7 (28)	1.6 (3)	1,826	8.4 (20)	2.7 (8)	8.7 (24)	782	14.5 (22)	10.1 (21)	1,048	20.1 (33)
Lincoln	125	12.0 (24)	1.6 (3)	513	9.6 (31)	4.7 (26)	6.8 (13)	226	9.7 (1)	10.2 (22)	311	4.8 (2)
Mesa	2,641	7.6 (7)	4.1 (21)	10,075	7.0 (8)	3.3 (12)	9.0 (28)	3,867	13.2 (12)	11.1 (28)	5,281	14.3 (26)
Montezuma	491	7.3 (5)	3.7 (17)	2,143	8.9 (27)	3.5 (17)	7.4 (16)	990	11.5 (6)	7.5 (10)	1,295	9.2 (10)
Montrose	968	10.2 (19)	4.1 (21)	4,712	7.6 (14)	2.5 (6)	8.5 (22)	2,324	13.5 (14)	6.4 (7)	773	11.9 (17)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
NECHD	1,813	6.5 (3)	4.5 (24)	8,018	5.8 (4)	1.8 (2)	10.5 (35)	3,684	17.4 (32)	10.8 (27)	5,011	8.9 (9)
NWVNA	520	10.6 (22)	2.9 (12)	1,952	8.7 (25)	6.2 (33)	6.1 (10)	733	13.5 (14)	8.5 (11)	1,073	14.5 (27)
Otero	629	10.5 (20)	3.0 (14)	3,077	7.7 (15)	2.4 (4)	8.3 (21)	1,536	16.3 (31)	9.3 (17)	2,050	8.2 (4)
Ouray	22	* *	* *	124	7.3 (11)	7.3 (35)	5.6 (6)	58	* *	* *	77	* *
Park	108	16.7 (32)	1.9 (7)	549	12.0 (36)	7.7 (37)	4.2 (4)	261	12.6 (9)	4.6 (3)	245	13.5 (20)
Pitkin	56	* *	* *	204	1.5 (1)	8.8 (38)	5.4 (5)	78	* *	* *	117	32.5 (36)
Prowers	414	7.5 (6)	6.0 (33)	1,857	5.6 (3)	3.3 (12)	11.9 (38)	861	15.7 (28)	17.5 (35)	1,193	10.1 (12)
Pueblo	4,042	9.3 (14)	3.7 (17)	17,567	8.7 (25)	2.6 (7)	10.1 (34)	8,047	14.4 (21)	10.6 (26)	11,398	8.7 (6)
Rio Blanco	112	5.4 (1)	2.7 (10)	455	3.7 (2)	5.7 (32)	8.8 (26)	196	11.2 (5)	10.2 (22)	282	16.3 (31)
San Juan	914	9.2 (13)	2.8 (11)	3,473	8.5 (21)	4.0 (22)	5.9 (8)	1,348	13.6 (17)	7.2 (8)	1,640	13.7 (22)
San Miguel	75	* *	* *	305	8.5 (21)	4.3 (23)	7.9 (19)	133	12.0 (7)	9.0 (14)	170	18.2 (32)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Colorado**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>Local Agency</b>	<b>Birthweight</b> (5)			<b>Height and Weight</b>							<b>Anemia</b> Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Summit	381	12.3 (25)	2.4 (9)	1,594	10.8 (34)	7.5 (36)	7.7 (18)	651	13.4 (13)	8.8 (13)		1,119	23.7 (35)
Sunrise	4,185	7.8 (8)	5.2 (31)	14,119	8.0 (19)	3.0 (10)	9.8 (30)	4,914	15.7 (28)	11.3 (29)		8,148	10.2 (13)
TCHD	23,386	9.7 (16)	4.8 (26)	95,462	7.2 (9)	3.8 (20)	8.7 (24)	40,836	14.1 (19)	9.0 (14)		57,380	13.9 (24)
Teller	270	18.1 (33)	1.5 (2)	1,048	12.6 (37)	5.1 (28)	3.1 (2)	429	10.7 (3)	2.3 (1)		631	13.5 (20)
UAACOG	1,157	11.7 (23)	2.9 (12)	5,100	8.5 (21)	3.4 (14)	5.9 (8)	2,267	13.1 (11)	6.0 (6)		2,914	9.6 (11)
VWHS	1,302	12.6 (27)	1.9 (7)	5,731	10.8 (34)	4.9 (27)	7.3 (15)	2,658	15.2 (27)	9.6 (18)		3,655	13.8 (23)
Unknown Local Ag.	16	* *	* *	32	* *	* *	* *	13	* *	* *		17	* *
<b>Colorado</b>	<b>85,116</b>	<b>9.6</b>	<b>4.3</b>	<b>345,614</b>	<b>7.7</b>	<b>3.4</b>	<b>8.3</b>	<b>147,427</b>	<b>14.3</b>	<b>9.2</b>		<b>203,538</b>	<b>12.5</b>

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Baca	86	* *	82	* *	72	* *	0	* *	0	* *
Bent	161	70.8 (23)	134	13.4 (33)	119	5.0 (33)	0	* *	0	* *
Boulder	3,535	87.5 (6)	3,204	39.6 (5)	2,720	24.3 (3)	0	* *	0	* *
Broomfield	534	77.5 (17)	458	30.6 (15)	357	15.7 (20)	0	* *	0	* *
Clear Crk	166	77.7 (16)	137	32.8 (11)	109	12.8 (27)	0	* *	0	* *
Delta	513	84.0 (10)	427	29.3 (18)	371	18.6 (12)	0	* *	0	* *
Denver	15,402	76.7 (18)	13,419	25.9 (23)	10,666	14.6 (25)	0	* *	0	* *
Dolores	33	* *	37	* *	34	* *	0	* *	0	* *
Eagle	1,005	91.6 (1)	862	43.3 (2)	697	17.1 (15)	0	* *	0	* *
El Paso	14,527	70.4 (27)	12,707	27.4 (21)	10,374	16.1 (17)	0	* *	0	* *
Garfield	1,436	90.5 (2)	1,178	42.1 (4)	952	21.2 (6)	0	* *	0	* *
Grand	174	81.6 (11)	150	32.7 (12)	123	15.4 (23)	0	* *	0	* *
Gunnison	221	88.7 (3)	205	50.7 (1)	186	26.9 (2)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.  
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.  
 (3) Analyses based on one record per child.  
 (4) Excludes records with unknown data or errors.  
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
 (8) Children aged 2 years and older included in the analyses.  
 \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jackson	17	* *	16	* *	18	* *	0	* *	0	* *
Jefferson	6,368	73.5 (22)	5,994	25.8 (24)	4,979	15.6 (21)	0	* *	0	* *
Kit Carson	265	66.4 (28)	259	23.6 (27)	233	15.0 (24)	0	* *	0	* *
Larimer	3,912	79.3 (14)	3,494	29.6 (17)	2,864	17.3 (14)	0	* *	0	* *
Las Animas	507	64.9 (32)	475	22.9 (28)	384	15.6 (21)	0	* *	0	* *
Lincoln	146	78.1 (15)	122	32.0 (14)	104	11.5 (28)	0	* *	0	* *
Mesa	3,188	81.1 (13)	2,892	24.9 (25)	2,267	13.5 (26)	0	* *	0	* *
Montezuma	620	85.8 (8)	534	39.1 (6)	483	24.0 (4)	0	* *	0	* *
Montrose	1,166	74.5 (21)	1,083	28.4 (19)	951	15.9 (18)	0	* *	0	* *
NECHD	2,149	65.3 (31)	2,008	17.5 (31)	1,634	8.7 (32)	0	* *	0	* *
NWVNA	616	84.9 (9)	559	36.3 (8)	421	19.5 (10)	0	* *	0	* *
Otero	706	57.8 (33)	673	16.8 (32)	600	10.3 (31)	0	* *	0	* *
Ouray	31	* *	35	* *	35	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.  
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.  
 (3) Analyses based on one record per child.  
 (4) Excludes records with unknown data or errors.  
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
 (8) Children aged 2 years and older included in the analyses.  
 \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Park	163	75.5 (20)	161	36.6 (7)	138	19.6 (8)	0	* *	0	* *
Pitkin	73	* *	58	* *	46	* *	0	* *	0	* *
Prowers	487	70.8 (23)	464	18.1 (30)	383	10.4 (30)	0	* *	0	* *
Pueblo	4,486	66.4 (28)	4,223	19.7 (29)	3,753	11.0 (29)	0	* *	0	* *
Rio Blanco	147	81.6 (11)	118	32.2 (13)	103	17.5 (13)	0	* *	0	* *
San Juan	1,079	87.3 (7)	944	34.9 (9)	745	19.6 (8)	0	* *	0	* *
San Miguel	88	* *	87	* *	72	* *	0	* *	0	* *
Summit	446	87.7 (5)	410	43.2 (3)	349	28.1 (1)	0	* *	0	* *
Sunrise	4,856	70.6 (25)	4,228	28.0 (20)	3,327	18.8 (11)	0	* *	0	* *
TCHD	27,390	76.1 (19)	25,204	27.2 (22)	19,598	15.9 (18)	0	* *	0	* *
Teller	333	88.6 (4)	279	34.1 (10)	232	21.1 (7)	0	* *	0	* *
UAACOG	1,420	70.6 (25)	1,347	30.1 (16)	1,125	21.6 (5)	0	* *	0	* *
VVHS	1,478	66.0 (30)	1,367	24.5 (26)	1,178	16.4 (16)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household		
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Unknown Local Ag.	24	* *	15	* *	10	* *	0	* *	0	* *
<b>Colorado</b>	<b>99,954</b>	<b>75.3</b>	<b>90,049</b>	<b>27.5</b>	<b>72,812</b>	<b>16.0</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

