

Table 4F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Baca	92	*	*	*	*	*	*	*
Bent	106	56.6	0.9	39.6	0.0	0.0	2.8	0.0
Boulder	2,488	25.4	0.8	68.4	0.4	2.6	2.4	0.0
Broomfield	314	41.7	0.6	50.3	0.6	3.2	3.5	0.0
Clear Crk	116	87.9	0.0	6.9	0.9	0.9	3.4	0.0
Delta	391	47.8	0.8	49.4	1.0	0.5	0.5	0.0
Denver	9,715	9.3	14.0	71.0	1.3	2.5	1.9	0.0
Dolores	36	*	*	*	*	*	*	*
Eagle	918	7.6	0.5	91.7	0.0	0.1	0.0	0.0
El Paso	10,049	46.0	8.0	38.6	0.5	1.3	5.6	0.0
Garfield	1,222	19.9	0.3	77.1	0.4	0.2	2.0	0.0
Grand	145	57.9	0.0	40.7	0.0	0.0	1.4	0.0
Gunnison	223	56.1	0.0	42.2	0.9	0.0	0.9	0.0
Jackson	24	*	*	*	*	*	*	*
Jefferson	4,574	44.6	2.4	47.8	0.9	2.1	2.1	0.0
Kit Carson	234	46.6	0.4	50.4	1.7	0.0	0.9	0.0
Larimer	2,528	52.7	1.1	43.0	0.4	1.1	1.8	0.0
Las Animas	353	26.3	0.3	70.0	0.3	0.6	2.3	0.3
Lincoln	85	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Mesa	2,222	55.8	0.6	39.4	0.4	0.5	3.4	0.0
Montezuma	632	54.9	0.3	27.7	11.7	1.1	4.1	0.2
Montrose	742	37.2	0.1	55.5	1.9	0.7	4.6	0.0
NECHD	1,589	38.6	4.0	55.9	0.3	0.3	1.0	0.0
NWVNA	555	53.2	0.9	41.3	1.4	0.5	2.7	0.0
Otero	600	24.5	0.2	73.3	0.2	0.3	1.5	0.0
Ouray	46	*	*	*	*	*	*	*
Park	160	80.0	0.0	14.4	0.0	1.3	4.4	0.0
Pitkin	59	*	*	*	*	*	*	*
Prowers	392	27.3	0.0	70.2	1.3	0.0	1.3	0.0
Pueblo	3,435	25.3	1.7	69.8	0.3	0.1	2.8	0.1
Rio Blanco	123	61.0	0.0	27.6	3.3	2.4	4.9	0.8
San Juan	985	39.2	0.3	49.3	6.3	0.3	4.6	0.0
San Miguel	96	*	*	*	*	*	*	*
Summit	378	20.4	1.3	77.0	0.0	0.5	0.8	0.0
Sunrise	2,987	26.3	3.4	67.2	0.4	1.8	0.9	0.0
TCHD	19,044	22.5	9.6	61.1	0.8	3.2	2.7	0.0
Teller	238	89.1	0.4	8.4	0.0	0.8	1.3	0.0
UAACOG	1,055	69.5	0.3	26.1	0.4	0.3	3.4	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2011 Pediatric Nutrition Surveillance (1)
Colorado
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
VWHS	1,315	23.7	0.4	74.4	0.8	0.1	0.6	0.1
Colorado	70,266	31.1	6.3	57.0	0.9	1.8	2.8	0.0
Nation (Prior Year)	8,672,965	32.5	19.1	39.7	0.9	2.5	2.7	2.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Baca	92	*	*	*
Bent	106	31.1	17.0	51.9
Boulder	2,488	34.1	20.6	45.3
Broomfield	314	35.4	22.0	42.7
Clear Crk	116	32.8	26.7	40.5
Delta	391	30.9	21.7	47.3
Denver	9,715	35.7	20.5	43.8
Dolores	36	*	*	*
Eagle	918	29.3	23.1	47.6
El Paso	10,049	36.0	20.5	43.4
Garfield	1,222	31.9	22.7	45.3
Grand	145	26.2	22.8	51.0
Gunnison	223	31.8	21.5	46.6
Jackson	24	*	*	*
Jefferson	4,574	35.7	20.7	43.6
Kit Carson	234	26.5	18.8	54.7
Larimer	2,528	36.3	20.5	43.2
Las Animas	353	40.2	15.6	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln	85	*	*	*
Mesa	2,222	38.5	21.8	39.7
Montezuma	632	29.0	20.4	50.6
Montrose	742	35.3	18.9	45.8
NECHD	1,589	37.8	19.6	42.7
NWVNA	555	35.9	19.3	44.9
Otero	600	34.0	18.7	47.3
Ouray	46	*	*	*
Park	160	39.4	18.8	41.9
Pitkin	59	*	*	*
Prowers	392	35.2	19.9	44.9
Pueblo	3,435	32.7	19.4	47.8
Rio Blanco	123	38.2	22.0	39.8
San Juan	985	34.9	21.6	43.5
San Miguel	96	*	*	*
Summit	378	32.8	19.3	47.9
Sunrise	2,987	38.9	20.1	41.0
TCHD	19,044	40.2	17.8	42.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Colorado
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Teller	238	34.5	22.7	42.9
UAACOG	1,055	34.1	20.0	45.9
VWHS	1,315	29.4	20.4	50.2
Colorado	70,266	36.6	19.8	43.7
Nation (Prior Year)	8,672,965	33.7	22.1	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Baca	26	* *	* *	74	* *	* *	* *	35	* *	* *	0	* *
Bent	30	* *	* *	80	* *	* *	* *	37	* *	* *	0	* *
Boulder	709	6.2 (2)	3.5 (7)	2,340	5.3 (1)	1.8 (5)	8.2 (19)	1,068	17.1 (24)	11.7 (19)	0	* *
Broomfield	95	* *	* *	291	6.9 (7)	3.4 (21)	5.8 (6)	125	13.6 (7)	9.6 (11)	0	* *
Clear Crk	31	* *	* *	57	* *	* *	* *	18	* *	* *	0	* *
Delta	96	* *	* *	291	9.6 (24)	4.5 (25)	6.5 (10)	142	16.2 (19)	9.2 (9)	0	* *
Denver	2,942	9.4 (13)	4.5 (15)	8,851	7.7 (11)	2.8 (17)	8.2 (19)	3,992	13.6 (7)	11.5 (17)	0	* *
Dolores	8	* *	* *	20	* *	* *	* *	7	* *	* *	0	* *
Eagle	217	11.1 (19)	3.7 (8)	549	9.8 (25)	2.0 (6)	8.2 (19)	251	15.5 (17)	10.8 (15)	0	* *
El Paso	3,099	9.9 (16)	4.5 (15)	8,486	9.0 (23)	2.5 (13)	5.3 (3)	3,703	14.0 (11)	6.2 (3)	0	* *
Garfield	299	8.7 (7)	3.3 (5)	819	6.3 (4)	2.0 (6)	7.3 (13)	337	11.6 (3)	10.4 (14)	0	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Grand	32	* *	* *	90	* *	* *	* *	50	* *	* *	0	* *
Gunnison	54	* *	* *	139	6.5 (5)	3.6 (22)	8.6 (22)	58	* *	* *	0	* *
Jackson	8	* *	* *	18	* *	* *	* *	7	* *	* *	0	* *
Jefferson	1,485	8.1 (5)	4.4 (14)	4,209	8.8 (21)	3.3 (19)	6.9 (11)	1,812	13.1 (6)	11.3 (16)	0	* *
Kit Carson	55	* *	* *	220	5.9 (2)	2.3 (9)	10.5 (28)	123	13.0 (5)	16.3 (25)	0	* *
Larimer	832	8.8 (8)	4.6 (17)	2,303	6.9 (7)	3.3 (19)	6.9 (11)	1,019	13.8 (10)	9.7 (12)	0	* *
Las Animas	127	7.1 (4)	2.4 (3)	309	8.1 (15)	4.5 (25)	9.7 (25)	123	10.6 (2)	14.6 (24)	0	* *
Lincoln	28	* *	* *	82	* *	* *	* *	36	* *	* *	0	* *
Mesa	742	8.8 (8)	3.4 (6)	2,110	7.6 (9)	2.2 (8)	9.1 (23)	796	15.1 (14)	13.2 (22)	0	* *
Montezuma	128	5.5 (1)	3.9 (9)	368	8.2 (17)	4.3 (24)	7.3 (13)	190	15.3 (16)	7.9 (6)	0	* *
Montrose	220	9.1 (10)	4.1 (10)	687	7.6 (9)	2.6 (14)	7.3 (13)	330	16.4 (20)	6.1 (2)	0	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
NECHD	518	6.8 (3)	7.1 (21)	1,536	6.7 (6)	1.4 (2)	9.1 (23)	662	16.6 (22)	11.6 (18)	0	* *
NWVNA	165	12.1 (21)	4.2 (12)	364	6.0 (3)	6.9 (28)	4.4 (2)	134	6.0 (1)	9.7 (12)	0	* *
Otero	176	9.7 (15)	1.1 (1)	576	8.5 (18)	1.7 (3)	6.3 (9)	276	16.7 (23)	8.3 (7)	0	* *
Ouray	9	* *	* *	28	* *	* *	* *	16	* *	* *	0	* *
Park	54	* *	* *	128	8.6 (19)	2.3 (9)	5.5 (5)	50	* *	* *	0	* *
Pitkin	20	* *	* *	39	* *	* *	* *	11	* *	* *	0	* *
Prowers	117	10.3 (18)	1.7 (2)	332	7.8 (12)	1.2 (1)	7.5 (17)	152	17.8 (25)	8.6 (8)	0	* *
Pueblo	1,033	9.2 (12)	4.1 (10)	3,273	8.6 (19)	1.7 (3)	10.4 (27)	1,584	15.2 (15)	12.9 (21)	0	* *
Rio Blanco	38	* *	* *	86	* *	* *	* *	31	* *	* *	0	* *
San Juan	262	8.4 (6)	6.1 (19)	634	8.8 (21)	2.4 (11)	6.0 (8)	239	12.1 (4)	7.5 (5)	0	* *
San Miguel	18	* *	* *	61	* *	* *	* *	29	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Summit	97	* *	* *	286	10.5 (26)	3.8 (23)	3.5 (1)	137	14.6 (13)	5.1 (1)	0	* *
Sunrise	995	9.1 (10)	6.1 (19)	2,693	8.1 (15)	2.7 (16)	9.8 (26)	1,141	15.6 (18)	13.3 (23)	0	* *
TCHD	6,525	9.9 (16)	4.6 (17)	18,542	7.8 (12)	2.8 (17)	7.4 (16)	7,789	13.7 (9)	9.5 (10)	0	* *
Teller	68	* *	* *	188	11.7 (27)	5.3 (27)	5.9 (7)	75	* *	* *	0	* *
UAACOG	300	11.7 (20)	4.3 (13)	933	8.0 (14)	2.4 (11)	5.3 (3)	417	14.1 (12)	6.7 (4)	0	* *
VWHS	324	9.6 (14)	2.5 (4)	1,020	11.8 (28)	2.6 (14)	7.6 (18)	527	16.5 (21)	12.1 (20)	0	* *
Colorado	21,982	9.4	4.4	63,112	8.0	2.7	7.5	27,529	14.2	10.0	0	*
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,939	16.1	14.4	5,391,027	14.6

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2011 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Baca	26	* *	0	* *	0	* *	0	* *	0	* *	47	* *	91	* *
Bent	29	* *	0	* *	0	* *	0	* *	0	* *	40	* *	66	* *
Boulder	652	89.1 (2)	0	* *	0	* *	0	* *	0	* *	747	89.8 (3)	1,625	0.7 (3)
Broomfield	87	* *	0	* *	0	* *	0	* *	0	* *	99	* *	237	2.1 (9)
Clear Crk	26	* *	0	* *	0	* *	0	* *	0	* *	3	* *	34	* *
Delta	98	* *	0	* *	0	* *	0	* *	0	* *	116	80.2 (19)	257	0.0 (1)
Denver	2,878	83.5 (5)	0	* *	0	* *	0	* *	0	* *	3,443	83.4 (11)	8,022	2.1 (9)
Dolores	7	* *	0	* *	0	* *	0	* *	0	* *	7	* *	20	* *
Eagle	180	87.8 (3)	0	* *	0	* *	0	* *	0	* *	208	85.6 (7)	578	0.5 (2)
El Paso	2,971	72.8 (15)	0	* *	0	* *	0	* *	0	* *	2,339	84.2 (9)	6,282	2.7 (15)
Garfield	270	91.5 (1)	0	* *	0	* *	0	* *	0	* *	147	75.5 (23)	587	3.4 (18)
Grand	23	* *	0	* *	0	* *	0	* *	0	* *	39	* *	73	* *
Gunnison	46	* *	0	* *	0	* *	0	* *	0	* *	48	* *	124	4.8 (23)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2011 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Jackson	7	* *	0	* *	0	* *	0	* *	0	* *	6	* *	13	* *
Jefferson	1,311	77.7 (12)	0	* *	0	* *	0	* *	0	* *	1,216	82.1 (15)	2,859	2.6 (14)
Kit Carson	49	* *	0	* *	0	* *	0	* *	0	* *	109	88.1 (6)	186	2.2 (12)
Larimer	791	83.3 (6)	0	* *	0	* *	0	* *	0	* *	575	88.2 (5)	1,791	1.9 (8)
Las Animas	119	63.0 (20)	0	* *	0	* *	0	* *	0	* *	121	82.6 (13)	265	3.4 (18)
Lincoln	26	* *	0	* *	0	* *	0	* *	0	* *	35	* *	75	* *
Mesa	697	82.6 (8)	0	* *	0	* *	0	* *	0	* *	485	83.5 (10)	998	2.4 (13)
Montezuma	103	80.6 (9)	0	* *	0	* *	0	* *	0	* *	148	79.7 (21)	315	6.7 (27)
Montrose	172	72.7 (16)	0	* *	0	* *	0	* *	0	* *	189	89.9 (2)	491	11.0 (28)
NECHD	390	67.9 (18)	0	* *	0	* *	0	* *	0	* *	586	82.1 (15)	1,201	4.2 (20)
NWVNA	133	86.5 (4)	0	* *	0	* *	0	* *	0	* *	96	* *	295	3.1 (16)
Otero	153	62.1 (21)	0	* *	0	* *	0	* *	0	* *	242	81.0 (18)	473	5.1 (24)
Ouray	6	* *	0	* *	0	* *	0	* *	0	* *	11	* *	15	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2011 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Park	48	* *	0	* *	0	* *	0	* *	0	* *	29	* *	104	5.8 (25)
Pitkin	18	* *	0	* *	0	* *	0	* *	0	* *	10	* *	39	* *
Prowers	114	78.9 (10)	0	* *	0	* *	0	* *	0	* *	148	85.1 (8)	285	1.1 (5)
Pueblo	936	73.5 (14)	0	* *	0	* *	0	* *	0	* *	1,475	81.2 (17)	2,756	4.7 (22)
Rio Blanco	31	* *	0	* *	0	* *	0	* *	0	* *	19	* *	65	* *
San Juan	212	83.0 (7)	0	* *	0	* *	0	* *	0	* *	208	89.4 (4)	493	1.8 (7)
San Miguel	16	* *	0	* *	0	* *	0	* *	0	* *	27	* *	45	* *
Summit	89	* *	0	* *	0	* *	0	* *	0	* *	114	82.5 (14)	268	0.7 (3)
Sunrise	939	77.5 (13)	0	* *	0	* *	0	* *	0	* *	878	77.6 (22)	2,217	1.6 (6)
TCHD	5,692	78.1 (11)	0	* *	0	* *	0	* *	0	* *	5,685	80.1 (20)	13,733	3.2 (17)
Teller	66	* *	0	* *	0	* *	0	* *	0	* *	71	* *	173	4.6 (21)
UAACOG	284	69.7 (17)	0	* *	0	* *	0	* *	0	* *	293	90.4 (1)	625	5.9 (26)
VWHS	322	64.0 (19)	0	* *	0	* *	0	* *	0	* *	554	82.9 (12)	1,170	2.1 (9)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2011 Pediatric Nutrition Surveillance (1)
Colorado**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Colorado	20,017	78.4	0	*	0	*	0	*	0	*	20,613	82.5	48,946	2.9
Nation (Prior Year)	1,689,615	63.2	908,604	25.1	1,069,942	16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Baca	68	* *	* *	285	8.1 (16)	4.6 (35)	8.8 (29)	137	16.8 (32)	12.4 (32)	129	17.1 (32)
Bent	121	9.1 (14)	2.5 (8)	493	10.1 (31)	2.2 (13)	8.9 (30)	218	17.0 (33)	12.4 (32)	254	6.3 (3)
Boulder	2,740	7.0 (4)	5.2 (29)	11,747	5.9 (3)	1.7 (5)	9.0 (32)	5,502	16.2 (29)	12.1 (30)	5,914	10.8 (16)
Broomfield	363	6.6 (3)	5.8 (33)	1,478	8.7 (25)	2.4 (19)	5.5 (12)	634	12.3 (6)	8.4 (12)	684	12.7 (19)
Clear Crk	110	18.2 (33)	1.8 (4)	387	10.1 (31)	5.7 (38)	2.1 (1)	144	13.9 (18)	1.4 (1)	131	3.8 (1)
Delta	375	11.5 (27)	4.3 (21)	1,478	6.7 (7)	3.4 (29)	7.0 (20)	689	13.4 (15)	9.3 (18)	692	12.9 (20)
Denver	12,083	9.5 (16)	4.8 (28)	45,143	7.8 (12)	2.3 (16)	8.1 (26)	19,094	14.4 (24)	10.6 (23)	22,591	11.3 (17)
Dolores	31	* *	* *	117	13.7 (38)	0.9 (1)	3.4 (3)	52	* *	* *	57	* *
Eagle	793	7.9 (8)	3.4 (15)	2,729	8.5 (21)	1.4 (3)	9.9 (37)	1,111	16.6 (31)	12.2 (31)	1,339	20.8 (34)
El Paso	10,979	10.2 (20)	4.0 (19)	42,287	9.3 (29)	2.0 (10)	5.4 (10)	18,848	13.9 (18)	5.7 (5)	20,451	15.3 (27)
Garfield	1,077	7.9 (8)	4.5 (23)	3,875	7.0 (8)	1.7 (5)	8.2 (27)	1,562	14.1 (23)	9.2 (17)	1,679	7.9 (6)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Grand	127	15.7 (30)	3.1 (12)	464	10.1 (31)	3.2 (27)	4.3 (5)	206	13.1 (10)	5.3 (3)	245	7.8 (5)
Gunnison	172	7.6 (7)	2.9 (11)	682	6.6 (6)	2.9 (25)	5.9 (13)	306	11.8 (4)	8.5 (13)	343	16.3 (29)
Jackson	17	* *	* *	71	* *	* *	* *	37	* *	* *	31	* *
Jefferson	5,019	9.7 (19)	4.4 (22)	19,260	8.2 (18)	2.5 (21)	6.7 (16)	8,163	13.8 (16)	9.7 (19)	9,074	10.7 (15)
Kit Carson	194	6.2 (1)	5.2 (29)	1,026	7.4 (9)	2.6 (22)	9.6 (36)	541	14.0 (21)	13.9 (34)	562	7.1 (4)
Larimer	3,047	9.2 (15)	4.6 (24)	11,487	7.9 (13)	2.6 (22)	7.3 (22)	5,020	13.8 (16)	10.0 (20)	5,489	12.4 (18)
Las Animas	423	10.4 (22)	1.4 (2)	1,544	8.9 (27)	2.2 (13)	8.9 (30)	653	13.2 (11)	11.8 (28)	703	19.8 (33)
Lincoln	109	11.0 (25)	0.9 (1)	420	7.9 (13)	1.7 (5)	7.1 (21)	186	12.4 (8)	10.8 (24)	213	5.2 (2)
Mesa	2,583	8.0 (11)	3.9 (17)	9,356	7.4 (9)	2.3 (16)	8.2 (27)	3,660	13.2 (11)	11.4 (27)	3,970	14.8 (26)
Montezuma	459	7.4 (6)	4.6 (24)	1,871	9.6 (30)	3.2 (27)	6.5 (14)	893	11.2 (3)	7.7 (9)	926	9.9 (12)
Montrose	831	10.2 (20)	3.9 (17)	3,929	8.4 (20)	2.1 (11)	7.8 (25)	1,969	14.0 (21)	6.4 (7)	487	9.4 (10)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
NECHD	1,723	6.4 (2)	5.4 (31)	7,106	6.2 (4)	1.2 (2)	9.2 (34)	3,236	17.1 (34)	11.0 (25)	3,564	8.5 (8)
NWVNA	510	10.8 (23)	3.3 (14)	1,727	8.6 (23)	4.1 (32)	5.4 (10)	652	12.3 (6)	8.7 (14)	734	16.8 (31)
Otero	582	10.8 (23)	2.7 (10)	2,680	8.1 (16)	1.6 (4)	6.9 (18)	1,337	17.7 (35)	8.1 (10)	1,419	8.0 (7)
Ouray	26	* *	* *	114	7.9 (13)	4.4 (33)	5.3 (9)	57	* *	* *	55	* *
Park	136	16.2 (31)	1.5 (3)	514	11.3 (35)	4.5 (34)	4.1 (4)	226	9.7 (1)	5.3 (3)	170	13.5 (22)
Pitkin	61	* *	* *	186	2.2 (1)	4.8 (37)	4.8 (6)	67	* *	* *	78	* *
Prowers	380	7.1 (5)	4.7 (26)	1,609	6.2 (4)	1.7 (5)	11.1 (38)	746	16.2 (29)	16.0 (35)	845	9.9 (12)
Pueblo	3,705	9.5 (16)	3.6 (16)	15,210	9.1 (28)	1.9 (9)	9.2 (34)	7,125	14.6 (25)	11.1 (26)	7,865	9.2 (9)
Rio Blanco	114	7.9 (8)	2.6 (9)	418	4.3 (2)	3.8 (30)	7.7 (23)	181	13.3 (13)	10.5 (22)	214	15.4 (28)
San Juan	876	8.8 (13)	4.0 (19)	3,064	8.6 (23)	2.3 (16)	5.0 (8)	1,207	13.0 (9)	6.6 (8)	1,174	12.9 (20)
San Miguel	57	* *	* *	272	8.8 (26)	2.2 (13)	6.6 (15)	127	11.8 (4)	8.7 (14)	132	16.7 (30)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Summit	313	12.5 (29)	1.9 (5)	1,355	10.6 (34)	4.6 (35)	6.9 (18)	607	15.2 (26)	8.1 (10)	782	24.4 (35)
Sunrise	3,823	8.5 (12)	5.6 (32)	12,840	8.2 (18)	2.1 (11)	9.0 (32)	4,901	15.9 (27)	11.8 (28)	5,931	10.6 (14)
TCHD	22,250	9.5 (16)	4.7 (26)	84,791	7.7 (11)	2.7 (24)	7.7 (23)	36,539	13.9 (18)	9.0 (16)	40,530	14.2 (23)
Teller	248	16.5 (32)	2.0 (7)	938	12.0 (37)	3.8 (30)	3.0 (2)	391	10.7 (2)	3.8 (2)	450	14.2 (23)
UAACOG	1,066	11.1 (26)	3.1 (12)	4,495	8.5 (21)	2.4 (19)	4.8 (6)	2,041	13.3 (13)	5.8 (6)	2,091	9.8 (11)
VVHS	1,225	12.3 (28)	1.9 (5)	5,055	11.3 (35)	2.9 (25)	6.8 (17)	2,415	16.1 (28)	10.2 (21)	2,582	14.5 (25)
Colorado	78,816	9.4	4.4	302,503	8.1	2.4	7.5	131,480	14.3	9.3	144,580	12.8

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Baca	93	* *	74	* *	58	* *	35	* *	26	* *	47	* *	91	* *
Bent	150	69.3 (29)	117	16.2 (33)	98	* *	36	* *	26	* *	40	* *	66	* *
Boulder	3,427	88.4 (5)	2,772	39.8 (8)	2,026	26.0 (6)	716	36.3 (6)	629	21.5 (5)	747	89.8 (3)	1,626	0.7 (3)
Broomfield	467	82.9 (12)	367	35.1 (13)	280	19.3 (13)	96	* *	80	* *	99	* *	235	2.1 (10)
Clear Crk	150	83.3 (11)	106	42.5 (6)	95	* *	26	* *	18	* *	3	* *	34	* *
Delta	526	81.9 (13)	387	28.7 (20)	289	20.1 (11)	153	25.5 (17)	128	16.4 (11)	116	80.2 (19)	258	0.0 (1)
Denver	14,886	79.7 (17)	11,522	27.1 (21)	8,180	16.0 (20)	3,343	29.2 (12)	2,843	16.3 (12)	3,443	83.4 (11)	8,038	2.2 (11)
Dolores	34	* *	27	* *	23	* *	6	* *	6	* *	7	* *	20	* *
Eagle	975	92.7 (2)	808	44.1 (4)	577	19.8 (12)	221	48.0 (2)	198	30.3 (2)	208	85.6 (7)	578	0.5 (2)
El Paso	14,429	71.1 (26)	10,874	26.8 (22)	7,928	16.7 (17)	3,627	24.8 (19)	3,081	13.4 (17)	2,339	84.2 (9)	6,286	2.6 (14)
Garfield	1,391	93.0 (1)	1,100	45.1 (3)	768	26.4 (5)	346	48.0 (2)	297	33.0 (1)	147	75.5 (23)	589	3.6 (18)
Grand	155	88.4 (5)	136	38.2 (9)	87	* *	31	* *	30	* *	39	* *	73	* *
Gunnison	218	92.7 (2)	197	55.3 (1)	153	32.0 (1)	48	* *	43	* *	48	* *	124	4.0 (20)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Jackson	21	* *	14	* *	10	* *	10	* *	7	* *	6	* *	13	* *
Jefferson	6,216	75.7 (22)	5,210	26.6 (24)	3,937	17.0 (16)	1,511	27.3 (14)	1,310	14.4 (15)	1,216	82.1 (15)	2,853	2.6 (14)
Kit Carson	244	70.1 (27)	210	25.7 (25)	167	13.8 (21)	54	* *	50	* *	109	88.1 (6)	186	2.2 (11)
Larimer	3,796	81.8 (14)	2,947	30.9 (17)	2,160	18.4 (14)	846	31.0 (9)	703	18.6 (7)	575	88.2 (5)	1,791	1.9 (8)
Las Animas	508	64.8 (32)	391	18.7 (30)	281	12.8 (24)	136	15.4 (23)	99	* *	121	82.6 (13)	268	3.4 (17)
Lincoln	128	78.9 (19)	107	31.8 (15)	78	* *	28	* *	28	* *	35	* *	74	* *
Mesa	3,251	81.7 (15)	2,611	24.8 (27)	1,806	13.8 (21)	863	27.1 (15)	728	15.9 (13)	485	83.5 (10)	998	2.5 (13)
Montezuma	598	86.1 (10)	449	43.4 (5)	358	30.4 (3)	120	36.7 (5)	100	28.0 (3)	148	79.7 (21)	313	6.7 (27)
Montrose	1,029	76.5 (21)	861	29.7 (18)	696	17.5 (15)	220	31.8 (8)	197	17.8 (8)	189	89.9 (2)	491	11.0 (28)
NECHD	2,041	67.0 (30)	1,709	19.2 (29)	1,260	9.2 (27)	513	28.3 (13)	434	17.1 (10)	586	82.1 (15)	1,199	4.2 (21)
NWVNA	594	88.0 (7)	471	36.5 (12)	321	23.1 (8)	129	30.2 (11)	93	* *	96	* *	295	3.7 (19)
Otero	718	57.1 (33)	573	16.8 (32)	469	10.9 (26)	177	16.4 (21)	159	8.2 (19)	242	81.0 (18)	473	5.1 (24)
Ouray	36	* *	31	* *	24	* *	11	* *	10	* *	11	* *	15	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Park	180	79.4 (18)	145	42.1 (7)	94	* *	44	* *	41	* *	29	* *	103	5.8 (25)
Pitkin	76	* *	60	* *	36	* *	20	* *	15	* *	10	* *	39	* *
Prowers	490	75.1 (23)	425	17.4 (31)	307	12.4 (25)	143	16.1 (22)	120	4.2 (20)	148	85.1 (8)	284	1.1 (5)
Pueblo	4,511	70.1 (27)	3,731	20.6 (28)	2,911	12.9 (23)	1,096	21.7 (20)	934	11.5 (18)	1,475	81.2 (17)	2,751	4.7 (23)
Rio Blanco	139	81.3 (16)	104	37.5 (11)	67	* *	34	* *	28	* *	19	* *	64	* *
San Juan	1,071	87.4 (8)	830	37.6 (10)	569	23.6 (7)	238	39.1 (4)	200	22.0 (4)	208	89.4 (4)	494	1.6 (7)
San Miguel	79	* *	73	* *	62	* *	20	* *	19	* *	27	* *	45	* *
Summit	387	89.9 (4)	318	50.3 (2)	241	30.7 (2)	101	63.4 (1)	77	* *	114	82.5 (14)	269	0.7 (3)
Sunrise	4,737	73.5 (24)	3,657	29.6 (19)	2,568	20.2 (10)	1,031	32.6 (7)	865	19.2 (6)	878	77.6 (22)	2,219	1.5 (6)
TCHD	27,011	77.7 (20)	21,960	26.8 (22)	14,983	16.5 (18)	6,526	26.4 (16)	5,451	14.0 (16)	5,685	80.1 (20)	13,723	3.2 (16)
Teller	338	86.7 (9)	271	31.7 (16)	181	26.5 (4)	99	* *	77	* *	71	* *	173	4.6 (22)
UAACOG	1,406	72.5 (25)	1,202	32.2 (14)	863	21.9 (9)	355	30.4 (10)	305	17.7 (9)	293	90.4 (1)	627	6.1 (26)
VVHS	1,608	65.2 (31)	1,307	24.9 (26)	974	16.5 (18)	473	24.9 (18)	408	15.4 (14)	554	82.9 (12)	1,168	2.0 (9)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Colorado	98,114	77.1	78,154	28.0	55,985	17.2	23,482	28.3	19,863	15.9	20,613	82.5	48,946	2.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

