

Table 1D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	8,938,527
Total Records (All Visits)	13,191,152

Source of Data	Number	%
WIC	7,652,942	85.8
EPSDT	411,044	4.6
Child Health-MCH	13,004	0.1
Child Health-HMO	837,497	9.4
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	8,914,487	100.0
<i>Excluded Unknown:</i> 24,040 0.3 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	2,845,358	32.2
Black, Not Hispanic	1,672,126	18.9
Hispanic	3,627,647	41.1
American Indian/Alaska Native	78,444	0.9
Asian/Pacific Islander	228,116	2.6
Multiple Races	221,410	2.5
All Other	163,654	1.9
Total	8,836,755	100.0
<i>Excluded Unknown:</i> 101,772 1.1 %		

Age Distribution (4)	Number	%
0 - 5 Months	2,300,802	25.7
6 - 11 Months	783,003	8.8
12 - 23 Months	2,021,615	22.6
24 - 35 Months	1,451,975	16.2
3 - 4 Years	2,381,132	26.6
Total	8,938,527	100.0

% of Poverty Level	Number	%
0-50	2,547,837	35.0
51-100	2,280,988	31.3
101-130	796,339	10.9
131-150	390,279	5.4
151-185	428,913	5.9
186-200	29,193	0.4
Over 200	58,710	0.8
Adjunctive Eligibility	755,968	10.4
Total	7,288,227	100.0
<i>Excluded Unknown:</i> 1,650,300 18.5 %		

Program Participation	Number	%
WIC	7,357,440	98.8
SNAP	6,848,248	29.9
Medicaid	7,055,932	69.6
TANF	6,392,899	5.9
<i>Excluded Unknown:</i>		
WIC	1,581,087	17.7
SNAP	2,090,279	23.4
Medicaid	1,882,595	21.1
TANF	2,545,628	28.5

Migrant Status	Number	%
Yes	26,697	0.4
No	7,260,634	99.6
Total	7,287,331	100.0
<i>Excluded Unknown:</i> 1,651,196 18.5 %		

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Health Indicators
Children Aged < 5 Years (2)

Summary of Health Indicators (3)			
		National Prevalence	
		Number	%
Birthweight (4)			
Low	< 2500 g	1,961,342	8.9
High	> 4000 g	1,961,342	6.4
Height and Weight			
Short Stature (5)			
	< 5th	8,451,215	6.0
	< 10th	8,451,215	10.8
Underweight (6)			
	< 5th	8,451,215	4.3
	< 10th	8,451,215	7.5
Obese (6)			
	≥ 95th	8,451,215	14.0
≥ 2 Yrs Overweight (6)			
	85th - < 95th	3,678,355	16.4
	≥ 95th	3,678,355	14.7
Anemia (7)			
Low Hb		5,201,886	15.1
Low Hct		538,293	11.6
Low Hb/Hct		5,524,196	14.9
Breastfeeding (8)			
Ever Breastfed		1,769,160	61.7
Breastfed At Least 6 Months		911,779	27.0
Breastfed At Least 12 Months		1,092,573	18.5
Smoking in Household			
≤ 2 Hours TV Viewing/ Day (9)		4,355,723	10.2
		1,022,933	77.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 3D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾		
	National Prevalence	
	Number	%
Breastfeeding Duration ^(4,5)		
Ever Breastfed	1,769,160	61.7
Breastfed 1+ Weeks	1,499,573	58.7
Breastfed 2+ Weeks	1,164,141	56.4
Breastfed 3+ Weeks	947,758	53.6
Breastfed 4+ Weeks	826,300	50.9
Breastfed 6+ Weeks	704,088	44.6
Breastfed 2+ Months	665,172	39.2
Breastfed 3+ Months	714,931	34.5
Breastfed 4+ Months	806,269	31.0
Breastfed 5+ Months	904,357	28.2
Breastfed 6+ Months	911,779	27.0
Breastfed 9+ Months	1,050,661	21.8
Breastfed 12+ Months	1,092,573	18.5
Breastfed 18+ Months	862,440	10.1
Exclusive Breastfeeding ⁽⁶⁾		
Exclusively Breastfed at Least 3 Months	317,037	9.9
Exclusively Breastfed at Least 6 Months	420,655	5.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Comparison of Racial and Ethnic Distribution by Contributor
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Alabama	150,275	41.5	41.2	13.8	0.3	0.1	2.6	0.6
Arizona	194,714	21.7	4.8	69.1	1.3	1.2	1.9	0.0
Arkansas	96,495	53.7	24.0	17.6	0.4	1.3	2.8	0.2
AZ I/Tribal Council	13,063	2.1	0.3	34.0	59.8	0.3	3.5	0.0
California	1,275,501	8.9	4.5	64.4	0.3	4.1	0.0	17.8
Cheyenne River-SD	752	0.9	0.0	2.1	51.6	0.0	45.1	0.3
Colorado	121,025	29.4	6.5	58.3	0.9	1.5	3.3	0.0
Connecticut	64,745	25.5	22.3	48.1	0.6	2.2	1.2	0.0
D.C.	17,585	1.9	69.3	26.7	0.2	1.8	0.2	0.0
Florida	557,183	27.3	28.5	40.4	0.2	0.9	2.8	0.0
Georgia	336,165	31.5	41.6	21.4	0.8	2.7	2.0	0.0
Hawaii	38,960	10.7	1.4	21.3	0.1	31.8	34.6	0.2
Idaho	50,174	61.9	1.0	32.8	1.6	1.0	1.6	0.0
Illinois	319,251	29.6	22.5	42.4	0.0	2.2	1.4	1.9
Indiana	181,075	57.8	17.3	19.0	0.1	1.4	4.4	0.0
Iowa	81,605	62.0	8.1	22.2	0.4	1.5	4.9	0.8
Kansas	83,384	47.9	10.9	34.2	1.0	1.7	4.3	0.0
Kentucky	181,271	75.3	11.9	8.6	0.1	0.8	3.3	0.0
Louisiana	115,993	39.0	51.9	6.2	0.8	0.1	1.7	0.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Comparison of Racial and Ethnic Distribution by Contributor
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Maine	16,193	81.1	7.1	4.4	0.5	1.2	5.8	0.0
Maryland	146,727	21.3	43.7	27.2	0.4	2.8	4.6	0.1
Massachusetts	137,376	44.3	18.6	31.7	0.1	5.3	0.0	0.0
Michigan	260,806	51.9	25.5	14.4	0.3	1.4	6.5	0.0
Minnesota	146,749	45.8	16.8	19.6	3.2	7.3	7.3	0.0
Mississippi	120,695	35.0	59.2	4.7	0.2	0.7	0.2	0.0
Missouri	151,933	63.4	21.7	10.4	0.2	1.2	3.0	0.0
Montana	22,645	62.6	0.4	6.6	17.1	0.2	13.0	0.0
Navajo Nation	8,672	0.5	0.0	2.8	95.5	0.1	1.1	0.0
Nebraska	48,537	45.2	11.0	36.4	1.2	1.6	4.5	0.0
Nevada	70,228	20.4	9.2	63.5	0.7	2.9	3.3	0.0
New Hampshire	20,115	81.0	3.7	10.4	0.8	2.0	1.9	0.2
New Jersey	180,017	18.9	24.2	51.9	0.6	3.0	1.3	0.0
New Mexico	68,991	13.6	1.5	78.8	3.3	0.5	1.8	0.6
New York	511,792	28.0	23.2	38.0	1.0	7.8	1.9	0.1
North Carolina	246,877	36.1	30.7	30.1	0.9	1.3	0.0	0.9
North Dakota	15,808	58.0	4.4	9.6	19.8	0.8	7.3	0.1
Ohio	310,751	59.1	26.2	8.5	0.1	0.8	5.3	0.0
Oregon	112,633	51.4	2.5	38.9	1.3	2.5	3.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4D
2009 Pediatric Nutrition Surveillance (1)
National
Comparison of Racial and Ethnic Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Pennsylvania	268,465	50.4	23.3	20.6	0.3	2.5	2.9	0.0
Puerto Rico	193,060	0.0	0.0	99.8	0.2	0.0	0.0	0.0
Rhode Island	26,719	38.8	14.4	39.0	0.4	3.1	4.3	0.0
Rosebud Sioux-SD	1,269	2.3	0.0	0.6	93.8	0.0	3.3	0.0
South Carolina	98,815	36.1	45.6	16.0	0.2	0.8	1.4	0.0
South Dakota	22,458	57.2	3.3	7.7	25.8	1.0	5.0	0.0
Standing Rock-ND	917	1.4	0.0	0.2	97.5	0.0	0.9	0.0
Tennessee	171,921	58.8	25.5	14.5	0.0	0.0	0.0	1.2
Texas	1,006,703	12.0	10.6	74.8	0.1	1.1	1.4	0.0
Three Aff. Tribes-ND	279	0.0	0.0	6.1	61.6	0.0	32.3	0.0
Utah	68,258	50.3	1.6	41.0	1.2	3.1	2.4	0.4
Vermont	13,502	94.0	2.5	0.3	0.3	0.9	0.0	2.0
Virgin Islands	5,828	2.2	73.6	21.9	0.2	0.8	0.8	0.5
Virginia	158,829	38.6	34.2	21.4	0.3	2.5	3.0	0.0
Washington	231,876	35.5	5.5	35.6	2.1	4.5	6.6	10.1
West Virginia	56,810	86.8	3.9	2.8	0.0	0.3	6.2	0.0
Wisconsin	136,057	45.4	18.2	25.0	1.6	4.4	5.3	0.0
Nation	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5D
2009 Pediatric Nutrition Surveillance (1)
National
Comparison of Age Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Alabama	150,275	34.1	24.6	41.3
Arizona	194,714	32.2	23.4	44.4
Arkansas	96,495	30.2	25.1	44.6
AZ I/Tribal Council	13,063	27.3	24.2	48.5
California	1,275,501	44.8	21.5	33.7
Cheyenne River-SD	752	24.3	21.3	54.4
Colorado	121,025	38.0	19.0	43.0
Connecticut	64,745	28.4	26.2	45.4
D.C.	17,585	34.4	26.9	38.7
Florida	557,183	34.8	21.5	43.8
Georgia	336,165	39.6	19.9	40.5
Hawaii	38,960	28.8	26.4	44.8
Idaho	50,174	30.3	24.0	45.7
Illinois	319,251	32.8	24.8	42.4
Indiana	181,075	35.9	21.7	42.4
Iowa	81,605	35.0	19.7	45.3
Kansas	83,384	31.0	23.8	45.2
Kentucky	181,271	41.0	19.6	39.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5D
2009 Pediatric Nutrition Surveillance (1)
National
Comparison of Age Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Louisiana	115,993	33.5	23.4	43.1
Maine	16,193	9.3	31.6	59.1
Maryland	146,727	31.1	25.1	43.8
Massachusetts	137,376	31.5	21.3	47.3
Michigan	260,806	32.9	22.5	44.7
Minnesota	146,749	29.4	22.6	48.0
Mississippi	120,695	31.4	24.1	44.5
Missouri	151,933	38.7	20.8	40.6
Montana	22,645	33.4	22.6	44.1
Navajo Nation	8,672	36.8	30.9	32.3
Nebraska	48,537	36.2	20.2	43.6
Nevada	70,228	38.3	20.4	41.3
New Hampshire	20,115	32.6	21.9	45.5
New Jersey	180,017	36.6	20.5	42.8
New Mexico	68,991	27.3	25.7	47.0
New York	511,792	28.8	25.9	45.3
North Carolina	246,877	30.9	22.9	46.3
North Dakota	15,808	37.5	17.7	44.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5D
2009 Pediatric Nutrition Surveillance (1)
National
Comparison of Age Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Ohio	310,751	38.9	18.5	42.6
Oregon	112,633	32.2	19.9	47.9
Pennsylvania	268,465	28.6	26.5	44.9
Puerto Rico	193,060	25.7	21.2	53.1
Rhode Island	26,719	28.7	23.3	48.0
Rosebud Sioux-SD	1,269	23.1	24.7	52.2
South Carolina	98,815	40.4	23.8	35.8
South Dakota	22,458	36.6	19.3	44.0
Standing Rock-ND	917	21.0	21.5	57.5
Tennessee	171,921	32.3	25.0	42.7
Texas	1,006,703	29.1	24.5	46.4
Three Aff. Tribes-ND	279	38.0	20.1	41.9
Utah	68,258	30.7	23.6	45.8
Vermont	13,502	26.4	20.5	53.2
Virgin Islands	5,828	27.7	25.3	47.0
Virginia	158,829	30.9	25.8	43.3
Washington	231,876	34.3	19.3	46.4
West Virginia	56,810	39.6	17.8	42.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5D
2009 Pediatric Nutrition Surveillance (1)
National
Comparison of Age Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wisconsin	136,057	34.2	20.8	45.0
Nation	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6D
2009 Pediatric Nutrition Surveillance (1)
National

Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Contributor	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alabama	37,887	11.8 (50)	4.3 (2)	145,342	6.2 (33)	6.5 (51)	12.4 (14)	60,572	15.6 (16)	14.4 (30)	98,151	19.0 (47)
Arizona	42,224	8.0 (12)	6.6 (28)	191,460	6.2 (33)	2.6 (7)	14.8 (41)	85,020	15.8 (20)	14.3 (28)	130,017	13.4 (27)
Arkansas	15,709	10.0 (42)	5.2 (9)	91,994	7.1 (48)	4.5 (38)	12.2 (11)	42,270	15.9 (22)	14.2 (25)	56,057	18.6 (45)
AZ I/Tribal Council	2,733	6.5 (3)	8.7 (44)	12,243	5.3 (19)	1.5 (3)	22.8 (53)	6,105	20.5 (53)	24.2 (53)	7,572	14.1 (32)
California	222,196	6.2 (2)	7.3 (36)	1,035,387	5.1 (17)	5.6 (44)	15.7 (45)	332,663	15.9 (22)	17.0 (46)	505,302	14.0 (31)
Cheyenne River-SD	120	7.5 (11)	5.0 (6)	711	1.1 (1)	1.4 (1)	20.4 (52)	384	17.7 (44)	19.0 (52)	422	9.7 (10)
Colorado	28,949	9.3 (32)	4.5 (3)	119,963	7.5 (51)	3.4 (24)	8.4 (2)	51,659	14.5 (5)	9.0 (2)	72,602	13.1 (25)
Connecticut	16,352	8.9 (25)	7.0 (32)	62,798	3.4 (5)	7.3 (53)	12.7 (19)	28,432	15.4 (13)	16.0 (41)	43,665	8.7 (7)
D.C.	5,060	11.0 (49)	5.1 (7)	16,968	7.6 (52)	4.2 (31)	12.5 (17)	6,742	15.0 (8)	13.6 (16)	10,763	27.9 (54)
Florida	132,725	9.5 (37)	5.7 (14)	544,862	4.5 (8)	4.9 (40)	13.3 (26)	238,542	15.1 (11)	13.7 (17)	372,009	17.4 (43)
Georgia	85,268	10.1 (44)	5.2 (9)	329,771	6.1 (29)	3.1 (19)	14.0 (33)	134,173	16.4 (26)	14.2 (25)	215,454	14.2 (34)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6D
2009 Pediatric Nutrition Surveillance (1)
National

Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Contributor	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Hawaii	9,186	9.3 (32)	6.5 (26)	38,260	6.4 (39)	5.1 (42)	10.4 (4)	17,252	12.8 (2)	9.3 (3)		18,820	11.9 (22)
Idaho	11,537	7.4 (9)	7.2 (34)	48,824	6.5 (41)	4.4 (34)	9.8 (3)	22,620	15.4 (13)	11.9 (4)		32,798	11.3 (18)
Illinois	87,088	9.1 (28)	7.0 (32)	300,434	6.7 (45)	5.6 (44)	12.8 (21)	133,023	15.6 (16)	14.6 (34)		175,655	11.2 (16)
Indiana	45,962	9.1 (28)	6.2 (20)	177,260	6.2 (33)	3.3 (23)	12.2 (11)	75,671	16.8 (32)	14.3 (28)		123,735	14.7 (36)
Iowa	18,130	8.2 (16)	8.1 (41)	79,717	5.5 (20)	2.8 (12)	14.1 (35)	36,225	17.5 (40)	15.0 (36)		56,001	8.0 (5)
Kansas	19,541	8.5 (20)	6.4 (24)	81,061	6.3 (38)	2.9 (15)	12.2 (11)	36,956	16.6 (29)	13.2 (12)		54,171	10.1 (12)
Kentucky	42,298	9.9 (39)	6.3 (22)	173,809	6.0 (27)	6.6 (52)	13.5 (28)	68,450	16.4 (26)	15.8 (39)		107,861	12.9 (23)
Louisiana	31,521	11.9 (51)	3.5 (1)	112,561	8.6 (53)	4.4 (34)	13.5 (28)	49,077	15.0 (8)	12.4 (9)		65,549	20.7 (50)
Maine	0	* *	* *	9,421	3.6 (6)	2.5 (4)	14.7 (38)	9,421	17.5 (40)	14.7 (35)		15,903	13.2 (26)
Maryland	35,644	10.1 (44)	5.6 (12)	141,022	5.8 (25)	3.0 (17)	13.9 (32)	62,194	17.1 (37)	15.8 (39)		95,872	22.4 (52)
Massachusetts	31,953	8.7 (23)	7.9 (40)	133,494	4.5 (8)	5.5 (43)	14.7 (38)	63,567	16.9 (35)	16.8 (45)		74,754	11.3 (18)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6D
2009 Pediatric Nutrition Surveillance (1)
National

Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Contributor	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Michigan	61,144	9.4 (35)	6.8 (31)	255,398	5.6 (22)	3.6 (27)	12.8 (21)	114,489	16.6 (29)	13.7 (17)	166,887	15.0 (37)
Minnesota	31,690	7.4 (9)	8.7 (44)	142,310	4.9 (14)	2.5 (4)	12.4 (14)	68,997	16.8 (32)	13.1 (11)	98,050	10.9 (14)
Mississippi	0	* *	* *	113,749	9.4 (54)	6.2 (48)	14.1 (35)	51,741	15.2 (12)	13.9 (20)	85,374	16.2 (39)
Missouri	40,086	9.3 (32)	6.4 (24)	147,839	6.6 (44)	4.7 (39)	12.4 (14)	60,150	16.4 (26)	13.9 (20)	88,327	17.0 (41)
Montana	5,238	8.0 (12)	7.6 (37)	22,392	5.7 (24)	2.7 (9)	12.9 (23)	10,105	15.8 (20)	12.5 (10)	14,219	8.5 (6)
Navajo Nation	2,540	7.0 (7)	7.2 (34)	8,457	4.8 (13)	1.4 (1)	16.3 (46)	2,771	18.0 (47)	17.3 (47)	0	* *
Nebraska	11,146	8.4 (19)	6.6 (28)	47,514	6.2 (33)	3.8 (29)	13.5 (28)	20,811	17.2 (38)	14.2 (25)	28,261	14.6 (35)
Nevada	16,558	8.2 (16)	6.0 (18)	68,395	6.5 (41)	3.6 (27)	14.1 (35)	28,159	14.8 (6)	13.9 (20)	43,608	9.8 (11)
New Hampshire	3,945	8.3 (18)	10.0 (49)	19,456	6.2 (33)	2.5 (4)	13.4 (27)	8,963	17.8 (45)	14.4 (30)	11,568	13.8 (30)
New Jersey	44,897	8.8 (24)	6.3 (22)	176,040	6.1 (29)	3.9 (30)	16.8 (48)	75,191	17.5 (40)	18.4 (50)	118,110	18.8 (46)
New Mexico	15,926	9.4 (35)	4.6 (4)	62,553	7.2 (49)	5.7 (46)	11.2 (5)	31,433	13.7 (4)	12.0 (6)	42,830	12.9 (23)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6D
2009 Pediatric Nutrition Surveillance (1)
National

Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Contributor	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
New York	131,102	8.9 (25)	6.6 (28)	501,424	4.3 (7)	4.2 (31)	14.0 (33)	224,130	17.4 (39)	14.4 (30)	375,281	11.8 (21)
North Carolina	57,396	9.9 (39)	6.5 (26)	211,827	5.5 (20)	7.8 (54)	14.8 (41)	104,323	15.9 (22)	15.2 (38)	163,488	13.4 (27)
North Dakota	3,574	8.0 (12)	8.4 (43)	15,551	4.5 (8)	2.6 (7)	13.6 (31)	6,968	17.5 (40)	14.1 (24)	11,432	9.3 (9)
Ohio	72,370	10.4 (47)	5.9 (16)	305,686	6.5 (41)	3.5 (26)	12.7 (19)	130,792	15.7 (19)	12.3 (8)	219,051	13.5 (29)
Oregon	22,123	6.8 (5)	9.7 (48)	110,117	5.0 (15)	2.8 (12)	13.2 (24)	52,713	17.8 (45)	15.0 (36)	64,618	14.1 (32)
Pennsylvania	66,446	9.9 (39)	6.2 (20)	264,293	6.4 (39)	4.4 (34)	11.8 (9)	119,134	14.8 (6)	12.0 (6)	181,486	20.6 (49)
Puerto Rico	0	* *	* *	189,199	10.3 (55)	6.2 (48)	18.6 (50)	100,313	19.2 (51)	18.1 (49)	136,954	5.6 (2)
Rhode Island	5,971	9.2 (30)	7.7 (38)	25,557	6.0 (27)	3.4 (24)	16.3 (46)	12,456	16.6 (29)	16.2 (43)	16,333	17.1 (42)
Rosebud Sioux-SD	289	4.5 (1)	8.7 (44)	1,246	1.1 (1)	3.0 (17)	18.1 (49)	646	24.8 (55)	18.7 (51)	883	24.0 (53)
South Carolina	24,069	10.3 (46)	5.1 (7)	94,396	6.8 (47)	6.2 (48)	11.4 (7)	34,601	15.6 (16)	13.3 (14)	45,723	18.1 (44)
South Dakota	5,058	6.9 (6)	8.3 (42)	21,972	5.9 (26)	2.9 (15)	15.1 (43)	9,705	19.9 (52)	16.4 (44)	15,654	8.8 (8)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6D
2009 Pediatric Nutrition Surveillance (1)
National

Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Contributor	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Standing Rock-ND	120	6.7 (4)	10.0 (49)	885	2.0 (4)	4.4 (34)	23.7 (54)	501	23.4 (54)	26.1 (54)	671	16.7 (40)
Tennessee	46,102	10.4 (47)	5.3 (11)	164,485	6.1 (29)	6.1 (47)	12.5 (17)	71,914	15.4 (13)	14.0 (23)	113,172	7.8 (4)
Texas	223,433	8.9 (25)	5.6 (12)	975,105	6.7 (45)	2.7 (9)	15.3 (44)	481,409	17.0 (36)	16.0 (41)	732,139	21.2 (51)
Three Aff. Tribes-ND	84	* *	* *	255	1.6 (3)	3.1 (19)	25.1 (55)	108	18.5 (49)	31.5 (55)	190	19.5 (48)
Utah	16,083	8.6 (21)	5.9 (16)	67,628	7.4 (50)	4.2 (31)	8.0 (1)	30,849	12.3 (1)	8.8 (1)	49,669	11.2 (16)
Vermont	1,948	8.0 (12)	10.3 (51)	13,107	4.6 (11)	3.2 (21)	12.1 (10)	7,051	16.1 (25)	13.2 (12)	10,559	6.6 (3)
Virgin Islands	1,223	9.2 (30)	4.9 (5)	5,457	4.7 (12)	8.6 (55)	11.2 (5)	2,587	13.5 (3)	11.9 (4)	3,351	11.5 (20)
Virginia	35,087	10.0 (42)	6.0 (18)	155,149	6.1 (29)	2.8 (12)	20.2 (51)	65,919	18.9 (50)	18.0 (48)	106,596	15.8 (38)
Washington	48,277	7.1 (8)	9.2 (47)	227,192	5.0 (15)	2.7 (9)	14.7 (38)	104,389	18.3 (48)	14.4 (30)	119,783	10.4 (13)
West Virginia	13,360	9.8 (38)	5.8 (15)	55,830	5.1 (17)	5.0 (41)	11.6 (8)	23,739	15.0 (8)	13.4 (15)	28,964	4.7 (1)
Wisconsin	31,974	8.6 (21)	7.7 (38)	133,389	5.6 (22)	3.2 (21)	13.2 (24)	60,280	16.8 (32)	13.7 (17)	97,832	11.1 (15)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6D
2009 Pediatric Nutrition Surveillance (1)
National
Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Contributor	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Nation	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7D
2009 Pediatric Nutrition Surveillance National**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
Children Aged < 5 Years**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Contributor	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Alabama	41,094	37.2 (47)	0	* *	0	* *	0	* *	0	* *	0	* *		
Arizona	42,259	65.5 (21)	34,629	27.8 (18)	34,940	17.2 (17)	13,313	8.9 (17)	18,675	3.5 (16)	0	* *	187,101	15.2 (21)
Arkansas	26,544	45.3 (40)	8,003	15.5 (39)	9,265	6.1 (43)	3,883	17.9 (6)	7,932	8.4 (9)	0	* *	91,421	21.7 (28)
AZ I/Tribal Council	2,880	66.1 (20)	1,207	24.0 (24)	2,096	15.4 (21)	663	12.8 (12)	1,183	4.5 (15)	6,654	73.8 (18)	12,927	8.3 (10)
California	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *	1,269,251	3.4 (5)
Cheyenne River-SD	101	27.7 (49)	104	14.4 (41)	95	* *	57	* *	89	* *	297	83.2 (7)	712	8.7 (13)
Colorado	28,980	76.4 (6)	24,290	29.6 (12)	18,051	18.9 (16)	0	* *	0	* *	0	* *	0	* *
Connecticut	16,463	64.9 (22)	5,982	26.9 (21)	11,883	19.4 (14)	0	* *	0	* *	0	* *	64,724	2.8 (2)
D.C.	4,919	52.5 (37)	2,063	28.6 (15)	3,395	15.3 (24)	1,233	6.2 (20)	1,939	3.4 (17)	7,233	74.5 (17)	17,529	9.9 (15)
Florida	132,914	70.6 (15)	107,687	28.0 (17)	94,721	19.0 (15)	88,901	2.2 (23)	105,417	0.4 (22)	0	* *	0	* *
Georgia	85,630	50.3 (38)	58,136	20.6 (32)	46,140	9.8 (37)	0	* *	0	* *	0	* *	0	* *
Hawaii	8,488	84.4 (4)	4,505	41.3 (4)	7,754	22.3 (7)	0	* *	0	* *	0	* *	0	* *
Idaho	11,506	82.9 (5)	4,697	29.3 (13)	7,124	15.4 (21)	2,494	30.8 (3)	3,818	22.0 (2)	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7D
2009 Pediatric Nutrition Surveillance National (1)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Contributor	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Illinois	87,147	63.1 (23)	31,912	24.0 (24)	55,518	12.2 (30)	11,161	3.5 (22)	20,842	0.4 (22)	0	* *	319,251	13.3 (17)
Indiana	46,048	61.9 (24)	17,581	23.5 (27)	33,025	10.2 (36)	11,446	17.2 (7)	17,349	8.8 (7)	78,985	71.9 (20)	172,886	31.5 (31)
Iowa	0	* *	0	* *	0	* *	0	* *	0	* *	34,113	84.3 (6)	77,507	13.7 (19)
Kansas	19,932	69.8 (17)	8,399	20.9 (31)	13,372	11.5 (31)	4,893	14.8 (8)	8,268	3.1 (18)	39,743	78.1 (15)	81,836	17.8 (23)
Kentucky	42,953	37.8 (46)	24,535	12.2 (45)	24,834	5.4 (44)	0	* *	0	* *	76,373	91.1 (1)	181,270	26.9 (29)
Louisiana	31,737	29.0 (48)	12,878	12.8 (44)	19,649	8.3 (39)	0	* *	0	* *	0	* *	0	* *
Maine	0	* *	1,623	27.6 (19)	2,923	20.3 (11)	0	* *	0	* *	0	* *	16,192	40.7 (32)
Maryland	36,132	60.1 (28)	16,351	29.2 (14)	25,628	19.6 (13)	9,183	7.7 (18)	13,483	2.9 (19)	61,543	78.3 (14)	136,441	5.1 (6)
Massachusetts	32,080	74.0 (10)	13,367	28.3 (16)	19,300	14.7 (26)	0	* *	0	* *	0	* *	0	* *
Michigan	62,038	53.5 (36)	44,879	18.5 (36)	42,347	7.8 (41)	33,662	11.0 (14)	38,570	4.9 (13)	117,932	81.6 (9)	250,058	7.9 (9)
Minnesota	31,665	73.6 (12)	17,279	32.3 (10)	25,223	21.7 (9)	10,198	14.0 (10)	17,211	10.5 (5)	0	* *	0	* *
Mississippi	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *
Missouri	40,249	56.7 (34)	32,204	14.7 (40)	28,128	8.3 (39)	23,699	14.1 (9)	30,984	9.2 (6)	62,272	80.4 (11)	145,531	18.5 (24)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7D
2009 Pediatric Nutrition Surveillance National**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
Children Aged < 5 Years**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Contributor	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Montana	5,239	73.7 (11)	1,746	32.9 (8)	2,423	20.1 (12)	0	* *	0	* *	0	* *
Navajo Nation	2,540	75.4 (7)	2,259	33.9 (7)	2,207	21.7 (9)	878	32.1 (2)	1,065	19.5 (3)	0	* *
Nebraska	11,165	69.9 (16)	7,721	23.7 (26)	6,811	16.1 (20)	0	* *	0	* *	22,220	81.1 (10)
Nevada	17,711	61.5 (25)	14,000	25.6 (23)	10,569	15.3 (24)	0	* *	0	* *	0	* *
New Hampshire	4,830	68.8 (18)	1,976	26.0 (22)	2,917	15.4 (21)	1,214	21.2 (4)	1,937	6.9 (11)	9,643	86.2 (3)
New Jersey	45,302	59.2 (30)	37,358	32.9 (8)	28,504	26.5 (4)	16,487	11.8 (13)	20,397	10.6 (4)	77,715	41.6 (24)
New Mexico	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *
New York	131,550	74.4 (9)	46,940	38.8 (6)	92,565	22.8 (6)	24,094	9.7 (15)	44,893	4.9 (13)	246,764	78.7 (13)
North Carolina	58,016	60.5 (26)	23,261	21.9 (29)	36,455	16.2 (19)	0	* *	0	* *	0	* *
North Dakota	3,585	58.7 (31)	3,210	20.3 (33)	2,575	11.4 (32)	3,141	13.6 (11)	3,111	7.9 (10)	6,932	79.1 (12)
Ohio	74,970	47.4 (39)	50,874	16.1 (37)	38,749	10.9 (35)	0	* *	0	* *	0	* *
Oregon	22,477	91.2 (1)	15,381	43.2 (2)	15,748	26.4 (5)	10,413	45.7 (1)	11,299	35.8 (1)	0	* *
Pennsylvania	66,505	45.3 (40)	25,563	20.2 (34)	49,315	12.4 (29)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7D
2009 Pediatric Nutrition Surveillance National**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
Children Aged < 5 Years**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Contributor	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Puerto Rico	25,377	55.3 (35)	0	* *	0	* *	0	* *	0	* *	0	* *		
Rhode Island	5,916	60.3 (27)	2,445	21.4 (30)	4,053	11.1 (33)	1,577	9.7 (15)	2,383	5.4 (12)	12,769	76.4 (16)	26,280	13.6 (18)
Rosebud Sioux-SD	237	57.4 (33)	62	* *	150	22.0 (8)	12	* *	43	* *	474	85.2 (5)	1,257	9.9 (15)
South Carolina	33,586	43.4 (43)	7,170	13.8 (42)	12,326	3.9 (45)	0	* *	0	* *	36,234	71.4 (21)	97,788	9.6 (14)
South Dakota	5,145	59.4 (29)	2,505	19.2 (35)	2,773	11.1 (33)	0	* *	0	* *	0	* *	0	* *
Standing Rock-ND	101	42.6 (44)	38	* *	80	* *	13	* *	35	* *	139	73.4 (19)	448	8.5 (11)
Tennessee	46,117	39.7 (45)	16,894	15.7 (38)	28,322	6.8 (42)	0	* *	0	* *	0	* *	0	* *
Texas	226,584	72.1 (14)	97,643	42.3 (3)	140,831	39.1 (2)	0	* *	0	* *	0	* *	0	* *
Three Aff.Tribes-ND	61	* *	33	* *	25	* *	22	* *	25	* *	103	63.1 (22)	234	15.8 (22)
Utah	16,882	75.2 (8)	0	* *	0	* *	0	* *	0	* *	32,549	87.5 (2)	68,258	3.3 (4)
Vermont	1,918	73.4 (13)	1,495	30.2 (11)	1,486	13.1 (28)	0	* *	0	* *	0	* *	0	* *
Virgin Islands	1,238	89.6 (2)	679	61.4 (1)	1,072	41.9 (1)	0	* *	0	* *	2,471	63.1 (22)	5,643	1.5 (1)
Virginia	36,162	58.4 (32)	17,010	22.0 (28)	26,032	16.5 (18)	0	* *	0	* *	0	* *	158,829	21.1 (27)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7D
2009 Pediatric Nutrition Surveillance (1)
National

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Contributor	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Washington	48,383	85.7 (3)	39,235	39.5 (5)	33,848	28.6 (3)	23,517	6.8 (19)	26,279	0.8 (21)	0	* *
West Virginia	13,766	44.8 (42)	9,785	13.5 (43)	6,952	8.8 (38)	10,038	5.8 (21)	9,712	2.7 (20)	24,721	86.0 (4)
Wisconsin	32,038	66.9 (19)	14,185	27.5 (20)	20,374	13.2 (27)	10,845	18.8 (5)	13,716	8.6 (8)	65,054	82.2 (8)
Nation	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3	1,022,933	77.3
											4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this contributor's rate to other contributors. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8D
2009 Pediatric Nutrition Surveillance (1)
National

Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		<5th	<5th	≥95th	Number	% 85th-<95th	% ≥95th		
												Number
Race/Ethnicity												
White, Not Hispanic	680,822	8.5	7.4	2,742,287	6.2	4.3	11.9	1,171,367	15.9	12.3	1,775,865	11.4
Black, Not Hispanic	412,064	13.2	3.9	1,597,890	6.6	5.6	12.5	675,230	14.5	11.9	1,042,126	23.1
Hispanic	699,770	7.0	6.7	3,390,317	5.6	3.5	16.7	1,554,814	17.6	17.9	2,313,584	14.0
American Indian/Alaska Native	17,239	8.0	8.9	74,963	4.7	3.1	19.2	34,520	20.2	20.7	44,853	13.1
Asian/Pacific Islander	51,470	8.3	4.5	210,405	6.3	5.9	11.0	88,808	14.0	11.9	126,767	13.7
Multiple Races	55,113	9.2	6.8	215,071	5.6	3.7	13.1	90,463	16.2	12.8	137,357	15.1
All Other	44,864	6.9	7.8	220,282	5.3	6.8	13.0	63,153	15.5	14.9	83,644	14.6
Total	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9
Age												
0 - 11 Months	-	-	-	2,856,611	8.7	6.2	11.1	-	*	*	512,557	17.8
12 - 23 Months	-	-	-	1,916,249	6.0	2.9	17.0	-	*	*	1,860,570	17.2
24 - 35 Months	-	-	-	1,396,531	4.1	3.8	12.9	1,396,531	15.8	12.9	1,223,885	16.1
36 - 47 Months	-	-	-	1,182,990	3.9	3.7	15.2	1,182,990	16.4	15.2	1,059,798	12.4
48 - 59 Months	-	-	-	1,098,834	3.4	3.4	16.5	1,098,834	17.1	16.5	867,386	9.7
Total	-	-	-	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9D
2009 Pediatric Nutrition Surveillance (1)
National

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	661,655	58.5	346,978	21.4	389,572	12.7	445,105	84.4	1,376,803	19.3
Black, Not Hispanic	411,171	48.8	195,958	19.7	235,225	12.3	207,522	67.9	712,359	10.7
Hispanic	571,184	74.4	301,268	38.4	388,735	28.3	289,386	72.7	1,755,793	3.9
American Indian/Alaska Native	16,329	63.8	9,139	27.2	10,801	17.3	12,568	76.0	41,862	8.6
Asian/Pacific Islander	44,081	65.4	20,878	32.4	27,760	21.6	34,552	78.4	139,592	4.7
Multiple Races	54,893	58.8	30,088	20.2	34,049	12.4	33,476	80.3	96,675	17.6
All Other	9,847	77.8	7,470	37.8	6,431	25.6	324	81.5	232,639	3.5
Total	1,769,160	61.7	911,779	27.0	1,092,573	18.5	1,022,933	77.3	4,355,723	10.2
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	1,584,291	9.2
12 - 23 Months	-	-	-	-	-	-	0	*	996,898	10.2
24 - 35 Months	-	-	-	-	-	-	434,343	80.2	674,218	11.2
36 - 47 Months	-	-	-	-	-	-	314,626	75.6	573,974	11.2
48 - 59 Months	-	-	-	-	-	-	273,964	74.7	526,342	11.0
Total	1,769,160	61.7	911,779	27.0	1,092,573	18.5	1,022,933	77.3	4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2009	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0
2008	8,388,382	31.8	18.9	41.0	1.0	2.6	2.1	2.6
2007	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7
2006	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9
2005	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0
2004	6,930,341	35.5	20.3	37.1	1.2	2.9	0.1	2.9
2003	6,358,666	35.5	19.6	37.5	1.1	3.2	0.0	3.0
2002	5,518,837	39.1	21.3	32.0	1.2	3.2	0.0	3.2
2001	4,943,250	42.0	22.3	28.5	1.4	2.9	0.0	2.8
2000	5,019,497	42.3	21.8	28.3	1.5	3.0	0.0	3.2
1999	5,542,296	41.6	23.6	27.7	1.0	3.0	0.0	3.1
1998	5,697,317	42.4	23.6	26.8	1.1	3.1	0.0	3.0
1997	5,703,221	43.4	23.5	25.4	1.4	2.8	0.0	3.4
1996	6,024,305	43.3	23.6	26.2	1.5	2.7	0.0	2.7
1995	5,984,296	43.2	24.4	25.8	1.5	2.7	0.0	2.5
1994	5,711,154	42.9	24.4	26.1	1.5	2.8	0.0	2.3
1993	4,937,857	41.5	24.2	27.6	1.5	2.8	0.0	2.5
1992	4,543,683	40.8	25.0	27.3	1.5	2.7	0.0	2.7
1991	4,319,881	42.3	26.1	25.1	1.3	2.6	0.0	2.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1990	3,742,602	40.9	27.0	25.4	1.6	2.7	0.0	2.5
1989	3,314,772	42.2	28.0	23.3	1.7	2.7	0.0	2.1
1988	2,036,649	50.3	30.4	15.0	2.4	1.6	0.0	0.3
1987	1,738,567	48.3	31.8	16.1	2.3	1.3	0.0	0.2
1986	1,586,020	48.1	31.0	17.0	2.3	1.4	0.0	0.2
1985	1,334,323	47.0	29.9	18.8	2.6	1.5	0.0	0.2
1984	1,054,961	51.2	31.1	13.1	2.7	1.7	0.0	0.3
1983	866,238	53.5	30.5	11.6	2.7	1.4	0.0	0.3
1982	662,762	53.5	31.6	11.6	1.5	1.3	0.0	0.4
1981	528,895	54.2	30.7	11.3	1.8	1.3	0.0	0.6
1980	594,245	51.1	29.8	11.9	5.1	1.0	0.0	1.0
1979	324,360	54.0	26.7	12.0	5.7	0.7	0.0	0.8
1978	239,882	56.2	26.0	9.5	7.2	0.5	0.0	0.6
1977	198,928	55.9	25.9	8.9	8.0	0.4	0.0	0.9
1976	150,400	53.2	20.7	11.7	12.6	0.3	0.0	1.4
1975	113,146	52.5	20.8	10.9	13.2	0.2	0.0	2.4
1974	52,315	59.0	18.5	14.3	5.7	0.2	0.0	2.4
1973	12,075	19.0	80.6	0.2	0.1	0.0	0.0	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2009	8,938,527	34.5	22.6	42.9
2008	8,388,382	35.6	23.1	41.2
2007	7,995,600	37.6	22.1	40.3
2006	7,599,318	37.6	21.8	40.6
2005	7,117,562	35.3	22.0	42.6
2004	6,930,341	35.4	22.2	42.5
2003	6,358,666	35.8	21.9	42.3
2002	5,518,837	36.5	21.7	41.8
2001	4,943,250	37.8	21.4	40.8
2000	5,019,497	37.7	21.2	41.1
1999	5,542,296	36.9	21.3	41.8
1998	5,697,317	36.1	21.2	42.7
1997	5,703,221	35.1	20.9	44.0
1996	6,024,305	35.3	21.2	43.6
1995	5,984,296	35.8	21.6	42.6
1994	5,711,154	37.0	21.7	41.2
1993	4,937,857	37.3	22.7	40.1
1992	4,543,683	39.6	23.2	37.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1991	4,319,881	42.9	22.3	34.8
1990	3,742,602	43.5	22.0	34.6
1989	3,314,772	42.5	22.2	35.3
1988	2,036,649	42.8	22.3	34.9
1987	1,738,567	43.4	22.1	34.4
1986	1,586,020	44.0	21.1	34.9
1985	1,334,323	42.5	20.8	36.7
1984	1,054,961	42.6	21.3	36.1
1983	866,238	44.8	21.6	33.6
1982	662,762	43.7	21.1	35.2
1981	528,895	42.6	21.7	35.7
1980	594,245	37.8	22.4	39.7
1979	324,360	36.5	22.6	41.0
1978	239,882	37.0	22.4	40.6
1977	198,928	36.2	21.8	42.0
1976	150,400	34.0	22.8	43.2
1975	113,146	37.9	23.2	38.9
1974	52,315	40.7	21.9	37.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1973	12,075	16.4	19.3	64.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12D
2009 Pediatric Nutrition Surveillance (1)
National

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	> 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g							Number	% <5th	% <5th
2009	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9
2008	1,966,690	9.0	6.4	6,844,257	6.0	4.7	13.7	2,807,124	16.4	14.6	5,080,372	14.8
2007	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0
2006	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0
2005	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7	4,381,087	13.6
2004	1,630,186	9.3	6.8	6,582,905	6.4	4.7	14.1	2,814,475	16.1	14.8	4,364,901	13.5
2003	1,505,016	9.0	7.2	6,003,860	6.4	5.0	13.9	2,576,591	15.8	14.7	3,600,353	13.4
2002	1,254,683	9.0	7.6	5,060,321	6.3	5.5	13.5	2,139,100	15.4	14.3	3,421,187	13.0
2001	1,217,626	9.0	8.0	4,390,867	6.3	5.4	12.9	1,814,873	15.1	13.1	3,116,606	13.4
2000	1,235,686	8.9	8.3	4,617,585	6.0	5.4	12.8	1,932,131	15.2	13.2	3,217,568	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12D
2009 Pediatric Nutrition Surveillance (1)
National

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	> 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1999	1,301,847	8.9	8.4	5,149,796	5.9	5.7	12.3	2,187,151	15.0	12.7	3,645,746	14.5
1998	1,307,687	8.9	8.5	5,365,056	6.0	5.9	12.0	2,320,924	14.9	12.2	3,864,299	14.5
1997	1,199,049	8.8	8.5	5,389,269	6.1	5.9	11.7	2,396,884	14.6	11.6	3,925,299	14.5
1996	1,277,355	8.7	8.7	5,624,304	6.2	6.0	11.4	2,479,125	14.4	11.4	4,158,251	15.3
1995	1,289,474	9.0	8.6	5,497,483	6.6	6.0	11.2	2,372,868	14.1	11.0	4,125,108	15.9
1994	1,270,449	9.2	8.5	5,192,014	6.8	6.2	11.2	2,168,677	13.9	10.9	3,855,156	15.8
1993	1,061,208	9.2	8.4	4,566,496	6.8	6.7	11.0	1,857,797	13.6	10.7	3,368,409	16.1
1992	962,937	9.3	8.4	4,189,029	6.9	6.9	10.9	1,585,600	13.5	10.6	3,016,330	15.9
1991	1,020,919	9.4	8.3	3,977,097	7.1	7.3	10.5	1,403,114	13.0	10.0	2,748,979	16.3
1990	958,828	9.2	8.2	3,329,394	7.4	7.5	10.6	1,156,421	13.1	10.0	2,362,182	16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12D
2009 Pediatric Nutrition Surveillance (1)
National

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number <2500 g	%	% >4000 g	Number <5th	%	% <5th	% ≥ 95th	Number 85th-<95th	%	% ≥95th	Number	%
1989	826,736	9.1	8.1	3,106,714	7.4	7.4	10.4	1,115,794	12.9	9.6	2,111,468	15.6
1988	532,664	9.5	7.8	1,903,637	7.8	7.8	9.1	676,741	12.1	8.4	1,380,353	14.8
1987	444,229	9.9	7.5	1,668,076	8.2	8.1	9.2	585,297	11.9	8.2	1,217,664	14.5
1986	367,997	9.9	7.6	1,512,514	8.5	8.0	9.4	538,821	12.0	8.4	1,127,586	15.0
1985	313,159	10.0	7.4	1,262,066	8.4	8.3	9.3	473,634	11.9	8.2	966,479	15.9
1984	249,655	10.0	7.6	989,258	8.6	7.9	8.8	368,151	12.0	7.6	770,212	16.6
1983	217,314	10.3	7.6	808,045	9.4	8.0	8.8	282,979	12.1	7.7	619,567	17.9
1982	168,673	10.2	7.8	617,201	9.8	7.7	9.1	227,461	12.7	8.1	466,815	18.1
1981	119,475	10.5	7.9	493,366	9.7	7.5	9.8	184,223	13.0	8.5	371,131	19.5
1980	124,800	10.0	8.5	518,312	8.8	7.2	10.0	214,369	13.0	8.6	432,280	18.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1979	67,299	10.1	8.2	270,921	8.5	6.8	10.0	113,329	12.8	8.3	240,211	16.8
1978	48,187	10.0	8.3	207,748	8.7	7.3	9.8	84,956	12.6	8.2	177,846	18.9
1977	40,767	10.2	8.6	170,103	9.0	7.7	10.7	72,267	12.8	8.4	146,205	18.6
1976	26,045	9.6	8.7	121,153	9.3	7.1	12.0	53,521	13.4	9.6	114,145	16.4
1975	20,728	9.7	8.4	85,611	10.5	7.8	12.5	33,864	13.5	10.3	81,821	19.3
1974	10,309	9.8	9.1	34,099	11.7	8.8	12.7	12,897	14.2	10.5	36,301	22.4
1973	195	9.7	11.8	11,078	8.7	8.4	10.2	7,375	10.2	6.6	10,884	31.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2009	1,769,160	61.7	911,779	27.0	1,092,573	18.5
2008	1,776,095	61.7	887,500	26.6	1,092,493	18.7
2007	1,747,004	59.8	874,434	25.4	979,105	17.5
2006	1,577,832	60.1	790,341	25.2	875,205	18.1
2005	1,515,954	58.5	751,259	24.3	869,342	17.7
2004	1,466,352	56.1	730,949	23.4	816,328	17.5
2003	1,244,877	55.1	606,003	23.4	701,977	17.3
2002	1,014,091	52.5	546,600	20.7	582,948	12.3
2001	553,594	50.1	311,294	21.5	310,791	13.9
2000	905,154	48.0	504,089	19.7	478,170	12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1999	864,433	47.8	495,446	18.6	452,736	11.7
1998	877,246	47.8	490,802	18.1	475,699	11.8
1997	750,078	45.1	440,557	16.8	416,287	11.4
1996	796,109	43.7	479,281	15.6	461,059	10.1
1995	717,537	41.6	409,439	16.0	401,859	10.7
1994	692,196	39.2	379,703	14.7	363,662	10.1
1993	479,000	38.9	266,051	15.0	271,481	11.6
1992	374,892	36.3	243,882	15.1	230,718	10.7
1991	511,841	32.5	258,025	13.7	241,238	10.6
1990	403,472	38.1	204,682	13.1	175,847	9.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1989	347,322	37.9	185,009	13.4	160,759	10.3
1988	324,476	37.0	179,168	12.8	144,450	9.7
1987	266,327	39.4	157,403	12.7	123,455	10.8
1986	218,391	42.6	144,971	14.1	102,730	10.8
1985	173,368	46.0	116,531	14.3	78,866	10.8
1984	137,267	42.7	89,165	12.1	61,384	8.1
1983	34,661	41.3	23,107	14.5	15,338	10.5
1982	9,242	35.5	5,759	17.1	4,282	9.9
1981	1,274	32.4	1,263	8.2	1,096	7.1
1980	1,081	28.0	1,053	9.0	842	4.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14D
2009 Pediatric Nutrition Surveillance
National
Children Aged < 5 Years

Page: 36
Run Date: 8 / 3 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15D
2009 Pediatric Nutrition Surveillance
National
Children Aged < 5 Years

Page: 37
Run Date: 8 / 3 / 10

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	961,345	8.7	961,345	6.4	961,345	9.3	0	0.0	0.0
12 - 23 Months	609,575	6.2	609,575	2.8	609,575	15.1	0	0.0	0.0
24 - 59 Months	1,171,367	4.1	1,171,367	3.4	1,171,367	12.3	1,171,367	15.9	12.3
Total	2,742,287	6.2	2,742,287	4.3	2,742,287	11.9	1,171,367	15.9	12.3
Black, Not Hispanic									
0 - 11 Months	550,392	10.9	550,392	7.6	550,392	10.7	0	0.0	0.0
12 - 23 Months	372,268	6.4	372,268	3.7	372,268	16.1	0	0.0	0.0
24 - 59 Months	675,230	3.1	675,230	5.1	675,230	11.9	675,230	14.5	11.9
Total	1,597,890	6.6	1,597,890	5.6	1,597,890	12.5	675,230	14.5	11.9
Hispanic									
0 - 11 Months	1,063,182	7.9	1,063,182	5.0	1,063,182	13.0	0	0.0	0.0
12 - 23 Months	772,321	5.9	772,321	2.4	772,321	19.2	0	0.0	0.0
24 - 59 Months	1,554,814	3.8	1,554,814	3.0	1,554,814	17.9	1,554,814	17.6	17.9
Total	3,390,317	5.6	3,390,317	3.5	3,390,317	16.7	1,554,814	17.6	17.9
American Indian/Alaska Native									
0 - 11 Months	23,194	7.6	23,194	5.0	23,194	13.5	0	0.0	0.0
12 - 23 Months	17,249	4.7	17,249	2.1	17,249	23.9	0	0.0	0.0
24 - 59 Months	34,520	2.8	34,520	2.3	34,520	20.7	34,520	20.2	20.7
Total	74,963	4.7	74,963	3.1	74,963	19.2	34,520	20.2	20.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16D
2009 Pediatric Nutrition Surveillance ⁽¹⁾
National
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	73,679	7.2	73,679	6.6	73,679	9.7	0	0.0	0.0
12 - 23 Months	47,918	6.8	47,918	5.5	47,918	11.3	0	0.0	0.0
24 - 59 Months	88,808	5.3	88,808	5.6	88,808	11.9	88,808	14.0	11.9
Total	210,405	6.3	210,405	5.9	210,405	11.0	88,808	14.0	11.9
Multiple Races									
0 - 11 Months	74,973	8.7	74,973	5.1	74,973	10.9	0	0.0	0.0
12 - 23 Months	49,635	5.3	49,635	2.4	49,635	17.1	0	0.0	0.0
24 - 59 Months	90,463	3.3	90,463	3.2	90,463	12.8	90,463	16.2	12.8
Total	215,071	5.6	215,071	3.7	215,071	13.1	90,463	16.2	12.8
All Other/Unknown									
0 - 11 Months	109,846	6.2	109,846	8.4	109,846	10.7	0	0.0	0.0
12 - 23 Months	47,283	4.8	47,283	5.5	47,283	15.7	0	0.0	0.0
24 - 59 Months	63,153	3.9	63,153	5.0	63,153	14.9	63,153	15.5	14.9
Total	220,282	5.3	220,282	6.8	220,282	13.0	63,153	15.5	14.9
Total All Race/Ethnic Groups									
0 - 11 Months	2,856,611	8.7	2,856,611	6.2	2,856,611	11.1	0	0.0	0.0
12 - 23 Months	1,916,249	6.0	1,916,249	2.9	1,916,249	17.0	0	0.0	0.0
24 - 59 Months	3,678,355	3.8	3,678,355	3.6	3,678,355	14.7	3,678,355	16.4	14.7
Total	8,451,215	6.0	8,451,215	4.3	8,451,215	14.0	3,678,355	16.4	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17D
2009 Pediatric Nutrition Surveillance (1)
National
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 40
Run Date: 8 / 3 / 10

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	183,995	15.5	6 - 11 Months	13,680	15.3
12 - 17 Months	355,593	15.0	12 - 17 Months	25,602	14.7
18 - 23 Months	254,442	11.5	18 - 23 Months	17,009	13.8
24 - 35 Months	390,661	11.6	24 - 35 Months	27,394	15.8
36 - 59 Months	591,174	7.8	36 - 59 Months	43,082	11.4
Total	1,775,865	11.4	Total	126,767	13.7
Black, Not Hispanic			Multiple Races		
6 - 11 Months	86,084	23.3	6 - 11 Months	14,346	16.9
12 - 17 Months	227,347	25.3	12 - 17 Months	28,247	18.3
18 - 23 Months	146,905	24.5	18 - 23 Months	20,931	15.3
24 - 35 Months	234,084	25.7	24 - 35 Months	30,830	16.2
36 - 59 Months	347,706	19.4	36 - 59 Months	43,003	11.4
Total	1,042,126	23.1	Total	137,357	15.1
Hispanic			All Other/Unknown		
6 - 11 Months	194,884	17.9	6 - 11 Months	15,460	18.5
12 - 17 Months	446,731	17.6	12 - 17 Months	16,979	14.3
18 - 23 Months	298,244	15.0	18 - 23 Months	8,388	13.4
24 - 35 Months	514,677	15.2	24 - 35 Months	15,780	15.3
36 - 59 Months	859,048	10.2	36 - 59 Months	27,037	12.4
Total	2,313,584	14.0	Total	83,644	14.6
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	4,108	15.0	6 - 11 Months	512,557	17.8
12 - 17 Months	7,748	16.5	12 - 17 Months	1,108,247	18.2
18 - 23 Months	6,404	15.4	18 - 23 Months	752,323	15.6
24 - 35 Months	10,459	15.1	24 - 35 Months	1,223,885	16.1
36 - 59 Months	16,134	8.7	36 - 59 Months	1,927,184	11.2
Total	44,853	13.1	Total	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18D
2009 Pediatric Nutrition Surveillance (1)
National

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
White, Not Hispanic	2009	680,822	8.5	7.4	2,742,287	6.2	4.3	11.9	1,171,367	15.9	12.3	1,775,865	11.4
	2008	661,826	8.6	7.4	2,393,598	6.2	4.5	11.8	992,775	16.0	12.5	1,639,455	11.4
	2007	652,862	8.7	7.4	2,403,193	6.4	4.5	11.8	973,719	15.9	12.4	1,525,981	11.9
	2006	627,003	8.9	7.4	2,307,899	6.5	4.7	11.7	943,306	15.9	12.3	1,450,549	11.1
	2005	574,328	9.1	7.5	2,205,721	6.6	4.6	12.0	928,533	15.7	12.4	1,434,886	10.8
	2004	629,412	8.8	7.8	2,367,268	6.6	4.5	12.2	994,087	15.8	12.6	1,549,047	10.8
	2003	567,095	8.6	8.3	2,154,320	6.5	4.8	11.9	920,156	15.5	12.2	1,337,637	10.5
	2002	522,252	8.4	8.8	1,980,732	6.3	5.0	11.5	850,084	15.0	11.8	1,374,440	10.1
	2001	536,570	8.4	9.2	1,845,533	6.3	5.2	11.3	774,389	14.8	11.5	1,347,726	10.4
	2000	548,613	8.3	9.6	1,977,676	6.0	5.3	11.1	832,279	14.9	11.3	1,393,526	10.6
Black, Not Hispanic	2009	412,064	13.2	3.9	1,597,890	6.6	5.6	12.5	675,230	14.5	11.9	1,042,126	23.1
	2008	395,153	13.1	4.1	1,355,093	6.6	6.0	12.2	549,491	14.5	11.9	963,101	22.6
	2007	406,203	13.4	4.1	1,426,579	7.0	5.9	12.2	566,618	14.4	11.9	914,467	22.8
	2006	389,926	13.5	4.2	1,335,393	7.1	6.1	12.1	535,781	14.4	11.9	825,012	21.0
	2005	330,923	13.6	4.4	1,247,201	6.9	6.1	12.4	527,365	14.3	12.0	793,328	20.0
	2004	356,415	13.1	4.5	1,334,648	6.9	6.0	12.8	563,849	14.4	12.2	874,513	19.4
	2003	318,381	12.9	4.8	1,173,486	7.1	6.4	12.4	494,997	14.1	12.1	724,232	19.1
	2002	286,273	12.6	4.9	1,094,418	7.0	6.7	12.0	453,415	13.7	11.9	742,716	19.1
	2001	300,376	12.7	5.0	1,014,897	7.5	6.7	11.8	408,557	13.6	11.0	707,241	19.6
	2000	299,774	12.6	5.2	1,027,120	7.2	6.7	11.7	419,361	13.7	11.1	713,877	20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18D
2009 Pediatric Nutrition Surveillance (1)
National

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Hispanic	2009	699,770	7.0	6.7	3,390,317	5.6	3.5	16.7	1,554,814	17.6	17.9	2,313,584	14.0
	2008	753,482	7.4	6.7	2,490,551	5.5	3.9	16.6	1,039,139	17.8	18.2	2,133,733	14.0
	2007	745,854	7.3	6.6	3,096,366	5.9	3.7	16.6	1,299,054	17.8	18.2	2,007,415	14.0
	2006	692,875	7.2	7.1	2,926,333	5.6	3.8	16.3	1,261,632	17.8	18.0	1,922,871	13.5
	2005	548,820	7.4	7.1	2,519,801	5.9	4.0	16.6	1,134,627	17.5	18.0	1,735,800	13.2
	2004	544,571	7.7	7.1	2,423,347	6.0	4.0	16.8	1,076,000	17.4	18.2	1,684,460	13.1
	2003	522,353	7.3	7.5	2,238,214	6.0	4.3	16.8	991,223	17.0	18.4	1,301,313	13.3
	2002	360,889	7.1	8.0	1,602,567	6.0	5.0	17.0	687,055	17.0	19.0	1,081,779	12.5
	2001	304,986	6.7	8.7	1,223,159	5.5	4.5	16.1	509,679	16.4	17.0	871,516	13.0
	2000	307,503	6.7	9.0	1,275,430	5.2	4.5	16.2	541,044	16.6	17.2	903,791	13.3
American Indian/Alaska Native	2009	17,239	8.0	8.9	74,963	4.7	3.1	19.2	34,520	20.2	20.7	44,853	13.1
	2008	17,279	7.8	9.1	77,153	4.7	2.8	19.1	36,329	20.4	20.2	54,066	12.2
	2007	17,832	7.9	8.7	76,166	5.0	3.1	18.6	34,723	20.3	19.5	52,031	12.4
	2006	18,065	8.1	9.0	73,834	5.0	3.3	18.3	33,488	20.1	19.4	49,163	11.5
	2005	16,080	7.9	9.2	69,413	5.1	3.1	18.4	32,308	20.0	19.0	49,165	10.7
	2004	18,468	7.9	9.8	76,679	5.0	3.3	18.7	35,328	19.9	19.0	54,388	11.5
	2003	16,191	7.4	10.2	68,766	5.1	3.6	17.4	31,798	18.9	17.7	48,437	10.9
	2002	14,420	6.8	11.0	58,382	5.1	3.4	17.2	28,324	18.8	17.5	45,762	10.0
	2001	15,339	7.3	10.9	59,571	5.2	3.5	16.7	28,917	18.9	17.1	49,255	9.9
	2000	16,066	6.7	11.7	67,463	5.1	3.2	17.5	32,159	19.9	17.4	50,399	11.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18D
2009 Pediatric Nutrition Surveillance (1)
National

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Asian/Pacific Islander	2009	51,470	8.3	4.5	210,405	6.3	5.9	11.0	88,808	14.0	11.9	126,767	13.7
	2008	52,873	8.3	4.6	191,836	6.3	5.8	11.2	77,944	14.1	12.2	119,498	13.6
	2007	51,344	8.1	4.6	194,916	6.3	6.1	10.8	78,235	14.0	11.9	109,481	13.0
	2006	45,027	8.3	4.8	179,402	6.4	6.2	11.0	72,109	14.0	12.4	101,446	12.5
	2005	39,522	8.5	5.1	159,167	6.6	6.6	11.1	65,934	14.1	12.3	100,090	12.4
	2004	43,519	8.4	5.7	188,721	6.7	6.0	11.7	75,018	13.9	12.5	106,595	12.7
	2003	44,761	8.3	5.9	193,549	6.0	6.1	11.9	73,816	14.1	13.0	101,017	12.6
	2002	36,052	8.0	6.2	158,642	6.4	6.2	12.1	61,152	13.8	13.4	94,638	12.4
	2001	33,340	8.3	6.2	122,338	7.0	5.5	12.4	48,926	14.5	13.4	76,669	12.8
	2000	34,139	8.0	6.7	137,405	6.7	5.6	12.6	59,924	14.5	13.8	83,969	15.1
Multiple Races	2009	55,113	9.2	6.8	215,071	5.6	3.7	13.1	90,463	16.2	12.8	137,357	15.1
	2008	46,451	8.9	7.0	154,747	5.7	3.9	13.0	61,223	16.2	12.9	106,483	15.3
	2007	40,785	9.3	6.8	142,079	5.9	4.0	12.8	53,286	15.9	12.6	84,183	15.7
	2006	33,697	9.3	7.0	111,120	5.9	4.2	12.7	41,358	16.1	13.0	64,615	15.0
	2005	21,536	9.6	7.0	55,341	6.5	4.3	12.7	20,450	15.6	13.0	38,478	14.0
	2004	2,185	8.8	6.5	6,483	6.2	3.5	13.9	2,359	15.9	15.1	3,869	17.3
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18D
2009 Pediatric Nutrition Surveillance (1)
National

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th	Number
All Other/Unknown	2009	44,864	6.9	7.8	220,282	5.3	6.8	13.0	63,153	15.5	14.9	83,644	14.6
	2008	39,626	7.6	8.3	181,279	5.1	7.5	12.7	50,223	15.2	15.5	64,036	14.6
	2007	38,362	6.9	7.9	187,286	5.2	7.1	13.0	52,495	15.3	15.6	66,030	15.2
	2006	36,377	7.1	7.9	258,062	9.9	6.9	14.8	57,538	16.4	15.6	107,935	11.9
	2005	100,362	9.2	6.7	400,070	7.5	5.9	13.0	141,209	15.7	14.5	208,640	12.9
	2004	35,616	8.1	8.1	185,759	5.4	6.6	13.1	67,834	15.7	15.2	92,029	14.0
	2003	36,235	8.1	8.0	175,525	5.4	6.9	13.0	64,601	15.3	14.9	87,717	13.6
	2002	34,797	8.2	8.2	165,580	5.5	7.1	12.9	59,070	15.0	14.7	81,852	13.7
	2001	27,015	8.1	8.4	125,369	5.7	6.4	13.4	44,405	15.5	14.2	64,199	14.5
	2000	29,591	8.5	8.4	132,491	5.7	6.5	13.3	47,364	15.2	14.6	72,006	14.0
Total All Race/Ethnic Groups	2009	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9
	2008	1,966,690	9.0	6.4	6,844,257	6.0	4.7	13.7	2,807,124	16.4	14.6	5,080,372	14.8
	2007	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0
	2006	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,212	16.4	14.8	4,521,591	14.0
	2005	1,631,571	9.4	6.6	6,656,714	6.4	4.7	13.9	2,850,426	16.1	14.7	4,360,387	13.6
	2004	1,630,186	9.3	6.8	6,582,905	6.4	4.7	14.1	2,814,475	16.1	14.8	4,364,901	13.5
	2003	1,505,016	9.0	7.2	6,003,860	6.4	5.0	13.9	2,576,591	15.8	14.7	3,600,353	13.4
	2002	1,254,683	9.0	7.6	5,060,321	6.3	5.5	13.5	2,139,100	15.4	14.3	3,421,187	13.0
	2001	1,217,626	9.0	8.0	4,390,867	6.3	5.4	12.9	1,814,873	15.1	13.1	3,116,606	13.4
	2000	1,235,686	8.9	8.3	4,617,585	6.0	5.4	12.8	1,932,131	15.2	13.2	3,217,568	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19D
2009 Pediatric Nutrition Surveillance (1)

National
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2009	661,655	58.5	346,978	21.4	389,572	12.7
	2008	656,691	57.7	338,088	20.5	383,365	12.2
	2007	638,951	55.9	328,452	19.3	349,226	11.7
	2006	559,606	56.6	282,443	20.0	293,598	13.3
	2005	535,489	55.4	273,609	19.7	299,095	13.0
	2004	577,914	53.8	295,108	18.8	310,618	12.7
	2003	479,220	52.6	237,240	19.3	255,873	13.5
	2002	427,916	51.0	235,051	18.6	243,022	12.1
	2001	291,524	50.6	168,134	20.1	165,987	13.3
	2000	428,481	48.5	246,974	18.7	228,170	11.9
Black, Not Hispanic	2009	411,171	48.8	195,958	19.7	235,225	12.3
	2008	401,935	49.7	182,183	19.8	222,193	12.5
	2007	401,429	46.9	186,767	18.2	206,657	11.3
	2006	362,220	47.3	165,104	18.2	177,375	11.9
	2005	327,559	46.4	152,600	18.4	174,080	12.0
	2004	354,100	42.6	163,265	16.3	190,170	11.0
	2003	296,353	41.6	140,154	16.3	160,412	10.7
	2002	267,397	40.0	135,737	15.2	148,196	9.0
	2001	144,375	36.1	73,220	14.0	78,159	9.6
	2000	258,475	34.5	133,425	13.3	131,564	8.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19D
2009 Pediatric Nutrition Surveillance (1)

National
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2009	571,184	74.4	301,268	38.4	388,735	28.3
	2008	604,203	73.8	309,515	37.7	415,842	28.5
	2007	601,022	72.4	305,954	36.4	362,706	26.8
	2006	525,929	72.9	275,991	35.6	336,971	26.5
	2005	455,203	71.1	245,636	33.2	314,397	25.7
	2004	453,498	68.7	232,953	33.8	276,523	27.3
	2003	398,490	68.0	194,066	33.5	246,698	25.9
	2002	254,397	67.5	144,220	28.7	158,724	15.3
	2001	90,392	68.4	54,084	33.8	50,918	20.3
	2000	171,314	65.5	94,827	30.1	92,202	17.9
American Indian/Alaska Native	2009	16,329	63.8	9,139	27.2	10,801	17.3
	2008	16,842	64.3	9,109	26.9	11,872	17.9
	2007	17,289	63.1	9,643	26.3	11,871	17.8
	2006	16,182	65.8	7,776	29.8	9,852	20.9
	2005	13,272	61.5	6,889	24.7	8,496	17.7
	2004	14,683	62.4	7,644	20.8	8,642	15.9
	2003	11,858	55.7	6,014	22.3	7,576	17.4
	2002	9,141	58.6	5,214	21.5	5,562	12.1
	2001	5,817	52.2	3,395	22.9	3,260	15.2
	2000	10,134	53.2	6,193	23.2	5,892	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19D
2009 Pediatric Nutrition Surveillance (1)

National
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2009	44,081	65.4	20,878	32.4	27,760	21.6
	2008	45,268	63.5	21,994	29.8	27,985	20.4
	2007	42,994	60.4	19,522	28.7	23,260	18.6
	2006	37,151	59.7	17,280	29.7	20,982	19.2
	2005	39,048	59.4	16,941	29.6	21,245	20.0
	2004	43,207	58.8	22,061	23.6	18,164	19.4
	2003	38,507	53.6	19,516	21.8	20,863	13.0
	2002	32,440	51.0	17,442	21.7	17,343	12.2
	2001	10,641	55.3	6,566	24.6	6,190	16.3
	2000	24,294	54.5	15,091	20.9	14,523	12.6
Multiple Races	2009	54,893	58.8	30,088	20.2	34,049	12.4
	2008	47,001	59.9	25,362	19.8	29,621	12.0
	2007	39,636	58.8	21,044	19.5	23,284	11.8
	2006	32,199	58.5	16,430	19.4	16,338	12.0
	2005	21,346	57.2	9,559	19.1	10,693	12.9
	2004	2,117	50.8	811	19.6	1,209	10.9
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19D
2009 Pediatric Nutrition Surveillance (1)

National
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2009	9,847	77.8	7,470	37.8	6,431	25.6
	2008	4,155	63.8	1,249	26.8	1,615	15.5
	2007	5,683	65.1	3,052	27.0	2,101	15.4
	2006	44,545	55.7	25,317	14.9	20,089	6.4
	2005	124,037	57.4	46,025	23.6	41,336	15.2
	2004	20,833	62.7	9,107	31.5	11,002	20.1
	2003	20,449	61.2	9,013	31.4	10,555	19.6
	2002	22,800	57.9	8,936	28.8	10,101	18.9
	2001	10,845	61.1	5,895	35.0	6,277	27.4
	2000	12,456	54.6	7,579	30.4	5,819	21.8
Total All Race/Ethnic Groups	2009	1,769,160	61.7	911,779	27.0	1,092,573	18.5
	2008	1,776,095	61.7	887,500	26.6	1,092,493	18.7
	2007	1,747,004	59.8	874,434	25.4	979,105	17.5
	2006	1,577,832	60.1	790,341	25.2	875,205	18.1
	2005	1,515,954	58.5	751,259	24.3	869,342	17.7
	2004	1,466,352	56.1	730,949	23.4	816,328	17.5
	2003	1,244,877	55.1	606,003	23.4	701,977	17.3
	2002	1,014,091	52.5	546,600	20.7	582,948	12.3
	2001	553,594	50.1	311,294	21.5	310,791	13.9
	2000	905,154	48.0	504,089	19.7	478,170	12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																		
Age and Year *	Height and Weight									Age and Year *	Height and Weight							
	Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%	%			Number	%	%	%	Number	%	%	%
	<5th	<5th	_>95th		85th-<95th	_>95th			<5th	<5th	≥ 95th		85th-<95th	_>95th				
0 - 11 Months									24 - 35 Months									
2009	2,856,611	8.7	6.2	11.1	0	*	*	2009	1,396,531	4.1	3.8	12.9	1,396,531	15.8	12.9			
2008	2,480,865	8.4	6.6	10.9	0	*	*	2008	1,071,820	4.1	4.0	12.8	1,071,820	15.7	12.8			
2007	2,794,368	8.6	6.2	11.0	0	*	*	2007	1,153,559	4.3	3.9	13.2	1,153,559	15.8	13.2			
2006	2,666,703	8.8	6.5	10.9	0	*	*	2006	1,108,832	4.4	4.0	13.2	1,108,832	15.8	13.2			
2005	2,341,698	9.1	6.7	10.8	0	*	*	2005	1,074,186	4.5	4.2	13.1	1,074,186	15.5	13.1			
2004	2,286,920	9.0	6.5	11.0	0	*	*	2004	1,052,156	4.7	4.2	13.3	1,052,156	15.6	13.3			
2003	2,089,060	8.7	6.8	10.8	0	*	*	2003	969,160	4.6	4.5	13.4	969,160	15.3	13.4			
2002	1,796,771	8.4	7.4	10.4	0	*	*	2002	812,482	4.5	5.0	12.9	812,482	14.7	12.9			
2001	1,608,934	8.5	7.3	10.5	0	*	*	2001	687,768	4.4	4.9	11.9	687,768	14.4	11.9			
2000	1,684,907	8.0	7.6	10.2	0	*	*	2000	719,739	4.3	4.7	11.9	719,739	14.4	11.9			
12 - 23 Months									36 - 47 Months									
2009	1,916,249	6.0	2.9	17.0	0	*	*	2009	1,182,990	3.9	3.7	15.2	1,182,990	16.4	15.2			
2008	1,556,268	6.2	3.2	16.6	0	*	*	2008	908,751	3.8	3.8	15.3	908,751	16.5	15.3			
2007	1,674,087	6.2	3.1	17.0	0	*	*	2007	991,871	4.1	3.8	15.3	991,871	16.6	15.3			
2006	1,580,128	6.3	3.2	17.0	0	*	*	2006	955,784	4.3	3.9	15.3	955,784	16.5	15.3			
2005	1,498,713	6.3	3.1	17.3	0	*	*	2005	934,386	4.4	4.1	15.2	934,386	16.2	15.2			
2004	1,481,510	6.4	3.1	17.6	0	*	*	2004	923,436	4.5	4.2	15.3	923,436	16.2	15.3			
2003	1,338,209	6.4	3.3	17.3	0	*	*	2003	839,220	4.5	4.5	15.2	839,220	15.8	15.2			
2002	1,124,450	6.6	3.7	16.8	0	*	*	2002	695,636	4.5	4.8	14.8	695,636	15.5	14.8			
2001	967,060	6.5	3.4	16.6	0	*	*	2001	592,797	4.5	4.7	13.4	592,797	15.3	13.4			
2000	1,000,547	6.3	3.4	16.6	0	*	*	2000	631,405	4.5	4.5	13.6	631,405	15.4	13.6			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20D
2009 Pediatric Nutrition Surveillance National (1)
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																			
Age and Year *	Height and Weight								Age and Year *	Height and Weight									
	Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)			Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)			
	Number	%	%	%	%	%	Number	%		%	%	Number	%	%	%	%	Number	%	%
	<5th	<5th	_>95th			85th-<95th	≥ 95th			<5th	<5th	≥ 95th			85th-<95th	≥ 95th			
48 - 59 Months																			
2009	1,098,834	3.4	3.4	16.5		1,098,834	17.1	16.5											
2008	826,553	3.3	3.6	16.3		826,553	17.1	16.3											
2007	912,700	3.7	3.6	16.5		912,700	17.0	16.5											
2006	880,596	3.8	3.6	16.4		880,596	17.1	16.4											
2005	860,503	3.8	3.8	16.3		860,503	16.8	16.3											
2004	838,883	3.9	3.9	16.1		838,883	16.7	16.1											
2003	768,211	3.9	4.2	15.9		768,211	16.4	15.9											
2002	630,982	4.0	4.5	15.7		630,982	16.2	15.7											
2001	534,308	4.0	4.3	14.4		534,308	15.7	14.4											
2000	580,987	3.9	4.2	14.2		580,987	15.9	14.2											
Total All Age Groups																			
2009	8,451,215	6.0	4.3	14.0		3,678,355	16.4	14.7											
2008	6,844,257	6.0	4.7	13.7		2,807,124	16.4	14.6											
2007	7,526,585	6.2	4.5	13.9		3,058,130	16.4	14.9											
2006	7,192,043	6.4	4.7	13.8		2,945,212	16.4	14.8											
2005	6,709,486	6.4	4.8	13.9		2,869,075	16.1	14.7											
2004	6,582,905	6.4	4.7	14.1		2,814,475	16.1	14.8											
2003	6,003,860	6.4	5.0	13.9		2,576,591	15.8	14.7											
2002	5,060,321	6.3	5.5	13.5		2,139,100	15.4	14.3											
2001	4,390,867	6.3	5.4	12.9		1,814,873	15.1	13.1											
2000	4,617,585	6.0	5.4	12.8		1,932,131	15.2	13.2											

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
2009		512,557	17.8	2009		752,323	15.6
2008		479,643	17.7	2008		689,248	15.6
2007		474,481	17.8	2007		632,427	16.0
2006		456,731	16.9	2006		597,860	14.9
2005		423,505	16.0	2005		574,477	14.4
2004		378,164	16.5	2004		560,832	14.6
2003		370,968	16.4	2003		463,385	14.5
2002		383,296	16.2	2002		430,303	14.0
2001		409,327	16.7	2001		385,770	14.3
2000		501,041	17.2	2000		377,097	14.5
12 - 17 Months				24 - 35 Months			
2009		1,108,247	18.2	2009		1,223,885	16.1
2008		1,091,546	18.0	2008		1,093,432	16.0
2007		1,006,280	18.5	2007		1,021,696	16.1
2006		926,054	17.0	2006		976,762	15.3
2005		869,799	16.4	2005		951,742	15.1
2004		874,061	16.5	2004		957,443	15.0
2003		696,251	15.8	2003		787,294	15.0
2002		654,996	15.1	2002		748,232	14.5
2001		581,814	15.4	2001		664,271	14.8
2000		566,530	15.4	2000		673,890	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21D
2009 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2009	1,927,184	11.2		2009	5,524,196	14.9
	2008	1,726,503	10.8		2008	5,080,372	14.8
	2007	1,624,704	10.9		2007	4,759,588	15.0
	2006	1,564,184	10.3		2006	4,521,591	14.0
	2005	1,561,564	10.1		2005	4,381,087	13.6
	2004	1,594,401	9.9		2004	4,364,901	13.5
	2003	1,282,455	9.9		2003	3,600,353	13.4
	2002	1,204,360	9.6		2002	3,421,187	13.0
	2001	1,075,424	9.8		2001	3,116,606	13.4
	2000	1,099,010	10.0		2000	3,217,568	13.7
All Other/Unknown							
	2009	0	*				
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				
	2000	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

