



For Agency Use Only
Permit Number Assigned
RWAIVER - _____
Date Received ____/____/____ Month Day Year

COLORADO DISCHARGE PERMIT SYSTEM (CDPS)
RAINFALL EROSIONITY WAIVER FOR EXCLUSION FROM CDPS STORMWATER PERMITTING
FOR SMALL CONSTRUCTION PROJECTS (LESS THAN FIVE ACRES)

PHOTO COPIES, FAXED COPIES, PDF COPIES OR EMAILS WILL NOT BE ACCEPTED.

Please print or type. Original signatures are required. All items must be completed accurately and in their entirety for the application to be deemed complete. Incomplete applications will not be processed until all information is received which will ultimately delay the issuance of a permit. If more space is required to answer any question, please attach additional sheets to the application form. Applications must be submitted by mail or hand delivered to:

Colorado Department of Public Health and Environment
Water Quality Control Division
4300 Cherry Creek Drive South
WQCD-P-B2
Denver, Colorado 80246-1530

This Rainfall Erosivity Waiver Form is for use by all Small Construction Projects regulated under the Stormwater Program where the project "R" Factor is less than 5, as determined using the State approved method. This includes sites otherwise required to apply for, or maintain, coverage under CDPS general permit COR-030000, but only if they meet the definition of Small Constructions Projects given below.

Small construction projects are projects that result in land disturbance of equal to or greater than one acre and less than five acres. Small construction activity also includes the disturbance of any area less than five acres of total land area that is part of a larger common plan of development or sale, if the larger common plan will ultimately disturb equal to or greater than one and less than five acres.

Response by the Water Quality Control Division ("Division") indicating acceptance of a Rainfall Erosivity Waiver request constitutes notice that the facility does not require authorization for its stormwater discharges associated with construction activities. **This waiver does not relieve the operator of the following requirements:**

- 1) The operator or owner must comply with the requirements of local agencies, such as meeting local stormwater quality requirements.
- 2) The operator or owner must obtain authorization to discharge stormwater related with other industrial activities and materials, including but not limited to, asphalt and concrete batch plants and sand and gravel mining operations.
- 3) The operator or owner must obtain authorization to discharge any process water, including but not limited to, groundwater dewatering, washing activities, and discharges related to utility installation (hydrostatic test water, super chlorinated water, etc.)

RWAIVER APPLICANT INFORMATION

Applicant is: Property Owner Contractor/Operator

A. CONTACT INFORMATION - NOT ALL CONTACT TYPES MAY APPLY * indicates required

*PERMITTEE (If more than one please add additional pages)

*ORGANIZATION FORMAL NAME: _____

1) *PERMITTEE the person authorized to sign and certify the permit application. This person receives all permit correspondences and is legally responsible for compliance with the permit.

Responsible Position (Title): _____

Currently Held By (Person): _____

Telephone No: _____ email address _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

This form must be signed by the Permittee to be considered complete. See page 4 (signature requirements)

Rwaiver application

2) *SITE CONTACT local contact for questions relating to the facility & discharge authorized by this permit for the facility. Same As 1) Permittee

Responsible Position (Title): _____

Currently Held By (Person): _____

Telephone No: _____ email address _____

Organization: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

3) OTHER CONTACT TYPES (check below) Add pages if necessary:

Responsible Position (Title): _____

Currently Held By (Person): _____

Telephone No: _____ email address _____

Organization: _____

Mailing Address: _____

City: _____ State: _____ Zip: _____

- Pretreatment Coordinator
- Inspection Facility Contact
- Stormwater MS4 Responsible Person
- Environmental Contact
- Consultant
- Stormwater Authorized Representative
- Biosolids Responsible Party
- Compliance Contact
- Other _____
- Property Owner

B. Construction Project/Facility Information

A separate Rainfall Erosivity Waiver must be provided for each construction site qualifying for the Waiver. In addition, the exclusion from NPDES stormwater permitting is available on a development-wide basis only, not for individual filings, phases, or other portions of a larger common plan development or sale.

Project/Facility Name _____

Street Address or cross streets _____

City, _____ Zip Code _____ County _____

Facility Latitude/Longitude— (approximate center of site to nearest 15 seconds using one of following formats

001A Latitude _____ . _____ Longitude _____ . _____ (e.g., 39.703°, 104.933°')

degrees (to 5 decimal places) degrees (to 5 decimal places)

C. DESCRIPTION OF CONSTRUCTION ACTIVITY

D. AREA OF CONSTRUCTION SITE

Total area of project site (acres): _____

Area of project site to undergo disturbance (acres): _____

If the disturbed area of the project (D.2) or the Larger Common Plan of Development or Sale (D.3) exceeds 5 acres, you do NOT qualify for this waiver. Please complete and submit the Permit Application for Stormwater Discharges Associated with Construction Activity.

E. ANTICIPATED CONSTRUCTION SCHEDULE

Construction Start Date: _____ Final Stabilization Date: _____

It is very important to provide an accurate estimate. If in doubt, assume a longer period of time. Underestimating the anticipated construction schedule can result in a lower calculated project R-Factor. If a construction site operator underestimates the project R-Factor and does not apply for permit coverage, and the actual R-Factor for the project is above 5, the operator may be held liable for discharging from a point source without a permit.

F. RECEIVING WATERS (If discharge is to a ditch or storm sewer, include the name of the ultimate receiving waters)

Immediate Receiving Water(s): _____

Ultimate Receiving Water(s): _____

G. Waiver Worksheet (State Approved Method):

The following method must be used to calculate a construction project's Rainfall Erosivity Factor (the R Factor) when submitting a certification to the Division for a small construction site to be covered under the Rainfall Erosivity Waiver.

The Division reserves the right to revoke or refuse to grant the waiver based on the potential for contribution to a violation of a water quality standard or for significant contribution of pollutants to State waters.

The Division will not grant waivers for construction sites located in areas where snow cover can exist at the site for extended periods of time, if the construction site will remain active and unstabilized during the spring runoff. The Division will make the decision on whether or not a project qualifies for the waiver based on information provided by the permittee, and other sources, such as local government agencies. In order to calculate a project's R Factor, the following information is required:

1)	The start date of the construction project. begin disturbing soils, including grubbing, stockpiling, excavating, and grading activities.	_____ Month / Day / Year
2)	The end date of the construction project. this is when the site is finally stabilized. This means that all disturbed areas have been either built on, paved, or a uniform vegetative cover has been established with a density of at least 70 percent of pre-disturbance levels. Permit coverage must be maintained until that time. If permit coverage is still required once your part is completed, and the <u>total</u> time of permit coverage does <u>not</u> result in an R-Factor of less than 5, then your part does <u>not</u> qualify for the waiver.	_____ Month / Day / Year
3)	The county the project is located in. If the project is in two or more counties, the county that the majority of the project lies within must be used.	_____ County

If the project start date and the project end date are 11 months apart or more, the project's R Factor can not fall below 5, and therefore the project can not qualify for the Rainfall Erosivity Waiver.

4)	Pick the 15-day period that your start date (Item 1) falls within from those along the top of Table 1 (e.g., June 1-15).	_____ Start Period
5)	Pick the 15-day period that your end date (Item 2) falls within from those along the top of Table 1. If the completion date falls within the same 15-day period as the starting date, the next 15-day period must be used. For example, if the project will begin on June 1st and end on June 10th, the period used for the start of the project would be "June 1-15" and the period used for the end of the project would be the next period, "June 16-30"	_____ End Period
6)	Refer to Table 1. Find the project's "County" (item 3) in the left column. Locate the R Factor Index Values for the 15-day periods that correspond to the project "Start Period" and "End Period" you identified in Items 4 and 5.	_____ Start R-Factor _____ End R-Factor

If the Start Period (Item 4) and End Period (Item 5) are within the same calendar year, complete Item 7.A. If they are within 2 separate calendar years, complete item 7.B.

Rwaiver application

7.A)	<p>Project R-Factor calculation for projects within ONE calendar year. Subtract the “Start R-Factor” (Item 5) from the “End R-Factor” (Item 6) and write the number in the box to the right.</p> $\frac{\text{End-R Factor}}{\text{Start R-Factor}} = \text{Project R-Factor}$	<p>(must be less than 5)</p>
7.B)	<p>Project R-Factor calculation for projects within TWO calendar years. Refer to Table 1. Find the project’s “County” (item 3) in the left column. Locate the “Annual R-Factor” in the second column. Subtract the “Start R-Factor” (Item 5) from the “Annual R-Factor” and then add the “End R-Factor” (Item 6) and write the number in the box to the right.</p> $\frac{\text{Annual R-Factor}}{\text{Start R-Factor}} + \text{End R-Factor} = \text{Project R-Factor}$	<p>(must be less than 5)</p>

H. Waiver Certification:

If the Project R-Factor calculated in 7.A or 7.B is **less than 5**, the project qualifies for the waiver.

If the Project R-Factor calculated in 7.A or 7.B is **equal to or greater than 5**, the project **does not** qualify for the waiver, and the site owner or operator must submit an application for coverage under a CDPS General Permit, and comply with its requirements.

Please check the following boxes indicating you understand the requirements presented herein, and sign the certification:

I understand that if the project’s or larger common plan of development or sale’s anticipated schedule changes so that the start date is in an earlier 15-day period or the end date is in a later period, this form must be filled out with the new information and resubmitted if the site still qualifies for the waiver, or an application for coverage under the CDPS general permit for Stormwater Discharges Associated with Construction Activity must be submitted to the Division.

I understand that if the project or larger common plan of development or sale exceeds, or is expected to exceed 5 acres of disturbance, an application for coverage under the CDPS general permit for Stormwater Discharges Associated with Construction Activity must be submitted to the Division.

SIGNATURE OF PERMIT LEGAL CONTACT

“I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Signature of Legally Responsible Person (submission must include original signature) _____ Date Signed _____

Name (printed) _____ Title _____

Signature of Applicant: The applicant must be either the owner and/or operator of the construction site. Refer to Part B of the instructions for additional information. The application must be signed by the applicant to be considered complete. In all cases, it shall be signed as follows: (Regulation 61.4 (1e))

- a) In the case of corporations, by the responsible corporate officer is responsible for the overall operation of the facility from which the discharge described in the form originates
- b) In the case of a partnership, by a general partner.
- c) In the case of a sole proprietorship, by the proprietor.
- d) In the case of a municipal, state, or other public facility, by either a principal executive officer, ranking elected official, (a principal executive officer has responsibility for the overall operation of the facility from which the discharge originates).

Fee: There is no fee associated with submittal of this form. However, if you are currently covered under a stormwater discharge permit, any invoices already received for permit coverage must still be paid.

STORMWATER MANAGEMENT PLAN

A Stormwater Management Plan (SWMP) is not required by the Division for small construction projects that qualify for the Rainfall Erosivity Waiver. However, a project operating under the waiver may still be held liable if stormwater discharges from construction activities cause or threaten to cause pollution, contamination or degradation of State waters. For this reason, the Division recommends that a SWMP be developed and implemented, or similar controls implemented, for qualifying projects. The Division has a guidance document available on construction SWMP preparation at <http://www.cdph.state.co.us/wq/PermitsUnit/wqcdpmt.html>, or call (303) 692-3517.

Table 1: R Factors by County

County	Annual R Factor	R- Factor Index by 15-day period:																							
		Jan		Feb		Mar		Apr		May		Jun		Jul		Aug		Sep		Oct		Nov		Dec	
		1-15	16-31	1-15	16-29	1-15	16-31	1-15	16-30	1-15	16-31	1-15	16-30	1-15	16-31	1-15	16-31	1-15	16-30	1-15	16-31	1-15	16-30	1-15	16-31
Adams	50	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.9	2.5	5.0	9.8	13.6	19.2	26.4	34.4	42.0	45.8	48.2	49.1	49.6	49.8	49.9	50.0	50.0
Alamosa	15	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.6	1.5	1.9	2.7	4.6	8.1	11.6	13.4	14.2	14.6	14.8	14.9	14.9	15.0	15.0
Arapahoe	50	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.9	2.5	5.0	9.8	13.6	19.2	26.4	34.4	42.0	45.8	48.2	49.1	49.6	49.8	49.9	50.0	50.0
Archuleta	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.7	1.4	2.0	3.0	4.5	6.4	8.3	9.2	9.6	9.8	9.9	10.0	10.0	10.0	10.0
Baca	60	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.7	1.9	4.0	8.6	12.1	17.9	26.7	38.5	49.9	55.3	57.8	58.9	59.6	59.8	59.9	60.0	60.0
Bent	50	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.6	1.6	3.4	7.2	10.1	14.9	22.3	32.1	41.6	46.1	48.2	49.1	49.7	49.9	49.9	50.0	50.0
Boulder	35	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6	1.7	3.5	6.8	9.5	13.4	18.5	24.1	29.4	32.1	33.7	34.4	34.7	34.9	34.9	35.0	35.0
Broomfield	35	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6	1.7	3.5	6.8	9.5	13.4	18.5	24.1	29.4	32.1	33.7	34.4	34.7	34.9	34.9	35.0	35.0
Chaffee	20	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.3	2.9	4.0	6.0	8.9	12.8	16.6	18.4	19.3	19.6	19.9	19.9	20.0	20.0	20.0
Cheyenne	70	0.0	0.0	0.1	0.1	0.1	0.1	0.4	0.8	2.2	4.7	10.1	14.1	20.9	31.2	44.9	58.2	64.5	67.5	68.7	69.5	69.8	69.9	70.0	70.0
Clear Creek	25	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4	1.2	2.5	4.9	6.8	9.6	13.2	17.2	21.0	22.9	24.1	24.6	24.8	24.9	25.0	25.0	25.0
Conejos	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.4	1.0	1.3	1.8	3.1	5.4	7.7	8.9	9.5	9.7	9.9	9.9	10.0	10.0	10.0
Costilla	20	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.3	0.8	2.0	2.6	3.6	6.1	10.8	15.4	17.8	19.0	19.4	19.7	19.9	19.9	20.0	20.0
Crowley	40	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.2	2.7	5.8	8.0	11.9	17.8	25.7	33.2	36.9	38.6	39.2	39.7	39.9	39.9	40.0	40.0
Custer	20	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.3	2.9	4.0	6.0	8.9	12.8	16.6	18.4	19.3	19.6	19.9	19.9	20.0	20.0	20.0
Delta	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Denver	40	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.7	2.0	4.0	7.8	10.9	15.3	21.1	27.5	33.6	36.6	38.6	39.3	39.7	39.8	39.9	40.0	40.0
Dolores	20	0.0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1.4	2.0	3.1	3.9	5.3	7.3	10.3	13.5	15.9	17.8	18.6	19.2	19.5	19.6	19.7	20.0
Douglas	35	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6	1.7	3.5	6.8	9.5	13.4	18.5	24.1	29.4	32.1	33.7	34.4	34.7	34.9	34.9	35.0	35.0
Eagle	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Elbert	45	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8	2.2	4.5	8.8	12.2	17.2	23.8	31.0	37.8	41.2	43.4	44.2	44.6	44.8	44.9	44.9	45.0
El Paso	40	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.2	2.7	5.8	8.0	11.9	17.8	25.7	33.2	36.9	38.6	39.2	39.7	39.9	39.9	40.0	40.0
Fremont	20	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.3	2.9	4.0	6.0	8.9	12.8	16.6	18.4	19.3	19.6	19.9	19.9	20.0	20.0	20.0
Garfield	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Gilpin	25	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4	1.2	2.5	4.9	6.8	9.6	13.2	17.2	21.0	22.9	24.1	24.6	24.8	24.9	25.0	25.0	25.0
Grand	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Gunnison	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Hinsdale	15	0.0	0.1	0.2	0.2	0.3	0.4	0.5	0.7	1.0	1.5	2.3	3.0	4.0	5.5	7.8	10.1	11.9	13.3	14.0	14.4	14.6	14.7	14.8	15.0
Huerfano	40	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.2	2.7	5.8	8.0	11.9	17.8	25.7	33.2	36.9	38.6	39.2	39.7	39.9	39.9	40.0	40.0
Jackson	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Jefferson	30	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.5	3.0	5.9	8.2	11.5	15.8	20.6	25.2	27.5	28.9	29.5	29.8	29.9	29.9	30.0	30.0
Kiowa	60	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.7	1.9	4.0	8.6	12.1	17.9	26.7	38.5	49.9	55.3	57.8	58.9	59.6	59.8	59.9	60.0	60.0
Kit Carson	55	0.0	0.0	0.1	0.1	0.1	0.2	0.5	0.9	1.9	4.6	10.7	16.5	24.2	32.6	39.8	46.5	50.2	53.1	54.2	54.7	54.9	54.9	55.0	55.0

Table 1 (continued): R Factors by County

County	Annual	Jan		Feb		Mar		Apr		May		Jun		Jul		Aug		Sep		Oct		Nov		Dec	
	R Factor	1-15	16-31	1-15	16-29	1-15	16-31	1-15	16-30	1-15	16-31	1-15	16-30	1-15	16-31	1-15	16-31	1-15	16-30	1-15	16-31	1-15	16-30	1-15	16-31
Lake	20	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.3	2.9	4.0	6.0	8.9	12.8	16.6	18.4	19.3	19.6	19.9	19.9	20.0	20.0	20.0
La Plata	20	0.0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1.4	2.0	3.1	3.9	5.3	7.3	10.3	13.5	15.9	17.8	18.6	19.2	19.5	19.6	19.7	20.0
Larimer	20	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	1.0	2.0	3.9	5.4	7.7	10.6	13.8	16.8	18.3	19.3	19.6	19.8	19.9	20.0	20.0	20.0
Las Animas	30	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4	0.9	2.0	4.3	6.0	8.9	13.4	19.3	24.9	27.7	28.9	29.4	29.8	29.9	29.9	30.0	30.0
Lincoln	45	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.4	3.0	6.5	9.0	13.4	20.0	28.9	37.4	41.5	43.4	44.1	44.7	44.9	44.9	45.0	45.0
Logan	60	0.0	0.0	0.1	0.1	0.1	0.2	0.4	1.0	2.9	5.9	11.7	16.3	23.0	31.7	41.3	50.3	55.0	57.8	58.9	59.5	59.8	59.9	60.0	60.0
Mesa	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Mineral	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Moffat	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Montezuma	20	0.0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1.4	2.0	3.1	3.9	5.3	7.3	10.3	13.5	15.9	17.8	18.6	19.2	19.5	19.6	19.7	20.0
Montrose	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Morgan	60	0.0	0.0	0.1	0.1	0.1	0.2	0.4	1.0	2.9	5.9	11.7	16.3	23.0	31.7	41.3	50.3	55.0	57.8	58.9	59.5	59.8	59.9	60.0	60.0
Otero	40	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.2	2.7	5.8	8.0	11.9	17.8	25.7	33.2	36.9	38.6	39.2	39.7	39.9	39.9	40.0	40.0
Ouray	15	0.0	0.1	0.2	0.2	0.3	0.4	0.5	0.7	1.0	1.5	2.3	3.0	4.0	5.5	7.8	10.1	11.9	13.3	14.0	14.4	14.6	14.7	14.8	15.0
Park	20	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	1.0	2.0	3.9	5.4	7.7	10.6	13.8	16.8	18.3	19.3	19.6	19.8	19.9	20.0	20.0	20.0
Phillips	60	0.0	0.0	0.1	0.1	0.1	0.2	0.5	1.0	2.1	5.0	11.6	18.0	26.4	35.5	43.4	50.8	54.7	57.9	59.2	59.7	59.9	59.9	60.0	60.0
Pitkin	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Prowers	60	0.0	0.0	0.1	0.1	0.1	0.1	0.3	0.7	1.9	4.0	8.6	12.1	17.9	26.7	38.5	49.9	55.3	57.8	58.9	59.6	59.8	59.9	60.0	60.0
Pueblo	40	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	1.2	2.7	5.8	8.0	11.9	17.8	25.7	33.2	36.9	38.6	39.2	39.7	39.9	39.9	40.0	40.0
Rio Blanco	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Rio Grande	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.4	1.0	1.3	1.8	3.1	5.4	7.7	8.9	9.5	9.7	9.9	9.9	10.0	10.0	10.0
Routt	10	0.0	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	1.0	1.6	2.0	2.7	3.6	5.2	6.8	7.9	8.9	9.3	9.6	9.7	9.8	10.0	10.0
Saguache	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.4	1.0	1.3	1.8	3.1	5.4	7.7	8.9	9.5	9.7	9.9	9.9	10.0	10.0	10.0
San Juan	20	0.0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1.4	2.0	3.1	3.9	5.3	7.3	10.3	13.5	15.9	17.8	18.6	19.2	19.5	19.6	19.7	20.0
San Miguel	20	0.0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1.4	2.0	3.1	3.9	5.3	7.3	10.3	13.5	15.9	17.8	18.6	19.2	19.5	19.6	19.7	20.0
Sedgwick	60	0.0	0.0	0.1	0.1	0.1	0.2	0.4	1.0	2.9	5.9	11.7	16.3	23.0	31.7	41.3	50.3	55.0	57.8	58.9	59.5	59.8	59.9	60.0	60.0
Summit	20	0.0	0.1	0.2	0.3	0.4	0.5	0.7	0.9	1.4	2.0	3.1	3.9	5.3	7.3	10.3	13.5	15.9	17.8	18.6	19.2	19.5	19.6	19.7	20.0
Teller	30	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4	0.9	2.0	4.3	6.0	8.9	13.4	19.3	24.9	27.7	28.9	29.4	29.8	29.9	29.9	30.0	30.0
Washington	60	0.0	0.0	0.1	0.1	0.1	0.2	0.4	1.0	2.9	5.9	11.7	16.3	23.0	31.7	41.3	50.3	55.0	57.8	58.9	59.5	59.8	59.9	60.0	60.0
Weld	50	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.9	2.5	5.0	9.8	13.6	19.2	26.4	34.4	42.0	45.8	48.2	49.1	49.6	49.8	49.9	50.0	50.0
Yuma	60	0.0	0.0	0.1	0.1	0.1	0.2	0.5	1.0	2.1	5.0	11.6	18.0	26.4	35.5	43.4	50.8	54.7	57.9	59.2	59.7	59.9	59.9	60.0	60.0