

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO TCR (P/A) LT2 (E.coli)	
	CHEMISTRY	RADCHEM		
<p>AAA Operations, Inc. 48 Mill Creek Road, Dumont Mail: PO Box 134 Dumont, CO 80436 303-567-9500 / 303-567-9501 (fax) Attn: Carmen Barker carmen@aaaoperations.com Hours: We accept bacteriological samples from 8 am to 4 pm, Monday through Friday. Notes: A call is appreciated, but not mandatory. Samples received on Friday are more expensive, since someone has to come in on Saturday to read it. We do not accept samples on the weekend.</p>	NO	NO	07/31/14 YES	NO
<p>Accutest Mountain States, Inc. (dba) Evergreen Analytical, Inc. 4036 Youngfield St. Wheat Ridge, CO 80033 303-425-6021 / 303-425-6854 (fax) Attn: Kaprie Hollman kaprieh@accutest.com Hours: Call for hours. Notes: One-day advance notice is preferred but not necessary for sample kit delivery. Testing includes EPA approved sample containers with appropriate preservative (if required by the method), coolers, sample collection instructions, and required forms for reporting. EAL accepts walk-in samples, however, prior notification is preferred so that Client sample details and billing information can be determined in advance.</p>	05/31/14 TM, N/N/F, CN ⁻ , TOC, Bromide, Chlorite, Carbamates Pest. Herb, VOC, C/V, PCB, PAH, HAA5, A/P, Diquat, Endothall, Glyphosate, TTHM.	NO	NO	NO
<p>ACZ Laboratories 2773 Downhill Drive Steamboat Springs, CO 80487 970-879-6590 ext 531 / 970-879-2216 (fax) Attn: Matt Sowards MattS@acz.com Hours: M - F 8am - 5pm (MST) Notes: Accepts walk-in samples but cannot guarantee short HT's will be met without advance notification. ACZ always prefers a courtesy heads up for incoming samples to insure adequate resources are available. We do provide pre-preserved collection bottles to our clients along with sampling instructions.</p>	08/31/14 TM*, N/N/F, CN ⁻ . *Uranium by ICP/MS.	08/31/14 Gross Alpha/Beta, Radium 226/228.	NO	NO
<p>Aerobiology Laboratory Associates, Inc. 780 Simms St, Suite 104 Golden, CO 80401 866-620-9348 / 303-232-0283 (fax) Att: David Spero Denver@aerobiology.net</p>			04/30/14 YES	
<p>ALS Laboratory Group formerly Paragon Analyticals 225 Commerce Drive Fort Collins, CO 80524 970-490-1511 / 970-490-1522 (fax) Attn: Robert DiRienzo Bob.DiRienzo@alsglobal.com Website: http://www.paragonlabs.com/ Hours: Mon – Fri 8AM - 5PM; Sat 10AM - Noon MST Notes: Please call and ask to speak to a Project Manager so that your needs can be fully understood and proper arrangements made.</p>	NO	10/31/14 Gross Alpha/Beta, Radium 226/228, Uranium, Tritium, Gamma Emitters.	NO	NO
<p>Analytica Environmental Labs 12189 Pennsylvania Street Thornton, CO 80241 303-469-8868 / 303-469-5254 (fax) Attn: Phil Pendergrass ppender@analyticagroup.com Hours: Hours of Operation Mon-Fri 8 a.m.-5 p.m. Bacteriological Sample Receiving Mon-Thurs 8 a.m.-2 p.m. Notes: After Hours Analyses for Bacteriological Samples is available after 2:00 p.m. and on weekends. Please call ahead to verify availability 1-(800) 873-8707. After Hours Analyses for all other samples must be prearranged before samples are delivered to Analytica. Collection and delivery information available.</p>	11/30/13 TM, N/N/F, CN ⁻ , TTHM, HAA5, VOC(V2,V3).	NO	08/31/14 YES	08/31/14 YES

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
			08/31/14	08/31/14
City of Arvada Water Quality Laboratory 6750 Dunraven St. Arvada, CO 80007 720-898-7802 / 720-898-7821 FAX Attn: Judy Schmidt-Asay Judy-sc@arvada.org	NO	NO	YES	NO
Aspen Consolidated San. Dist. WWTP: 0400 Service Center Drive Mail: 565 N. Mill St. Aspen, CO 81611 970-925-7262(x214) / 970-925-7278 (fax) Attn: Dave Farrell farrelldavid2002@yahoo.com Hours: 7am to 3pm Monday through Thursday with walk-ins welcome Notes: We will, on special occasion with prearrangement, take a sample on Friday over these same hours. We have the sampling materials and a handout that gives all the details on Bac-T sampling procedures. We currently do not accept samples after-hours or on weekends.	NO	NO	09/30/14 YES	NO
Aurora, City of WTP: 18301 E. Quincy Avenue Aurora, CO 80015 303-739-6770 / 303-739-6776 (fax) Attn: Sherry Scaggiari sscaggia@auroragov.org Notes: Does not accept private samples.	08/31/14 TM (except Hg, U), N/NF, Chlorite, TOC TTHM, HAA5.	NO	08/31/14 YES	08/31/14 YES
Boulder County Public Health WTP: 5605 N. 63rd Street Boulder, CO 80301 303-413-7426 / 303-530-1137 (fax) Attn: Jodi S. Hogan hoganj@bouldercolorado.gov Hours: Walk-in samples accepted Monday, Tuesday, Wednesday and Thursday from 8:00 a.m. to 3:30 p.m. Notes: We can, occasionally, accept samples on Friday, but it must be scheduled ahead by calling us at 303-413-7426. We do not routinely accept samples on weekends. (The sample has to be in an acceptable vessel.)	NO	NO	01/31/14 YES	01/31/14 YES
Broomfield, City & County WTP: 4395 W. 144th Avenue Broomfield, CO 80020 303-464-5606 / 303-464-5635 (fax) Attn: Laura Hubbard lhubbard@broomfield.org Notes: Does not accept private samples.	06/30/14 N/NF, TOC, TTHM.	NO	03/31/14 YES	03/31/14 YES
Broomfield, City & County WWTP: 2985 W. 124th Avenue Broomfield, CO 80020 303-464-5641 / 303-464-5652 (fax) Attn: Lesia Julian ljulian@broomfield.org Notes: Does not accept private samples.	04/30/14 TM (except Hg, U),	NO	NO	NO
Centennial W / S District WWTP: 8700 S. Santa Fe Drive Mail: 62 W. Plaza Drive Highlands Ranch, CO 80129 303-791-2185x3520 / 303-791-8395 (fax) Attn: Al Baker abaker@cwsdhmd.org Notes: Does not accept private samples.	03/31/14 N/N, TOC.	NO	03/31/14 YES	NO
CH Diagnostic & Consulting Service 512 Fifth St, Berthoud, CO 80513 970-532-2078 / 970-532-3358 (fax) Attn: Rhonda Duncan rduncan@chdiagnostic.com Hours: Normal hours: 8 – 5 M-F Notes: We schedule and process samples on a weekly basis; therefore notification is greatly appreciated. After-hour, Saturday (hand and UPS Delivery to residence) and Holiday deliveries are accommodated with notification. We request a "Courtesy Heads-up" for unscheduled samples.	NO	NO	03/31/14 YES	03/31/14 YES

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
<p>Clifton Water District - Lab WTP: 510 34 Rd, Clifton, CO 81520 970-434-7624 / 970-434-7456 (fax) Attn: Alison Dederick allisond@cliftonwaterdistrict.org cwdlab@cliftonwaterdistrict.org Notes: Does not accept private samples.</p>	12/31/13 N/N/F, TTHM, VOC (V-2,V-3).	NO	08/31/14 YES	08/31/14 YES
<p>Colorado Analytical Laboratory 240 S. Main Street ; PO Box 507 Brighton, CO 80601 303-659-2313 / 303-659-2315 (fax) Attn: Shane Nielson shanenielson@coloradolab.com www.coloradolab.com Hours: Monday thru Friday 8:00 am to 5:00 pm Notes: We do not require any heads-up notification prior to having samples delivered and we normally do not accept samples on the weekend.</p>	06/30/14 TM*, N/N/F. *Includes U by ICP-MS	NO	01/31/14 YES	01/31/14 YES
<p>Colorado Analytical Laboratory 12860 W. Cedar Drive ; Unit 101 Lakewood, CO 80227 303-659-2313 / 303-386-4857 Attn: Patty McClellan pattymcclellan@coloradolab.com Website: www.coloradolab.com Hours: Monday thru Friday 8:00 am to 5:00 pm Notes: We do not require any heads-up notification prior to having samples delivered and we normally do not accept samples on the weekend.</p>	05/31/14 HAA5,TTHM, VOC Herbs, Pests, PCB, A/P, Endothall, PAH Carbamates, Diquat	NO	11/30/13 YES	11/30/13 YES
<p>CDPHE - Lowry Campus 8100 Lowry Blvd., Denver, CO 80230 Micro: 303-692-3490 / Chem: 303-692-3048 Rad: Tony Harrison 303-692-3046 303-692-3048 / 303-344-9989 (fax) Hours: Normal hours are 8-5, Monday through Friday, excepting State holidays. Notes: We discourage people from bringing in short-holding-time test on Fridays. After hour/weekend drop box is available, but not appropriate for all tests. A heads-up is appreciated for special needs, but not usually necessary, especially for routine/compliance samples. Sampling instructions are available if desired.</p>	TM, N/N/F, CN, TTHM, Cr+6 Bromate,Bromide,Chlorate, Chlorite, Am/Pu, Endothall., VOC (V1,V2,V3), TOC, SVOC Herb, Pest, HAA5, PAH,Glyphosate	Gross Alpha/Beta, Radium 226/228, Gamma Emitters, Uranium.	YES	YES
<p>Colorado Springs Utilities WWTP: 701 E. Las Vegas Street Colorado Springs, CO 80903 719-668-4397 ; 719-668-4406 (fax) Attn: Steve Bufmack sbufmack@csu.org Notes: Does not accept private samples.</p>	07/31/14 TM(no Mercury), N/N/F, TOC,TTHM, HAA5, VOC(V2, V3).	NO	07/31/14 YES	07/31/14 YES
<p>Colorado State University Environmental Health Services Lab 1250 East Drive, 154 Gen Ser Bldg Fort Collins, CO 80523-6021 970-491-4837 / 970-491-4804 (fax) Attn: Rommelle Vera-Tudela romy@mail.colostate.edu Hours: Mon-Fri 7:30am to 4:30pm Sat-Sun: Please call for information – Weekend analysis rates will apply. Notes: The laboratory welcomes walk-in or existing clients 7 days a week. In the event that after-hours or weekend services are needed, we require a phone call prior to setup. The sample drop off location also provides sample bottles and sampling instructions.</p>	NO	NO	12/31/13 YES	NO
<p>Consolidated Mutual Water Co. WTP: 12599 W. 27th Avenue Lakewood, CO 80215 303-274-7408 / 303-237-5560 (fax) Attn: Susan Pilgram gclab@cmwc.net cjones@cmwc.net Notes: Does not accept private samples.</p>	04/30/14 TOC.	NO	04/30/14 YES	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A) 6/30/2014	LT2 (E.coli)
Craig, City of WTP: 111 S. Ranney St. Mail: 300 W. 4th St, Craig, CO 81625 970-824-6340 / 970-824-6539 (fax) Attn: Robert Nelson wstaff@ci.craig.co.us Hours: Contact Laboratory	NO	NO	YES	NO
Denver Water - Laboratory WTP: 6100 W. Quincy Avenue Mail: 1600 W. 12th Av, Denver 80204 303-628-5968 / 303-795-2495 (fax) Attn: Bruce Hale bruce.hale@denverwater.org Notes: Will accept outside samples under special agreement only.	1/31/2014 TM, N/NF, TTHM, TOC, HAA5, VOC (V2 V3).	NO	1/31/2014 YES	1/31/2014 YES
Eagle River W / S District WWTP: 950 W. Beaver Creek Blvd. Avon, CO 81620 Mail: 846 Forest Rd, Vail, CO 81657 970-477-5439 / 970-845-7218 (fax) Attn: Leah Cribari lcribari@erwsd.org Hours: Monday thru Thursday from 8:00am until 3:00pm Notes: We do not accept after hours or weekend samples, nor do we accept samples on Friday's. Walk-in samples are allowed, as long as they are the laboratory provided bottles. Sample collection instructions can be provided during sample bottle pickup. We request that customers planning on delivering more than 6 samples at a time call us in advance to schedule a sample delivery date. Call for directions to the laboratory. Direct phone – 970-477-5462.	12/31/13 TTHM, HAA-5.	NO	12/31/13 YES	12/31/13 YES
El Paso County Health Department 1675 West Garden of the Gods Rd. Colorado Springs, CO 80907 719-578-3121 / 719-575-8633 (fax) Attn: Jean Hurd jeanhurd@epchealth.org Hours: 8-5 Monday thru Friday. We accept water samples for testing Monday thru Thursday from 7:30-3:30 Notes: We do accept walk-in samples. The attached flyer explains sampling requirements for basic potability testing. We work with clients who need to overnight samples if they make arrangements with us ahead of time.	12/31/2013 N/NF Bromide	NO	03/31/14 YES	03/31/14 YES
EMSL Analytical, Inc COLORADO 1010 Yuma Street Denver, CO 80204 (303) 740-5700 / (303) 741 1400 (fax) Attn: Erin Orthun www.emsl.com	12/31/13 Asbestos	NO	NO	NO
Enviro-Chem Analytical 685 W. Gunnison Ave, Suite 108 Grand Junction, CO 81501 970-242-6154 / 970-245-9270 (fax) Attn: Liese Thompson echema@bresnan.net Hours: Call for hours.	NO	NO	12/31/13 YES	NO
Estes Park, Town of Water Department 2455 Mary's Lake Rd, Estes Park, CO 80517 970-577-3624 / 970-577-9354 Attn: Diana Beehler dbeehler@estes.org Notes: Monday-Wednesday from 7:30 to 2:00 (by appointment or call ahead)	08/31/14 TOC	NO	06/30/14 YES	06/30/14 YES
Fort Carson Support Services - Lab aka: KIRA - CSC WWTP: Building 3900, POB 13700 Fort Carson, CO 80913 719-526-9721 / 719-526-9720 (fax) Attn: Theresa Hamilton thamilton@fortcarsonsupport.com Notes: Does not accept private samples.	NO	NO	04/30/14 YES	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A) 04/30/14	LT2 (E.coli) 04/30/14
<p>Fort Collins, City of WTP: 4316 Laporte Avenue Fort Collins, CO 80521 970-221-6691 / 970-416-2150 (fax) Attn: Jeff Cannon jcannon@fcgov.com Hours: Mondays thru Thursdays from 8:00AM to 3:00PM, holidays excluded. Notes: All E. coli test samples are handled on a priority basis. Should other hours or days of the week be needed for sample delivery and testing, please phone in advance. Please call the lab at (970)221-6663 or (970)221-6691 to arrange for sample delivery or to receive prepared sample containers, cost information, and labor rates for non-standard business hours. Site security requires telephone notification in advance of sample delivery.</p>	04/30/14		YES	YES
<p>Fort Morgan, City of WWTP: 18169 Morgan County Rd 22 Mail: POB 100, Ft. Morgan, CO 80701 970-542-0726x23 / 970-542-0730 (fax) Attn: Jason Riggs wwtplab@cityoffortmorgan.com Hours: Accepts drinking water samples Mon 8 am - 4 pm & Tues - Thurs 8 am - 5 pm, other times in emergency only. Notes: As the Fort Morgan lab does not keep a large amount of testing reagent media on hand, it is necessary that lab personnel be contacted before samples are brought in, to ensure there is adequate reagent media for all the required testing.</p>	NO	NO	07/31/14 YES	07/31/14 YES
<p>GeoWater Services 4091 Evergreen Parkway Mail: POB 2224, Evergreen, CO 80437 303-670-3348 / 303-674-2849 (fax) Attn: Scott Verrill SVerrill@geowaterusa.com Hours: Monday thru Friday from 7:00 AM to 5:00 PM (excluding holiday schedules) Notes: We accept walk-in samples, and have the ability to accept after-hour samples with prior arrangement. We prefer to give customers special collection instructions as well as a chain-of-custody form(s) before they collect the sample(s). Unless special arrangements are made, we do not report out results for samples received on Fridays until the following Monday.</p>	NO	NO	12/31/13 YES	12/31/13 YES
<p>Gilpin County Public Health Agency 101 Norton Drive Black Hawk, CO 80422 303-582-5803 x 13 / 303-582-9063 (fax) Attn: Ann-Marie Bailey abailey@co.gilpin.co.us Hours: accepts walk-in water tests M-Th; anytime M-W, but samples must be received by 2pm on Thursday; no weekends. Notes: Calls ahead are always welcome, but not necessary. www.co.gilpin.co.us/Public%20Health/homedefault.htm</p>	NO	NO	10/31/13 YES	NO
<p>Golden, City of WTP: 1445 Tenth Street Golden, CO 80401 303-384-8181 / 303-384-8161(fax) Attn: Greg Moore gmoore@cityofgolden.net vcoppage@cityofgolden.net Notes: Only available in rare emergencies to outside samples.</p>	10/31/13		03/31/14 YES	NO
<p>Grand Junction, City of WTP: 244 26¼ Road Mail: 2145 River Road (WWTP) Grand Junction, CO 81505 970-256-4174 / 970-245-8620 (fax) Attn: Jo Holcomb john@ci.grandjct.co.us Hours: Business hours - M-F 0800-1600; samples accepted 0800-1430. After hours/weekend sample receipt only by previous appointment; additional charges may apply. Notes: Generally can accept walk-in samples during business hours, no rapid TATs or weekend analysis on walk-ins. Some analyses may not be accepted. Special needs - dependent upon the analyses required. Courtesy heads up highly recommended if sample has not been scheduled.</p>	10/31/13 N/N/F.	NO	10/31/13 YES	10/31/13 YES
<p>Grand Junction, City of WWTP: 2145 River Road Grand Junction, CO 81505 970-256-4174 / 970-245-8620 (fax) Attn: Jo Holcomb john@ci.grandjct.co.us Hours: Business hours - M-F 0800-1600; samples accepted 0800-1430. After hours/weekend sample receipt only by previous appointment; additional charges may apply. Contact the laboratory for more information.</p>	10/31/13 TM.	NO	NO	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
<p>Green Analytical Labs 75 Suttle St., Durango, CO 81303 970-247-4220 / 970-2247-4227 (fax) Attn: Jacob Miller jacob.miller@greenanalytical.com Hours: Mon - Fri 8am - 5pm MST Notes: We provide pre-preserved collection bottles to our clients along with sampling instructions. Walk-ins accepted but we always prefer contact with client prior to sampling to discuss turn around time and short hold time</p>	10/31/13 TM (except U), N/N/F, CN.	NO	NO	NO
<p>Gunnison, City of WWTP: 524 County Road 32 Mail: POB 239, Gunnison, CO 81230 970-641-8042 / 970-641-8041 (fax) Attn: Dale Picard dale@cityofgunnison-co.gov Hours: Open regular hours 8-5 monday thru friday. If there is an emergency a client can call to see about other options. Notes: Please call in advance to work out a plan if a sample needs to be analyzed outside normal business hours.</p>	NO	NO	07/31/14 YES	07/31/14 YES
<p>Hazen Research 4601 Indiana St., Golden, CO 80403 303-279-4501 / 303-278-1528 (fax) Attn: Robert Rostad rostarr@hazenus.com Hours: We do accept walk-in sample submittals, during our normal hours from 8 AM - 5 PM, Mon - Fri (holidays excepted). Notes: We are not set up to receive samples after normal hours or on weekends. We are available during normal hours to provide sample quantity and preservation advice. Advance notice of sample delivery is not required.</p>	NO	08/31/14 Gross Alpha/Beta, Strontium 89/90, Radium 226/228, Tritium, Uranium.	NO	NO
<p>Huffman Laboratories 4630 Indiana St., Golden, CO 80403 303-278-4455 ; 303-278-7012 (fax) Attn: Bill Huffman chemistry@huffmanlabs.com Hours: 8 am - 5 pm, Monday through Friday. Notes: We are closed on the common holidays. We can accept samples outside normal business hours with prior arrangement. We do accept walk-in samples, but always prefer a notification before hand.</p>	06/30/14 TM, N/N/F, TOC.	NO	NO	NO
<p>Industrial Laboratories 4046 Youngfield Street Wheat Ridge, CO 80033 303-287-9691 / 303-287-0964 (fax) Attn: Kimberley Meinecke kmeinecke@industrialabs.net Hours: Check for hours. Notes: Will accept Friday samples until 2pm. Please call for more information.</p>	NO	NO	02/28/14 YES	02/28/14 YES
<p>City of Lafayette WTP: 3566 W. Baseline Road Mail: 1290 S. Public Road, Lafayette 80026 303-494-9503 / 303-499-1728 Attn: Adam Walker adamw@cityoflafayette.com Notes: Does not accept private samples.</p>	09/30/14 TOC	NO	09/30/14 YES	09/30/14 YES
<p>Longmont, City of 501 E. First Ave., Longmont 80501 303-774-4656 / 303-682-9543 (fax) Attn: Roberto Luna roberto.luna@ci.longmont.co.us Notes: In emergency situations only.</p>	06/30/14 N/N/F, TOC.	NO	01/31/14 YES	01/31/14 YES
<p>Loveland, City of WTP: 3152 Waterdale Drive Loveland, CO 80538 970-667-8742 ; 970-663-6091 (fax) Attn: Sandra Warner wames@ci.loveland.co.us Notes: Does not accept private samples.</p>	NO	NO	08/31/14 YES	08/31/14 YES

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
Loveland, City of WWTP: 920 S. Boise Avenue Loveland, CO 80537 970-962-2575 / 970-962-3400 (fax) Attn: Ruth A. Hecker hecker@ci.loveland.co.us Notes: Does not accept private samples.	08/31/14 TM* (lead, copper only).	NO	NO	NO
Mesa County Health Department Regional Laboratory 510 29½ Rd, Grand Junction 81504 Mail: POB 20,000, GJ 81502 970-248-6999 / 970-683-6608 (fax) Attn: Michelle Colon michelle.colon@meascounty.us Hours: We are here from 8am until 4:30pm Monday through Friday. Walk-in water samples accepted until 4:15pm on Friday. Notes: We do not have the capabilities to receive samples on the weekends. We come in on Saturday and read the results. customer wants a heterotrophic plate count, we ask that they call a day in advance.	NO	NO	09/30/14 YES	09/30/14 YES
Murray-Brown Laboratories, LLC. 4150 Jason St., Denver 80211 303-296-0264 / 303-296-5765 (fax) Attn: John Murray or Brenda Brown john@mb-labs.com Hours: M-F from 7:00 AM to 5:00 and earlier or later by appointment. Saturday and Sunday by appointment only Notes: Walk in samples welcome and we do prefer to provide sampling instructions to those who are not familiar with the regulations. The lab also is willing to arrange taking some samples or train a customer to do so properly as well. For a weekend emergency contact- John's cell 720-284-9402 or Brenda's cell at 720 810 1210. Calling ahead is not necessary, but encouraged.	NO	NO	12/31/13 YES	NO
Northeast Colorado Health Dept. 700 Columbine, Sterling, CO 80751 970-522-3741 / 970-522-1412 (fax) Attn: Laura Waide lauraw@nchd.org Hours: Mon – Thurs during regular business hours (8:30 – 4:30) to handle walk-in samples Notes: We are able to accommodate special requests for Friday, or weekend, if prior arrangements are made. We request 4 hours notice on a Friday and 12 hours notice for weekend coverage. We routinely work with our customers to assure that they are able to comply with collection procedures.	NO	NO	02/28/14 YES	NO
Northglenn, City of WTP: 2350 W. 112th Avenue Northglenn, CO 80234 303-450-4070 / 303-451-0994 (fax) Attn: Tamara Moon-Carlson tmoon@northglenn.org Hours: Receiving hours are Mon-Fri 7am to 3pm for chemistry samples, Mon-Thurs 7am - 2:30pm for total coliform samples. Notes: We will accept samples after hours or on weekends with prior notice. We do accept samples shipped by FedEx, with notice when samples are shipped. We would prefer notice prior to receiving TTHM and HAA5 samples so that we can insure that staff is available to run those samples. 24 hours is preferred.	04/30/14 Nitrate/F, TTHM, HAA-5.	NO	04/30/14 YES	NO
North Table Mtn. W / S District WTP: 19250 W. 68th Avenue Mail: 14806 W. 52nd Avenue Golden, CO 80403 303-278-1666 / 303-277-9432 (fax) Attn: Grant Berry grant@ntmwater.org Notes: Does not accept private samples.	NO	NO	11/30/2013 YES	NO
Parker W / S District WWTP: 18100 E. Woodman Drive Mail: 19801 E. Main Street Parker, CO 80138 720-842-4245 / 303-805-1384 (fax) Attn: Ed Grove or Eric Amorena egrove@pwsd.org Hours: Monday thru Thursday 7AM to 2:30 PM Notes: Potable water samples for testing and clear water (new line/repair construction samples), call to coordinate these samples to 720-842-4245. When samples are brought in, we require that our chain of custody form be completed with our assistance.	04/30/14 N/N. TOC	NO	04/30/14 YES	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
<p>Plum Creek Wastewater Authority 4255 N. US Highway 85 Castle Rock, CO 80108 303-688-1991x / 303-688-1992 (fax) Attn: Chris Carson ccarson@pcwa1.org Hours: Normal hours of operation: Monday – Friday 8am to 4pm, but samples accepted Monday – Thursday only unless pre-arranged. Notes: We do not accept walk-ins from anyone who has not used our lab before. We do not accept after hours or weekend samples unless pre-arranged. We would prefer a heads up if samples are to be dropped off (especially in large numbers). We request that all samplers use our sampling bottles or show proof of sterilization from the bottles they are using.</p>	NO	NO	08/31/14 YES	NO
<p>Project 7 Water Authority WTP: 69128 E. Highway 50 Mail: POB 1185, Montrose, CO 81401 970-249-5935 / 970-249-2511 (fax) Attn: Adam Turner project7lab@gmail.com Hours: Check for hours.</p>	NO	NO	12/31/13 YES	NO
<p>Pueblo Board of Water Works WTP: 1920 W. 11th Street Mail: 319 W. 4th St, Pueblo 81003 719-584-0254 / 719-584-0269 (fax) Attn: Jeff Farley jfarley@pueblowater.org Notes: Only available in rare emergencies to outside samples.</p>	02/28/14 TM, N/N/F TTHM	NO	06/30/14 YES	06/30/14 YES
<p>Pueblo City/County Health Dept. 101 W. 9th Street, Pueblo, CO 81003 719-583-4318 / 719-583-4319 (fax) Attn: Kathy Nelson kathy.nelson@co.pueblo.co.us Hours: Monday through Friday 8:00am-5:00pm Notes: Routine water samples are accepted Monday through Thursday 8-4. Please call if you expect to arrive after 4. No samples are accepted Fridays or the day before a holiday (our holidays are the usual holidays) without prior approval and need to be related to a public health concern (broken main, positive sample, etc.).</p>	NO	NO	09/30/14 YES	09/30/14 YES
<p>Reservoirs Environmental Inc., 5801 Logan Street, Suite 100 Denver, CO 80216 303.964.1986 / 303-477-4275 Fax Attn: Jeanne Spencer Orr jeanneorr@reilab.com biology@reilab.com Hours: Check for hours. www.REILAB.com</p>	02/28/14 Pb Only	NO	10/31/13 YES	10/31/13 YES
<p>Rocky Mountain National Park 1000 Hwy 36, Estes Park, CO 80517 970-586-1241 / 970-586-1349 (fax) Attn: David Paquette david_paquette@nps.gov Notes: Does not accept private samples.</p>	NO	NO	09/30/14 YES	09/30/14 YES
<p>Routt County Env. Health Dept. 427 Oak Street, PO Box 770087 Steamboat Springs, CO 80477 970-870-5588 / 970-870-5404 (fax) Attn: Michael Zopf mzopf@co.routt.co.us Hours: We test on Monday, Tuesday, and Wednesday only. Our hours are from 8:00am-3:30pm. Notes: Our lab in Steamboat will take walk-ins. It is nice to have a heads up if they are bringing a lot of samples in. We do not perform sampling after hours, or on the weekends.</p>	NO	NO	02/28/14 YES	NO
<p>Sangre De Cristo Laboratory 2329 Lava Lane Alamosa, CO 81101 719-589-1024 / 719-589-3697 (fax) Attn: Evelyn Vigil edv@sangrelabs.com Hours: Normal working hours: 7:30 a.m. – 4:30 p.m., Monday through Friday Contact the lab for special arrangements</p>	09/30/14 TM*, N/N/F * No Uranium	NO	09/30/14 YES	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
			11/30/13 YES	11/30/13 YES
<p>San Juan Basin Health Dept. 281 Sawyer Dr, Durango, CO 81301 970-247-5702x8/ 970-247-9126 (fax) Attn: Charles Berry cberry@sjbhd.org jtheine@sjbhd.org Hours: Check for hours</p>	NO	NO	YES	YES
<p>SGS North America, Inc. 4665 Paris St, Suite B-200 Denver, CO 80239 303-373-4772 / 303-373-4781 (fax) Attn: Anthony Stoyko Anthony.Stoyko@sgs.com Hours: 08:00 am to 05:00 pm Monday through Friday. Notes: Contact the lab for special arrangements</p>	03/31/14 TM, N/N/F, CN.	NO	NO	NO
<p>Snowmass W / S District 0177 Clubhouse Dr, PO Box 5700 Snowmass Village, CO 81615 970-923-2056 / 970-923-6271 (fax) Attn: Christie Duckett cduckett@sbsd.org Hours: Normal Receiving Hours: M-R 7am-3pm (None received before a holiday or on a holiday.) schedule, however that still needs to fall in the M-R time frame (that is our only special rule).</p>	NO	NO	08/31/14 YES	08/31/14 YES
<p>S. Adams County W / S Dist. WTP: 7400 Quebec Street Mail: PO Box 597 Commerce City, CO 80037 303-286-0447 / 303-289-4452 (fax) Attn: Charlene Seedle cseedle@sacwsd.org Notes: Does not accept private samples.</p>	03/31/14 N/N/F, TTHM, HAA5, VOC.	NO	06/30/14 YES	NO
<p>Stewart Environmental Consultants 3801 Automation Way, Suite 200 Fort Collins, CO 80525 970-226-5500 / 970-226-4946 (fax) Attn: Michael Glavanovich michael.glavanovich@stewartenv.com Hours: walk in samples from 8:00 am to 5:00 pm Monday through Friday. Notes: We are able to receive samples before-hours, after-hours, or on the weekend by appointment with me directly. I prefer to receive samples for total coliform analysis from Monday through Thursday before 4:00pm. Later arrival times or Fridays may be made by appointment only. Samples for E. coli (membrane filtration) analysis require a 24 hour notice, because we may need to prepare media. Samples for heterotrophic plate count analysis are received on Monday through Wednesday. Thursday and Friday are by appointment only.</p>	10/31/13 TM*, N/N/F, VOC (V2,V3), TTHM. * = limited analytes.	NO	10/31/13 YES	NO
<p>Technology Laboratory, Inc. 1012 Centre Ave. Fort Collins, CO 80526 970-490-1414 / 970-472-5488 (fax) Attn: Mark Bieganski info@techlabusa.com Hours: 8am-5pm Mon-Fri Notes: Our laboratory does accept walk-in samples; however, would appreciate a heads up. We handle regular turn-around, rush, and same day samples. Please see the parameters we are certified in.</p>	9/30/2014 VOC (V2,V3).	NO	NO	NO
<p>TestAmerica - Denver 4955 Yarrow St, Arvada, CO 80002 303-736-0142 / 303-431-7171 (fax) Attn: John P Morris john.Morris@testamericainc.com Hours: Monday through Friday, 0800h-1900h and Saturday, 0800-1200h. Notes: We request notification prior to sample delivery. In general, we are not able to accept unannounced deliveries. We strongly prefer to define all technical and service requirements and prepare a formal quotation to ensure that we are able to support the requested analytical services.</p>	09/30/14 TM(limited), N/N/F VOC (V-1only).	NO	NO	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
<p>Thornton, City of WTP: 3651 E. 86th Avenue Mail: 9500 Civic Center Drive Thornton, CO 80229 303-255-7776 / 303-255-7729 (fax) Attn: Shay Shih hshih@cityofthornton.net Notes: Does not accept private samples.</p>	06/30/14 N/N/F, TOC.	NO	06/30/14 YES	06/30/14 YES
<p>Three Lakes W/S District 1111 County Road 48 ; PO Box 899 Grand Lake, CO 80447 970-627-3544 / 970-627-3448 (fax) Attn: James Fox tlwshop@gmail.com Hours: Check for hours.</p>	NO	NO	12/31/13 YES	NO
<p>Ute Water Conservancy District WTP: 3975 Rapid Creek Rd, Palisade Mail: PO Box 460 Grand Junction, CO 81502 970-464-5563 / 970-464-5443 (fax) Attn: Joann Sauvage jsauwq@acsol.net Notes: Will accept outside samples under special agreement only.</p>	06/30/14 TM, N/N/F, TTHM, VOC (V2,V3), TOC, HAA5.	NO	06/30/14 YES	NO
<p>Warren Analytical Laboratory 650 O St., Greeley, CO 80631 970-475-0252 / 970-351-6648 (fax) Attn: ed.kotsides@iehinc.com Hours: 8AM to 5:30PM, Monday thru Friday Notes: Arrangements can be made to deliver from 6:30AM to 7PM. On Saturday and Sunday samples can be delivered from 7AM thru 2PM with prior arrangement.</p>	NO	NO	05/31/14 YES	NO
<p>Weld County Department of Public Health & Environment 1555 N. 17th Av., Greeley, CO 80631 970-304-6415 x/ 970-304-6427 (fax) Attn: Cheryl Darnell cdarnell@co.weld.co.us Hours: Walk in samples accepted on Mon - Thur 8am - 4:30pm but we do not accept samples on the day before a holiday. Notes: Under special conditions we can make accommodations to accept samples on Friday but this would have to be approved ahead of time. If the samples are for Total Coliform/ E coli testing on Monday thru Thursday we do not need to be notified ahead of time but payment is expected when samples are submitted.</p>	09/30/14 N/N/F, VOC (V1, V2, V3) TM* (lead, copper only).	NO	12/31/14 YES	12/31/14 YES
<p>Westminster, City of 8900 Pierce St, Westminster 80021 303-430-2400 / 720-898-8610 (fax) Attn: Cathy Shugarts cshugarts@ci.westminster.co.us Notes: Does not accept private samples.</p>	11/30/13 Nitrate, TTHM, HAA5.	NO	04/30/14 YES	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

OUT-OF-STATE LABS

	Certification Expiration Date		MICRO	
	<u>CHEMISTRY</u>	<u>RADCHEM</u>	<u>TCR</u> (P/A)	<u>LT2</u> (E.coli)
	<u>CHEMISTRY</u>	<u>RADCHEM</u>	<u>TCR</u>	<u>LT3</u>
Accutest Labs of NE, INC 495 Technology Center West, Bldg. One Marlborough, MA 01752 508-481-6200 / 508-481-7753 FAX Attn: Robert Triggiani Robert@accutest.com	01/01/14 TM*(limited), N/N/F, CN*, TOC TTHM, VOC	NO	NO	NO
American West Analytical Lab 463 W. 3600 South Salt Lake City, UT 84115 801-263-8686 / 801-263-8687 (fax) Attn: Jose G. Rocha jose@awal-labs.com	08/31/14 TM, N/N/F, CN*, VOC(V1).	NO	NO	NO
Anatek Labs, Inc. 1282 Alturas Drive Moscow, ID 83843 208-883-2839 / 208-882-9246 Attn: Gene Solomon genes@anateklabs.com	05/31/14 TTHM, HAA5,	NO	NO	NO
ARS International, LLC. 2609 North River Road Port Allen, LA 70767 225-381-2991/285-381-2996 (FAX) Attn: Vergene Mulligan vmulligan@amrad.com	NO	3/31/2014 Gross Alpha/Beta, Radium 226/228, Strontium 89/90, Uranium, Tritium, Iodine 131, Gamma Emitters.	NO	NO
Cardinal Laboratories 101 East Marland Hobbs, NM 88240 (575) 393-2326 / (575) 393 2476 (fax) Attn: Celey Keene celey.keene@cardinallabsnm.com	06/30/14 VOC(V2,V3),HAA5, TTHM.	NO	NO	NO
Continental Analytical Services 525 N. 8th Street, Salina, KS 67401 Mail: POB 3737, Salina, KS 67402 785-827-1273 / 785-823-7830 (fax) Attn: Clifford J. Baker cjbaker@cas-lab.com	08/31/14 TM, N/N/F, HAA5, C/V, A/P, PCB, PAH, Pest, Herb, TOC, VOC, TTHM, Glyphosate.	NO	NO	NO
EMSL Analytical, Inc 107 Haddon Avenue, Westmont, NJ 08108 (800) 220-3675 (856) 858-4960 FAX Attn: Steve Siegel www.emsl.com	05/31/14 Asbestos	NO	NO	NO
Energy Laboratories 1120 S. 27th St., Billings, MT 59101 406-252-6325 / 406-252-6069 (fax) Attn: Cornelius Valkenburg avalkenburg@energylab.com	01/31/14 TM, N/N/F, CN-, HAA5, PCB, PAH, A/P, TTHM, VOC, Bromide, Pest, Herb, Endothall.	NO	NO	NO
Energy Laboratories 2393 Salt Creek Highway Mail: POB 247, Casper, WY 82602 307-235-0515 / 307-234-1639 (fax) Attn: James Judge jjudge@energylab.com	10/31/14 TM, N/N/F, Pest*, Herb, C/V, VOC, TTHM, TOC, HAA5, Glyphosate Diquat * = limited analytes.	10/31/14 Gross Alpha/Beta, Gamma Emitters, Radium 226/228, Strontium 90, Tritium, Uranium*,	NO	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
Environmental Science Corp. 12065 Lebanon Road Mt. Juliet, TN 37122 615-758-5858 / 615-758-5859 (fax) Attn: Judith R. Morgan jmorgan@esclabsciences.com	03/31/14 TM, N/N/F, CN*, Pest*, Herb*, TOC, VOC, TTHM, HAA5. * = limited analytes.	NO	NO	NO
Frontier Analytical Laboratory 5172 Hillsdale Circle El Dorado Hills, CA 95762 916-934-0900 / 916-934-0999 (fax) Attn: Dan Vickers davy@frontieranalytical.com	11/30/13 Dioxin	NO	NO	NO
General Engineering Labs 2040 Savage Road ; POB 30712 Charleston, SC 29417 843-556-8171 / 843-766-1178 (fax) Attn: Nancy Mattern Nancy.Mattern@gel.com	01/31/14 TM, N/N/F, Bromide HAA5, TTHM, VOC.	01/31/14 Gross Alpha/Beta, Radium 226/228, Strontium 89/90, Uranium, Tritium, Iodine 131, Gamma Emitters.	NO	NO
Eurofins Eaton Analytical 750 Royal Oaks Drive, Suite 100 Monrovia, CA 91016 626-386-1100 / 626-386-1139 (fax) Attn: Alma Capati AlmaCapati@eurofinsus.com www.EatonAnalytical.com	01/31/14 TM, N/N/F, CN-, HAA5, Bromide, Bromate, Chlorite, VOC, TTHM, PCB, PAH, A/P, C/V, Pest, Herb, TOC, Diquat, Endothall,	01/31/14 Gross Alpha/Beta, Radium 228.	NO	NO
Eurofins Lancaster Laboratories Environmental, LLC 2425 New Holland Pike Mail: POB 12425 Lancaster, PA 17605-2425 717-656-2300 / 717-656-2581 (fax) Attn: Barbara Reedy breedy@lancasterlabs.com	06/30/14 TM, N/N/F, CN-, C/V, A/P, Pest, Herb, PAH, PCB, TTHM, VOC.	NO	NO	NO
National Testing Laboratories 556 South Mansfield Ypsilanti, MI 48197 734-483-8333 / 734-483-0340 (fax) Attn: Chrissy MacMillan cmacmillan@ntllabs.com	10/31/13 TM, N/N/F, PCB, Pest, Herb, TTHM, VOC, Bromide, Chlorite, Bromate, Carbamites, Diquat Glyphosate	NO	10/31/13 YES	10/31/13 YES
Pace Analytical Services - FL formerly, ELAB 8 East Tower Circle Ormond Beach, FL 32174 386-672-5668 / 386-673-4001 (fax) Attn: Myron Gunsalus or Lynn Baylor tina.buttermore@pacelabs.com Lynn.Baylor@pacelabs.com	10/31/13 TM, N/N/F, CN-, A/P, Bromate, Bromide, C/V, Pest, Herb, PCB, TTHM, PAH, TOC, HAA5, TOC, VOC, Diquat, Endothall, Glyphosate, Chlorite.	NO	NO	NO
Pace Analytical Services - MN 1700 Elm Street, Suite 200 Minneapolis, MN 55414 612-607-1700 / 612-607-6444 (fax) Attn: Cynthia Kunakom Cynthia.Kunakom@pacelabs.com	12/31/13 TM Dioxin F TTHM VOC(V2, V3)	NO	NO	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		MICRO	
	CHEMISTRY	RADCHEM	TCR (P/A)	LT2 (E.coli)
Pace Analytical Services - PA 1638 Roseytown Rd, Suites 2, 3 & 4 Greensburg, PA 15601 724-850-5600 / 724-850-5601 (fax) Attn: Randal Hill Randal.Hill@pacelabs.com	NO	11/30/13 Gross Alpha/Beta, Radium 226/228, Strontium 90, Tritium, Uranium, Gamma Emitters.	NO	NO
Summit Environmental Technologies, Inc. 3310 Win Street Cuyahoga, OH 44223 330-253-8211 / 330-253-4489 FAX Attn: Ron Gibas rgibas@summitlabs.com	12/31/13 TM, N/NF, CN-, HAA5, Bromide, Bromate, Chlorite Chlorite, VOC, TTHM, PCB, PAH, A/P, C/V, Pest, Herb, TOC, Diquat, Endothall, Dioxin, Glyphosate, Carbamates Dalapon, Adipate, Phthalates	12/31/13 Gross Alpha/Beta, Radium 226/228, Uranium		
TestAmerica - Knoxville, TN 5815 Middlebrook Pike Knoxville, TN 37921 865-291-3000 / 865-584-4315 (fax) Attn: Kevin McGee Kevin.Mcgee@testamericainc.com	02/28/14 Dioxin	NO	NO	NO
TestAmerica - Richland 2800 George Washington Way Richland, WA 99352 509-375-3131 ext 165. / 509-375-5590 (fax) Attn: Sarah Nagel Sarah.Nagel@Testamericainc.com	NO	09/30/14 Gross Alpha/Beta, Iodine 131, Radium 226/228, Strontium 89/90, Uranium, Tritium, Gamma Emitters.	NO	NO
TestAmerica - Sacramento 880 Riverside Parkway West Sacramento, CA 95605 916-373-5600 / 916-372-1059 (fax) Attn: Ms. Karla Buechler Karla_Buechler@testamericainc.com Gary.costley@testamericainc.com	08/31/14 Dioxin	NO	NO	NO
TestAmerica - Savannah 5102 LaRoche Avenue Savannah, GA 31404 912-354-7858 / 912-352-0165 (fax) Attn: Whitney Palefsky Whitney.Palefsky@testamericainc.com	12/31/13 TM, N/NF, CN-, TTHM, HAA5, PCB, PAH, TOC, VOC, Diquat, A/P, C/V, Endothall, Glyphosate, Pest, Herb, Chlorite, Bromide, Bromide. ADIP/ PTHA, CARB	NO	NO	NO
UL LLC. Environmental Health Sciences Div. 110 South Hill Street South Bend, IN 46617 574-472-5523 / 574-233-8207 (fax) Attn: Dale Piechocki dale.r.piechocki@us.ul.com	02/28/14 TM, N/NF, CN-, HAA5, PCB, PAH, TOC, C/V, A/P, Pest, Herb, Chlorite, Bromate, Bromide, VOC, TTHM, Diquat, Endothall, Glyphosate Dioxin, ADIP/PTHA, CARB, PAH	02/28/14 Gross Alpha/Beta, Radium 226/228, Tritium.	NO	NO
Vista Analytical Laboratory, Inc. 1104 Windfield Way El Dorado Hills, CA 95762 916-673-1520 / 916-673-0106 (fax) Attn: Rose M. Harrelson rharrelson@vista-analytical.com	11/30/13 Dioxin.	NO	NO	NO

**COLORADO SAFE DRINKING WATER LABORATORIES
CERTIFIED UNDER EPA PRIMACY AGREEMENT**

October 1, 2013

	Certification Expiration Date		
<u>CHEMISTRY</u>	<u>RADCHEM</u>		<u>MICRO</u>
			<u>TCR</u> (P/A) <u>LT2</u> (E.coli)

ABBREVIATIONS OF INDIVIDUAL PARAMETERS BY CATEGORY:
* = LABORATORY IS NOT ANALYZING ALL CONTAMINANTS IN CATEGORY

CHEMISTRY

TM = Trace Metals

Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Copper
Lead
Mercury
Nickel
Selenium
Thallium

N/N/E

Nitrate
Nitrite
Fluoride

Miscellaneous

Diquat
Endothall
Glyphosate
Dioxin
Total Organic Carbon = TOC
Asbestos
Total Cyanide = Cy
Chlorite
Bromate
Bromide

PCB = decachlorobiphenyl

PAH = Benzo(a)pyrene

RADIOCHEMISTRY

Gross Alpha / Gross Beta
Radium-226 / Radium-228
Uranium
Iodine-131
Strontium-89 / Strontium-90
Tritium

MICROBIOLOGY

TCR = Total Coliform Rule (presence/absence)
LT2 = Long Term Phase 2 Enhanced Surface Treatment Rule (E.coli enumeration).

IN-STATE LABORATORIES

OUT-OF-STATE LABORATORIES

ABBREVIATIONS

Notes: Does not accept private samples.

PEST = Pesticides

Alachlor
Atrazine
Chlordane
Endrin
Heptachlor
Heptachlor epoxide
Hexachlorobenzene
Hexachlorocyclopentadiene
Lindane
Methoxychlor
Simazine
Toxaphene

HERB = Herbicides

2,4-D
2,4,5-TP
Dalapon
Dinoseb
Pentachlorophenol
Picloram

A/P = adipates/phthalates

Bis-(2-ethylhexyl) adipate
Bis-(2-ethylhexyl) phthalate

C/V = carbamate/vydate

Carbofuran
Oxamyl (Vydate)

HAA5 = Haloacetic Acids

Chloroacetic Acid
Dichloroacetic Acid
Trichloroacetic Acid
Bromoacetic Acid
Dibromoacetic Acid

Gamma Emitters:

TTHM = total trihalomethanes

Bromodichloromethane
Bromoform
Chlorodibromomethane
Chloroform

VOC = regulated volatiles

V1:

Ethylene Dibromide
1,2-Dibromo-3-chloropropane

V2:

Vinyl Chloride

V3:

Benzene
Carbon Tetrachloride
1,2-Dichlorobenzene
1,2-Dichloroethane
1,1-Dichloroethylene
Trichloroethylene
Chlorobenzene
1,4-Dichlorobenzene
c-1,2-Dichloroethylene
t-1,2-Dichloroethylene
1,2-Dichloropropane
Ethylbenzene
Styrene
Tetrachloroethylene
Toluene
1,1,1-Trichloroethane
Total Xylenes (o,m,p)
Dichloromethane
1,2,4-Trichlorobenzene
1,1,2-Trichloroethane

Barium-133
Cesium-134
Cesium-137
Cobalt-60
Zinc-65

pp 1-10
pp [11-14](#)
pg [14](#)