

Received Date:	Permit Number:
Received By:	Address:
 TOWN OF ESTES PARK www.estes.org 970-577-3726 PO Box 1200 170 MacGregor Ave Estes Park, CO 80517	SHOWER PAN INSTALLATION AFFIDAVIT OF COMPLIANCE Town of Estes Park Division of Building Safety

The following conditions must be met before submitting an Affidavit:

- The contractor shall be pre-approved by the Chief Building Official
- The work shall be authorized by the appropriate permit
- The work shall be associated with an approved system
- The affidavit shall be on a form provided by the CBO

Check the statements that apply:

- The curbless shower design has been submitted and approved by the Division of Building Safety.
- The waterproofing detail beyond the curbless shower receptor is installed as per the approved design.
- Manufacturer installation instructions are available.
- The shower compartment is a minimum of 900 sq" with a minimum of 30" dimension.
- The curb threshold is not less than 1" below sides and back of receptor.
- The curb threshold is not less than 2" and not more than 9" in depth from top of curb to top of drain.
- The access/egress opening is not less than 22" clear and unobstructed.
- The membrane has been installed as per the manufacturer's installation instructions.
- Membrane extends not less than 3" beyond or around rough jambs and at least 3" above threshold.
- Inside corners of membrane are folded with no cuts or seams OR dam corners protect the cut liner.
- No nails or fasteners are below the threshold with no wrinkles nor irregular objects beneath the liner.
- The mortar bed beneath the liner is evenly sloped a minimum of 2% to drain.
- A water test has been performed for at least 15 minutes with no leaks occurring.

With my signature I verify the shower pan installation was performed in accordance with the manufacturers' installation specifications, Chapter 27 of the 2009 IRC or Chapter 4 of the 2009 IPC and I release the Town of Estes Park from all liability*.

Contractor Signature:	Date:
Company Name:	Town Business License Number:

*A Contractors' Affidavit of Compliance shall not exempt work from corrections if the building official determines the work does not comply with the provisions of this code.