

STATE OF COLORADO

John W. Hickenlooper, Governor
Christopher E. Urbina, MD, MPH
Executive Director and Chief Medical Officer

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory Services Division
Denver, Colorado 80246-1530 8100 Lowry Blvd.
Phone (303) 692-2000 Denver, Colorado 80230-6928
Located in Glendale, Colorado (303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

CATEGORICAL EXCLUSION DETERMINATION **FOR THE PROPOSED WASTEWATER IMPROVEMENT PROJECT FOR** **THE BOXELDER SANITATION DISTRICT**

The Water Quality Control Division of the Colorado Department of Public Health and Environment has conducted a review of the proposed Wastewater project for the **Boxelder Sanitation District** in accordance with EPA and the State of Colorado procedures for implementing the National Environmental Policy Act (NEPA) (40 CFR Part 6) and the State of Colorado NEPA-like policy (SRF Operating Agreement). The State has determined that this project is eligible for a categorical exclusion. Accordingly, the State is exempting the project from further substantive environmental review requirements under the above stated policies.

Project Description:

The project is to construct an Orbal Nitrification Basin, two clarifiers, headworks, a UV system, and the associated appurtenances. This project will be constructed in an existing treatment cell and previously disturbed areas of the existing treatment plant. The project will be funded by a Water Pollution Control State Revolving Fund loan in the amount of \$10,800,000 at 2.5%. The project will increase the user rates by \$2.60 per month.

Criteria for Granting a Categorical Exclusion under 40 CFR parts 6.107 and 6.505


The action proposed will ensure compliance with current and future water treatment standards. The following criteria condition the allowance of the categorical exclusion for the proposed action:

- Construction of new ancillary facilities either adjacent or appurtenant to existing facilities which do not affect the degree or capacity of treatment
- The minor upgrades and expansions of existing treatment works in sewered communities.

The documentation to support this decision will be on file at the Colorado Department of Public Health and Environment, Water Quality Control Division, in Denver, Colorado and is available for public scrutiny upon request. Comments concerning this decision may be addressed to:

Lisa Pine, Project Manager
Financial Solutions Unit
Water Quality Control Division
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, Colorado 80246

Dated this 28th day of February, 2011.

A handwritten signature in black ink, appearing to read "Steven H. Gunderson", with a long horizontal flourish extending to the right.

Steven H. Gunderson, Director
Water Quality Control Division