

STATE OF COLORADO

John W. Hickenlooper, Governor
Christopher E. Urbina, MD, MPH
Executive Director and Chief Medical Officer

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory Services Division
Denver, Colorado 80246-1530 8100 Lowry Blvd.
Phone (303) 692-2000 Denver, Colorado 80230-6928
Located in Glendale, Colorado (303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

CATEGORICAL EXCLUSION DETERMINATION **FOR THE PROPOSED WATER POLLUTION CONTROL PROJECT FOR** **THE CHEROKEE METROPOLITAN DISTRICT**

The Water Quality Control Division of the Colorado Department of Public Health and Environment has conducted a review of the proposed Water Pollution Control Revolving Fund project for the Cherokee Metropolitan District in accordance with Environmental Protection Agency (EPA) and the State of Colorado procedures for implementing the National Environmental Policy Act (NEPA) (40 CFR Part 6) and the State of Colorado NEPA-like policy (SRF Operating Agreement). The State has determined that this project is eligible for a categorical exclusion. Accordingly, the State is exempting the project from further substantive environmental review requirements under the above stated policies.

Project Description:

The proposed project is to construct a head works and grit removal system at the existing treatment plant before pumping to the regional plant. The project will be funded by a Water Pollution Control State Revolving Fund loan in the amount of \$2,000,000 at 2%. The project will increase the user rates by \$1.47 per month.

Criteria for Granting a Categorical Exclusion under 40 CFR parts 6.107 and 6.505


The action proposed will ensure compliance with current and future wastewater treatment standards. The following criteria condition the allowance of the categorical exclusion for the proposed action:

- Minor rehabilitation of existing facilities;
- Functional replacement of equipment;
- Construction of new ancillary facilities either adjacent or appurtenant to existing facilities which do not affect the degree or capacity of treatment.

The documentation to support this decision will be on file at the Colorado Department of Public Health and Environment, Water Quality Control Division, in Denver, Colorado and is available for public scrutiny upon request. Comments concerning this decision may be addressed to:

Louanna Cruz, Project Manager
Grants and Loans Unit
Water Quality Control Division
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, Colorado 80246

Dated this 30th day of October, 2012.



Steven H. Gunderson, Director
Water Quality Control Division