



COLORADO
Department of Public
Health & Environment

Dedicated to protecting and improving the health and environment of the people of Colorado

September 6, 2016

Tad Osmun, Registered Agent
OSMUN, INC
P.O. Box 1264
Craig, Colorado 81626

Certified Mail Number: 7014 2870 0000 7699 5276

**RE: Service of Notice of Violation/Cease and Desist Order/Order for Civil Penalty,
Number: IO-160906-1**

Dear Mr. Osmun:

OSMUN, INC is hereby served with the enclosed Notice of Violation / Cease and Desist Order / Order for Civil Penalty (the "NOV/CDO/OCP"). The NOV/CDO/OCP is issued by the Colorado Department of Public Health and Environment's Water Quality Control Division (the "Division") pursuant to the authority given to the Division by §§25-8-602, 25-8-605, and 25-8-608 C.R.S., of the *Colorado Water Quality Control Act*, (the "Act"). The Division bases the NOV/CDO/OCP upon findings that OSMUN, INC has violated the Act and/or a discharge permit, as described in the enclosed NOV/CDO/OCP.

Pursuant to §25-8-603, C.R.S., OSMUN, INC is required, within thirty (30) calendar days of receipt of this NOV/CDO/OCP, to submit to the Division an answer admitting or denying each paragraph of the Findings of Fact and responding to the Notice of Violation. Additionally, pursuant to the authority given to the Division by §25-8-608, C.R.S., the Division has imposed a civil penalty as outlined in the attached NOV/CDO/OCP. Payment of the imposed civil penalty should be made in accordance with the methods referenced in the Order for Civil Penalty.

Please be advised that the Division is continuing its investigation into this matter and the Division may identify supplementary violations that warrant amendments to this enforcement action or the issuance of additional enforcement actions.

Should you or representatives of OSMUN, INC desire to discuss this matter informally with the Division, or if you have any questions regarding the NOV/CDO/OCP, please do not hesitate to contact me by phone at (303) 692-6498 or by electronic mail at andrea.beebout@state.co.us.

Sincerely,

Andrea Beebout, Enforcement Specialist
Clean Water Enforcement Unit
WATER QUALITY CONTROL DIVISION

Enclosure(s)



cc: Enforcement File

ec: Michael Boeglin, EPA Region VIII
Jerry Blehm, Larimer County Health Department
Aimee Konowal, Watershed Section, CDPHE
Corrina Quintana, Grants and Loans Unit, CDPHE
Doug Camrud, Engineering Section, CDPHE
Kelly Jacques, Field Services Section, CDPHE
Lillian Gonzalez, Permits Section, CDPHE
Tania Watson, Data Management, CDPHE





COLORADO

Department of Public Health & Environment

WATER QUALITY CONTROL DIVISION

NOTICE OF VIOLATION / CEASE AND DESIST ORDER / ORDER FOR CIVIL PENALTY

NUMBER: IO-160906-1

IN THE MATTER OF: OSMUN, INC.
 CDPS PERMIT NO. COG070000
 CERTIFICATION NO. COG074964
 LARIMER COUNTY, COLORADO

Pursuant to the authority vested in the Colorado Department of Public Health and Environment's (the "Department") Division of Administration by §§25-1-109 and 25-8-302, C.R.S., which authority is implemented through the Department's Water Quality Control Division (the "Division"), and pursuant to §§25-8-602, 25-8-605 and 25-8-608, C.R.S., the Division hereby makes the following Findings of Fact and issues the following Notice of Violation / Cease and Desist Order / Order for Civil Penalty:

FINDINGS OF FACT AND CONCLUSIONS OF LAW

1. At all times relevant to the alleged violations identified herein, OSMUN, INC. ("Osmun") was a Colorado Corporation registered to conduct business in the State of Colorado.
2. Osmun is a "person" as defined under the Water Quality Control Act, §25-8-103(13), C.R.S. and its implementing permit regulation, 5 CCR 1002-61, §61.2(73).
3. On November 14, 2014, the Division received an application from Osmun for Colorado Discharge Permit System ("CDPS") coverage for the 2013 Flood Damage Repair Project, which included planned instream work from the construction of a retaining wall adjacent to a bridge, located at approximately 40.377, -105.527 within the City of Estes Park, Larimer County, Colorado (the "Project").
4. The Project is subject to CDPS General Permit, Number COG070000, for Construction Dewatering Discharges (the "Permit"). The current version of the Permit became effective September 1, 2013 and is set to expire August 31, 2018.
5. On December 12, 2014, the Division provided Osmun Certification Number COG074964 authorizing Osmun to discharge treated wastewater from the dewatering activities associated with the Project through Outfall 001AU to the Fall River under the terms and conditions of the Permit (the "Certification"). The Certification became effective December 12, 2014 and remains in effect until



August 31, 2018 or until Osmun inactivates Permit coverage.

6. Pursuant to 5 CCR 1002-61, §61.8, Osmun must comply with all terms and conditions of the Permit, and violations of such terms and conditions, as specified in the Permit, may be subject to civil and criminal liability pursuant to §§25-8-601 through 25-8-612, C.R.S.

Failure to Submit Discharge Monitoring Reports

7. Pursuant to Part I.B.2. of the Permit, Osmun is required to monitor the permitted discharge for defined effluent parameters at specified frequencies and report the results of such monitoring on a Discharge Monitoring Report (“DMR”) form.
8. Pursuant to Part I.E.1. of the Permit, Osmun is required to report all monitoring results on a monthly basis using Division approved DMRs. Osmun is required to ensure the DMRs are mailed to the Division so that they are received by no later than the 28th day of the month following the monitoring period. The Permit specifies that if no discharge occurs during the monthly reporting period, “No Discharge” shall be reported on the DMR.
9. Division records establish that Osmun failed to submit DMRs to the Division for Outfall 001AU for the reporting periods of December 2014 through June 2016.
10. Osmun’s failure to submit DMRs to the Division for each monitoring period constitutes violations of Part I.E.1. of the Permit.

NOTICE OF VIOLATION

11. Based on the foregoing Findings of Fact and Conclusions of Law, you are hereby notified that the Division has determined that the Osmun has violated the following sections of the Permit:

Part I.E.1. of the Permit which states in part, “Reporting of data gathered in compliance with Part I.B.2. shall be on a **monthly** basis...Monitoring results shall be summarized for each calendar month and reported on Division approved discharge monitoring report (DMR) forms (EPA form 3320-1). The permittee must submit these forms either by mail, or by using the Division’s Net-DMR services (when available). DMRs **must be** received by the Division no later than the 28th day of the month following the monitoring period...If no discharge occurs during the monitoring period, “No Discharge” shall be reported on the DMR...The Discharge Monitoring Report forms shall be filled out accurately and completely in accordance with requirements of this permit and instructions on the forms.”

REQUIRED CORRECTIVE ACTION

Based upon the foregoing factual and legal determinations and pursuant to §25-8-602 and §25-8-605, C.R.S., Osmun is hereby ordered to:

12. Cease and desist from all violations of the Colorado Water Quality Control Act, §§25-8-101 through 25-8-803, C.R.S., its implementing regulations promulgated thereto and the Permit.

Furthermore, the Division hereby orders Osmun to comply with the following specific terms and conditions of this Order:

13. Within thirty (30) calendar days of receipt of this Order, Osmun shall submit all delinquent DMRs as well as records of its discharge monitoring for the Certification (the Project) for all reporting periods from December 2014 through the date of this Order. The records shall include all laboratory data reports, all field measurement reports, and all calibration and maintenance records, including all other information required to be retained by Part I.C.1. of the Permit.
14. Within thirty (30) calendar days of receipt of this Order, Osmun shall review the requirements of the Permit and the Certification with its staff responsible for ensuring compliance with the terms and conditions of the Permit. The review shall focus on, but not be limited to: 1) the effluent limitations imposed by the Permit; 2) the effluent monitoring requirements of the Permit; 3) the discharge log and record keeping requirements of the Permit; 4) the reporting requirements of the Permit, including the instruction for proper completion and submittal of DMRs required by the Permit; and 5) the noncompliance notification procedures required by the Permit. Within forty five (45) calendar days of receipt of this Order, Osmun shall submit a written certification to the Division stating that it has completed the review of the Permit and the Certification with its responsible staff.

ORDER FOR CIVIL PENALTY

15. Pursuant to §25-8-608(1), C.R.S. any person who violates any provision of the Colorado Water Quality Control Act, or of any permit issued under the Act, or any control regulation promulgated pursuant to the Act, or any final cease and desist order or clean-up order shall be subject to a civil penalty of not more than ten thousand dollars per day for each day during which such violation occurs.
16. Based upon the Findings of Fact and Notice of Violation above, the Executive Director, through his designee (hereinafter the "Executive Director"), has determined that a civil penalty is appropriate and warranted in this matter. Therefore, the Executive Director hereby imposes a civil penalty in the amount of Six Thousand Dollars (\$6,000.00) against Osmun for the violations cited above. The civil penalty was determined in accordance with the procedures outlined in the Division's Civil Penalty Policy (May 1, 1993). A copy of the civil penalty calculation is attached hereto as Exhibit A and is incorporated herein by reference.
17. If Osmun does not contest the findings and penalty assessment set out above, the civil penalty shall be paid within sixty (60) calendar days of the date of this Notice of Violation / Cease and Desist Order / Order for Civil Penalty. Method of payment shall be by certified or cashier's check drawn to the order of the "Colorado Department of Public Health and Environment," and delivered to:

Andrea Beebout
Colorado Department of Public Health and Environment
Water Quality Control Division
Mail Code: WQCD-CWE-B2
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530

Osmun shall include with the payment a cover letter referencing the number of this Order.

NOTICES AND SUBMITTALS

For all documents, plans, records, reports and replies required to be submitted by this Notice of Violation/Cease and Desist Order, Osmun shall submit an original and an electronic copy to the Division at the following address:

Andrea Beebout
Colorado Department of Public Health and Environment
Water Quality Control Division
Mail Code: WQCD-CWE-B2
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530
Telephone: (303) 692-6498
Email: andrea.beebout@state.co.us

For any person submitting documents, plans, records and reports pursuant to this Notice of Violation / Cease and Desist Order, that person shall make the following certification with each submittal:

“I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

OBLIGATION TO ANSWER AND REQUEST FOR HEARING

Pursuant to §25-8-603, C.R.S. and 5 CCR 1002, §21.11 you are required to submit to the Division an answer affirming or denying each paragraph of the Findings of Fact and responding to the Notice of Violation. The answer shall be filed no later than thirty (30) calendar days after receipt of this action.

Section 25-8-603, C.R.S. and 5 CCR 1002, §21.11 also provide that the recipient of a Notice of Violation may request the Division to conduct a public hearing to determine the validity of the Notice, including the Findings of Fact. Such request shall be filed in writing with the Division and include the information specified in 5 CCR 1002, §21.4(B)(2). Absent a request for hearing, the validity of the factual allegations and the Notice of Violation shall be deemed established in any subsequent Department proceeding. The request for hearing, if any, shall be filed no later than thirty (30) calendar days after issuance of this action. The filing of an answer does not constitute a request for hearing.

APPEAL OF CIVIL PENALTY

Pursuant to 5 CCR 1002, §21.12(B) and 5CCR 1002, §21.4(A)(3)(b), an appeal of the determination of the civil penalty by the Executive Director shall be made in writing to the Division. Requests for such an appeal should be made in accordance with 5 CCR 1002, §21.12(B), shall be filed no later than thirty (30) calendar days after issuance of this action, and shall include the information specified in 5 CCR 1002, §21.4(B)(2).

FALSIFICATION AND TAMPERING

Be advised, in accord with §25-8-610, C.R.S., that any person who knowingly makes any false statement, representation, or certification in any application, record, report, plan, or other document filed or required to be maintained under the Colorado Water Quality Control Act or who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained under this article is guilty of a misdemeanor and, upon conviction thereof, shall be punished by a fine of not more than ten thousand dollars, or by imprisonment in the county jail for not more than six months, or by both such fine and imprisonment.

POTENTIAL CRIMINAL PENALTIES

You are also advised that any person who recklessly, knowingly, intentionally, or with criminal negligence discharges any pollutant into any state waters commits criminal pollution if such discharge is made without a permit, if a permit is required by the Act for such discharge, or if such discharge is made in violation of any permit issued under the Act or in violation of any Cease and Desist Order or Clean-up Order issued by the Division. By virtue of issuing this Notice of Violation / Cease and Desist Order / Order for Civil Penalty, the State has not waived its right to bring an action for penalties under §25-8-609, C.R.S, and may bring such action in the future.

RELEASE OR DISCHARGE NOTIFICATION

Pursuant to §25-8-601, C.R.S., you are further advised that any person engaged in any operation or activity which results in a spill or discharge of oil or other substance which may cause pollution of the waters of the state, shall notify the Division of the discharge. If said person fails to so notify, said person is guilty of a misdemeanor, and may be fined or imprisoned or both.


EFFECT OF ORDER

Nothing herein contained, particularly those portions requiring certain acts to be performed within a certain time, shall be construed as a permit or license, either to violate any provisions of the public health laws and regulations promulgated thereunder, or to make any discharge into state waters. Nothing herein contained shall be construed to preclude other individuals, cities, towns, counties, or duly constituted political subdivisions of the state from the exercise of their respective rights to suppress nuisances or to preclude any other lawful actions by such entities or the State.

For further clarification of your rights and obligations under this Notice of Violation / Cease and Desist Order/ Order for Civil Penalty you are advised to consult the Colorado Water Quality Control Act, §§25-8-101 to 803, C.R.S., and regulations promulgated thereunder, 5 CCR 1002.

Issued at Denver, Colorado, this 6th day of September, 2016.

FOR THE COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT



Patrick J. Pfaltzgraff, Director
WATER QUALITY CONTROL DIVISION

EXHIBIT A

WASTEWATER PENALTY COMPUTATION WORKSHEET

Entity Name: OSMUN, INC.	Permit Number: COG070000 Certification Number: COG074964
--------------------------	---

Part I - Administrative Violations Penalty Determination

	Violation Type	Adjustment	Amount in Dollars
Line 1	Administrative Violations (Delinquent and/or Late DMRs)	N/A	\$6,000.00
<p><i>Calculation:</i> Osmun, Inc. failed to submit DMRs to the Division for Outfall 001AU for the reporting periods from July 2015 through June 2016, for a total of 12 reporting periods and 12 delinquent DMRs.</p> <p>In accordance with Part III.B.2.a.i. of the Water Quality Control Division's <i>Civil Penalty Policy (May 1, 1993)</i>, penalties for delinquent, late or improperly completed DMRs will be \$250 per DMR if the correctly completed DMR is submitted prior to the issuance of the NOV and \$500 per DMR thereafter. In cases where the permittee has been issued a previous NOV for late or incomplete DMRs, or where the Division has a long history of correspondence with the permittee regarding these types of violations, the penalty for each report may be increased by one hundred percent per occurrence. The amount of the increase will be based on the period during which these violations have occurred and the severity of the violations.</p> <p>The Division has issued the following Compliance Advisories to Osmun, Inc. citing failure to submit DMRs:</p> <ul style="list-style-type: none"> Compliance Advisory dated March 12, 2015 for delinquent DMRs for the December 2014 monitoring period for Outfall 001AU. Compliance Advisory dated April 9, 2015 for delinquent DMRs for the January 2015 monitoring period for Outfall 001AU. Compliance Advisory dated May 14, 2015 for delinquent DMRs for the February 2015 monitoring period for Outfall 001AU. Compliance Advisory dated June 11, 2015 for delinquent DMRs for the March 2015 monitoring period for Outfall 001AU. Compliance Advisory dated July 17, 2015 for delinquent DMRs for the April 2015 monitoring period for Outfall 001AU. Compliance Advisory dated August 14, 2015 for delinquent DMRs for the May 2015 monitoring period for Outfall 001AU. Compliance Advisory dated September 11, 2015 for delinquent DMRs for the June 2015 monitoring period for Outfall 001AU. Compliance Advisory dated October 9, 2015 for delinquent DMRs for the July 2015 monitoring period for Outfall 001AU. Compliance Advisory dated November 13, 2015 for delinquent DMRs for the August 2015 monitoring period for Outfall 001AU. Compliance Advisory dated December 11, 2015 for delinquent DMRs for the September 2015 monitoring period for Outfall 001AU. Compliance Advisory dated February 12, 2016 for delinquent DMRs for the November 2015 monitoring period for Outfall 001AU. Compliance Advisory dated March 11, 2016 for delinquent DMRs for the December 2015 monitoring period for Outfall 001AU. Compliance Advisory dated May 13, 2016 for delinquent DMRs for the February 2016 			

EXHIBIT A

	<p>monitoring period for Outfall 001AU.</p> <ul style="list-style-type: none"> • Compliance Advisory dated June 10, 2016 for delinquent DMRs for the March 2016 monitoring period for Outfall 001AU. • Compliance Advisory dated July 15, 2016 for delinquent DMRs for the April 2016 monitoring period for Outfall 001AU. <p>In calculating the Administrative Penalty for the delinquent DMR violations, the Division assessed a \$500 penalty per delinquent DMR for the reporting periods July 2015 through June 2016. The Division conservatively chose not to increase the penalty by the allowed 100% per occurrence, despite the history of correspondence from the Division addressing missing DMRs.</p> <p style="text-align: center;">12 Monitoring Periods x \$500.00 = \$6,000.00</p>	
Line 2	Administrative Violation Total	\$6,000.00

Part II- Economic Benefit Consideration

		Amount in Dollars
Line 3	Economic Benefit	\$0.00
	<p>Delinquent and/or Late DMRs: Osmun, Inc. avoided the cost of submitting several DMRs; however, the economic benefit of the avoided cost was conservatively determined to be relatively insignificant.</p> <p>Additionally, Osmun, Inc. possibly avoided the cost of sampling and analyzing the Project's discharge quality as required by the Permit and the Certification. The Division conservatively estimates the cost of obtaining and processing a sample (including collection, paperwork, lab delivery, calculations, etc.) to be \$40/sample, and the cost of laboratory analysis for the missing parameters to typically range from \$15 to \$50 per parameter; however, the Division conservatively chose not to include an economic benefit for these avoided costs.</p>	

Part III - Final Penalty

		Amount in Dollars
Line 4	Total Civil Penalty:	\$6,000.00