



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](#). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
Groundwater	1	3/2/2016	28	38	< 20	5.3	18	31	54.3
Groundwater	2	3/2/2016	< 90	< 30	< 20	< 10	< 20	< 40	< 40
Groundwater	3	3/2/2016	260	35	< 20	6.1	15	20	41.1
Groundwater	4	1/15/2013	< 90	80	< 20	10	40	40	90
		7/17/2013	< 90	60	< 20	10	40	< 40	50
		2/8/2016	< 90	50	< 20	10	40	50	100
		5/4/2016	< 90	56	< 20	12	38	50	100
Groundwater	5	1/15/2013	< 90	40	< 20	< 10	20	40	60
		7/17/2013	< 90	50	< 20	< 10	30	< 40	30
		2/8/2016	< 90	40	< 20	< 10	20	< 40	20
		5/4/2016	< 90	49	< 20	< 10	23	50	73
Groundwater	6	1/15/2013	< 90	80	< 20	10	30	< 40	40
		7/17/2013	< 90	50	< 20	< 10	40	< 40	40
		2/8/2016	< 90	60	< 20	10	40	50	100
		5/4/2016	< 90	72	< 20	12	37	46	95
Groundwater	7	4/27/2016	72	390	< 2.5	20	46	96	162
		5/17/2016	150	510	5.6	42	73	140	255
Groundwater	8	5/17/2016	46	19	5.5	5.7	13	37	55.7
Groundwater	9	5/17/2016	49	20	6.6	8	20	36	64
Groundwater	10	5/17/2016	46	19	6.4	4.9	11	37	52.9
Groundwater	11	5/17/2016	48	20	5.4	5.5	13	34	52.5
Groundwater	12	2/23/2016	< 90	< 30	< 20	< 10	< 20	< 40	< 40
Groundwater	13	5/4/2016	240	970	25	200	200	1600	2000
Groundwater	14	5/4/2016	21	6.9	< 3.8	< 1.8	< 3.6	< 8.8	< 8.8
Groundwater	15	5/4/2016	20	93	< 3.8	12	13	41	66



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](http://www.colorado.gov/cdphe/PFCs/about/Colorado). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
Groundwater	16	3/2/2016	110	430	< 2.0	24	42	320	386
		4/6/2016	110	410	< 2.0	22	38	290	350
Groundwater	17	3/8/2016	9	13	< 2.0	4	8	9	21
Groundwater	18	5/17/2016	90	210	3.9	20	30	130	180
Groundwater	19	3/31/2016	< 15	81	< 3.8	12	30	67	109
Groundwater	20	3/31/2016	< 15	76	< 3.8	14	38	64	116
Groundwater	21	3/31/2016	< 15	82	< 3.8	17	44	51	112
Groundwater	22	3/31/2016	< 15	88	< 3.8	21	46	48	115
Groundwater	23	3/31/2016	< 15	86	< 3.8	22	45	41	108
Groundwater	24	4/4/2016	< 15	71	< 3.8	15	42	62	119
Groundwater	25	3/31/2016	< 15	82	< 3.8	13	36	66	115
Groundwater	26	4/4/2016	< 15	93	< 3.8	13	35	55	103
Groundwater	27	4/4/2016	< 15	97	< 3.8	14	40	46	100
Groundwater	28	4/4/2016	< 15	< 5.4	< 3.8	12	< 3.6	< 8.8	12
Groundwater	29	5/17/2016	83	150	5.1	32	46	300	378
Groundwater	30	5/17/2016	72	160	4.6	32	46	330	408
Groundwater	31	4/4/2016	< 15	380	< 3.8	44	91	70	205
Groundwater	32	3/31/2016	< 15	< 5.4	< 3.8	< 1.8	< 3.6	< 8.8	< 8.8
Groundwater	33	4/4/2016	120	560	< 3.8	44	86	130	260
Groundwater	34	7/28/2016	23	54	< 3.8	10	27	62	99
Groundwater	35	4/4/2016	< 15	< 5.4	< 3.8	< 1.8	< 3.6	< 8.8	< 8.8
Groundwater	36	3/31/2016	< 15	110	< 3.8	22	56	62	140
Groundwater	37	3/31/2016	< 15	78	< 3.8	20	48	44	112
Groundwater	38	1/25/2016	< 90	440	< 20	40	90	150	280
		2/17/2016	< 90	440	< 20	40	90	170	300



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](#). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
		4/6/2016	90	440	< 2.0	38	94	170	302
Groundwater	39	1/14/2014	< 90	160	< 20	20	50	60	130
		7/29/2014	< 90	200	< 20	20	50	60	130
		2/9/2016	< 90	190	< 20	20	40	70	130
		4/11/2016	52	260	< 2.0	27	56	65	148
Groundwater	40	5/17/2016	180	560	5.3	42	62	130	234
Groundwater	41	5/17/2016	200	670	5.4	50	71	170	291
Groundwater	42	2/19/2016	110	380	< 20	17	33	70	120
Groundwater	43	1/14/2014	100	320	< 20	20	40	40	100
		8/11/2014	< 90	310	< 20	20	40	50	110
		2/9/2016	110	390	< 20	20	50	70	140
		4/6/2016	110	420	< 2.0	23	45	72	140
Groundwater	44	1/14/2014	< 90	340	< 20	30	60	50	140
		7/29/2014	< 90	330	< 20	20	60	60	140
		2/9/2016	90	390	< 20	20	60	70	150
		4/6/2016	90	370	< 2.0	24	52	73	149
Groundwater	45	1/14/2014	< 90	130	< 20	20	40	90	150
		7/30/2014	< 90	140	< 20	20	40	90	150
		2/9/2016	< 90	140	< 20	20	30	140	190
		4/6/2016	52	140	< 2.0	18	29	120	167



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](#). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)							PFOS + PFOA + PFHpA
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS		
Groundwater	46	4/22/2014	< 90	90	< 20	20	30	90	140	
		7/30/2014	< 90	100	< 20	20	30	100	150	
		2/10/2016	< 90	130	< 20	20	30	120	170	
		4/11/2016	37	130	< 2.0	20	35	130	185	
Groundwater	47	1/25/2016	< 90	140	< 20	20	30	100	150	
		2/17/2016	< 90	140	< 20	20	30	100	150	
		4/6/2016	42	160	< 2.0	17	32	110	159	
Groundwater	48	1/25/2016	< 90	400	< 20	40	90	160	290	
		2/17/2016	< 90	390	< 20	40	90	160	290	
		4/6/2016	84	410	< 2.0	36	96	160	292	
Groundwater	49	1/25/2016	170	640	< 20	30	60	510	600	
		2/17/2016	150	640	< 20	30	60	480	570	
		4/6/2016	180	600	< 2.0	37	63	520	620	
Groundwater	50	1/21/2014	< 90	230	< 20	30	60	< 40	90	
		7/30/2014	< 90	290	< 20	30	70	40	140	
		2/10/2016	< 90	370	< 20	30	90	50	170	
		4/6/2016	51	320	< 2.0	32	86	50	168	
Groundwater	51	1/22/2014	< 90	300	< 20	30	60	50	140	
		7/30/2014	< 90	420	< 20	30	70	60	160	
		2/9/2016	< 90	420	< 20	30	80	60	170	
		4/6/2016	79	480	< 2.0	36	85	77	198	
Groundwater	52	2/9/2016	< 90	400	< 20	20	50	80	150	
		4/6/2016	78	370	< 2.0	23	52	83	158	



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](http://www.colorado.gov/cdphe/PFCs/about/Colorado). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
Groundwater	53	1/21/2014	< 90	210	< 20	20	50	40	110
		7/29/2014	< 90	210	< 20	20	50	40	110
		2/9/2016	< 90	320	< 20	30	80	50	160
		4/21/2016	62	380	< 2.0	35	87	61	183
Groundwater	54	2/10/2014	< 90	110	< 20	20	30	90	140
		7/30/2014	< 90	140	< 20	20	30	100	150
		2/10/2016	< 90	160	< 20	20	30	80	130
		4/6/2016	42	150	< 2.0	18	31	86	135
Groundwater	55	1/22/2014	< 90	130	< 20	20	30	90	140
		7/30/2014	< 90	140	< 20	20	30	90	140
		2/10/2016	< 90	160	< 20	20	30	80	130
		4/6/2016	45	160	< 2.0	18	32	88	138
Groundwater	56	1/21/2014	< 90	< 30	< 20	< 10	< 20	< 40	< 40
		7/30/2014	< 90	180	< 20	20	40	80	140
		2/10/2016	< 90	210	< 20	20	60	40	120
		4/6/2016	38	200	< 2.0	22	57	46	125
Groundwater	57	1/14/2014	< 90	210	< 20	30	50	70	150
		7/29/2014	< 90	180	< 20	20	40	80	140
		2/9/2016	< 90	230	< 20	20	50	70	140
		4/21/2016	54	200	< 2.0	21	47	74	142
Groundwater	58	2/10/2016	< 90	420	< 20	40	90	100	230
		4/6/2016	63	360	< 2.0	27	76	99	202
Groundwater	59	2/10/2016	< 90	320	< 20	30	90	60	180
		4/6/2016	46	280	< 2.0	27	79	54	160
Groundwater	60	2/10/2016	< 90	510	< 20	30	80	90	200



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](#). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
		4/6/2016	74	430	< 2.0	36	87	98	221
Groundwater	61	2/10/2016	< 90	390	< 20	30	90	80	200
		4/6/2016	54	320	< 2.0	28	81	72	181
Groundwater	62	1/15/2014	< 90	240	< 20	40	40	600	680
		7/30/2014	< 90	240	< 20	40	50	590	680
		2/17/2016	< 90	220	< 20	40	40	400	480
Groundwater	63	1/15/2014	< 90	310	< 20	70	80	580	730
		7/31/2014	90	350	< 20	70	80	580	730
		2/17/2016	< 90	280	< 20	50	60	560	670
Groundwater	64	1/15/2014	< 90	310	< 20	60	70	1300	1430
		7/30/2014	< 90	340	< 20	70	80	650	800
		2/17/2016	< 90	340	< 20	60	70	560	690
Groundwater	blend of 63, 63, & 64	2/17/2016	< 90	270	< 20	50	60	530	640
Groundwater	65	3/10/2016	14	30	< 2.0	7	19	36	62
		5/17/2016	48	44	4.5	11	22	45	78
		11/16/2016	20	43	< 3.8	11	26	54	91
Groundwater	66	4/27/2016	8.5	19	< 2.5	4.2	8	18	30.2
		5/17/2016	45	37	4	8.5	14	32	54.5
Groundwater	67	5/17/2016	110	200	6.2	39	41	320	400
Groundwater	68	11/20/2013	< 90	75	< 20	16	24	42	82
		6/19/2014	< 90	69	< 20	11	21	49	81
		2/10/2016	NT	NT	NT	NT	26	72	98



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](#). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
Groundwater	69	11/12/2013	< 90	180	< 20	18	31	< 40	49
		5/14/2014	< 90	270	< 20	24	48	57	129
		2/8/2016	NT	NT	NT	NT	40	34	74
		5/2/2016	64	320	< 2.5	23	48	90	161
Groundwater	70	11/12/2013	< 90	71	< 20	< 10	< 20	< 40	< 40
		5/14/2014	< 90	160	< 20	22	36	210	268
		2/8/2016	NT	NT	NT	NT	29	240	269
		5/18/2016	110	230	5.1	44	61	480	585
		8/12/2016	71	27	150	< 3.8	35	260	295
Groundwater	71	2/8/2016	NT	NT	NT	NT	23	86	109
		5/3/2016	36	80	< 2.5	13	20	93	126
Groundwater	72	2/10/2016	NT	NT	NT	NT	45	41	86
		5/3/2016	56	260	< 2.5	22	42	75	139
Groundwater	73	11/6/2013	< 90	210	< 20	18	30	< 40	48
		5/2/2016	78	320	< 2.5	20	36	60	116
Groundwater	74	11/13/2013	< 90	46	< 20	< 10	< 20	< 40	< 40
		5/14/2014	< 90	130	< 20	20	36	180	236
		2/8/2016	NT	NT	NT	NT	24	130	154
		5/18/2016	110	220	5.2	38	55	440	533
		8/13/2016	55	22	110	< 3.8	36	270	306
		11/8/2016	72	140	3.8	22	33	260	315
Groundwater	75	5/3/2016	36	65	< 2.5	12	20	78	110
Groundwater	76	6/27/2016	32	44	< 3.8	4.8	13	24	41.8
Groundwater	77	6/27/2016	< 15	10	< 3.8	3.8	9.1	< 8.8	12.9
Groundwater	78	6/27/2016	39	65	4	19	56	65	140



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](#). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
Groundwater	79	6/27/2016	< 15	25	< 3.8	8.7	16	31	55.7
Groundwater	80	6/29/2016	< 15	13	< 3.8	3.5	5.2	14	22.7
Groundwater	81	6/28/2016	52	200	< 3.8	16	20	140	176
Groundwater	82	6/28/2016	98	260	< 3.8	62	40	180	282
Groundwater	83	5/26/2016	42	130	< 3.8	31	39	260	330
Groundwater	84	5/26/2016	43	63	< 3.8	12	22	61	95
Groundwater	85	5/26/2016	37	60	< 3.8	15	33	27	75
Groundwater	86	6/27/2016	67	300	< 3.8	33	66	81	180
Groundwater	87	6/27/2016	17	37	< 3.8	5.2	< 3.6	< 8.8	5.2
Groundwater	88	6/27/2016	< 15	< 5.4	< 3.8	< 1.8	< 3.6	< 8.8	< 8.8
Groundwater	89	5/26/2016	23	34	4.5	12	33	64	109
Groundwater	90	11/6/2013	< 90	< 30	< 20	< 10	< 20	< 40	< 40
		5/19/2014	< 90	< 30	< 20	< 10	< 20	< 40	< 40
Groundwater	91	3/31/2016	230	740	< 3.8	44	63	140	247
Groundwater	92	11/12/2013	< 90	220	< 20	19	37	< 40	56
		5/19/2014	< 90	330	< 20	24	45	51	120
Groundwater	93	1/15/2013	< 90	80	< 20	20	40	40	100
		7/17/2013	< 90	50	< 20	< 10	40	< 40	40
Groundwater	94	6/28/2016	51	290	< 3.8	32	66	49	147
Groundwater	95	7/29/2016	< 15	30	< 3.8	1.8	< 3.6	< 8.8	1.8
Groundwater	96	7/29/2016	< 15	36	< 3.8	2.4	< 3.6	< 8.8	2.4
Groundwater	97	7/29/2016	160	580	< 3.8	40	67	100	207
Groundwater	98	7/29/2016	23	48	< 3.8	5.6	< 3.6	< 8.8	5.6
Groundwater	99	7/29/2016	19	31	4.6	8.3	23	52	83.3
Groundwater	100	7/28/2016	20	46	< 3.8	8.5	19	46	73.5





## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](http://www.colorado.gov/cdphe/PFCs/about/Colorado). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
Groundwater	101	7/28/2016	< 15	33	< 3.8	< 1.8	< 3.6	< 8.8	< 8.8
Groundwater	102	7/28/2016	35	53	< 3.8	5.3	13	22	40.3
Groundwater	103	7/28/2016	45	74	3.8	17	40	73	130
Groundwater	104	7/28/2016	36	50	< 3.8	5.5	15	31	51.5
Groundwater	105	7/28/2016	62	71	< 3.8	16	21	< 8.8	37
Groundwater	106	7/28/2016	30	58	< 3.8	14	41	46	101
Groundwater	107	9/2/2016	36	27	< 3.8	5.1	13	0	18.1
Groundwater	108	9/6/2016	24	44	< 3.8	9.5	24	27	60.5
Groundwater	109	9/6/2016	31	46	< 3.8	9.2	25	46	80.2
Groundwater	110	9/6/2016	19	26	< 3.8	6.4	12	0	18.4
Groundwater	111	9/6/2016	18	40	< 3.8	12	43	29	84
Groundwater	112	9/6/2016	26	24	< 3.8	4.4	8	< 9	12.4
Groundwater	113	9/6/2016	< 15	< 5.0	< 3.8	< 2.0	< 4.0	< 9.0	< 15
Groundwater	114	9/6/2016	26	36	< 3.8	6.4	14	< 9	20.4
Groundwater	115	11/16/2016	< 15	11	< 3.8	2.7	4.8	13	20.5
Groundwater	116	11/16/2016	17	27	< 3.8	7	13	37	57
Groundwater		2/22/2017	11	4.8	22	< 2	11	42	53
Groundwater	117	11/21/2016	59	76	< 3.8	8.9	24	< 8.8	32.9
Groundwater	118	11/21/2016	33	70	< 3.8	9	44	36	89
Groundwater	119	11/21/2016	21	56	< 3.8	3.7	3.7	< 8.8	7.4
Groundwater	120	11/21/2016	16	56	< 3.8	2.7	3.7	< 8.8	6.4
Groundwater	121	11/21/2016	38	68	< 3.8	7	34	48	89
Groundwater	122	11/21/2016	< 15	40	< 3.8	< 1.8	29	10	39



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](http://www.colorado.gov/cdphe/PFCs/about/Colorado). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)							PFOS + PFOA + PFHpA
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS		
Groundwater	123	11/21/2016	32	60	< 3.8	5	21	32	58	
Groundwater	124	11/21/2016	16	25	< 3.8	2.3	8.5	14	24.8	
Groundwater	125	11/21/2016	30	56	< 3.8	4.5	20	22	46.5	
Groundwater	126	2/15/2017	20	49	< 2.0	6	30	36	72	
Groundwater	127	2/15/2017	< 9.0	15	< 2.0	2	4	28	34	
Groundwater	128	2/16/2017	15	15	< 2.0	4	9	26	39	
Groundwater	129	2/15/2017	< 9.0	10	< 2.0	< 2.0	4	18	22	
Groundwater	130	6/15/2016	NT	NT	NT	NT	4.7	2.9	7.6	
Groundwater	131	5/27/2008	27	7.5	50	< 2	25	18	43	
Surface water	A	2/16/2016	NT	NT	NT	NT	4.4	2.7	7.1	
Surface water	B	2/16/2016	NT	NT	NT	NT	11	< 2.5	11	
Surface water	C	2/16/2016	NT	NT	NT	NT	14	< 2.5	14	
Surface water	D	2/16/2016	NT	NT	NT	NT	4.4	3.1	7.5	
Surface water	E	2/16/2016	NT	NT	NT	NT	4.2	3	7.2	
Surface water	F	2/16/2016	NT	NT	NT	NT	6.1	< 2.5	6.1	
Surface water	G	2/16/2016	NT	NT	NT	NT	2.9	3.1	6	
Surface water	H	5/17/2016	42	8.8	4	2.3	5.7	14	22	
Surface water	I	5/17/2016	130	330	6.8	63	57	370	490	
Surface water	J	5/17/2016	190	440	6.9	90	81	620	791	
Surface water	K	1/28/2016	< 90	< 30	< 20	< 10	< 20	< 40	< 40	
		3/8/2016	3.3	6.4	< 2.5	< 2.5	5.2	< 2.5	5.2	
		11/2/2016	< 15	8.7	< 3.8	2.6	8.1	< 8.8	10.7	



## PFC Levels in Environmental Water Samples Collected from the Widefield Aquifer Region

Environmental water samples were collected from groundwater or surface water. If your water comes from a public water system, environmental water is not what comes out of your tap. We compiled this data set from samples collected by El Paso County Public Health, local water districts and utilities, and the department. All samples were analyzed using EPA method 537 and collected under sampling/analysis plan and quality control protocols of the collecting agency. Sample results listed as "< XX" are samples where PFCs were not detected above the XX detection limit. NT indicates a sample was not tested for that PFC. Many of the groundwater wells supply water directly into drinking water distribution zones. For more information on your tap water, see the [interactive public drinking water map](#). For more information about these PFCs, see [www.colorado.gov/cdphe/PFCs/about/Colorado](http://www.colorado.gov/cdphe/PFCs/about/Colorado).

Water sample type	Map identifier <a href="#">See environmental water map</a>	Sample Date	Concentration (ppt)						
			PFBS	PFHxS	PFNA	PFHpA	PFOA	PFOS	PFOS + PFOA + PFHpA
Surface water	L	3/8/2016	7.8	11	< 2.5	< 2.5	3.3	3.6	6.9
		11/2/2016	15	10	< 3.8	3.7	7.1	< 8.8	10.8
Surface water	M	1/28/2016	< 90	< 30	< 20	< 10	27	< 40	27
		3/8/2016	3.3	5	< 2.5	< 2.5	14	< 2.5	14
		11/2/2016	< 15	6.4	< 3.8	2.6	7.2	< 8.8	9.8
Surface water	N	1/28/2016	< 90	< 30	< 20	< 10	21	< 40	21
		3/8/2016	3.9	5.9	< 2.5	2.5	14	< 2.5	16.5
		11/2/2016	< 15	7.3	< 3.8	2.8	7.4	< 8.8	10.2
Surface water	O	1/28/2016	< 90	< 30	< 20	< 10	26	< 40	26
		3/8/2016	3.4	4.8	< 2.5	< 2.5	14	< 2.5	14
		11/2/2016	< 15	7.3	< 3.8	3	7.9	< 8.8	10.9
Surface water	P	3/8/2016	8.4	17	< 2.5	4.2	16	5.7	25.9
		11/2/2016	< 15	36	< 3.8	4	16	18	38
Surface water	Q	3/8/2016	14	21	< 2.5	3.1	4.7	9.4	17.2
		11/2/2016	< 15	6.7	< 3.8	2.6	6.8	< 8.8	9.4
Surface water	R	1/28/2016	< 90	< 30	< 20	< 10	33	< 40	33
		3/8/2016	15	23	< 2.5	3.7	6.2	15	24.9
		11/2/2016	< 15	7.1	< 3.8	2.7	7.8	< 8.8	10.5
Surface water	S	3/8/2016	11	18	< 2.5	5	14	7.9	26.9
		11/2/2016	17	29	< 3.8	7.5	19	21	47.5
Surface water	T	3/8/2016	15	19	< 2.5	< 2.5	3.2	< 2.5	3.2
		11/2/2016	24	33	< 3.8	< 1.8	4.2	< 8.8	4.2