

# Section 24(c) Special Local Need



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Transform<sup>®</sup> WG

EPA Reg. No. 62719-625

EPA 24(c) Special Local Need Registration SLN CO-150004

(For Distribution and Use Only in the State of Colorado)

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2020.

### For Control of Plant bugs, *Lygus* spp., in Alfalfa Grown for Seed

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Transform WG insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Transform WG according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Transform WG.

#### SEED CONDITIONING REQUIREMENTS:

- For use only on fields in production of alfalfa seed.
- Not for use on fields producing alfalfa for livestock feed.
- Do not graze current year's treated alfalfa seed crop.
- Do not cut current year's treated alfalfa seed crop for hay or forage.
- Treated alfalfa seed is not to be used for sprouting. All alfalfa seed treated with Transform WG is to be tagged at the conditioning plant, "NOT FOR HUMAN OR ANIMAL CONSUMPTION". It shall be the grower's responsibility to notify the conditioning plant of any alfalfa seed crop treated with Transform WG.
- Screens and seed from seed conditioning are prohibited from feed channels. All Transform WG treated alfalfa seed screenings must be removed from the feed market.

#### Directions for Use

Refer to product label for General Use Precautions, Mixing and Application instructions.

#### Pests and Application Rates:

Pests	Transform WG (oz/acre)
Plant bugs	1.5 – 2.75 (0.047 – 0.086 lb ai/acre)

**Advisory Pollinator Statement:** Notifying known beekeepers within 1 mile of the treatment area 48 hours before the product is applied will allow them to take additional steps to protect their bees.

**Application Timing:** Treat in accordance with local economic thresholds. Consult your Dow AgroSciences representative, cooperative extension service, certified crop advisor or state agricultural

experiment station for any additional local use recommendations for your area.

**Application Rate:** Use a higher rate in the rate range for heavy pest populations.

**Restrictions:**

- **Minimum Treatment Interval:** Do not make applications less than 7 days apart.
- Do not make more than two applications per cutting.
- Do not apply more than a total of 8.5 oz of Transform WG (0.266 lb ai of sulfoxaflor) per acre per year.
- If 5 or more blossoms per square yard are present on average in the field to be treated, do not apply between sunrise and sunset.
- Do not use treated alfalfa for feed or fodder, or allow livestock to graze on treated areas.

®™ Trademark of The Dow Chemical Company (“Dow”) or an affiliated company of Dow

R396-059

Approved: \_\_/\_\_/\_\_

Initial printing.